

<b>Test Method:</b>	FCC Part 15 Subpart C, Spurious Case Radiated Emissions, Paragraph 15.209(a)						
<b>Customer:</b>	Symbol Technologies				<b>Job No.</b>	R-8476	
<b>Test Sample:</b>	I.R. Barcode Scanner w/ New Antenna						
<b>Model No.:</b>	P470				<b>FCC ID:</b>	H9PP470	
<b>Operating Mode:</b>	Continuously Transmitting 2.4 GHz Signal						
<b>Technician:</b>	P. Lananna				<b>Date:</b>	April 7, 2000	
<b>Notes:</b>	Test Distance: 3 Meters      Temp:11C      Humidity:32% Detector: Quasi-Peak Below 1 GHz, Peak above 1 GHz						
Test Freq.	Antenna Position	EUT Orientation	Meter Readings	Correction Factor	Corrected Reading	Converted Reading	LIMIT
MHz	(V/H) / Meters	Degrees	dBuV	dB	dBuV/m	uV/m	uV/m
30.00							100
88.00							100
88.00							150
216.00							150
216.00							200
960.00							200
960.00							500
24000.0							500
The EUT was scanned from 30 MHz to 24 GHz							
The emissions observed from the EUT do not exceed the specified limits. Emissions not recorded							
were more than 10dB under the specified limit							



**Retlif Testing Laboratories**

Retlif Job Number R-8476