


|           |                  |
|-----------|------------------|
| Test Mode | UNII-1_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 29.450                | 17.000                        |
| 40      | 5200            | 32.800                | 17.100                        |
| 48      | 5240            | 20.089                | 16.700                        |

CH36




Date: 19.APR.2024 14:17:37

CH40  
26 dB Bandwidth




Date: 19.APR.2024 14:19:37

CH48




Date: 19.APR.2024 14:20:31


99 % Occupied Bandwidth



Date: 19.APR.2024 14:17:08



Date: 19.APR.2024 14:19:03




Date: 19.APR.2024 14:19:55

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 29.790                | 18.300                        |
| 40      | 5200            | 30.688                | 18.300                        |
| 48      | 5240            | 20.650                | 17.900                        |

CH36




Date: 19.APR.2024 14:33:04

CH40  
26 dB Bandwidth




Date: 19.APR.2024 14:34:02

CH48




Date: 19.APR.2024 14:35:05


99 % Occupied Bandwidth



Date: 19.APR.2024 14:33:31



Date: 19.APR.2024 14:33:34




Date: 19.APR.2024 14:34:29


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 48.990                | 37.200                        |
| 46      | 5230            | 40.300                | 36.600                        |



CH38



CH46  
26 dB Bandwidth




99 % Occupied Bandwidth



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 104.600               | 75.600                        |

## CH42 26 dB Bandwidth



Date: 19.APR.2024 15:13:45

## 99 % Occupied Bandwidth




Date: 19.APR.2024 15:13:08




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode |
|-----------|-------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 50.999                | 38.200                        |
| 46      | 5230            | 49.100                | 38.000                        |



CH38



CH46  
26 dB Bandwidth




99 % Occupied Bandwidth



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 101.194               | 77.600                        |

## CH42 26 dB Bandwidth



Date: 20.APR.2024 00:43:56

## 99 % Occupied Bandwidth




Date: 20.APR.2024 00:42:59

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 20.998                | 16.700                        |
| 60      | 5300            | 29.589                | 17.200                        |
| 64      | 5320            | 27.900                | 17.100                        |

CH52




Date: 19.APR.2024 14:21:32

CH60  
26 dB Bandwidth




Date: 19.APR.2024 14:22:54

CH64




Date: 19.APR.2024 14:23:45


99 % Occupied Bandwidth



Date: 19.APR.2024 14:20:58



Date: 19.APR.2024 14:22:20



Date: 19.APR.2024 14:23:16








|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 115.600               | 76.400                        |

## CH58 26 dB Bandwidth



Date: 19.APR.2024 15:15:20

## 99 % Occupied Bandwidth



Date: 19.APR.2024 15:14:42



| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 54      | 5270               | 39.500                   | 38.000                           |
| 62      | 5310               | 60.600                   | 38.200                           |

## CH62

Ref 20 dBm \*Att 30 dB \*Span 30 MHz Delta 1 [1] 1  
 \*VM 1 MHz \*VM 2.14 dB  
 SMT 20 Hz 60.59956000 MHz  
 20 OFFSET 19 dB  
 10  
 0  
 -10  
 -20  
 -30  
 -40  
 -50  
 -60  
 -70  
 -80  
 F1 5.340 dBm F2  
 MarkW 1 [1] 1  
 -20.60 dBm  
 5.372500000 MHz  
 Chapter 5-13 GHz 10 MHz / Span 30.00 MHz

Date: 20-APR-2024 00:33:49

20 dBm

REF 20 dBm

0 dBm

10 dBm

20 dBm

30 dBm

40 dBm

50 dBm

60 dBm

70 dBm

80 dBm

90 dBm

100 dBm

110 dBm

120 dBm

130 dBm

140 dBm

150 dBm

160 dBm

170 dBm

180 dBm

190 dBm

200 dBm

210 dBm

220 dBm

230 dBm

240 dBm

250 dBm

260 dBm

270 dBm

280 dBm

290 dBm

300 dBm

310 dBm

320 dBm

330 dBm

340 dBm

350 dBm

360 dBm

370 dBm

380 dBm

390 dBm

400 dBm

410 dBm

420 dBm

430 dBm

440 dBm

450 dBm

460 dBm

470 dBm

480 dBm

490 dBm

500 dBm

510 dBm

520 dBm

530 dBm

540 dBm

550 dBm

560 dBm

570 dBm

580 dBm

590 dBm

600 dBm

610 dBm

620 dBm

630 dBm

640 dBm

650 dBm

660 dBm

670 dBm

680 dBm

690 dBm

700 dBm

710 dBm

720 dBm

730 dBm

740 dBm

750 dBm

760 dBm

770 dBm

780 dBm

790 dBm

800 dBm

810 dBm

820 dBm

830 dBm

840 dBm

850 dBm

860 dBm

870 dBm

880 dBm

890 dBm

900 dBm

910 dBm

920 dBm

930 dBm

940 dBm

950 dBm

960 dBm

970 dBm

980 dBm

990 dBm

1000 dBm

1010 dBm

1020 dBm

1030 dBm

1040 dBm

1050 dBm

1060 dBm

1070 dBm

1080 dBm

1090 dBm

1100 dBm

1110 dBm

1120 dBm

1130 dBm

1140 dBm

1150 dBm

1160 dBm

1170 dBm

1180 dBm

1190 dBm

1200 dBm

1210 dBm

1220 dBm

1230 dBm

1240 dBm

1250 dBm

1260 dBm

1270 dBm

1280 dBm

1290 dBm

1300 dBm

1310 dBm

1320 dBm

1330 dBm

1340 dBm

1350 dBm

1360 dBm

1370 dBm

1380 dBm

1390 dBm

1400 dBm

1410 dBm

1420 dBm

1430 dBm

1440 dBm

1450 dBm

1460 dBm

1470 dBm

1480 dBm

1490 dBm

1500 dBm

1510 dBm

1520 dBm

1530 dBm

1540 dBm

1550 dBm

1560 dBm

1570 dBm

1580 dBm

1590 dBm

1600 dBm

1610 dBm

1620 dBm

1630 dBm

1640 dBm

1650 dBm

1660 dBm

1670 dBm

1680 dBm

1690 dBm

1700 dBm

1710 dBm

1720 dBm

1730 dBm

1740 dBm

1750 dBm

1760 dBm

1770 dBm

1780 dBm

1790 dBm

1800 dBm

1810 dBm

1820 dBm

1830 dBm

1840 dBm

1850 dBm

1860 dBm

1870 dBm

1880 dBm

1890 dBm

1900 dBm

1910 dBm

1920 dBm

1930 dBm

1940 dBm

1950 dBm

1960 dBm

1970 dBm

1980 dBm

1990 dBm

2000 dBm

2010 dBm

2020 dBm

2030 dBm

2040 dBm

2050 dBm

2060 dBm

2070 dBm

2080 dBm

2090 dBm

2100 dBm

2110 dBm

2120 dBm

2130 dBm

2140 dBm

2150 dBm

2160 dBm

2170 dBm

2180 dBm

2190 dBm

2200 dBm

2210 dBm

2220 dBm

2230 dBm

2240 dBm

2250 dBm

2260 dBm

2270 dBm

2280 dBm

2290 dBm

2300 dBm

2310 dBm

2320 dBm

2330 dBm

2340 dBm

2350 dBm

2360 dBm

2370 dBm

2380 dBm

2390 dBm

2400 dBm

2410 dBm

2420 dBm

2430 dBm

2440 dBm

2450 dBm

2460 dBm

2470 dBm

2480 dBm

2490 dBm

2500 dBm

2510 dBm

2520 dBm

2530 dBm

2540 dBm

2550 dBm

2560 dBm

2570 dBm

2580 dBm

2590 dBm

2600 dBm

2610 dBm

2620 dBm

2630 dBm

2640 dBm

2650 dBm

2660 dBm

2670 dBm

2680 dBm

2690 dBm

2700 dBm

2710 dBm

2720 dBm

2730 dBm

2740 dBm

2750 dBm

2760 dBm

2770 dBm

2780 dBm

2790 dBm

2800 dBm

2810 dBm

2820 dBm

2830 dBm

2840 dBm

2850 dBm

2860 dBm

2870 dBm

2880 dBm

2890 dBm

2900 dBm

2910 dBm

2920 dBm

2930 dBm

2940 dBm

2950 dBm

2960 dBm

2970 dBm

2980 dBm

2990 dBm

3000 dBm

3010 dBm

3020 dBm

3030 dBm

3040 dBm

3050 dBm

3060 dBm

3070 dBm

3080 dBm

3090 dBm

3100 dBm

3110 dBm

3120 dBm

3130 dBm

3140 dBm

3150 dBm

3160 dBm

3170 dBm

3180 dBm

3190 dBm

3200 dBm

3210 dBm

3220 dBm

3230 dBm

3240 dBm

3250 dBm

3260 dBm

3270 dBm

3280 dBm

3290 dBm

3300 dBm

3310 dBm

3320 dBm

3330 dBm

3340 dBm

3350 dBm

3360 dBm

3370 dBm

3380 dBm

3390 dBm


34

Date: 20-APR-2024 00:33:22

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 94.200                | 77.600                        |

## CH58 26 dB Bandwidth



Date: 20.APR.2024 00:46:36

## 99 % Occupied Bandwidth




Date: 20.APR.2024 00:45:28

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 50      | 5250            | 170.800               | 155.200                       |

## CH50 26 dB Bandwidth



Date: 19.APR.2024 15:22:07

## 99 % Occupied Bandwidth




Date: 19.APR.2024 15:21:25

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 50      | 5250            | 167.600               | 156.800                       |

## CH50 26 dB Bandwidth



Date: 20.APR.2024 00:54:48

## 99 % Occupied Bandwidth




Date: 20.APR.2024 00:54:05



|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 31.150                | 17.300                        |
| 116     | 5580            | 31.189                | 17.200                        |
| 140     | 5700            | 29.700                | 17.200                        |

CH100




Date: 19.APR.2024 14:24:43

CH116  
26 dB Bandwidth




Date: 19.APR.2024 14:25:42

CH140




Date: 19.APR.2024 14:26:45


99 % Occupied Bandwidth



Date: 19.APR.2024 14:24:17



Date: 19.APR.2024 14:25:13




Date: 19.APR.2024 14:26:13

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 30.950                | 18.200                        |
| 116     | 5580            | 25.950                | 17.900                        |
| 140     | 5700            | 29.250                | 18.200                        |

CH100




Date: 19.APR.2024 14:38:38

CH116  
26 dB Bandwidth




Date: 19.APR.2024 14:39:40

CH140




Date: 19.APR.2024 14:40:35


99 % Occupied Bandwidth



Date: 19.APR.2024 14:38:09



Date: 19.APR.2024 14:39:06




Date: 19.APR.2024 14:40:06

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 50.900                | 37.000                        |
| 110     | 5550            | 40.199                | 36.800                        |
| 134     | 5670            | 56.590                | 37.400                        |

CH102




Date: 19.APR.2024 14:51:22

CH110  
26 dB Bandwidth




Date: 19.APR.2024 14:52:26

CH134




Date: 19.APR.2024 14:53:57


99 % Occupied Bandwidth



Date: 19.APR.2024 14:50:49



Date: 19.APR.2024 14:51:49




Date: 19.APR.2024 14:53:06

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 100.800               | 76.000                        |

## CH106 26 dB Bandwidth



Date: 19.APR.2024 15:16:46

## 99 % Occupied Bandwidth




Date: 19.APR.2024 15:16:07

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 27.709                | 19.300                        |
| 116     | 5580            | 22.500                | 19.200                        |
| 140     | 5700            | 29.390                | 19.300                        |

CH100




Date: 19.APR.2024 15:32:51

CH116  
26 dB Bandwidth




Date: 19.APR.2024 15:33:59

CH140




Date: 19.APR.2024 15:35:05


99 % Occupied Bandwidth



Date: 19.APR.2024 15:32:16



Date: 19.APR.2024 15:33:24




Date: 19.APR.2024 15:34:33

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 49.390                | 38.200                        |
| 110     | 5550            | 39.608                | 38.000                        |
| 134     | 5670            | 62.190                | 38.400                        |

CH102




Date: 20.APR.2024 00:35:23

CH110  
26 dB Bandwidth




Date: 20.APR.2024 00:36:28

CH134




Date: 20.APR.2024 00:37:53


99 % Occupied Bandwidth



Date: 20.APR.2024 00:34:31



Date: 20.APR.2024 00:35:52




Date: 20.APR.2024 00:37:05

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 83.194                | 77.600                        |

## CH106 26 dB Bandwidth



Date: 29.APR.2024 00:48:54

## 99 % Occupied Bandwidth




Date: 29.APR.2024 00:48:09

|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 16.350               | 17.400                        | 0.5                             | Complies |
| 157     | 5785            | 16.350               | 17.400                        | 0.5                             | Complies |
| 165     | 5825            | 16.350               | 17.600                        | 0.5                             | Complies |

CH149




Date: 19.APR.2024 14:28:11

CH157  
6 dB Bandwidth




Date: 19.APR.2024 14:29:13

CH165




Date: 19.APR.2024 14:30:11


99 % Occupied Bandwidth



Date: 19.APR.2024 14:27:32



Date: 19.APR.2024 14:28:33




Date: 19.APR.2024 14:29:32



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.700               | 18.100                        | 0.5                             | Complies |
| 157     | 5785            | 17.550               | 18.000                        | 0.5                             | Complies |
| 165     | 5825            | 17.650               | 18.100                        | 0.5                             | Complies |

CH149




Date: 19.APR.2024 14:41:36

CH157  
6 dB Bandwidth




Date: 19.APR.2024 14:42:42

CH165




Date: 19.APR.2024 14:44:00


99 % Occupied Bandwidth



Date: 19.APR.2024 14:41:59



Date: 19.APR.2024 14:42:04




Date: 19.APR.2024 14:43:22



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 75.400               | 75.200                        | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 19.APR.2024 15:19:04

## 99 % Occupied Bandwidth




Date: 19.APR.2024 15:18:17

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 18.508               | 19.300                        | 0.5                             | Complies |
| 157     | 5785            | 18.899               | 19.200                        | 0.5                             | Complies |
| 165     | 5825            | 18.850               | 19.300                        | 0.5                             | Complies |

CH149




Date: 19.APR.2024 15:16:05

CH157  
6 dB Bandwidth




Date: 19.APR.2024 15:17:12

CH165




Date: 19.APR.2024 15:18:11


99 % Occupied Bandwidth



Date: 19.APR.2024 15:16:12



Date: 19.APR.2024 15:16:33



Date: 19.APR.2024 15:17:33