





Test Item:	Band edge	Modulation type:	8DPSK																																																																																																																									
CH00 No hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max M1[1] 1.16 dBm M2[1] -55.20 dBm D1 -18.840 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.40218 GHz</td><td>1.16 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4 GHz</td><td>-55.20 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.39 GHz</td><td>-55.62 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.31 GHz</td><td>-54.94 dBm</td><td></td><td></td></tr><tr><td>M5</td><td></td><td>1</td><td>2.369203 GHz</td><td>-52.91 dBm</td><td></td><td></td></tr></table> Date: 2 AUG 2024 13:25:08	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40218 GHz	1.16 dBm			M2		1	2.4 GHz	-55.20 dBm			M3		1	2.39 GHz	-55.62 dBm			M4		1	2.31 GHz	-54.94 dBm			M5		1	2.369203 GHz	-52.91 dBm			CH00 Hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max M1[1] -0.19 dBm M2[1] -55.23 dBm D1 -20.190 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.40493 GHz</td><td>-0.19 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4 GHz</td><td>-55.23 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.39 GHz</td><td>-54.39 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.31 GHz</td><td>-54.77 dBm</td><td></td><td></td></tr><tr><td>M5</td><td></td><td>1</td><td>2.394399 GHz</td><td>-53.29 dBm</td><td></td><td></td></tr></table> Date: 2 AUG 2024 13:35:52	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40493 GHz	-0.19 dBm			M2		1	2.4 GHz	-55.23 dBm			M3		1	2.39 GHz	-54.39 dBm			M4		1	2.31 GHz	-54.77 dBm			M5		1	2.394399 GHz	-53.29 dBm			CH78 No hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 56.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk Max M1[1] 0.02 dBm M2[1] -59.41 dBm D1 -19.980 dBm Start 2.478 GHz 691 pts Stop 2.5 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.480149 GHz</td><td>0.02 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4835 GHz</td><td>-59.41 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.5 GHz</td><td>-59.09 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.4985971 GHz</td><td>-57.57 dBm</td><td></td><td></td></tr></table> Date: 2 AUG 2024 13:30:41	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.480149 GHz	0.02 dBm			M2		1	2.4835 GHz	-59.41 dBm			M3		1	2.5 GHz	-59.09 dBm			M4		1	2.4985971 GHz	-57.57 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																																																																						
M1		1	2.40218 GHz	1.16 dBm																																																																																																																								
M2		1	2.4 GHz	-55.20 dBm																																																																																																																								
M3		1	2.39 GHz	-55.62 dBm																																																																																																																								
M4		1	2.31 GHz	-54.94 dBm																																																																																																																								
M5		1	2.369203 GHz	-52.91 dBm																																																																																																																								
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																																																																						
M1		1	2.40493 GHz	-0.19 dBm																																																																																																																								
M2		1	2.4 GHz	-55.23 dBm																																																																																																																								
M3		1	2.39 GHz	-54.39 dBm																																																																																																																								
M4		1	2.31 GHz	-54.77 dBm																																																																																																																								
M5		1	2.394399 GHz	-53.29 dBm																																																																																																																								
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																																																																						
M1		1	2.480149 GHz	0.02 dBm																																																																																																																								
M2		1	2.4835 GHz	-59.41 dBm																																																																																																																								
M3		1	2.5 GHz	-59.09 dBm																																																																																																																								
M4		1	2.4985971 GHz	-57.57 dBm																																																																																																																								




CH78
Hoppig mode






Date: 2 AUG 2024 13:36:05




Test Item:	Spurious Emission	Modulation type:	GFSK
CH00 Reference level	Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] 1.86 dBm 2.402000 GHz M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.402 GHz 691 pts Span 30.0 MHz Date: 2 AUG 2024 11:56:20		
CH00 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -51.35 dBm 910.7470 MHz D1 -19.140 dBm M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 2 AUG 2024 11:56:35		
CH00 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -44.04 dBm 15.914167 GHz D1 -19.140 dBm M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 2 AUG 2024 11:56:50		




CH39 Reference level	 0.46 dBm 2.4408700 GHz CF 2.441 GHz 691 pts Span 30.0 MHz Date: 2 AUG 2024 11:59:44
CH39 30MHz~1000MHz	 -51.12 dBm 836.7380 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 2 AUG 2024 11:59:59
CH39 1GHz~26GHz	 -44.06 dBm 16.203333 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 2 AUG 2024 12:00:14

CH78 Reference level	 Date: 2 AUG 2024 12:01:17
CH78 30MHz~1000MHz	 Date: 2 AUG 2024 12:01:32
CH78 1GHz~26GHz	 Date: 2 AUG 2024 12:01:47




Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
CH00 Reference level	Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] 0.42 dBm 2.4018260 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.402 GHz 691 pts Span 30.0 MHz Date: 2 AUG 2024 12:03:37		
CH00 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -51.73 dBm 234.5180 MHz -20 dBm -19.230 dBm -10 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 2 AUG 2024 12:03:52		
CH00 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -44.02 dBm 15.824167 GHz -20 dBm -19.230 dBm -10 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 2 AUG 2024 12:04:07		

CH39 Reference level	 Date: 2 AUG 2024 13:21:46
CH39 30MHz~1000MHz	 Date: 2 AUG 2024 13:22:01
CH39 1GHz~26GHz	 Date: 2 AUG 2024 13:22:16

CH78 Reference level	 Date: 2 AUG 2024 13:23:20
CH78 30MHz~1000MHz	 Date: 2 AUG 2024 13:23:05
CH78 1GHz~26GHz	 Date: 2 AUG 2024 13:23:50

Test Item:	Spurious Emission	Modulation type:	8DPSK
CH00 Reference level			
CH00 30MHz~1000MHz			
CH00 1GHz~26GHz			

CH39 Reference level	Date: 2 AUG 2024 13:29:10
CH39 30MHz~1000MHz	Date: 2 AUG 2024 13:29:25
CH39 1GHz~26GHz	Date: 2 AUG 2024 13:29:40

CH78 Reference level	 Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPk Max M1[1] -1.36 dBm 2.4801740 GHz CF 2.48 GHz 691 pts Span 30.0 MHz Date: 2 AUG 2024 13:30:47
CH78 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -52.37 dBm 733.0160 MHz D1 -21.360 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 2 AUG 2024 13:31:02
CH78 1GHz~26GHz	 Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -42.56 dBm 15.846667 GHz D1 -21.360 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 2 AUG 2024 13:31:17

-----End of Report-----