

Page: 1 of 296

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Silex Technology, Inc.

2-3-1 Hikaridai, Seika-cho, Soraku-gun, Kyoto 619-0237.

Japan

Manufacturer: Silex Technology, Inc.

2-3-1 Hikaridai, Seika-cho, Soraku-gun, Kyoto 619-0237.

Japan

Product Name: SX-PCEBE-AP

Brand Name: Silex Technology

Model No. /ISED HVIN: SX-PCEBE-AP

ISED PMN: Embedded wireless module

Report Number: TERF2412003979ER

FCC ID N6C-PCEBEAP

IC: 4908A-PCEBEAP

Date of EUT Received: December 06, 2024

Date of Test: December 09, 2024~March 24, 2025

Issue Date: April 25, 2025

Approved By CHUN-CHIEH, CHEN

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.407, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 296

| Revision History | | | | | |
|------------------|----------|--------------------|----------------|-------------|--------|
| Report Number | Revision | Description | Issue Date | Revised By | Remark |
| TERF2412003979ER | 00 | Original | April 17, 2025 | Karen Huang | |
| TERF2412003979ER | 01 | Update section 1.3 | April 25, 2025 | Karen Huang | * |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 296

Contents

| 1 | GENERAL INFORMATION | 4 |
|----|---|----|
| 2 | SUMMARY OF TEST RESULT | 9 |
| 3 | MEASUREMENT UNCERTAINTY | 9 |
| 4 | TPC AND DFS MEASUREMENT | 10 |
| 5 | APPLICABLE STANDARDS | 12 |
| 6 | TEST SETUP | 15 |
| 7 | TEST EQUIPMENT USED: | 16 |
| 8 | DESCRIPTION OF EUT: | 17 |
| 9 | RADAR TYPE WAVEFORM CALIBRATION AT DFS DETECTION THESHOLD | 18 |
| 10 | CHANNEL CLOSING TRANSMISSION AND CHANNEL MOVE TIME MEASUREMENT (RADAR TYPE 0) | 29 |
| 11 | DUTY CYCLE | 31 |
| 12 | NON-OCCUPANCY PERIOD MEASUREMENT | 33 |
| 13 | UNII DETECTION BANDWIDTH MEASUREMENT | 34 |
| 14 | CHANNEL AVAILABILITY CHECK MEASUREMENT | 44 |
| 15 | IN SERVICE MONITORING | 45 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 4 of 296

GENERAL INFORMATION

Product Description

| Product Name: | SX-PCEBE-AP |
|-----------------------|-------------------|
| Brand Name: | Silex Technology |
| Model No. /ISED HVIN: | SX-PCEBE-AP |
| Hardware Version: | N/A |
| Firmware Version: | N/A |
| EUT Series No.: | SX09302 |
| Power Supply: | 3.3 VDC and 5 VDC |

1.2 **DFS Firmware version:**

```
23
COM89 - Tera Term VT
                                                                                                                                                                                                                                                                                                                                                                             0000000004effd5e8:
                                                                                                                                       [1086:W:DP] dp_txrx_set_vdev_param_be: invalid param 2
[1086:E:SA_API] sa_api_init: Smart Antenna functions are no
                                                        red !!!
2284] wlan: [1086:E:ANY] wlan_create_attach_vdev_rawsim_ctxt: simulatio
                                                                                               adding VLAN 0 to HW filter on device ath1
_script#
_script#
_script#
_script#
_script#
_script#
_script#
_script#
_script# dmesa | grep systems
_script# dwesa | grep systems
_script# dwe
                                                                                               wlan: [0:E:DP_PEER] dp_peer_find_add_id: 000000004effd5e8: peer 0
5 ID 4 vid 1 mac 1c:bc:ec:00:15:f5
wlan: [1086:E:SA_API] sa_api_init: Smart Antenna functions are no
                                                                                                                                                                                                 dmesg | grep sx
Driver version: QSDK.12 2-00360-P-1 sx 1.0.0a00
```

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 5 of 296

WLAN 5GHz:

FCC

| Wi-Fi | Frequency Range | Channels | Modulation Technology |
|------------------------------------|-----------------|----------|--------------------------|
| 802.11a/ | 5180~5240 | 4 | OFDMA |
| 802.11n_HT20/ 802.11ac_VHT20/ | 5260~5320 | 4 | OFDMA |
| 802.11ac_VH120/ 802.11ax_HE20/ | 5500~5720 | 12 | OFDM |
| 802.11be_EHT20 | 5745-5825 | 5 | OFDMA |
| 902 11n UT40/ | 5190~5230 | 2 | OFDMA |
| 802.11n_HT40/ 802.11ac_VHT40/ | 5270~5310 | 2 | OFDM |
| 802.11ax_HE40/ 802.11be_EHT40 | 5510~5710 | 6 | OFDMA |
| 002.11be_E11140 | 5755-5795 | 2 | OFDM |
| | 5210 | 1 | OFDMA |
| 802.11ac_VHT80/ | 5290 | 1 | OFDMA |
| 802.11ax_HE80/ 802.11be_EHT80 | 5530~5690 | 3 | OFDMA |
| | 5775 | 1 | OFDMA |
| 802.11ac_VHT160/ | 5250 | 1 | OFDMA |
| 802.11ax_HE160/ 802.11be_EHT160 | 5570 | 1 | OFDMA |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 6 of 296

WLAN 5 GHz for ISED (Master)

| Wi-Fi | Frequency Range | Channels | Modulation Technology |
|--|-----------------|----------|--------------------------|
| | 5180~5240 | 4 | OFDM |
| 802.11a/ | 5260~5320 | 4 | OFDMA |
| 802.11n_HT20/ 802.11ac_VHT20/ | (*)5500~5700 | 8 | OFDM |
| 802.11ac_VH120/ 802.11ax_HE20/ | 5720 (U-NII 2C) | 1 | OFDMA |
| 802.11be_EHT20 | 5720 (U-NII 3) | 1 | OFDMA |
| | 5745-5825 | 5 | OFDMA |
| | 5190~5230 | 2 | OFDM |
| 802.11n_HT40/ | 5270~5310 | 2 | OFDM |
| 802.111ac_VHT40/ | (*)5510~5670 | 3 | OFDMA |
| 802.11ax_HE40/ 802.11be EHT40 | 5710 (U-NII 2C) | 1 | OFDMA |
| 002.11be_En140 | 5710 (U-NII 3) | 1 | OFDMA |
| | 5755-5795 | 2 | OFDM |
| | 5210 | 1 | OFDMA |
| | 5290 | 1 | OFDMA |
| 802.11ac_VHT80/ 802.11ax HE80/ | 5530 | 1 | OFDMA |
| 802.11be_EHT80 | 5690 (U-NII 2C) | 1 | OFDMA |
| | 5690 (U-NII 3) | 1 | OFDMA |
| | 5775 | 1 | OFDMA |
| 802.11ac_VHT160/ 802.11ax_HE160/ 802.11be_EHT160 | 5250 | 1 | OFDMA |

*Note: TDWR frequencies are not available in Canada.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 296

1.4 Antenna Designation

| Antenna Type | Antenna Model No. | Freq. (MHz) | Element Gain (dBi) | Cable Loss | Net Gain (dBi) | Remark |
|-----------------|-------------------|----------------|-----------------------|---------------|-------------------|---------|
| | | 5150~5250 | 3.45 | 0.275 | 3.175 | |
| Dinala | 146452 | 5250~5350 | 3.25 | 0.275 | 2.975 | |
| Dipole | 146153 | 5470~5725 | 4.55 | 0.275 | 4.275 | |
| | | 5725~5850 | 4.05 | 0.275 | 3.775 | |
| | | 5150~5250 | 4 | 0.78 | 3.22 | |
| Dinolo | H2B1PC1A1Cxxxx | 5250~5350 | 4.9 | 0.99 | 3.91 | |
| Dipole | HZB IPC IA ICXXXX | 5470~5725 | 4 | 1.18 | 2.82 | |
| | | 5725~5850 | 5.6 | 1.63 | 3.97 | |
| | | 5150~5250 | 5.63 | 2.4 | 3.23 | |
| Mananala | WS.03.B.305151 | 5250~5350 | 5.15 | 1.3 | 3.85 | |
| Monopole | W3.03.B.303131 | 5470~5725 | 4.14 | 8.0 | 3.34 | |
| | | 5725~5850 | 4.12 | 8.0 | 3.32 | |
| | | 5150~5250 | 6 | 2.8 | 3.2 | |
| PIFA | 6001535 | 5250~5350 | 6.3 | 2.4 | 3.9 | - Main |
| FIFA | 0001555 | 5470~5725 | 5.1 | 8.0 | 4.3 | IVIAIII |
| | | 5725~5850 | 4.2 | 8.0 | 3.4 | |
| DIEA | | 5150~5250 | 5.6 | 2.4 | 3.2 | |
| | 6001535 | 5250~5350 | 5.9 | 2.4 | 3.5 | Aux |
| PIFA | 0001000 | 5470~5725 | 5 | 8.0 | 4.2 | Aux |
| | | 5725~5850 | 5 | 1.4 | 3.6 | |

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the lowest gain as worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 8 of 296

1.5 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02 RSS-247 issue 3 Aug. 2023

1.6 Test Facility

| Laboratory | Test Site Address | Test Site Name | FCC Designa- tion number | IC CAB identifier |
|-----------------|---|----------------|---|----------------------|
| | | SAC 1 | | |
| | | SAC 2 | | |
| | | SAC 3 | | |
| | No 124 Wu Kung Bood New Toingi | Conduction 1 | | |
| | No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New | Conducted 1 | TW0027 | TW3702 |
| | Taipei City, Taiwan. | Conducted 2 | 1 | |
| | raiper City, Taiwan. | Conducted 3 | | |
| | | Conducted 4 | | |
| | | Conducted 5 | | |
| SGS Taiwan Ltd. | | Conducted 6 | | |
| Central RF Lab. | | Conduction C | TW0028 | |
| (TAF code 3702) | | SAC C | | |
| | | SAC D | | |
| | | SAC G | | |
| | No.2, Keji 1st Rd., Guishan District, | Conducted A | | |
| | Taoyuan City, Taiwan 333 | Conducted B | | |
| | laoyuan Oity, Taiwan 555 | Conducted C | | |
| | | Conducted D | | |
| | | Conducted E | | |
| | | Conducted F | | <u> </u> |
| | | Conducted G | | |

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.7 Special Accessories

There are no special accessories used while test was conducted.

1.8 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 9 of 296

SUMMARY OF TEST RESULT

| FCC and ISED Rules | Description Of Test | Result |
|---|-------------------------|-----------|
| §15.407(h) FCC KDB 905462 D02 IC RSS-247 §6.3 | TPC and DFS Measurement | Compliant |

MEASUREMENT UNCERTAINTY

| Test Items | | Uncertainty | | |
|-------------------------|-----|-------------|----|--|
| TPC and DFS Measurement | +/- | 1.49 | Hz | |
| Temperature | +/- | 0.6 | °C | |
| Humidity | +/- | 3 | % | |
| DC / AC Power Source | +/- | 1 | % | |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 10 of 296

TPC AND DFS MEASUREMENT

TPC Requirements

According to Part 15.407 (h)(1) Transmit power control (TPC). U-NII devices operating in the 5.25-5.35 GHz band and the 5.47-5.725 GHz band shall employ a TPC mechanism. The U-NII device is required to have the capability to operate at least 6 dB below the mean EIRP value of 30 dBm. A TPC mechanism is not required for systems with an e.i.r.p. of less than 500 mW.

Result:

N/A, e.i.r.p is less then 500 mW, TPC is not required.

DFS: Standard Applicable

According to §15.407(h)(2) and FCC KDB 905462 D02, Radar Detection Function of Dynamic Frequency Selection (DFS).

Radar Detection Function of Dynamic Frequency Selection (DFS). U-NII devices operating with any part of its 26 dB emission bandwidth in the 5.25-5.35 GHz and 5.47-5.725 GHz bands shall employ a DFS radar detection mechanism to detect the presence of radar systems and to avoid co-channel operation with radar systems. Operators shall only use equipment with a DFS mechanism that is turned on when operating in these bands. The device must sense for radar signals at 100 percent of its emission bandwidth. The minimum DFS detection threshold for devices with a maximum e.i.r.p. of 200 mW to 1 W is −64 dBm. For devices that operate with less than 200 mW e.i.r.p. and a power spectral density of less than 10 dBm in a 1 MHz band, the minimum detection threshold is −62 dBm. The detection threshold is the received power averaged over 1 microsecond referenced to a 0 dBi antenna. For the initial channel setting, the manufacturers shall be permitted to provide for either random channel selection or manual channel selection.

- (i) Operational Modes. The DFS requirement applies to the following operational modes:
 - (a) The requirement for channel availability check time applies in the master operational mode.
 - (b) The requirement for channel move time applies in both the master and slave operational modes.
- Channel Availability Check Time. A U-NII device shall check if there is a radar system (ii) already operating on the channel before it can initiate a transmission on a channel and when it has to move to a new channel. The U-NII device may start using the channel if no radar signal with a power level greater than the interference threshold values listed in paragraph (h)(2) of this section, is detected within 60 seconds.
- (iii) Channel Move Time. After a radar's presence is detected, all transmissions shall cease on the operating channel within 10 seconds. Transmissions during this period shall consist of normal traffic for a maximum of 200 ms after detection of the radar signal. In addition, intermittent management and control signals can be sent during the remaining time to facilitate vacating the operating channel.

Non-occupancy Period. A channel that has been flagged as containing a radar system,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 11 of 296

either by a channel availability check or in-service monitoring, is subject to a non-occupancy period of at least 30 minutes. The non-occupancy period starts at the time when the radar system is detected.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝展例の主。大報生主概太公司書面對可,不可可以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 12 of 296

APPLICABLE STANDARDS

Table 1: Applicability of DFS requirements prior to use of a channel

| Doguiroment | Operational Mode | | | |
|---------------------------------|------------------|---------------------------------|--|--|
| Requirement | | ☐ Client (with radar detection) | | |
| Non-occupancy Period | Yes | Yes | | |
| DFS Detection Threshold | Yes | Yes | | |
| Channel Availability Check Time | Yes | Not required | | |
| U-NII Detection Bandwidth | Yes | Yes | | |

Table 2: Applicability of DFS requirements during normal operation

| Da ancino monte | Operational Mode |
|----------------------------------|---|
| Requirement | Master Device or Client with Radar Detection |
| DFS Detection Threshold | Yes |
| Cannel Closing Transmission time | Yes |
| Channel Move time | Yes |
| U-NII Detection Bandwidth | Yes |

| Additional requirements for devices with multiple bandwidth mode | Master Device or Client with Radar Detection |
|--|--|
| U-NII Detection Bandwidth and Statistical Performance Check | All BW modes must be tested |
| Channel Move Time and Channel Closing Transmission Time | Test using widest BW mode available |
| All other tests | Any single BW mode |

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 296

Table 3: Interference Threshold values, Master or Client incorporating In-Service Monitoring

| Maximum Transmit Power | Value (See Notes 1, 2, and 3) |
|--|----------------------------------|
| EIRP ≥ 200 milliwatt | -64 dBm |
| EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz | -62 dBm |
| EIRP < 200 milliwatt that do not meet the power spectral density requirement | -64 dBm |

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

Table 4: DFS Response requirement values

| Parameter | Value |
|-----------------------------------|--|
| Non-occupancy period | Minimum 30 minutes |
| Channel Availability Check Time | 60 seconds |
| Channel Move Time | 10 seconds See Note 1. |
| Channel Closing Transmission Time | 200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2. |
| U-NII Detection Bandwidth | Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3. |

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 14 of 296

Table 5: Radar Test Waveforms Short Pulse Radar

| 1 4100 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | | | | | | | | |
|--|--------------|---|--|---------------|----------|--|--|--|
| Radar | Pulse | PRI | Number of Pulses | Minimum | Minimum | | | |
| Type | Width | (µsec) | | Percentage of | Number | | | |
| | (µsec) | | | Successful | of | | | |
| | | | | Detection | Trials | | | |
| 0 | 1 | 1428 | 18 | See Note 1 | See Note | | | |
| | | | | | 1 | | | |
| 1 | 1 | Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A | Roundup $ \left\{ \left(\frac{1}{360} \right) \cdot \left(\frac{19 \cdot 10^6}{\text{PRI}_{\mu \text{sec}}} \right) \right\} $ | 60% | 30 | | | |
| 2 | 1-5 | 150-230 | 23-29 | 60% | 30 | | | |
| 3 | 6-10 | 200-500 | 16-18 | 60% | 30 | | | |
| 4 | 11-20 | 200-500 | 12-16 | 60% | 30 | | | |
| Aggregate (| (Radar Types | | | 80% | 120 | | | |
| | | | | | | | | |

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

Long Pulse Radar

| Radar Type | Pulse Width (µsec) | Chirp Width (MHz) | PRI (µsec) | Number of Pulses per Burst | Number of Bursts | Minimum Percentage of Successful | Minimum Number of Trials |
|---------------|--------------------------|-------------------------|---------------|----------------------------------|---------------------|--|--------------------------------|
| 5 | 50-100 | 5-20 | 1000- 2000 | 1-3 | 8-20 | Detection 80% | 30 |

Frequency Hopping Radar

| Ξ. | - , | | | | | | | |
|----|------------|--------|--------|--------|---------|----------|---------------|-----------|
| | Radar | Pulse | PRI | Pulses | Hopping | Hopping | Minimum | Minimum |
| | Type | Width | (µsec) | per | Rate | Sequence | Percentage of | Number of |
| | | (µsec) | | Hop | (kHz) | Length | Successful | Trials |
| | | | | | | (msec) | Detection | |
| | 6 | 1 | 333 | 9 | 0.333 | 300 | 70% | 30 |

The applicant of this given application confirms that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 296

Setup for Master with injection at the Master



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝展例の主。大報生主概太公司書面對可,不可可以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 16 of 296

7 TEST EQUIPMENT USED:

| Conducted Emission Test Site: Conducted 6 | | | | | | |
|---|---------------|---|----------------------------|---------------------------|--------------------------|--|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. (mm/dd/yyyy) | CAL DUE. (mm/dd/yyyy) | |
| DC Block | Mini-Circuits | BLK-18-S+ | 13 | 12/11/2024 | 12/10/2025 | |
| DC Power Supply | Gwinstek | GPC-3060D | GEW925533 | 03/29/2024 | 03/28/2025 | |
| EXA Spectrum Analyzer | Agilent | N9010A | MY54200716 | 10/14/2024 | 10/13/2025 | |
| Manual Attenuator | Agilent | 8496B + 8494B | MY42147434 + MY42152151 | 12/11/2024 | 12/10/2025 | |
| Signal Generator | KEYSIGHT | N5182B | MY61252553 | 09/24/2024 | 09/23/2025 | |
| Splitter | RF-Lambda | RFLT2W1G18G | 18112200209 | 12/11/2024 | 12/10/2025 | |
| Splitter | RF-Lambda | RFLT2W1G18G | 21032900019 | 12/11/2024 | 12/10/2025 | |
| Splitter | RF-Lambda | RFLT2W1G18G | 21032900043 | 12/11/2024 | 12/10/2025 | |
| Splitter | Titan | T0510E2W118Q | 22015158 | 12/11/2024 | 12/10/2025 | |
| Test Software | KEYSIGHT | N7607B Signal Stdio for DFS Radar profile | Ver. 3.2.0.0 | N.C.R | N.C.R | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是红用摄影测验之样只有含,同时此样只属是例如于。大规集工模大从司事而实可,不可如必通测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 17 of 296

8 DESCRIPTION OF EUT:

EUT is a Master device with radar detection and DFS capability.

Timing plots are required with calculations demonstrating a minimum channel loading of approximately 17% or greater.

The rated output power of the master unit is $\geq 23 \text{dBm}(\text{EIRP})$. therefore the required interference threshold level is -64dBm. after correction for antenna gain and procedural adjustments, the required conducted threshold at the antenna port is -64dBm.

The rated output power of the master unit is <23 dBm(EIRP).therefore the required interference threshold level is -62dBm.after correction for antenna gain and procedural adjustments, the required threshold at the antenna port is -62dBm.

DFS Detection Threshold (dBm) = -64 + G (dBi), for conducted test.

| DFS Detection Threshold (dBm) | Minimum of Peak Antenna | Threshold for test (dBm) |
|-------------------------------|-------------------------|--------------------------|
| | Gain (dBi) | |
| -64 | 0 | -64 |

While calibrate the path on antenna port of DFS test equipment (master), measurements equipments (spectrum) is ensured to be 50 Ohms, and therefore verification on antenna gain measurement can be ignored.

The EUT uses one transmitter/receiver chains and one receive only chain, each connected to an antenna to perform radiated tests.

The Slave device associated with the EUT during these tests does not have radar detection capability.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司





Page: 18 of 296


RADAR TYPE WAVEFORM CALIBRATION AT DFS DETECTION THESHOLD














Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 19 of 296


EHT20_5320 MHz




EHT20 5320 MHz




EHT20_5500 MHz




EHT20 5500 MHz



EHT20 5500 MHz



EHT20_5500 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 20 of 296

EHT20_5500 MHz




EHT20 5500 MHz




EHT20_5500 MHz




EHT20 5500 MHz



EHT40 5310 MHz



EHT40_5310 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 21 of 296


EHT40_5310 MHz




EHT40 5310 MHz



EHT40_5310 MHz




EHT40 5310 MHz



EHT40 5310 MHz



EHT40_5310 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 22 of 296


EHT40_5510 MHz




EHT40 5510 MHz




EHT40_5510 MHz




EHT40 5510 MHz



EHT40 5510 MHz



EHT40_5510 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 23 of 296


EHT40_5510 MHz




EHT40 5510 MHz




EHT80_5290 MHz




EHT80_5290 MHz



EHT80 5290 MHz



EHT80_5290 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd

台灣檢驗科技股份有限公司




Page: 24 of 296

EHT80 5290 MHz




EHT80 5290 MHz




EHT80_5290 MHz




EHT80 5290 MHz



EHT80 5530 MHz



EHT80_5530 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 25 of 296


EHT80_5530 MHz




EHT80 5530 MHz



EHT80_5530 MHz




EHT80 5530 MHz



EHT80_5530 MHz



EHT80_5530 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 26 of 296


EHT160_5250 MHz




EHT160 5250 MHz




EHT160_5250 MHz




EHT160 5250 MHz



EHT160 5250 MHz



EHT160_5250 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 27 of 296


EHT160_5250 MHz




EHT160 5250 MHz




EHT160_5570 MHz




EHT160 5570 MHz



EHT160_5570 MHz



EHT160_5570 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd




Page: 28 of 296

EHT160_5570 MHz




EHT160_5570 MHz



EHT160_5570 MHz



EHT160_5570 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號

www.sgs.com.tw