





Mode: 802.11n  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11



Plot 7-448. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11n  
Data Rate: MCS7  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11



Plot 7-449. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 287 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11n  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-450. Radiated Restricted Upper Band Edge Measurement ANT1**

Mode: 802.11n  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-451. Radiated Restricted Upper Band Edge Measurement ANT1**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 288 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11n  
Data Rate: MCS7  
Distance of Measurements: 3 Meters  
Operating Frequency: 2467MHz  
Channel: 12



Plot 7-452. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11n  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2472MHz  
Channel: 13



Plot 7-453. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 289 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11n  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2472MHz  
Channel: 13



Plot 7-454. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11n  
Data Rate: MCS7  
Distance of Measurements: 3 Meters  
Operating Frequency: 2472MHz  
Channel: 13



Plot 7-455. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 290 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 1



Plot 7-456. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412MHz  
Channel: 1




Plot 7-457. Radiated Restricted Lower Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 291 of 388

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

Mode: 802.11ax - SU  
 Data Rate: MCS9  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-458. Radiated Restricted Lower Band Edge Measurement ANT1**

Mode: 802.11ax - SU  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2




**Plot 7-459. Radiated Restricted Lower Band Edge Measurement ANT1**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 292 of 388

V 10.5 12/15/2021




Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2417MHz  
Channel: 2



Plot 7-460. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2417MHz  
Channel: 2



Plot 7-461. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 293 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2422MHz  
Channel: 3



Plot 7-462. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2422MHz  
Channel: 3



Plot 7-463. Radiated Restricted Lower Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 294 of 388


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).






Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2422MHz  
Channel: 3



Plot 7-464. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2427MHz  
Channel: 4



Plot 7-465. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 295 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2427MHz  
Channel: 4



Plot 7-466. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2427MHz  
Channel: 4



Plot 7-467. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 296 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2432MHz  
Channel: 5



Plot 7-468. Radiated Restricted Lower Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2432MHz  
Channel: 5



Plot 7-469. Radiated Restricted Lower Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 297 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2437MHz  
Channel: 6



**Plot 7-470. Radiated Restricted Upper Band Edge Measurement ANT1**

Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2442MHz  
Channel: 7



**Plot 7-471. Radiated Restricted Upper Band Edge Measurement ANT1**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 298 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2442MHz  
Channel: 7



Plot 7-472. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2442MHz  
Channel: 7



Plot 7-473. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 299 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2447MHz  
Channel: 8



**Plot 7-474. Radiated Restricted Upper Band Edge Measurement ANT1**

Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2447MHz  
Channel: 8



**Plot 7-475. Radiated Restricted Upper Band Edge Measurement ANT1**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 300 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2447MHz  
Channel: 8



Plot 7-476. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2452MHz  
Channel: 9



Plot 7-477. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 301 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2452MHz  
Channel: 9



Plot 7-478. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2452MHz  
Channel: 9



Plot 7-479. Radiated Restricted Upper Band Edge Measurement ANT1

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 302 of 388


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).






Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2457MHz  
Channel: 10



Plot 7-480. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2457MHz  
Channel: 10



Plot 7-481. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 303 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2457MHz  
Channel: 10



Plot 7-482. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11



Plot 7-483. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 304 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11



Plot 7-484. Radiated Restricted Upper Band Edge Measurement ANT1

Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11



Plot 7-485. Radiated Restricted Upper Band Edge Measurement ANT1


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 305 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Mode: 802.11ax - SU  
Data Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 2467MHz  
Channel: 12



**Plot 7-486. Radiated Restricted Upper Band Edge Measurement ANT1**

Mode: 802.11ax - SU  
Data Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 2467MHz  
Channel: 12



**Plot 7-487. Radiated Restricted Upper Band Edge Measurement ANT1**


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 306 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Mode: 802.11ax - SU  
Data Rate: MCS9  
Distance of Measurements: 3 Meters  
Operating Frequency: 2467MHz  
Channel: 12



**Plot 7-488. Radiated Restricted Upper Band Edge Measurement ANT1**

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 307 of 388


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

## 7.7.5 ANT2 Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode:	802.11b
Data Rate:	1Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1




Plot 7-489. Radiated Restricted Lower Band Edge Measurement ANT2

Mode:	802.11b
Data Rate:	1Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2417MHz
Channel:	2



Plot 7-490. Radiated Restricted Lower Band Edge Measurement ANT2

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 308 of 388

V 10.5 12/15/2021