

文件名称: Hub 2-SMS-EN-2212	设计师:ZBH	完成时间:2022/12/19
版本号: V1.0-2212	成品尺寸:90mm*90)mm
材质和工艺: 128g铜版纸 风琴折	PT 2034C	
更改内容: 更新产品线框图。 备注:红色线框不印刷		



SwitchBot Hub 2 User Manual





List of Components

Humidity Reading Side Infrared Emitter Temperature Readin Infrared Receiver — Infrared Receiver 2 (Pair/reset Hub 2, trigger Scenes) Buzzer

You will need: Store or Google Play Store. Foldable Stand

iOS 11.0+ Android OS 5.0+

Open our app and sign in to your account. Tap "+" at the top right

of the home page, find the Hub 2 icon and select, then follow the

Add Hub 2 to the SwitchBot app

instructions to add your device.

- A smartphone or tablet using Bluetooth 4.2 or later. it does not come into contact with fire or water.
- The latest version of our app, downloadable via the Apple Ar Do not operate this product with wet hands. This product is a precision-based electronic product, please avoid
- A SwitchBot account, you can register via our app or sign in to physical damage. your account directly if you already have one. • Do not attempt to disassemble, repair, or modify the product.





Infrared Emission Range 30m 28m 26m 24m 22m

Test subject: SwitchBot LED Strip Light


Keep this product away from heat and humidity, and make sure

Do not use the product where wireless devices are not allowed.



Infrared Receiving Range Test subject: SwitchBot Ceiling Light and its remote control

not affect your Hub 2's stable standing.



Placement Tips

- As shown above, make sure your appliance to be controlled is within Hub 2's infrared emission range.
 - Since the infrared signal can be blocked by walls and other physical objects, make sure there are no obstacles between Hub
 - Make sure your appliance works well and is at an appropriate
 - For better Internet connection strength, please place Hub 2 near

Option 1: Place your Hub 2 on a horizontal surface

Outstretch the stand on the back of your Hub 2 and place it on a

Step 2: Find a good position and attach your Hub 2 there.

when it goes through the hole on the stand, so that the cable doe with your appliance in this position. If everything works well, clean

horizontal surface like a table or a shelf. Pull straight the cable

Step 1: Stick the adhesive tape to the back of your Hub 2.

the surface and stick your Hub 2 there. Then press it for about 30 seconds to ensure it is securely attached. The adhesive tape can stick better to smooth door surfaces, glass and ceramic tiles.



may cause damage to it or your wall surface. • Do not outstretch your Hub 2's stand with too much force, or the stand

gradually increase force until it detaches from the wall.



• Use only 5 V 2 A power adaptor to connect your Hub 2. Other types of adaptors may damage or affect normal functioning.

• Do not use adaptors that have no safety certifications.

If you use a normal cable to connect your Hub 2, it will not show temperature and humidity readings on its display.

mav break. • Use only Type-C cable to connect your Hub 2 to a power supply.

• The temperature and humidity sensor is on the cable that we provide.

- Avoid stretching or pulling the cable, this may affect the temperature and humidity sensor's data transmission.

Device Status Description

Description Indicator light flashes rapidly. In pairing mode. Indicator light stays lit up. Working normally. Remote control added or your Indicator light flashes once. SwitchBot Bluetooth device is operated via the app once.

www.switch-bot.com V1.0-2212

Temperature and Humidity Alerts

Description		
Upgrading firmware.		
- p g		
Firmware upgraded successfully.		
Connected to the Internet.		
	Upgrading firmware. Firmware upgraded successfully.	Upgrading firmware. Firmware upgraded successfully.

Device Status	Description	
Indicator light lights up for 2 seconds then goes off, then flashes once after you press your remote control.	Learning remote control.	
Indicator light flashes once after 10 seconds after the status above	Operation timeout. Failed to learn remote control.	

Buzzer beeps continuously. Temperature the QR code below for solutions. I flash constantly. its set value. Press any button on your Hub 2 to lift the alert or wait for 30 seconds for the alert to

Please visit support.switch-bot.com for detailed information.

go off itself.

If you have difficulty adding remote controls to your Hub 2, please

If you have difficulty configuring Wi-Fi for your Hub 2, please scan

scan the QR code below for solutions.



If your Hub 2 shows faulty temperature or humidity readings,

please scan the OR code below for solutions.

another 13 seconds. Now release the buttons, the indicator light will light up then turn off. Your Hub 2 has now been reset to factory settings.

In order to improve user experience, we will regularly release firmware sure your smartphone is within range to prevent interference.

Firmware Upgrades

Touch and hold the two touch buttons located on the device. After 2 seconds, the indicator light will start flashing and then turn off after Model: W3202100 Color: White Material: ABS

Temperature Range: -20 °C to 80 °C (-4 °F to 176 °F) updates to introduce new functions and solve any software defects tha may occur during usage. When a new firmware version is available, we will send an upgrade notification to your account via our app. When -20 °C to 0 °C (-4 °F to 32 °F) [±0.4 °C / 0.7 °F) upgrading, please make sure your product is powered on and make 0 °C to 65 °C (32 °F to 149 °F) [±0.2 °C / 0.4 °F] 65 °C to 80 °C (149 °F to 176 °F) [±0.3 °C / 0.5 °F (Temperature unit can be changed in the app.) 0 to 10 % RH (+3 % RH) 10 % to 90 % RH (±2 % RH)

Temperature and Humidity Sensor

90 % to 99 % RH (±3 % RH)

Operating Temperature: -20 °C to 40 °C (-4 °F to 104 °F)

Network Connectivity: 802.11 b/g/n, 2.4 GHz Wi-Fi, Bluetooth

We warrant to the original owner of the product that the product will be free from defects in materials and workmanship. Please Size: 80 × 70 × 23 mm (3.1 × 2.8 × 0.9 in.) Weight: 63 g (2.2 oz note that this limited warranty does not cover: Feedback: If you have any concerns or problems when using over

1. Products submitted beyond the original limited warranty perio 2. Products on which repairs or modifying have been attempted. 3. Products subjected to falls, extreme temperatures, water, or other operating conditions outside the product specifications.

System Requirements: iOS 11.0+, Android OS 5.0+ 4. Damage due to natural disaster (including but not limited to

lightning, flood, tornado, earthquake, or hurricane, etc.).

5. Damage due to misuse, abuse, negligence or casualty (e.g. 6. Other damage that is not attributable to defects in the

To comply with RF exposure requirements, a minimum separation distance manufacture of product materials. of 20 cm must be maintained between the user's body and the device

7. Products purchased from unauthorized resellers.

8. Consumable parts (including but not limited to batteries).

9. Natural wear of the product.

including the antenna. Use only the supplied or an approved antenna. The device is in compliance with the essential requirements and other relevan

This device complies with Part 15 of the FCC Rules. Operation is subject to

the following two conditions:

(1) This device may not cause harmful interference. Hereby, Woan Technology (Shenzhen) Co., Ltd. declares that the radio

(2) This device must accept any interference received, including interference that may cause undesired operation.

Hereby, Woan Technology (Shenzhen) Co., Ltd. declares that the radio

equipment type W3202100 is in compliance with UK Radio Equipmen

is available at the following internet address: support.switch-bot.com

This product can be used in EU member states and UK.

Regulations (SI 2017/1206). The full text of the UK declaration of conformity

Setup and Troubleshooting: support.switch-bot.com Support Email: support@wondertechlabs.com

provisions of directive 2014/53/EU. All essential radio test suites have been

equipment type W3202100 is in compliance with Directive 2014/53/EU. The

full text of the EU declaration of conformity is available at the following

CE/UKCA Warning

internet address: support.switch-bot.com

Manufacturer: Woan Technology (Shenzhen) Co., Ltd. products, please send feedback via our app through the Profil Address: Room 1101, Ojancheng Commercial Center, No. 5 Haicheng Road. Mabu Community, Xixiang Subdistrict, Bao'an District, Shenzhen,

> Guangdong, P.R.China, 518100 Operation frequency (Max power)

> > Wi-Fi: 2412 MHz to 2472 MHz (19.8 dBm)

UKCA DOC

BLE: 2402 MHz to 2480 MHz (2.0 dBm)

Operation temperature: -20 °C to 40 °C

which the receiver is connected.

the following measures:

- Consult the dealer or an experienced radio/TV technician for help.

interference in a residential installation.

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifica-

- Regrient or relocate the receiving antenna.

NOTE: This equipment has been tested and found to comply with the limits

for a Class B digital device, pursuant to part 15 of the FCC Rules. These

This equipment generates uses and can radiate radio frequency energy

cause harmful interference to radio communications. However, there is no

guarantee that interference will not occur in a particular installation. If this

reception, which can be determined by turning the equipment off and on,

the user is encouraged to try to correct the interference by one or more of

- Connect the equipment into an outlet on a circuit different from that to

limits are designed to provide reasonable protection against harmful

and, if not installed and used in accordance with the instructions, may

equipment does cause harmful interference to radio or television

- Increase the separation between the equipment and receiver.

tions could void the user's authority to operate the equipment.

for an uncontrolled environment.

This device contains license-exempt transmitter(s)/receiver(s) that comply w

RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference.

(2) This device must accept any interference, including interference that m

cause undesired operation of the device. L'émetteur/récepteur exempt de licence contenu dans le présent appareil est

CNR d'Innovation. Sciences et Développement économique Canada

applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

(2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le

This equipment complies with the limits of exposure to IC radiation defined

取得審驗證明之低功率射頻器材,非經核准,公司,商號或使用者均不得擅白變更頻 Innovation, Science and Economic Development Canada's license-exemp 窓 加大功窓或變更原設計之特性及功能。

低功率射頻器材之使用不得影響飛航安全及干擾合法通信;經發現有干擾現象時,應 立即停用,並改善至無干擾時方得繼續使用。

低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

前述合法通信, 指依雷信管理法規定作業之無線雷通信

(1) L'appareil ne doit pas produire de brouillage;

brouillage est susceptible d'en compromettre le fonctionnement.

IC Radiation Exposure Statement

définies pour un environnement non contrôlé.

This equipment complies with FCC radiation exposure limits set forth for an Cet équipement est conforme aux limites d'exposition aux radiations de la IC uncontrolled environment. This equipment should be installed and

operated with a minimum distance of 20 cm between the radiator and your