



Appendix A. Verification Data

Transmitter Radiated Emissions (Below 30MHz)



Transmitter Radiated Emissions (150 kHz – 30 MHz)

Modulation Mode	ASK	Test Freq. (kHz)	112
Operating Mode	1	Polarization	H



	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor Remark
			dB	dBuV/m	dBuV	dB/m	dB	dB
1	11.61240	38.71	-30.83	69.54	16.42	21.65	0.64	0.00 Peak
2	16.77645	38.88	-30.66	69.54	16.01	22.11	0.76	0.00 Peak
3	22.53750	38.74	-30.80	69.54	15.36	22.48	0.90	0.00 Peak


Note 1: ">20dB" means spurious emission levels that exceed the level of 6 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement worst emissions of receive antenna polarization: H(Horizontal).


Note 4: No level of unwanted emissions exceeds the level of the fundamental emission.

Note 5: Except fundamental emission, other emissions from digital circuitry used to control additional panel functions or display capabilities other than the touch panel radio transmission. While disable touch panel radio transmission, other emissions have the same levels. Therefore other emissions level could be exceed the fundamental emission level.

Transmitter Radiated Emissions (Above 30MHz)


Transmitter Radiated Emissions (Above 30MHz)

Modulation Mode	ASK	Test Freq. (kHz)	112
Operating Mode	1	Polarization	H



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	
1	40.67000	29.09	-10.91	40.00	37.32	17.45	1.86	27.54	Peak
2	99.84000	28.69	-14.81	43.50	38.15	15.92	1.98	27.36	Peak
3	184.23000	34.53	-8.97	43.50	44.95	14.27	2.28	26.97	Peak
4	297.72000	36.18	-9.82	46.00	42.05	18.39	2.39	26.65	Peak
5	508.21000	23.25	-22.75	46.00	24.93	22.58	3.56	27.82	Peak
6	704.15000	25.74	-20.26	46.00	25.39	24.09	4.14	27.88	Peak

Note 1: ">20dB" means spurious emission levels that exceed the level of 6 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)

Note 4: No level of unwanted emissions exceeds the level of the fundamental emission.

Note 5: Except fundamental emission, other emissions from digital circuitry used to control additional panel functions or display capabilities other than the touch panel radio transmission. While disable touch panel radio transmission, other emissions have the same levels. Therefore other emissions level could be exceed the fundamental emission level.