



Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 12Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233




**Plot 7-1405. Antenna WF7a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1406. Antenna WF7a Radiated Upper Band Edge (Average – UNII Band 8)**

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 24Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1407. Antenna WF7a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1408. Antenna WF7a Radiated Upper Band Edge (Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 459 of 552

V 10.5 12/15/2021

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 54Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1409. Antenna WF7a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1410. Antenna WF7a Radiated Upper Band Edge (Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 460 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1



**Plot 7-1411. Antenna WF7a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1




**Plot 7-1412. Antenna WF7a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 461 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1413. Antenna WF7a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1414. Antenna WF7a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 462 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229



**Plot 7-1415. Antenna WF7a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1416. Antenna WF7a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 463 of 552

V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233




**Plot 7-1417. Antenna WF7a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1418. Antenna WF7a Radiated Upper Band Edge (Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1419. Antenna WF7a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1420. Antenna WF7a Radiated Upper Band Edge (Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 464 of 552

V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1421. Antenna WF7a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1422. Antenna WF7a Radiated Upper Band Edge (Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 465 of 552

V 10.5 12/15/2021


### 7.7.7 Antenna WF7a Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



**Plot 7-1423. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3




**Plot 7-1424. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 466 of 552

V 10.5 12/15/2021




Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5965MHz  
 Channel: 3



**Plot 7-1425. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227




**Plot 7-1426. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 467 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227



**Plot 7-1427. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7085MHz  
 Channel: 227



**Plot 7-1428. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 468 of 552

V 10.5 12/15/2021

## 7.7.8 Antenna WF7a Radiated Band Edge Measurements (80MHz BW)


\$15.407(b.1)(b.2) \$15.205 \$15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



**Plot 7-1429. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7




**Plot 7-1430. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 469 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5985MHz  
 Channel: 7



**Plot 7-1431. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215




**Plot 7-1432. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 470 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215



**Plot 7-1433. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7025MHz  
 Channel: 215



**Plot 7-1434. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 471 of 552

V 10.5 12/15/2021

## 7.7.9 Antenna WF7a Radiated Band Edge Measurements (160MHz BW)


\$15.407(b.1)(b.2) \$15.205 \$15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



**Plot 7-1435. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS4
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15




**Plot 7-1436. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 472 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 6025MHz  
Channel: 15



**Plot 7-1437. Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 6985MHz  
Channel: 207




**Plot 7-1438. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 473 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207



**Plot 7-1439. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207



**Plot 7-1440. Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 474 of 552


V 10.5 12/15/2021



## 7.7.10 Antenna WF2a Radiated Band Edge Measurements (20MHz BW)


\$15.407(b.1)(b.2) \$15.205 \$15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

Worst Case Mode:	802.11a
Worst Case Transfer Rate:	12Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



**Plot 7-1441. Antenna WF2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode:	802.11a
Worst Case Transfer Rate:	24Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1




**Plot 7-1442. Antenna WF2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 475 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 54Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1



**Plot 7-1443. Antenna WF2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 12Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1444. Antenna WF2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 476 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 24Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



**Plot 7-1445. Antenna WF2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 54Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1446. Antenna WF2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 477 of 552

V 10.5 12/15/2021

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 12Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233




**Plot 7-1447. Antenna WF2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1448. Antenna WF2a Radiated Upper Band Edge (Average – UNII Band 8)**

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 24Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1449. Antenna WF2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1450. Antenna WF2a Radiated Upper Band Edge (Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 478 of 552

V 10.5 12/15/2021

Worst Case Mode:	802.11a
Worst Case Transfer Rate:	54Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233



**Plot 7-1451. Antenna WF2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1452. Antenna WF2a Radiated Upper Band Edge (Average – UNII Band 8)**

<b>FCC ID:</b> BCGA2898 <b>IC:</b> 579C-A2898	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270065-13-R2.BCG	<b>Test Dates:</b> 12/1/2023 - 04/04/2024	<b>EUT Type:</b> Tablet Device


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1453. Antenna WF2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1




**Plot 7-1454. Antenna WF2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 480 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1



**Plot 7-1455. Antenna WF2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1456. Antenna WF2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 481 of 552


V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



**Plot 7-1457. Antenna WF2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1458. Antenna WF2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 482 of 552


V 10.5 12/15/2021



Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS2  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233




**Plot 7-1459. Antenna WF2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1460. Antenna WF2a Radiated Upper Band Edge (Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1461. Antenna WF2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1462. Antenna WF2a Radiated Upper Band Edge (Average – UNII Band 8)**


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 483 of 552

V 10.5 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233



**Plot 7-1463. Antenna WF2a Radiated Upper Band Edge (Peak – UNII Band 8)**



**Plot 7-1464. Antenna WF2a Radiated Upper Band Edge (Average – UNII Band 8)**

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-13-R2.BCG	Test Dates: 12/1/2023 - 04/04/2024	EUT Type: Tablet Device	Page 484 of 552

V 10.5 12/15/2021