

Report No.: SEWM2309000347RG08

Rev.: 01 Page: 1 of 29

### **TEST REPORT**

SEWM2309000347RG **Application No.:** 

Applicant: vivo Mobile Communication Co., Ltd.

No.1, vivo Road, Chang'an, Dongguan, Guangdong, China **Address of Applicant:** 

Manufacturer: vivo Mobile Communication Co., Ltd.

**Address of Manufacturer:** No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

**EUT Description:** Mobile Phone

Model No.: V2314 Trade Mark: vivo

FCC ID: 2AUCY-V2314

Standard(s): FCC 47 CFR Part 15, Subpart B


**Date of Receipt:** 2023/09/11

Date of Test: 2023/10/01 to 2023/10/05

Date of Issue: 2023/10/17

Test Result: Pass\*

Authorized Signature:



Well Wei

Wireless Laboratory Manager



中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 2 of 29

	Revision Record				
Version	Version Chapter Date Modifier Remark				
01		2023/10/17		Original	

Prepared By	(King-p Li) / Test Engineer	
Checked By	(Stone Gu) / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 3 of 29

### **Test Summary**

	Emission Part					
Item	Standard	Method	Requirement	Result		
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass		
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass		
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass		

Internal Source	Upper Frequency	
Below 1.705MHz	30MHz	
1.705MHz to 108MHz	1GHz	
108MHz to 500MHz	2GHz	
500MHz to 1GHz	5GHz	
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 4 of 29

### **Contents**

1	Ger	neral Information	5
1	1.1 1.2 1.3 1.4 1.5	Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions	7 7 7
2	Emi	ission Test Results	8
2	2.1. 2.1. 2.2 2.2. 2.2. 2.3 2.3. 2.3.	Conducted Emissions at Mains Terminals (150kHz-30MHz)	
3	Equ	iipment List	26
4 5		asurement Uncertainty	
		otographs	
5	5.1	Test Setup	29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 5 of 29

### 1 General Information

EUT Description:	:UT Description: Mobile Phone			
Model No.:	V2314			
Trade Mark:	vivo			
Hardware Version:	MP_0.1			
Software Version:		0.6.4.W30		
IMEI:	PD2325HF_EX_A_13.0.6.4.W30  Sample 1: 864236069991334(IMEI1)/ 864236069991326(IMEI2) Sample 2: 864236069981855(IMEI1)/ 864236069981848(IMEI2)			
	Band	Tx (MHz)	Rx (MHz)	
	GSM850	824~849	869~894	
	GSM1900	1850~1910	1930~1990	
	WCDMA Band II	1850~1910	1930~1990	
	WCDMA Band IV	1710~1755	2110~2155	
	WCDMA Band V	824~849	869~894	
	LTE Band 2	1850~1910	1930~1990	
	LTE Band 4	1710~1755	2110~2155	
	LTE Band 5	824~849	869~894	
	LTE Band 7	2500~2570	2620~2690	
	LTE Band 12	699~716	729~746	
	LTE Band 13	777~787	746~756	
Frequency Bands:	LTE Band 17	704~716	734~746	
Trequency bands.	LTE Band 26 (814 to 824 MHz)	814~824	859~869	
	LTE Band 26 (824 to 849 MHz)	824~849	869~894	
	LTE Band 38	2570~2620	2570~2620	
	LTE Band 41	2496~2690	2496~2690	
	LTE Band 66	1710~1780	2110~2200	
	NR Band n2	1850~1910	1930~1990	
	NR Band n5	824~849	869~894	
	NR Band n7	2500~2570	2620~2690	
	NR Band n26	944 924		
	(814 to 824 MHz)	814~824 859~869 Hz)	003~003	
	NR Band n26	824~849	869~894	
	(824 to 849 MHz)			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM\_Doccheck@sgs.com

South of No. 6 Plant. No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fiee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 6 of 29

NR Band n38	2570~2620	2570~2620
NR Band n41	2496~2690	2496~2690
NR Band n66	1710~1780	2110~2200
NR Band n77	3450-3550	3450-3550
	3700-3980	3700-3980
NR Band n78	3450-3550	3450-3550
INK Dand 11/8	3700-3800	3700-3800

LTE CA:

LTE UL CA\_7C; LTE UL CA\_41C;

LTE UL CA\_2A-4A; LTE UL CA\_2A-5A; LTE UL CA\_2A-7A;

LTE UL CA\_4A-5A; LTE UL CA\_4A-7A; LTE UL CA\_5A-7A;

LTE UL CA\_5A-66A;

ENDC:

DC\_7A\_n2A; DC\_7A\_n5A; DC\_2A\_n7A; DC\_4A\_n7A; DC\_5A\_n7A; DC\_66A\_n7A; DC\_66A\_n38A; DC\_4A\_n38A,DC\_5A\_n38A; DC\_66A\_n38A; DC\_2A\_n41A; DC\_4A\_n41A; DC\_26A\_n41A; DC\_66A\_n41A; DC\_2A\_n66A; DC\_5A\_n66A; DC\_7A\_n66A; DC\_2A\_n78A; DC\_4A\_n78A; DC\_5A\_n78A; DC\_7A\_n78A; DC\_7A\_N7

Bluetooth	2402~2480	2402~2480
Wi-Fi 2.4G	2412~2462	2412~2462
Wi-Fi 5G	5150~5850	5150~5850
NFC	13.56	13.56
GNSS	1	1559~1610

#### Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

#### Accessory:

Item No.	Mode No.	Manufacturer	Remark	
Adapter 1	V4440L0A0-US	Dongguan Aohai Technology	Como docian	
Adapter 2	V4440L0A0-EU	Co.,Ltd	Same design	
USB cable	BK-C-49-B	/	/	
Battery	BA16	Dongguan NVT Technology Co.,Ltd	/	
Sample 1	V2314	/	8G+256G	
Sample 2	V2314	/	12G+256G	
Remark: Adapter 1 was selected to test.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plat Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 邮编: 215000

15000 t (86–512) 629929



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 7 of 29

#### 1.1 Description of Support Units

Equipment	Manufacturer	Model No.	Inventory No.
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01
Computer	Lenovo	T14	SUWI-03-33-04

#### 1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.	
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone	
Post code:	215000	
Test engineer:	King-p Li	

#### 1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327

#### 1.4 Deviation from Standards

None

#### 1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Friee Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 8 of 29

### 2 Emission Test Results

#### 2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B			
Test Method:	ANSI C63.4:2014			
Frequency Range:	150kHz to 30MHz			
Receiver Setup:	RBW = 9kHz, VBW = 30kHz			
	Frequency Range (MHz)	Limit(dBμV)		
		Quasi-peak	average	
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*	
Limit:	0.5M-5MHz	56	46	
	5M-30MHz	60	50	
	*Decreases with the logarithm of the frequency			
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz			

#### 2.1.1 E.U.T. Operation

#### **Operating Environment:**

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
Pretest these modes to find the worst case:	a: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+Camera(Rear)+GSM850 (RX) Low b: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+Camera(Front)+WCDMA Band 5(RX) Mid c: Sample1+adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+MP4+LTE Band 5 (RX) High d: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+NFC ON+LTE Band 12 (RX) Low e: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+GNSS+LTE Band 13 (RX) Mid f: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+MP4+LTE Band 17 (RX) High g: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+ MP4+LTE Band 26 (RX) Low h: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+ MP4+SA Band 5(RX) Mid i: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+ MP4+SA Band 26(RX) High j: Sample1 +Transfer data between the EUT and the PC+USB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 9 of 29

	cable(1)+BT(Idle)+2.4GWLAN(Idle)+LTE Band 17 (RX) High
	k: Sample2 +Transfer data between the EUT and the PC+USB
	cable(1)+BT(Idle)+5GWLAN(Idle)+LTE Band 17 (RX) High
	a: Sample1 +adapter(1)+usb
The worst case for final	Cable(1)+BT(Idle)+2.4GWLAN(Idle)+Camera(Rear)+GSM850 (RX) Low
test:	j: Sample1 +Transfer data between the EUT and the PC+USB
	cable(1)+BT(Idle)+2.4GWLAN(Idle)+LTE Band 17 (RX) High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000347RG08

Rev.: 01

Page: 10 of 29

#### 2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



#### 2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 11 of 29



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1770	11.73	37.64	49.37	64.63	15.26	25.48	37.21	54.63	17.42	PASS
2	0.2715	11.64	31.96	43.60	61.07	17.47	14.93	26.57	51.07	24.50	PASS
3	0.5190	11.61	25.46	37.07	56.00	18.93	10.40	22.01	46.00	23.99	PASS
4	0.9780	11.72	29.01	40.73	56.00	15.27	13.96	25.68	46.00	20.32	PASS
5	5.6355	11.83	28.83	40.66	60.00	19.34	14.47	26.30	50.00	23.70	PASS
6	10.0770	11.88	27.10	38.98	60.00	21.02	17.40	29.28	50.00	20.72	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB $\mu$ V] Value[dB $\mu$ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 12 of 29



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1815	11.71	24.18	35.89	64.42	28.53	19.40	31.11	54.42	23.31	PASS
2	0.2715	11.64	31.78	43.42	61.07	17.65	13.46	25.10	51.07	25.97	PASS
3	0.3345	11.62	24.86	36.48	59.34	22.86	11.72	23.34	49.34	26.00	PASS
4	0.5145	11.61	23.51	35.12	56.00	20.88	9.91	21.52	46.00	24.48	PASS
5	1.0905	11.73	24.43	36.16	56.00	19.84	12.81	24.54	46.00	21.46	PASS
6	3.2055	11.74	20.89	32.63	56.00	23.37	10.59	22.33	46.00	23.67	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB $\mu$ V] Value[dB $\mu$ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 13 of 29



Dat	a List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1770	11.73	30.35	42.08	64.63	22.55	25.73	37.46	54.63	17.17	PASS
2	0.2670	11.64	32.33	43.97	61.21	17.24	12.90	24.54	51.21	26.67	PASS
3	0.4740	11.60	14.88	26.48	56.44	29.96	2.95	14.55	46.44	31.89	PASS
4	1.1355	11.72	4.14	15.86	56.00	40.14	-1.46	10.26	46.00	35.74	PASS
5	2.0760	11.73	11.44	23.17	56.00	32.83	3.54	15.27	46.00	30.73	PASS
6	18.9690	11.97	5.05	17.02	60.00	42.98	-0.37	11.60	50.00	38.40	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB $\mu$ V] Value[dB $\mu$ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 14 of 29



Data	Data List												
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict		
1	0.1770	11.73	30.38	42.11	64.63	22.52	26.03	37.76	54.63	16.87	PASS		
2	0.2715	11.64	31.99	43.63	61.07	17.44	13.32	24.96	51.07	26.11	PASS		
3	0.4830	11.60	15.41	27.01	56.29	29.28	3.06	14.66	46.29	31.63	PASS		
4	0.5730	11.62	12.82	24.44	56.00	31.56	0.33	11.95	46.00	34.05	PASS		
5	2.0760	11.73	11.07	22.80	56.00	33.20	3.22	14.95	46.00	31.05	PASS		
6	25.4220	12.01	6.22	18.23	60.00	41.77	0.61	12.62	50.00	37.38	PASS		

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB $\mu$ V] Value[dB $\mu$ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 15 of 29

#### 2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B		
Test Method:	ANSI C63.4:2014		
Frequency Range:	30MHz to 1GHz		
Measurement Distance:	3m		
	Frequency Range (MHz)	Limit(dBµV/m)	Detector
	30MHz -88MHz	40.0	Quasi-peak
Limit:	88MHz-216MHz	43.5	Quasi-peak
	216MHz-960MHz	46.0	Quasi-peak
	960MHz-1000MHz	54.0	Quasi-peak
Detector:	Peak for pre-scan (120kHz res	solution bandwidth) 30M	to1000MHz

#### 2.2.1 E.U.T. Operation

z.z.1 E.U.1. Operation	
Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
Pretest these modes to find the worst case:	a: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+Camera(Rear)+GSM850 (RX) Low b: Sample1 ++adapter(1)+usb Cable(1)+BT(Idle)++5GWLAN(Idle)+Camera(Front)+WCDMA Band 5(RX) Mid c: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+MP4+LTE Band 5 (RX) High d: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+NFC ON+LTE Band 12 (RX) Low e: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+GNSS+LTE Band 13 (RX) Mid f: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+MP4+LTE Band 17 (RX) High g: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+ MP4+LTE Band 26 (RX) Low h: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+ MP4+SA Band 5(RX) Mid i: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+ MP4+SA Band 26(RX) High j: Sample1 +Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+2.4GWLAN(Idle)+LTE Band 17 (RX) High k: Sample2 +Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+5GWLAN(Idle)+LTE Band 17 (RX) High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cercibil Call Proceedings come."

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs



Report No.: SEWM2309000347RG08

Rev.: 01

Page: 16 of 29

The worst case for final test:

 $f: Sample 2 + adapter (1) + usb \ Cable (1) + BT (Idle) + 5GWLAN (Idle) + MP4 + LTE \\$ 

Band 17 (RX) High

j: Sample1 +Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+2.4GWLAN(Idle)+LTE Band 17 (RX) High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2309000347RG08

Rev.: 01 Page: 17 of 29

#### 2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



#### 2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comments.apx</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocument.apx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocument.apx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

215000 t (86–5



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 18 of 29



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	53.5225	32.06	19.06	-33.94	17.18	40.00	22.82	102	339	Horizontal			
2	77.7725	35.68	15.62	-33.67	17.63	40.00	22.37	265	339	Horizontal			
3	124.8175	30.02	17.61	-33.32	14.32	43.50	29.18	284	326	Horizontal			
4	167.4975	34.68	17.63	-32.97	19.33	43.50	24.17	142	259	Horizontal			
5	248.0075	35.86	17.22	-32.47	20.61	46.00	25.39	263	283	Horizontal			
6	320.7575	34.26	19.08	-32.04	21.30	46.00	24.70	228	283	Horizontal			
7*	739.7975	53.77	27.18	-29.93	51.02	-	-	221	156	Horizontal			

#### Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB $\mu$ V/m] –Value[dB $\mu$ V/m]

Note\*: #7 is system simulator signal which can be ignored.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 19 of 29



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	37.5175	41.03	19.10	-34.00	26.14	40.00	13.86	102	0	Vertical			
2	44.065	45.68	19.50	-33.99	31.19	40.00	8.81	241	294	Vertical			
3	52.31	43.69	19.11	-33.95	28.85	40.00	11.15	142	315	Vertical			
4	86.745	42.35	14.86	-33.60	23.62	40.00	16.38	253	112	Vertical			
5	166.5275	32.25	17.71	-32.98	16.98	43.50	26.52	362	327	Vertical			
6	252.8575	33.26	17.17	-32.44	17.99	46.00	28.01	142	215	Vertical			
7*	744.89	54.36	27.29	-29.95	51.69	-	-	114	338	Vertical			

#### Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB $\mu$ V/m] –Value[dB $\mu$ V/m]

Note\*: #7 is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 20 of 29



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	41.3975	29.35	19.63	-33.99	14.99	40.00	25.01	102	359	Horizontal			
2	66.6175	46.35	17.68	-33.78	30.24	40.00	9.76	265	358	Horizontal			
3	107.8425	30.05	16.21	-33.41	12.85	43.50	30.65	284	356	Horizontal			
4	166.77	34.05	17.69	-32.98	18.76	43.50	24.74	142	56	Horizontal			
5	321.97	35.05	19.12	-32.04	22.13	46.00	23.87	263	316	Horizontal			
6	480.08	36.35	22.98	-31.20	28.13	46.00	17.87	228	271	Horizontal			
7*	738.1	54.56	27.14	-29.92	51.78	-	-	186	25	Horizontal			

#### Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB $\mu$ V/m] –Value[dB $\mu$ V/m]

Note\*: #7 is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 21 of 29



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	38.0025	38.65	19.22	-34.00	23.87	40.00	16.13	102	1	Vertical				
2	44.065	42.01	19.50	-33.99	27.52	40.00	12.48	265	0	Vertical				
3	55.22	43.05	18.99	-33.92	28.12	40.00	11.88	284	46	Vertical				
4	66.375	45.35	17.72	-33.78	29.28	40.00	10.72	142	255	Vertical				
5	119.9675	31.02	17.30	-33.34	14.98	43.50	28.52	263	271	Vertical				
6	157.3125	35.02	18.34	-33.10	20.26	43.50	23.24	228	282	Vertical				
7*	742.465	54.66	27.23	-29.94	51.95	-	-	113	158	Vertical				

#### Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB $\mu$ V/m] –Value[dB $\mu$ V/m]

Note\*: #7 is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 22 of 29

#### 2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subpart B					
Test Method:	ANSI C63.4:2014					
Frequency Range:	Above 1GHz	Above 1GHz				
Measurement Distance:	3m					
	Frequency (MHz)	Limit (dBµV/m)	Detector			
Limit:	Above 4CH-	74	Peak			
	Above 1GHz 54 Average					
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.					

#### 2.3.1 E.U.T. Operation

2.3.1 E.U.I. Operation					
Temperature:	22~23°C				
Humidity:	44~46%RH				
Atmospheric Pressure:	101.0 kPa				
Pretest these modes to find the worst case:	a: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+Camera(Rear)+GSM850 (RX) Low b: Sample1 ++adapter(1)+usb Cable(1)+BT(Idle)++5GWLAN(Idle)+Camera(Front)+WCDMA Band 5(RX) Mid c: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+MP4+LTE Band 5 (RX) High d: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+NFC ON+LTE Band 12 (RX) Low e: Sample1 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+GNSS+LTE Band 13 (RX) Mid f: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+MP4+LTE Band 17 (RX) High g: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+ MP4+LTE Band 26 (RX) Low h: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+ MP4+SA Band 5(RX) Mid i: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+2.4GWLAN(Idle)+ MP4+SA Band 26(RX) High j: Sample1 +Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+2.4GWLAN(Idle)+LTE Band 17 (RX) High k: Sample2 +Transfer data between the EUT and the PC+USB cable(1)+BT(Idle)+5GWLAN(Idle)+LTE Band 17 (RX) High				
The worst case for final test:	f: Sample2 +adapter(1)+usb Cable(1)+BT(Idle)+5GWLAN(Idle)+MP4+LTE Band 17 (RX) High				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cercibil Call Proceedings come."

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.




Report No.: SEWM2309000347RG08

Rev.: 01 Page: 23 of 29

#### 2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. At a measurement distance of 1 meter the limit line was increased by 20\*LOG(3/1) = 9.54 dB.



#### 2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments</a>. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments.apd.">http://www.sgs.com/en/Terms-en/Cocuments.apd.com/En/Terms-en/Cocuments/Terms-en/Cocu


South of No. 6 Plant, No. 1, Runshang Road, Sudhou Industrial Park, Sudhou Area, Chira (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.china@



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 24 of 29



Data	List							
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	1379.1	53.22	25.11	-47.28	31.05	74.00	42.95	Horizontal
2	6154.4	48.22	35.11	-39.69	43.64	74.00	30.36	Horizontal
3	17890.35	44.18	41.04	-25.06	60.16	74.00	13.84	Horizontal
NO.	Frequency [MHz]	AV Reading [dBµV]	AF [dB/m]	Factor [dB]	AV Level [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity
1	17890.35	29.83	41.04	-25.06	45.81	54.00	8.19	Horizontal

#### Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB $\mu$ V/m] – Level[dB $\mu$ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 ww t (86–512) 62992980 sgs



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 25 of 29



Data	List							
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	1498.95	53.72	24.85	-47.00	31.57	74.00	42.43	Vertical
2	9407.775	45.92	37.72	-33.59	50.05	74.00	23.95	Vertical
3	17650.225	44.14	40.46	-24.87	59.73	74.00	14.27	Vertical
NO.	Frequency [MHz]	AV Reading [dBµV]	AF [dB/m]	Factor [dB]	AV Level [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity
1	17650.225	28.36	40.46	-24.87	43.95	54.00	10.05	Vertical

#### Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB $\mu$ V/m] - Level[dB $\mu$ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2309000347RG08

Rev.: 01

Page: 26 of 29

### 3 Equipment List

CE Test System							
Equipment	Manufacturer	Model No. Inventory No.		Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)		
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2023/02/06	2024/02/05		
Radio Communication Analyzer	StarPoint	SP9500E	SUWI-01-28-03	2023/05/11	2024/05/10		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07		
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01 Page: 27 of 29

RE Test System						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)	
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07	
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06	
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2022/11/23	2023/11/22	
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2023/05/13	2024/05/12	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11	
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05	
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05	
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07	
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2023/02/06	2024/02/05	
Radio Communication Analyzer	StarPoint	SP9500E	SUWI-01-28-03	2023/05/11	2024/05/10	
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

5000 t (86–512) 629929



Report No.: SEWM2309000347RG08

Rev.: 01

Page: 28 of 29

### 4 Measurement Uncertainty

No.	Item	Measurement Uncertainty	
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)	
		± 4.8dB (30M -1GHz)	
2	2 Radiated Emission	± 4.8dB (1GHz to 18GHz)	
		± 4.8dB (Above 18GHz)	

#### Remark:

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2309000347RG08

Rev.: 01

Page: 29 of 29

### 5 Photographs

#### 5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980