


手配番号 (製品コードNo)



注記

1) コネクタ仕様: ヒロセ電機製/U,FL-LP-066

2) ケーブル仕様：日星電気製／RF-MF5016

[illegible]

Confidential

Type "A" (Right: Tx) Peak Gain: -2.83 dBi

Magnitude (dB) vs. Az

(Deg)

Altima EVT Main

File: TPOG1H01.DAT

Date: 30-Aug-02

Time: 3:27

Operator: T.Enomoto

Ser. no.: 001

Channel: Measure-VTx pol: Vert. Rx: Vert.

Frequency: See Legend

Calibration status:

File: TPOG1H01.DAT

Table: WNS2400

Chan.: Measure-Ve



Units: dBi

Overlays

Freq: 2.400 GHz

Freq: 2.440 GHz

Freq: 2.480 GHz



Confidential

Type "B" (Right: Tx) Peak Gain: -1.98 dBi

Automated Antenna

Confidential

Type "A" (Sub) Peak Gain: -3.44 dBi

Magnitude (dB) vs. Az

(Deg)

Altima EVT Sub

File: TPOG2H01.DAT

Date: 30-Aug-02

Time: 5:03

Operator: T.Enomoto

Ser. no.: 001

Channel: Measure-VTx pol: Vert. Rx: Vert.

Frequency : See Legend

Calibration status:

File: TPOG2H01.DAT

Table: WNS2400

Chan.: Measure-Ve



Units: dBi

Overlays

Freq: 2.400 GHz

Freq: 2.440 GHz

Freq: 2.480 GHz



Confidential

FR959
Automated Antenna
Measurement Systems