



Test Mode:802.11ax HE40(484T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5270	0.02	Ant7	-5.335
		Ant8	-4.614
		Ant7+Ant8	-1.949
5310		Ant7	-5.297
		Ant8	-4.818
		Ant7+Ant8	-2.041


Test Mode:802.11ax HE40 Ant7




Test Mode:802.11ax HE40 Ant7



Test Mode:802.11ax HE40 Ant8




Test Mode:802.11ax HE40 Ant8




Test Mode:802.11ax HE80(26T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5290	0.02	Ant7	2.687
		Ant8	1.964
		Ant7+Ant8	5.351

Test Mode:802.11ax HE80 Ant7




Test Mode:802.11ax HE80 Ant8




Test Mode:802.11ax HE80(52T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5290	0.02	Ant7	-0.089
		Ant8	-1.037
		Ant7+Ant8	2.473

Test Mode:802.11ax HE80 Ant7




Test Mode:802.11ax HE80 Ant8




Test Mode:802.11ax HE80(106T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5290	0.02	Ant7	-3.128
		Ant8	-4.030
		Ant7+Ant8	-0.545

Test Mode:802.11ax HE80 Ant7




Test Mode:802.11ax HE80 Ant8




Test Mode:802.11ax HE80(242T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5290	0.02	Ant7	-6.683
		Ant8	-7.455
		Ant7+Ant8	-4.042

Test Mode:802.11ax HE80 Ant7




Test Mode:802.11ax HE80 Ant8




Test Mode:802.11ax HE80(484T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5290	0.02	Ant7	-9.702
		Ant8	-10.286
		Ant7+Ant8	-6.974

Test Mode:802.11ax HE80 Ant7




Test Mode:802.11ax HE80 Ant8




Test Mode:802.11ax HE80(996T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5290	0.02	Ant7	-8.361
		Ant8	-7.424
		Ant7+Ant8	-4.857

Test Mode:802.11ax HE80 Ant7



Test Mode:802.11ax HE80 Ant8



Frequency Stability

NII2A

Mode	Data Rate	Ant	Center Frequency (MHz)	Measured Frequency (MHz)	Frequency Stability (ppm)	Voltage (V)	Temperature (°C)
802.11a	6Mbps	Ant7	5260	5255.92931	2.90	HV	+20
			5260	5264.38266	2.21	LV	+20
			5260	5263.1269	2.47	NV	+30
			5260	5262.82917	2.87	NV	+50
			5260	5264.33498	2.14	NV	+40
			5260	5255.88301	2.70	NV	-10
			5260	5258.43248	2.01	NV	-20
			5260	5262.82917	2.87	NV	-30
			5260	5257.57374	2.27	NV	+20
			5260	5258.09749	2.69	NV	+10
			5260	5262.44204	2.27	NV	0
		Ant8	5260	5261.19008	2.25	HV	+20
			5260	5256.26905	2.31	LV	+20
			5260	5261.19033	2.30	NV	+20
			5260	5258.09576	2.02	NV	+50
			5260	5262.77475	2.52	NV	+40
			5260	5261.53077	2.02	NV	+30
			5260	5262.19181	2.69	NV	-30
			5260	5261.19033	2.30	NV	-20
			5260	5260.2975	2.56	NV	-10
			5260	5258.09587	2.00	NV	+10
			5260	5261.86353	2.28	NV	0