

Page: 139 of 292

10. PEAK POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

1 <u>CC</u>			
OPERZTION Band EUT CATEGORY			LIMIT
U-NII- F ixed	d poir	nt-to-point Acess Ponit	
		Mobile and portable clinet device	11dBm/ MHz
U-NII-2A	ô	·	

5725~5850 MHz	30dBm / 500 kHz
---------------	-----------------

If transmitting antennas of directal gain greater than 6 dBi erused, both the peak transmit power and the peak power spectralensity shall be reduced by themount in dB that the directional gain of the antenna exceeds 6 dBi.

Note: 5.15-5.25G

Antenna1 Gain: 0.39 dBi Antenna2 Gain: -2.63 dBi **Number Antenna:** 2 pcs

Directional gain = gain of antenna element 0 log (#of TX antenna elements)

Effective Legacy Gain (dBi) = 3.4 dBi

Limit: 11dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根告未經本公司書面許可,不可可的複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in language and the processor of this document is unlawful and offenders may be prosequed to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 140 of 292

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome

10.3 Measurement Equipment Used

SGS Conducted Room								
Name of Equipment Manufacturer Model Serial Calibration Calibration Date Description								
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017			
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016			
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016			

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 141 of 292

10.5 Measurement Result

POWER DENSITY 802.11a MODE					
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)		
5180	3.94	11	-7.06		
5220	2.49	11	-8.51		
5240	2.98	11	-8.02		
5260	3.43	11	-7.57		
5300	3.14	11	-7.86		
5320	2.55	11	-8.45		
5500	0.59	11	-10.41		
5580	-0.18	11	-11.18		
5700	0.80	11	-10.20		
5745	8.55	30	-21.45		
5785	10.22	30	-19.78		
5825	9.53	30	-20.47		

POWER DENSITY 802.11n HT20 MODE					
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)		
5180	2.27	11	-8.73		
5220	1.26	11	-9.74		
5240	0.92	11	-10.08		
5260	2.83	11	-8.17		
5300	1.19	11	-9.81		
5320	3.43	11	-7.57		
5500	1.01	11	-9.99		
5580	0.92	11	-10.08		
5700	-2.20	11	-13.20		
5745	8.52	30	-21.48		
5785	8.95	30	-21.05		
5825	8.61	30	-21.39		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 142 of 292

POWER DENSITY 802.11n HT40 MODE					
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)		
5190	-7.15	11	-18.15		
5230	-5.62	11	-16.62		
5270	-4.32	11	-15.32		
5310	-5.16	11	-16.16		
5510	-6.41	11	-17.41		
5550	-5.66	11	-16.66		
5670	-4.41	11	-15.41		
5755	5.80	30	-24.20		
5795	6.00	30	-24.00		

POWER DENSITY 802.11ac VHT80 MODE					
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)		
5210	-8.81	11	-19.81		
5290	-5.37	11	-16.37		
5530	-7.63	11	-18.63		
5610	-7.45	11	-18.45		
5775	3.03	30	-26.97		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.103, WuKungRoad, NewTaipeilndustrialPark, WukungDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 143 of 292

EIRP Power Density

E	EIRP spectral density 802.11a MODE				
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5180	3.94	3.40	7.34	10	-6.06
5220	2.49	3.40	5.89	10	-7.51
5240	2.98	3.40	6.38	10	-7.02

EIRP spectral density 802.11n HT20 MODE					
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5180	2.27	3.40	5.67	10	-7.73
5220	1.26	3.40	4.66	10	-8.74
5240	0.92	3.40	4.32	10	-9.08

EIRP spectral density 802.11n HT40 MODE					
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5180	-7.15	3.40	-3.75	10	-17.15
5220	-5.62	3.40	-2.22	10	-15.62

EIRP spectral density 802.11ac VHT80 MODE					
Freq. (MHz)	PPSD (dBm)	Gain		Limit (dBm)	Margin (dB)
5210	-8.81	3.40	-5.41	10	-18.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號
No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市本股區新北產業園區五工路 134 號
No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市本股區新北產業園區五工路 134 號
No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市本股區新北產業園區五工路 134 號
No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市本股區新北產業園區五工路 134 號
No.134.WuKungRoad,NewTaipeiCity,Taiwan24803/新北市本股區新北產業園區五工路 134 號
No.134.WuKungRoad,NewTaipeiCity,Taiwan24803/新北市本股區新北產業園屋面 134



Page: 144 of 292

802.11a 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 145 of 292

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 146 of 292

802.11a 5250~5350 MHz Peak Power Spectral Density Data Plot (CH Low 5260 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5300 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 來敬令來學本之可看面許可 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 147 of 292

Peak Power Spectral Density Data Plot (CH High 5320 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 148 of 292

802.11a 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5500 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5580 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家子方名就可。九根古路末僅對測試之樣品負責。「阿許武楼品僅保留別文。本報告末熟本の自由部門。「不可能价模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

分有限公司 t (886-2) 2299-3279



Page: 149 of 292

Peak Power Spectral Density Data Plot (CH High 5700 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com




Page: 150 of 292

802.11a 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 151 of 292

Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 152 of 292

802.11n HT20, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家子方名就可。九根古路末僅對測試之樣品負責。「阿許武楼品僅保留別文。本報告末熟本の自由部門。「不可能价模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

有限公司 t (886-2) 2299-3279



Page: 153 of 292

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 154 of 292

802.11n HT20, 5250~5350 MHz Peak Power Spectral Density Data Plot (CH Low 5260MHz)



Peak Power Spectral Density Data Plot (CH Mid 5300 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 來敬令來學本之可看面許可 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 155 of 292

Peak Power Spectral Density Data Plot (CH High 5320 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sgs.com



Page: 156 of 292

802.11n HT20, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5500 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5580MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 來敬令來學本之可看面許可 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 157 of 292

Peak Power Spectral Density Data Plot (CH High 5700 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 158 of 292

802.11n HT20, 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 159 of 292

Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 160 of 292

802.11n HT40, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Low 5190 MHz)



Peak Power Spectral Density Data Plot (CH High 5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 來敬令來學本之可看面許可 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 161 of 292

802.11n HT40, 5250~5350 MHz Peak Power Spectral Density Data Plot (CH Low 5270 MHz)



Peak Power Spectral Density Data Plot (CH High 5310 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 來敬令來學本之可看面許可 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 162 of 292

802.11n HT40, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5510 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5550 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279


家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 來敬令來學本之可看面許可 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 163 of 292

Peak Power Spectral Density Data Plot (CH High 5670 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 164 of 292

802.11n HT40, 5725~5850 MHz Peak Power Spectral Density Data Plot (CH Low 5755 MHz)



Peak Power Spectral Density Data Plot (CH High 5795 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 165 of 292

802.11ac VHT80, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Mid 5210 MHz)



802.11ac VHT80, 5250~5350 MHz

Peak Power Spectral Density Data Plot (CH Mid 5290 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 166 of 292

802.11ac VHT80, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5530 MHz)



802.11ac VHT80, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH High 5610 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the first tested of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 167 of 292

802.11ac VHT80, 5725~5850 MHz Peak Power Spectral Density Data Plot (CH Mid 5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sgs.com



Page: 168 of 292

11. UNDESIRABLE RADIATED EMISSION MEASUREMENT1

Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LII	MIT	
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m		
	PK: 74 (dBμV/m)	AV 54 (dBμV/m)	
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m	
15.407(b)(1)			
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBμV/m)	
15.407(b)(3)			
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4	
RSS-247 6.2.4 (2)	PK: -27 (dBm/MHz) PK: -17 (dBm/MHz)	PK: 68.3 (dBμV/m) PK: 78.2 (dBμV/m)	

^{*1} beyond 75 MHz or more above of the bandedge.

 $EIRP = ((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts...

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and the sole of the company is the time of its intervention only and within the limits of the transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 169 of 292

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 170 of 292

11.2 Measurement Equipment Used

SGS SAC-III						
Name of Equipment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due	
EMI Test Receiver	R&S	ESU 40	100363	04/12/2016	04/11/2017	
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2015	12/22/2016	
Broadband Anten- na	TESEQ	CBL 6112D	35240	10/28/2015	10/27/2016	
Horn Antenna	ETS-Lindgren	3117	00143272	12/16/2015	12/15/2016	
Horn Antenna	Schwarzbeck	BBHA9170	185	07/18/2016	07/17/2017	
Pre Amplifier	EMC Instru- ments	EMC330	980096	12/12/2015	12/11/2016	
Pre Amplifier	EMC Instru- ments	EMC0011830	980199	12/12/2015	12/11/2016	
Pre Amplifier	R&S	SCU-18	10204	12/12/2015	12/11/2016	
Pre Amplifier	EMC Instru- ments	EMC184045B	980135	12/12/2015	12/11/2016	
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2015	12/11/2016	
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2015	12/11/2016	
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2015	12/11/2016	
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2015	12/11/2016	
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2015	12/11/2016	
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2015	12/11/2016	
Attenuator	WOKEN	218FS-10	RF27	12/12/2015	12/11/2016	
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017	
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017	
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2016	05/03/2017	
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.	
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.	
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.	
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.	

t (886-2) 2299-3279

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.* No.134 WukfungNada.NewTaipeiindustrialPark.WukupDistrict.NewTaipeiiCity.Taiwan24803/新北市市股區新北產業園區五工路 134 號




Page: 171 of 292

11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 172 of 292

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequen-3. cy> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 5. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency 7. above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 8. 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)		
	RA = Reading Amplitude	AG = Amplifier Gain		
	AF = Antenna Factor			

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 173 of 292

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 小元報告題未僅對測試之樣必負負 "四呼政保の理味噌如不。今報告不經本公司者國計可,不可能的模表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 174 of 292

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data: 802.11a 5150~5250 MHz

Operation Mode: 802.11a Test Date: 2016/9/8

23.5 deg_C/56RH Fundamental Frequency: 5220 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Mid Ashton Measurement Antenna Pol. : EUT Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
71.68	S	QP	53.81	-21.65	32.16	40	-7.84
122.15	S	Peak	45.83	-15.77	30.05	43.5	-13.45
450.98	S	Peak	44.60	-8.70	35.91	46	-10.09
479.11	S	Peak	43.97	-7.76	36.21	46	-9.79
540.22	S	Peak	45.59	-7.19	38.40	46	-7.60
746.83	S	Peak	43.86	-4.23	39.62	46	-6.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the first tested of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 175 of 292

Operation Mode: 802.11a Test Date: 2016/9/8

Fundamental Frequency: 5220 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
123.12	S	Peak	39.87	-15.78	24.09	43.5	-19.41
219.15	S	Peak	44.28	-17.11	27.17	46	-18.83
273.47	S	Peak	43.23	-13.82	29.41	46	-16.59
428.67	S	Peak	40.68	-9.13	31.54	46	-14.46
746.83	S	Peak	40.68	-4.23	36.45	46	-9.55
807.94	S	Peak	40.20	-3.20	36.99	46	-9.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 176 of 292

802.11a 5250~5350 MHz

Operation Mode: 802.11a Test Date: 2016/9/8

Fundamental Frequency: 5300 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
71.71	S	Peak	54.02	-21.65	32.37	40	-7.63
123.12	S	Peak	43.88	-15.78	28.11	43.5	-15.39
480.08	S	Peak	38.18	-7.81	30.37	46	-15.63
579.02	S	Peak	36.53	-6.38	30.15	46	-15.85
650.80	S	Peak	36.24	-5.40	30.84	46	-15.16
729.37	S	Peak	34.88	-4.64	30.24	46	-15.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the lateration of the document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 177 of 292

Operation Mode: 802.11a Test Date: 2016/9/8

Fundamental Frequency: 5300 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
62.98	S	Peak	46.21	-22.56	23.65	40	-16.35
122.15	S	Peak	40.42	-15.77	24.65	43.5	-18.85
271.53	S	Peak	44.22	-13.90	30.31	46	-15.69
321.97	S	Peak	41.72	-12.19	29.52	46	-16.48
419.94	S	Peak	39.62	-9.10	30.52	46	-15.48
515.00	S	Peak	31.72	-7.58	24.14	46	-21.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 178 of 292

802.11a, 5470~5725 MHz

Operation Mode: 802.11a Test Date: 2016/9/8

Fundamental Frequency: 5580 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
75.59	S	Peak	53.09	-21.38	31.71	40	-8.29
230.79	S	Peak	43.24	-16.17	27.08	46	-18.92
355.92	S	Peak	39.27	-11.21	28.06	46	-17.94
473.29	S	Peak	37.04	-7.99	29.04	46	-16.96
659.53	S	Peak	35.08	-5.30	29.78	46	-16.22
797.27	S	Peak	37.62	-4.01	33.61	46	-12.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 179 of 292

Operation Mode: 802.11a Test Date: 2016/9/8

Fundamental Frequency: 5580 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
31.94	S	Peak	39.05	-8.22	30.83	40	-9.17
122.15	S	Peak	40.87	-15.77	25.09	43.5	-18.41
281.23	S	Peak	44.52	-13.59	30.94	46	-15.06
356.89	S	Peak	43.71	-11.27	32.44	46	-13.56
420.91	S	Peak	39.88	-9.06	30.82	46	-15.18
808.91	S	Peak	38.29	-3.19	35.10	46	-10.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 180 of 292

802.11a, 5725~5850 MHz

Operation Mode: 802.11a Test Date: 2016/9/8

Fundamental Frequency: 5785 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
71.71	S	Peak	58.26	-21.65	36.61	40	-3.39
123.12	S	Peak	47.78	-15.78	32.00	43.5	-11.50
164.83	S	Peak	45.07	-17.78	27.29	43.5	-16.21
431.58	S	Peak	40.61	-9.39	31.22	46	-14.78
540.22	S	Peak	39.64	-7.19	32.45	46	-13.55
802.12	S	Peak	34.59	-3.48	31.11	46	-14.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the lateration of the document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 181 of 292

Operation Mode: 802.11a Test Date: 2016/9/8

Fundamental Frequency: 5785 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
31.94	S	Peak	37.50	-8.22	29.28	40	-10.72
118.27	S	Peak	41.51	-15.92	25.59	43.5	-17.91
268.62	S	Peak	46.72	-13.88	32.84	46	-13.16
353.01	S	Peak	44.23	-11.29	32.94	46	-13.06
479.11	S	Peak	39.62	-7.76	31.85	46	-14.15
805.03	S	Peak	39.46	-3.39	36.07	46	-9.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 182 of 292


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5180 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10360.00	Н	Peak	34.88	20.18	55.06	68.3	-13.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unquited and effective provided to the villest extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 183 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5180 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10360.00	Н	Peak	34.19	20.18	54.36	68.3	-13.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 184 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5220 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10440.00	Н	Peak	36.37	20.29	56.67	68.3	-11.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 185 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5220 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
	MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
•	10440.00	Н	Peak	33.69	20.29	53.99	68.3	-14.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 186 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5240 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Н	Peak	33.57	20.68	54.25	68.3	-14.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 187 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5240 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10480.00	Н	Peak	32.73	20.68	53.41	68.3	-14.89	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 188 of 292

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5260 MHz Temp. / Humi.: 23.5 deg_C/56RH

Test Engineer: Operation Band: Tx CH Low Ashton Н EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	32.85	20.10	52.95	68.3	-15.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the first tested of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 189 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5260 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
10520.00	H	Peak	31.95	20.10	52.05	68.3	-16.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 190 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5300 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10600.00	Н	Peak	32.04	20.17	52.21	74	-21.79
10600.00	Н	Average	22.81	20.17	42.98	54	-11.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 191 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5300 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	31.23	20.17	51.39	74	-22.61
10600.00	Н	Average	22.01	20.17	42.18	54	-11.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 192 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5320 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10640.00	Н	Peak	32.36	20.34	52.70	74	-21.30
10640.00	Н	Average	22.97	20.34	43.31	54	-10.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 193 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5320 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
-		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	31.11	20.34	51.45	74	-22.55
10640.00	Н	Average	22.16	20.34	42.50	54	-11.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 194 of 292

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5500 MHz Temp. / Humi.: 23.5 deg_C/56RH

Test Engineer: Operation Band: Tx CH Low Ashton Н EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	31.58	22.11	53.69	74	-20.31
11000.00	Н	Average	22.13	22.11	44.24	54	-9.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the first tested of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 195 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5500 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	30.52	22.11	52.62	74	-21.38
11000.00	Н	Average	21.61	22.11	43.72	54	-10.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 196 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5580 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.0	00 H	Peak	30.47	22.04	52.51	74	-21.49
11160.0	00 H	Average	23.01	22.04	45.05	54	-8.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 197 of 292

Operation Mode: 802.11a Test Date: 2016/9/7

Fundamental Frequency: 5580 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Peak	30.94	22.04	52.98	74	-21.02
11160.00	Н	Average	21.77	22.04	43.81	54	-10.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 198 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5700 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq	. Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.	00 H	Peak	32.21	21.22	53.42	74	-20.58
11400.	00 H	Average	22.34	21.22	43.56	54	-10.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 199 of 292

Operation Mode: Test Date: 2016/9/7 802.11a

23.5 deg_C/56RH Fundamental Frequency: 5700 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
-		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	31.22	21.22	52.44	74	-21.56
11400.00	Н	Average	22.14	21.22	43.36	54	-10.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 200 of 292

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Mode: 802.11a Test Date: 2016/9/7

23.5 deg_C/56RH Fundamental Frequency: 5745 MHz Temp. / Humi.:

Test Engineer: Operation Band: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
	11490.00	Н	Peak	34.32	20.70	55.02	74	-18.98
	11490.00	Н	Average	22.78	20.70	43.48	54	-10.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the first tested of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 201 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	30.96	20.70	51.66	74	-22.34
11490.00	Н	Average	21.87	20.70	42.57	54	-11.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 202 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5785 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.0	00 H	Peak	31.31	21.44	52.75	74	-21.25
11570.0	00 H	Average	22.45	21.44	43.89	54	-10.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 203 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5785 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	31.00	21.44	52.45	74	-21.55
11570.00	Н	Average	21.99	21.44	43.43	54	-10.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 204 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

Fundamental Frequency: 5825 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	31.12	22.02	53.14	74	-20.86
11650.00	Н	Average	22.28	22.02	44.30	54	-9.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 205 of 292

Operation Mode: Test Date: 802.11a 2016/9/7

23.5 deg_C/56RH Fundamental Frequency: 5825 MHz Temp. / Humi.:

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11650.00	Н	Peak	30.82	22.02	52.84	74	-21.16
	11650.00	Н	Average	21.73	22.02	43.75	54	-10.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 206 of 292

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5180 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	33.47	20.18	53.65	68.3	-14.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the first tested of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com




Page: 207 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5180 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	De tector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	гз dBµV/m	dBµV/m	dB
10360.00	Н	Peak	30.99	20.18	51.17	68.3	-17.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 208 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5220 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	29.54	20.29	49.83	68.3	-18.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 209 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5220 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10440.00	Н	Peak	30.90	20.29	51.19	68.3	-17.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 210 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5240 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical Η



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
	E/11/E/0	Mode	Reading Level		FS	@3m	ID.	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10480.00	Н	Peak	30.71	20.68	51.39	68.3	-16.91	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 211 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5240 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal Η



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Н	Peak	31.76	20.68	52 44	68.3	-15.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 212 of 292

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5260 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	32.12	20.10	52.22	68.3	-16.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 213 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5260 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	31.32	20.10	51.42	68.3	-16.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 214 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5300 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	31.30	20.17	51.47	74	-22.53
10600.00	Н	Average	22.06	20.17	42.23	54	-11.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 215 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5300 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	10600.00	Н	Peak	30.36	20.17	50.53	74	-23.47
	10600.00	Н	Average	20.99	20.17	41.16	54	-12.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 216 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5320 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical Η



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	32.58	20.34	52.93	74	-21.07
10640.00	Н	Average	22.14	20.34	42.48	54	-11.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 217 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5320 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal Η



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	30.54	20.34	50.89	74	-23.11
10640.00	Н	Average	21.23	20.34	41.57	54	-12.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 218 of 292

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5500 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	30.43	22.11	52.54	74	-21.46
11000.00	Н	Average	21.62	22.11	43.73	54	-10.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 219 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5500 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	30.54	22.11	52.65	74	-21.35
11000.00	Н	Average	21.45	22.11	43.56	54	-10.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 220 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5580 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11160.00	Н	Peak	34.31	22.04	56.35	74	-17.65
11160.00	Н	Average	22.54	22.04	44.58	54	-9.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 221 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5580 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



ŀ	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11	160.00	Н	Peak	31.92	22.04	53.96	74	-20.04
11	160.00	Н	Average	21.74	22.04	43.78	54	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 222 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5700 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н С	Peak	31.36	21.22	52.57	74	-21.43
11400.00	Н С	Average	22.03	21.22	43.25	54	-10.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 223 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5700 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	31.37	21.22	52.58	74	-21.42
11400.00	Н	Average	21.91	21.22	43.13	54	-10.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 224 of 292

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Mode: 802.11n20 Test Date: 2016/9/7

23.5 deg_C/56RH Fundamental Frequency: 5745 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	31.21	20.70	51.92	74	-22.08
11490.00	Н	Average	21.32	20.70	42.02	54	-11.98

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 225 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	30.67	20.70	51.38	74	-22.62
11490.00	Н	Average	21.27	20.70	41.97	54	-12.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 226 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5785 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH Mid **Ashton** EUT Pol.: Measurement Antenna Pol. : Vertical



F	req.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
N	ЛHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
115	70.00	Н	Peak	31.84	21.44	53.29	74	-20.71
115	570.00	Н	Average	22.36	21.44	43.80	54	-10.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 227 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5785 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid **Ashton** EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	32.07	21.44	53.51	74	-20.49
11570.00	Н	Average	22.21	21.44	43.65	54	-10.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 228 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5825 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical Η



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	31.27	22.02	53.29	74	-20.71
11650.00	Н	Average	22.07	22.02	44.09	54	-9.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 229 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/7

Fundamental Frequency: 5825 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	30.71	22.02	52.74	74	-21.26
11650.00	Н	Average	21.17	22.02	43.19	54	-10.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 230 of 292

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5190 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Н	Peak	30.67	20.95	51.62	68.3	-16.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 231 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5190 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Н	Peak	29.99	20.95	50.95	68.3	-17.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 232 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5230 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical Η



Freq.	Note	De tector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10460.00	Н	Peak	30.69	20.95	51.65	68.3	-16.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 233 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5230 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal Η



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10460.00	Н	Peak	31.37	20.95	52.33	68.3	-15.97

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 234 of 292

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5270 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10540.00	Н	Peak	30.14	20.06	50.20	68.3	-18.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 235 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5270 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10540.00	Н	Peak	31.51	20.06	51.57	68.3	-16.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 236 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5310 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq	. Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10620.	00 H	Peak	30.06	20.29	50.35	74	-23.65
10620.	00 H	Average	21.71	20.29	42.00	54	-12.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 237 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5310 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
10620.00	Н	Peak	29.90	20.29	50.19	74	-23.81
10620.00	Н	Average	21.38	20.29	41.67	54	-12.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 238 of 292

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5510 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
	11020.00	Н	Peak	31.92	22.90	54.82	74	-19.18
	11020.00	Н	Average	21.13	22.90	44.03	54	-9.97

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 239 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5510 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11020.00	Н	Peak	30.79	22.90	53.69	74	-20.31
11020.00	Н	Average	20.99	22.90	43.89	54	-10.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 240 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 23.5 deg_C/56RH 5550 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Mid **Ashton** EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
		Mode	neading Level		го	ω om	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Н	Peak	30.39	23.16	53.56	74	-20.44
11100.00	Н	Average	20.91	23.16	44.07	54	-9.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 241 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5550 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Mid **Ashton** EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Н	Peak	29.99	23.16	53.15	74	-20.85
11100.00	Н	Average	20.92	23.16	44.08	54	-9.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 242 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5670 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11340.00	Н	Peak	30.44	20.97	51.41	74	-22.59
11340.00	Н	Average	21.06	20.97	42.03	54	-11.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 243 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5670 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11340.00	Н	Peak	29.87	20.97	50.84	74	-23.16
	11340.00	Н	Average	21.04	20.97	42.01	54	-11.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 244 of 292

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: Temp. / Humi.: 5755 MHz 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Peak	31.46	22.17	53.63	74	-20.37
11510.00	Н	Average	21.24	22.17	43.41	54	-10.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 245 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5755 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Peak	31.41	22.17	53.57	74	-20.43
11510.00	Н	Average	21.25	22.17	43.42	54	-10.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 246 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5795 MHz Temp. / Humi.: 23.5 deg C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11590.00	Н	Peak	30.85	21.84	52.69	74	-21.31
	11590.00	Н	Average	21.20	21.84	43.04	54	-10.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 247 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/7

Fundamental Frequency: 5795 MHz Temp. / Humi.: 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Peak	30.77	21.84	52.62	74	-21.38
11590.00	Н	Average	21.21	21.84	43.05	54	-10.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 248 of 292

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

802.11ac80 Test Date: Operation Mode: 2016/9/7

Fundamental Frequency: 5210 MHz Temp. / Humi. : 23.5 deg_C/56RH

Test Engineer: Operation Band: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10420.00	Н	Peak	30.88	20.67	51.55	68.3	-16.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 249 of 292

Operation Mode: 802.11ac80 Test Date: 2016/9/7

Fundamental Frequency: 5210 MHz Temp. / Humi. : 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: **Horizontal**



Freq.	Note	De tector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
10420.00	Н	Peak	29.86	20.67	50.53	68.3	-17.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 250 of 292

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Test Date: Operation Mode: 802.11ac80 2016/9/7

Fundamental Frequency: 5290 MHz Temp. / Humi. : 23.5 deg_C/56RH

Test Engineer: Operation Band: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



Fr	eq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
			Mode	Reading Level		FS	@3m	
M	Hz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
1058	30.00	Н	Peak	31.05	20.12	51.17	68.3	-17.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 251 of 292

Operation Mode: 802.11ac80 Test Date: 2016/9/7

Fundamental Frequency: 5290 MHz Temp. / Humi. : 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: **Horizontal**



Freq.	Note	Detector	Spectum	Factor	Actual	Lim it	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10580.00	Н	Peak	29.74	20.12	49.86	68.3	-18.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 252 of 292

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Test Date: Operation Mode: 802.11ac80 2016/9/7

Fundamental Frequency: 5530 MHz Temp. / Humi. : 23.5 deg_C/56RH

Test Engineer: Operation Band: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
11060.00	Н	Peak	30.70	21.83	52.53	74	-21.47
11060.00	Н	Average	20.90	21.83	42.73	54	-11.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 253 of 292

Operation Mode: 802.11ac80 Test Date: 2016/9/7

Fundamental Frequency: 5530 MHz Temp. / Humi. : 23.5 deg_C/56RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol.: **Horizontal**



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11060.00	Н	Peak	30.26	21.83	52.09	74	-21.91
11060.00	Н	Average	20.89	21.83	42.72	54	-11.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 254 of 292

Operation Mode: 802.11ac80 Test Date: 2016/9/7

Fundamental Frequency: 5610 MHz Temp. / Humi. : 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



Fr	eq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
N	lHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
112	20.00	Н	Peak	31.22	21.32	52.54	74	-21.46
112	20.00	Н	Average	20.99	21.32	42.30	54	-11.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the indemnity of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 255 of 292

Operation Mode: 802.11ac80 Test Date: 2016/9/7

Fundamental Frequency: 5610 MHz Temp. / Humi. : 23.5 deg_C/56RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11220.00	Н	Peak	30.76	21.32	52.07	74	-21.93
	11220.00	Н	Average	20.96	21.32	42.28	54	-11.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the indemnity of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 256 of 292

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Mode: 802.11ac80 Test Date: 2016/9/7

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11550.00	Н	Peak	31.02	21.41	52.43	74	-21.57
	11550.00	Н	Average	21.22	21.41	42.63	54	-11.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 257 of 292

Test Date: Operation Mode: 802.11ac80 2016/9/7

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23.5 deg_C/56RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Peak	30.63	21.41	52.05	74	-21.95
11550.00	Н	Average	21.24	21.41	42.65	54	-11.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the field extent of the level. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 258 of 292

Band edge falling to restricted band 802.11a mode

Operation Mode: 802.11a Test Date: 2016/9/6

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical

	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	5150.00	E	Peak	56.11	8.19	64.30	74	-9.70
	5150.00	Е	Average	32.58	8.19	40.77	54	-13.23

Operation Mode: Test Date: 2016/9/6 802.11a

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol. : Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5146.60	S	Peak	58.46	8.17	66.63	74	-7.37
5146.60	S	Average	33.74	8.17	41.91	54	-12.09
5150.00	E	Peak	56.82	8.19	65.01	74	-8.99
5150.00	Ε	Average	34.70	8.19	42.89	54	-11.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 259 of 292

Operation Mode: Test Date: 802.11a 2016/9/6

5320 MHz Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical

	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	F/H/E/S	PK/QP/AV	dBuV	dB	dBµV/m	dBuV/m	dB	
٠	5350.00	E	Peak	55.98	8.96	64.94	74	-9.06	
	5350.00	Е	Average	33.60	8.96	42.56	54	-11.44	
	5351.52	S	Peak	58.36	8.99	67.35	74	-6.65	
	5351.52	S	Average	33.41	8.99	42.40	54	-11.60	

Operation Mode: 802.11a Test Date: 2016/9/6

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5350.00	Е	Peak	56.76	8.96	65.72	74	-8.28	
5350.00	E	Average	34.32	8.96	43.28	54	-10.72	
5351.64	S	Peak	59.65	8.99	68.64	74	-5.36	
5351.64	S	Average	33.96	8.99	42.95	54	-11.05	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 260 of 292

Operation Mode: Test Date: 802.11a 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol. : Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	E	Peak	51.31	8.88	60.20	74	-13.80
5460.00	Е	Average	32.15	8.88	41.03	54	-12.97

Operation Mode: 802.11a Test Date: 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: **BE CH Low** Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.12	S	Peak	53.37	8.89	62.26	74	-11.74
5459.12	S	Average	32.93	8.89	41.82	54	-12.18
5460.00	E	Peak	52.96	8.88	61.84	74	-12.16
5460.00	Ε	Average	32.96	8.88	41.84	54	-12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 261 of 292

Operation Mode: Test Date: 802.11a 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol. : Measurement Antenna Pol.: Vertical

	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	5470.00	Ē	Peak	55.50	8.79	64.29	68.3	-4.01

Operation Mode: 802.11a Test Date: 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5469.44	S	Peak	58.19	8.79	66.98	68.3	-1.32
5470.00	E	Peak	57.36	8.79	66.15	68.3	-2.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 262 of 292

Operation Mode: Test Date: 802.11a 2016/9/6

Temp. / Humi.: Fundamental Frequency: 5700 MHz 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	E	Peak	55.31	9.30	64.61	68.3	-3.69
5727.56	S	Peak	56.45	9.30	65.75	68.3	-2.55

Operation Mode: 802.11a Test Date: 2016/9/6

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	5725.00	Е	Peak	57.18	9.30	66.48	68.3	-1.82
	5727.20	S	Peak	57.99	9.30	67.29	68.3	-1.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 263 of 292

Operation Mode: Test Date: 802.11a 2016/9/21

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	42.23	9.33	51.57	68.23	-16.66
5700.00	S	Peak	48.59	9.44	58.03	105.23	-47.20
5719.58	S	Peak	56.78	9.28	66.06	110.7124	-44.65
5720.00	S	Peak	55.92	9.28	65.20	110.83	-45.63
5725.00	E	Peak	55.94	9.30	65.24	122.23	-56.99

Operation Mode: Test Date: 2016/9/21 802.11a

Fundamental Frequency: Temp. / Humi. : 5745 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Ponv EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3 m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	42.66	9.33	51.99	68.23	-16.24
5700.00	S	Peak	51.22	9.44	60.66	105.23	-44.57
5720.00	S	Peak	58.97	9.28	68.25	110.83	-42.58
5724.31	S	Peak	63.24	9.30	72.53	120.6569	-48.12
5725.00	E	Peak	61.06	9.30	70.36	122.23	-51.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 264 of 292

Operation Mode: Test Date: 802.11a 2016/9/21

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	54.22	9.49	63.71	122.23	-58.52
5855.00	S	Peak	48.67	9.58	58.25	110.83	-52.58
5858.50	S	Peak	51.52	9.65	61.16	109.85	-48.69
5875.00	S	Peak	41.89	9.63	51.52	105.23	-53.71
5925.00	S	Peak	41.13	10.01	51.14	68.23	-17.09

Operation Mode: Test Date: 802.11a 2016/9/21

Fundamental Frequency: Temp. / Humi.: 5825 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Ponv EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	55.72	9.49	65.21	122.23	-57.02
5855.00	S	Peak	52.67	9.58	62.25	110.83	-48.58
5858.13	S	Peak	54.16	9.64	63.80	109.955	-46.15
5875.00	S	Peak	43.03	9.63	52.66	105.23	-52.57
5925.00	S	Peak	41.47	10.01	51.49	68.23	-16.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 265 of 292

802.11n HT20 mode

Test Date: Operation Mode: 802.11n20 2016/9/6

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol. : Measurement Antenna Pol.: Vertical

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5148.64	S	Peak	56.06	8.18	64.24	74	-9.76
5148.64	S	Average	32.52	8.18	40.70	54	-13.30
5150.00	E	Peak	54.34	8.19	62.54	74	-11.46
5150.00	Е	Average	32.79	8.19	40.98	54	-13.02

Operation Mode: 802.11n20 Test Date: 2016/9/6

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: **BE CH Low** Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5150.00	E	Peak	55.55	8.19	63.74	74	-10.26	-
5150.00	E	Average	33.14	8.19	41.33	54	-12.67	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 266 of 292

Operation Mode: Test Date: 802.11n20 2016/9/6

Temp. / Humi.: Fundamental Frequency: 5320 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	57.32	8.96	66.28	74	-7.72
5350.00	E	Average	33.29	8.96	42.25	54	-11.75
5351.64	S	Peak	59.04	8.99	68.03	74	-5.97
5351.64	S	Average	33.17	8.99	42.16	54	-11.84

Operation Mode: 802.11n20 Test Date: 2016/9/6

Fundamental Frequency: Temp. / Humi.: 5320 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Ponv EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	58.55	8.96	67.52	74	-6.48
5350.00	Е	Average	33.82	8.96	42.78	54	-11.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

台灣檢驗科技股份有限公司

www.tw.sgs.com



Page: 267 of 292

Operation Mode: Test Date: 802.11n20 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol. : Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	Е	Peak	50.38	8.88	59.26	74	-14.74
5460.00	E	Average	32.02	8.88	40.90	54	-13.10

Operation Mode: 802.11n20 Test Date: 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: **BE CH Low** Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5458.28	S	Peak	54.49	8.90	63.39	74	-10.61
5458.28	S	Average	32.98	8.90	41.88	54	-12.12
5460.00	E	Peak	53.52	8.88	62.40	74	-11.60
5460.00	E	Average	33.06	8.88	41.94	54	-12.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 268 of 292

Operation Mode: 802.11n20 Test Date: 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5468.48	S	Peak	55.36	8.80	64.16	68.3	-4.14
5470.00	Е	Peak	54.05	8.79	62.84	68.3	-5.46

Operation Mode: 802.11n20 Test Date: 2016/9/6

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5468.96	S	Peak	58.47	8.80	67.27	68.3	-1.03
5470.00	Е	Peak	58.30	8.79	67.09	68.3	-1.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 269 of 292

Operation Mode: Test Date: 802.11n20 2016/9/6

Temp. / Humi.: Fundamental Frequency: 5700 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	E	Peak	54.14	9.30	63.44	68.3	-4.86
5727.20	S	Peak	55.87	9.30	65.17	68.3	-3.13

Operation Mode: 802.11n20 Test Date: 2016/9/6

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	57.67	9.30	66.97	68.3	-1.33
5725.52	S	Peak	57.87	9.30	67.17	68.3	-1.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 270 of 292

Operation Mode: Test Date: 802.11n20 2016/9/21

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	41.93	9.33	51.26	68.23	-16.97
5700.00	S	Peak	50.52	9.44	59.96	105.23	-45.27
5718.15	S	Peak	58.60	9.27	67.88	110.312	-42.44
5720.00	S	Peak	57.75	9.28	67.03	110.83	-43.80
5725.00	E	Peak	59.66	9.30	68.96	122.23	-53.27

Operation Mode: 802.11n20 Test Date: 2016/9/21

Fundamental Frequency: Temp. / Humi. : 5745 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Ponv EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	42.39	9.33	51.72	68.23	-16.51
5700.00	S	Peak	56.95	9.44	66.39	105.23	-38.84
5719.58	S	Peak	63.51	9.28	72.79	110.7124	-37.92
5720.00	S	Peak	60.87	9.28	70.15	110.83	-40.68
5725.00	Е	Peak	65.52	9.30	74.82	122.23	-47.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 271 of 292

Operation Mode: Test Date: 802.11n20 2016/9/21

Temp. / Humi.: Fundamental Frequency: 5825 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	53.80	9.49	63.29	122.23	-58.94
5855.00	S	Peak	52.61	9.58	62.19	110.83	-48.64
5858.75	S	Peak	52.66	9.65	62.31	109.78	-47.47
5875.00	S	Peak	42.73	9.63	52.37	105.23	-52.86
5925.00	S	Peak	41.82	10.01	51.84	68.23	-16.39

Operation Mode: 802.11n20 Test Date: 2016/9/21

Fundamental Frequency: Temp. / Humi.: 5825 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Ponv EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	56.37	9.49	65.85	122.23	-56.38
5855.00	S	Peak	54.15	9.58	63.73	110.83	-47.10
5858.63	S	Peak	55.95	9.65	65.60	109.815	-44.21
5875.00	S	Peak	46.20	9.63	55.84	105.23	-49.39
5925.00	S	Peak	42.07	10.01	52.08	68.23	-16.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Page: 272 of 292

802.11n HT40 mode

Test Date: Operation Mode: 802.11n40 2016/9/6

Fundamental Frequency: 5190 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol. : Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Peak	52.98	8.19	61.18	74	-12.82
5150.00	Е	Average	32.17	8.19	40.36	54	-13.64

Operation Mode: 802.11n40 Test Date: 2016/9/6

Fundamental Frequency: 5190 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: **BE CH Low** Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Е	Peak	54.78	8.19	62.98	74	-11.02
5150.00	E	Average	33.30	8.19	41.49	54	-12.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 273 of 292

Operation Mode: Test Date: 802.11n40 2016/9/6

Temp. / Humi.: Fundamental Frequency: 5310 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.76	E	Peak	56.55	8.98	65.53	74	-8.47
5350.76	E	Average	32.86	8.98	41.84	54	-12.16

Operation Mode: 802.11n40 Test Date: 2016/9/6

Fundamental Frequency: 5310 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	58.89	8.96	67.85	74	-6.15
5350.00	E	Average	34.23	8.96	43.19	54	-10.81
5350.76	S	Peak	60.10	8.98	69.07	74	-4.93
5350.76	S	Average	34.36	8.98	43.34	54	-10.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com



Page: 274 of 292

Operation Mode: Test Date: 802.11n40 2016/9/6

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol. : Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	E	Peak	49.65	8.88	58.53	74	-15.47
5460.00	Е	Average	31.72	8.88	40.60	54	-13.40

Operation Mode: 802.11n40 Test Date: 2016/9/6

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: **BE CH Low** Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.28	S	Peak	52.59	8.89	61.48	74	-12.52
5459.28	S	Average	32.01	8.89	40.90	54	-13.10
5460.00	E	Peak	50.31	8.88	59.19	74	-14.81
5460.00	E	Average	32.03	8.88	40.91	54	-13.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 275 of 292

Operation Mode: 802.11n40 Test Date: 2016/9/6

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	r3 dBµV/m	dBµV/m	dB
5470.00	Ē	Peak	55.07	8.79	63.85	68.3	-4.45

Operation Mode: 802.11n40 Test Date: 2016/9/6

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
-		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5469.00	S	Peak	56.59	8.80	65.39	68.3	-2.91
5470.00	Е	Peak	55.21	8.79	64.00	68.3	-4.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disciplination issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 276 of 292

Operation Mode: Test Date: 802.11n40 2016/9/6

Temp. / Humi.: Fundamental Frequency: 5670 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	5725.00	E	Peak	51.66	9.30	60.96	68.3	-7.34

Test Date: Operation Mode: 802.11n40 2016/9/6

Fundamental Frequency: 5670 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	5725.00	E	Peak	49.29	9.30	58.59	68.3	-9.71
	5725.16	S	Peak	51.86	9.30	61.16	68.3	-7.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full light extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 277 of 292

Operation Mode: Test Date: 802.11n40 2016/9/21

Fundamental Frequency: 5755 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3 m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	43.84	9.33	53.17	68.23	-15.06
5700.00	S	Peak	50.72	9.44	60.15	105.23	-45.08
5716.04	S	Peak	59.03	9.27	68.30	109.7212	-41.42
5720.00	S	Peak	56.28	9.28	65.56	110.83	-45.27
5723.48	S	Peak	61.00	9.29	70.29	118.7644	-48.47
5725.00	E	Peak	59.53	9.30	68.83	122.23	-53.40

Operation Mode: 802.11n40 Test Date: 2016/9/21

Fundamental Frequency: Temp. / Humi. : 5755 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Ponv EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3 m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5648.96	S	Peak	50.62	9.34	59.97	68.23	-8.26
5650.00	S	Peak	46.40	9.33	55.74	68.23	-12.49
5700.00	S	Peak	55.65	9.44	65.08	105.23	-40.15
5714.12	S	Peak	62.51	9.26	71.76	109.1836	-37.42
5720.00	S	Peak	60.06	9.28	69.34	110.83	-41.49
5725.00	E	Peak	62.93	9.30	72.23	122.23	-50.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 278 of 292

Operation Mode: Test Date: 802.11n40 2016/9/21

Temp. / Humi.: Fundamental Frequency: 5795 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3 m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	46.88	9.49	56.37	122.23	-65.86
5855.00	S	Peak	47.04	9.58	56.62	110.83	-54.21
5858.08	S	Peak	47.34	9.64	56.98	109.9676	-52.99
5875.00	S	Peak	42.54	9.63	52.17	105.23	-53.06
5925.00	S	Peak	42.21	10.01	52.23	68.23	-16.00

Operation Mode: 802.11n40 Test Date: 2016/9/21

Fundamental Frequency: Temp. / Humi.: 5795 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Ponv EUT Pol.: Measurement Antenna Pol.: Horizontal Н

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3 m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	50.23	9.49	59.72	122.23	-62.51
5855.00	S	Peak	50.05	9.58	59.63	110.83	-51.20
5859.53	S	Peak	51.44	9.66	61.10	109.5617	-48.46
5875.00	S	Peak	46.13	9.63	55.76	105.23	-49.47
5925.00	S	Peak	42.56	10.01	52.57	68.23	-15.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 279 of 292

802.11ac80 VHT mode

Test Date: Operation Mode: 802.11ac80 2016/9/6

22.7deg_C/57RH Fundamental Frequency: 5210 MHz Temp. / Humi. :

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol.: Measurement Antenna Pol.: Vertical

	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBuV	dB	dBµV/m	dBuV/m	dB
•	5144.70	S	Peak	50.37	8.16	58.53	74	-15.47
	5144.70	S	Average	33.37	8.16	41.53	54	-12.47
	5150.00	E	Peak	47.41	8.19	55.60	74	-18.40
	5150.00	Е	Average	33.26	8.19	41.45	54	-12.55

Operation Mode: 802.11ac80 Test Date: 2016/9/6

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5146.40	S	Peak	53.88	8.17	62.05	74	-11.95
5146.40	S	Average	35.91	8.17	44.08	54	-9.92
5150.00	E	Peak	50.32	8.19	58.52	74	-15.48
5150.00	E	Average	35.81	8.19	44.00	54	-10.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

f (886-2) 2298-0488



Page: 280 of 292

Operation Mode: Test Date: 802.11ac80 2016/9/6

22.7deg_C/57RH Fundamental Frequency: 5290 MHz Temp. / Humi. :

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
٠	5350.00	E	Peak	50.03	8.96	59.00	74	-15.00
	5350.00	Ē	Average	33.20	8.96	42.16	54	-11.84
	5351.40	S	Peak	51.30	8.99	60.29	74	-13.71
	5351.40	S	Average	33.14	8.99	42.13	54	-11.87

Operation Mode: 802.11ac80 Test Date: 2016/9/6

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal Η

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	53.96	8.96	62.93	74	-11.07
5350.00	E	Average	34.70	8.96	43.66	54	-10.34
5351.40	S	Peak	56.10	8.99	65.09	74	-8.91
5351.40	S	Average	34.68	8.99	43.67	54	-10.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 281 of 292

Operation Mode: Test Date: 802.11ac80 2016/9/6

22.7deg_C/57RH Fundamental Frequency: 5530 MHz Temp. / Humi. :

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5457.70	S	Peak	52.23	8.90	61.13	74	-12.87
5457.70	S	Average	34.92	8.90	43.82	54	-10.18
5460.00	E	Peak	50.88	8.88	59.76	74	-14.24
5460.00	E	Average	35.02	8.88	43.90	54	-10.10

Operation Mode: 802.11ac80 Test Date: 2016/9/6

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5453.00	S	Peak	55.11	8.95	64.06	74	-9.94
5453.00	S	Average	36.14	8.95	45.09	54	-8.91
5460.00	E	Peak	52.12	8.88	61.01	74	-12.99
5460.00	Е	Average	36.51	8.88	45.39	54	-8.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 282 of 292

Operation Mode: Test Date: 802.11ac80 2016/9/6

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol. : Measurement Antenna Pol.: Vertical

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5469.50	S	Peak	56.03	8.79	64.82	68.3	-3.48
5470.00	E	Peak	53.55	8.79	62.34	68.3	-5.96

Operation Mode: 802.11ac80 Test Date: 2016/9/6

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	5468.50	S	Peak	56.98	8.80	65.78	68.3	-2.52
	5470.00	E	Peak	56.05	8.79	64.84	68.3	-3.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 283 of 292

Operation Mode: Test Date: 802.11ac80 2016/9/21

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: **BE CH Low** Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	46.72	9.33	56.05	68.23	-12.18
5700.00	S	Peak	55.35	9.44	64.79	105.23	-40.44
5720.00	S	Peak	64.26	9.28	73.54	110.83	-37.29
5725.00	Е	Peak	62.18	9.30	71.48	122.23	-50.75

Operation Mode: 802.11ac80 Test Date: 2016/9/21

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	49.86	9.33	59.20	68.23	-9.03
5700.00	S	Peak	57.29	9.44	66.73	105.23	-38.50
5720.00	S	Peak	66.60	9.28	75.88	110.83	-34.95
5725.00	Е	Peak	65.33	9.30	74.63	122.23	-47.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 284 of 292

Operation Mode: Test Date: 802.11ac80 2016/9/21

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: Measurement Antenna Pol.: Vertical

Freq.	Note	Detector Mode	Spectum	Factor	Actual FS	Limit @3m	Margin
N 41 1-	E/LVE /C		Reading Level	٩D	_	•	40
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5850.00	E	Peak	51.07	9.49	60.56	122.23	-61.67
5855.00	S	Peak	48.43	9.58	58.02	110.83	-52.81
5875.00	S	Peak	46.06	9.63	55.70	105.23	-49.53
5925.00	S	Peak	43.68	10.01	53.69	68.23	-14.54

Operation Mode: 802.11ac80 Test Date: 2016/9/21

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3 m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	55.65	9.49	65.14	122.23	-57.09
5855.00	S	Peak	51.39	9.58	60.97	110.83	-49.86
5870.79	S	Peak	52.17	9.66	61.82	106.4088	-44.59
5875.00	S	Peak	47.89	9.63	57.52	105.23	-47.71
5925.00	S	Peak	43.73	10.01	53.74	68.23	-14.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and disclined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com



Page: 285 of 292

TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

No non-compliance noted:

Refer to the theory of operation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 286 of 292

13. FREQUENCY STABILITY

13.1 Standard Applicable


Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 **Test SET-UP**

Temperature Chamber



Variable AC Power Supply

13.4 Measurement Equipment Used:

	SGS Conducted Room								
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017				
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017				
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/16/2016	06/15/2017				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 287 of 292

Measurement Result 13.5

Test Date 2016.09.13

Test By Henry

	36	5180	5,179.96827	0.00000613
	44	5220	5,219.97979	0.00000387
	48	5240	5,239.99442	0.00000106
	52	5260	5,259.99234	0.00000146
	60	5300	5,300.00030	-0.00000006
17.57V	64	5320	5,319.99691	0.0000058
	100	5500	5,499.99118	0.00000160
	116	5580	5,579.98374	0.00000291
	140	5700	5,699.99596	0.00000071
	149	5745	5,744.98422	0.00000275
	157	5785	5,784.99580	0.00000073
	165	5825	5,824.98338	0.00000285

0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrilPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 288 of 292

36	5180	5,179.98318	0.00000325
44	5220	5,219.99186	0.00000156
48	5240	5,239.99902	0.0000019
52	5260	5,259.99960	800000008
60	5300	5.300.00143	-0.00000027

25



Page: 289 of 292

Test Date 2016.09.13

Test By Henry

	38	5190	#########	0.00000108
	46	5230	#########	-0.00000015
	54	5270	#########	-0.0000050
	62	5310	#########	0.00000172
17.57V	102	5510	#########	0.00000218
	110	5550	#########	0.00000237
	134	5670	#########	0.00000032
	151	5755	#########	-0.00000004

0



Page: 290 of 292

38	5190	#########	0.00000018
46	5230	#########	-0.00000147
54	5270	#########	-0.00000104
62	5310	#########	-0.00000084

25



Page: 291 of 292

Test Date 2016.09.13 Test By Henry

	42	5210	5,209.98104	0.00000364
	58	5290	5,289.99460	0.00000102
17.57V	106	5530	5,529.98735	0.00000229
	122	5610	5,610.00089	-0.00000016

0



Page: 292 of 292

14. ANTENNA REQUIREMENT

14.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

14.2 Antenna Connected Construction

PIFA antenna designs are used.

The antenna is designed with permanent attached and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.