

Report No.: SHEM210200103801 Page: 1 of 38

TEST REPORT

Application No.:	SHEM2102001038CR
FCC ID:	2AGOF-RC426A
IC:	24503-RC426B
Applicant:	HCS (Suzhou) Limited
Address of Applicant:	19F-20F, Building B-3rd, No.209 Zhuyuan Road, New District, Suzhou, P.R.China
Factory:	WUJIANG CENTURY BILLION ELECTRONIC TECHNOLOGY CO., LTD
Address of Factory:	No.149 West Tun Cun Road Tongli Town Wujiang Suzhou Jiangsu People's Republic of China 215216
Equipment Under Test (EU	Т):
EUT Name:	Remote Control
Model No.:	RC4262001/01R,RC426XXXX/XXR,RC426XXXX/XXBR("X"=0-9."B"means packed with battery)¤
¤	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Standard(s) :	47 CFR Part 15, Subpart C 15.247
	RSS-247 Issue 2, February 2017
	RSS-Gen Issue 5, March 2019 Amendment 1
Date of Receipt:	2021-02-01
Date of Test:	2021-02-01 to 2021-02-10
Date of Issue:	2021-02-18
Test Result:	

* In the configuration tested, the EUT complied with the standards specified above.

parlan share

Parlam Zhan E&E Section Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a
transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced
except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or
appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

or email: <u>CN.Doccheck@sgs.com</u> Co.Ld NO.588 West Jindu Road,Songjiang District,Shanghai,China 201612 中国・上海・松江区金都西路588号 邮编: 201612



Report No.: SHEM210200103801 Page: 2 of 38

For IC Model No: RC4262001/01R



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to indawful and offenders may be prosecuted to the fullest extent of the las. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@gs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 3 of 38

Revision Record			
Version Description Date Remark			
00	Original	2021-02-18	/

Authorized for issue by:		
	pichal Nil	
	Micheal Niu / Project Engineer	
	parlam zhan	
	Parlam Zhan / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SHEM210200103801 Page: 4 of 38

Test Summary 2

Radio Spectrum Tech Item	FCC Requirement	IC Requirement	Method	Result
ILEIII	47 CFR Part 15,	io requirement	Method	Resuit
Antenna Requirement		RSS-Gen Clause 6.8	N/A	Customer Declaration
N/A: Not applicable				
Radio Spectrum Matt	er Part			
Item	FCC Requirement	IC Requirement	Method	Result
Conducted Emissions at AC Power Line (150kHz-30MHz)	47 CFR Part 15, Subpart C 15.207	RSS-Gen Clause 8.8	ANSI C63.10 (2013) Section 6	.2 Pass
Minimum 6dB Bandwidth	47 CFR Part 15, Subpart C 15.247a(2)	RSS-247 Clause 5.2(a)	<u> </u>	Pass
Conducted Peak Output Power	47 CFR Part 15, Subpart C 15.247(b)(3)	RSS-247 Clause 5.4(d)	ANSI C63.10 (2013) Section 11.9.1	Pass
Power Spectrum Density	47 CFR Part 15, Subpart C 15.247(e)	RSS-247 Clause 5.2(b)	ANSI C63.10 (2013) Section 11.10.2	Pass
Conducted Band Edges Measurement	47 CFR Part 15, Subpart C 15.247(d)	RSS-247 Clause 5.5	ANSI C63.10 (2013) Section 11.13.3.2	Pass
Conducted Spurious Emissions	47 CFR Part 15, Subpart C 15.247(d)	RSS-247 Clause 5.5	ANSI C63.10 (2013) Section 11.11	Pass
Radiated Emissions which fall in the restricted bands	47 CFR Part 15, Subpart C 15.209 & 15.247(d)	RSS-247 Section 3.3 & RSS-Gen Section 8.9	ANSI C63.10 (2013) Section 6.10.5	Pass
Radiated Spurious Emissions	47 CFR Part 15, Subpart C 15.209 & 15.247(d)	RSS-247 Section 3.3 & RSS-Gen Section 8.9	ANSI C63.10 (2013) Section 6.4,6.5,6.6	Pass
99% Bandwidth	-	RSS-Gen Section 6.7	ANSI C63.10 Section 6.9.3	Pass

Declaration of EUT Family Grouping:

Note: There are series models mentioned in this report, and they are the similar in electrical and electronic characters. Only the model RC4262001/01R was tested since their differences were the model number and appearance.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN_Obaccheck@sgs.com (86-21)61915666 (86-21)61915678 www.sqsgroup.com.cn

NO.588 West Jind	du Road, Songjiang District, Shan	ghai,China	201612
中国・上海・オ	松江区金都西路588号	邮编:	201612



Report No.: SHEM210200103801 Page: 5 of 38

3 Contents

			Page
1	со	VER PAGE	1
2	TE	ST SUMMARY	4
3	со	NTENTS	5
4	GE	NERAL INFORMATION	6
2	4.1	DETAILS OF E.U.T.	6
	4.2	Power Level Setting Using in Test:	-
2	4.3	DESCRIPTION OF SUPPORT UNITS	
2	4.4	MEASUREMENT UNCERTAINTY	7
2	4.5	TEST LOCATION	
2	4.6	TEST FACILITY	-
	4.7	DEVIATION FROM STANDARDS	
2	4.8	ABNORMALITIES FROM STANDARD CONDITIONS	8
5	EQ	UIPMENT LIST	9
6	RA	DIO SPECTRUM TECHNICAL REQUIREMENT	10
6	5.1	ANTENNA REQUIREMENT	10
7	RA	DIO SPECTRUM MATTER TEST RESULTS	11
7	7.1	MINIMUM 6DB BANDWIDTH	
7	7.2	CONDUCTED PEAK OUTPUT POWER	
7	7.3	Power Spectrum Density	14
7	7.4	CONDUCTED BAND EDGES MEASUREMENT	15
7	7.5	CONDUCTED SPURIOUS EMISSIONS	
-	7.6	RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
	7.7	RADIATED SPURIOUS EMISSIONS	
7	7.8	99% Bandwidth	
8	TE	ST SETUP PHOTOGRAPHS	
9	EU	T CONSTRUCTIONAL DETAILS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com (86-21)61915666 (186-21)61915678 www.sgsqroup.com.cn

NO.588 West	Jindu Road, Songjiang District, Shang	hai,China	201612	
中国・上海	 ・松江区金都西路588号 	邮编:	201612	



Report No.: SHEM210200103801 Page: 6 of 38

General Information 4

4.1 Details of E.U.T.

Power supply:	DC 3V by Battery (AAA*2)
Test voltage:	DC 3V
Serial Number:	000120
Firmware Version:	1.0.1.3
Antenna Gain:	-5dBi (Provided by the manufacturer)
Antenna Type:	PCB Monopole Antenna
Bluetooth Version:	V4.2
Channel Spacing:	2MHz
Data Rate:	1Mbps
Modulation Type:	GFSK
Number of Channels:	40
Operation Frequency:	2402MHz to 2480MHz

4.2 Power level setting using in test:

Channel	BLE
0	Default
19	Default
39	Default

4.3 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	LENOVO	ThinkPad X100e	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN_Obaccheck@sgs.com (86-21)61915666 (86-21)61915678 www.sqsgroup.com.cn

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



4.4 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	8.4 x 10 ⁻⁸
2	Timeout	2s
3	Duty Cycle	0.37%
4	Occupied Bandwidth	3%
5	RF Conducted Power	0.6dB
6	RF Power Density	2.9dB
7	Conducted Spurious Emissions	0.75dB
0	DE Dedicted Dewer	5.1dB (Below 1GHz)
8	RF Radiated Power	4.9dB (Above 1GHz)
		4.2dB (Below 30MHz)
0	Radiated Spurious Emission Test	4.5dB (30MHz-1GHz)
9		5.1dB (1GHz-18GHz)
		5.4dB (Above 18GHz)
10	Temperature Test	1°C
11	Humidity Test	3%
12	Supply Voltages	1.5%
13	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (Imspection report & certificate, lease contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 8 of 38

4.5 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC (Designation Number: CN1172)

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

• ISED (CAB identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

Company Number: 2324E

• VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-1600, C-1707, T-1499, G-10216 respectively.

4.7 Deviation from Standards

None

4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents, subject to Terms and Conditions of Electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company is ole responsibility is to its Cilent and this document. Snot exorerise particles to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编	201612



Report No.: SHEM210200103801 Page: 9 of 38

5 Equipment List

RF	Conducted Test					
Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
1	Test Software	BST	TST PASS	V 1.1.0	N.C.R	N.C.R
2	Spectrum Analyzer	Agilent	E4446A	MY44020154	04/22/2020	04/21/2021
3	Spectrum Analyzer	Keysight	N9020A	MY53420174	09/25/2020	09/24/2021
4	Spectrum Analyzer	Keysight	N9020A	MY55370209	10/19/2020	10/18/2021
5	Signal Generator	Agilent	E8257C	MY43321570	10/10/2020	10/18/2021
6	MXG Vector Signal Generator	Agilent	N5182A	MY50142015	09/25/2020	09/24/2021
7	Universal Radio Communication Tester	R&S	CMU200	109525	10/19/2020	10/18/2021
8	Universal Radio Communication Tester	R&S	CMW500	159275	10/19/2020	10/18/2021
9	Power Meter	Anritsu	ML2495A	1445010	04/21/2020	04/20/2021
10	Switcher	CCSRF	FY562	KS301219	10/19/2020	10/18/2021
11	AC Power Source	EXTECH	6605	1570106	N.C.R	N.C.R
12	DC Power Supply	Aglient	E3632A	MY50340053	N.C.R	N.C.R
13	6dB Attenuator	Mini-Circuits	NAT-6-2W	15542-1	N.C.R	N.C.R
14	Power Divider	AISI	IOWOPE2068	PE2068	N.C.R	N.C.R
15	Filter	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
16	Conducted test cable	/	RF01-RF04	/	04/21/2020	04/22/2021
17	Temp. / Humidity Chamber	TERCHY	MHK-120AK	X30109	04/21/2020	04/20/2021
RF Ra	adiated Test					
Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
1	Test Software	Farad	EZ-EMC	CCS-03A1	N/A	N/A
2	Spectrum Analyzer	R&S	FSV40	101493	10/19/2020	10/18/2021
3	Signal Generator	Agilent	E8257C	MY43321570	10/10/2020	10/18/2021
4	Loop Antenna	COM-POWER	AL-130R	10160008	04/29/2019	04/28/2021
5	Bilog Antenna	TESEQ	CBL 6112D	35403	06/22/2019	06/21/2021
6	Bilog Antenna	SCHWARZBECK	VULB9160	9160-3342	04/29/2019	04/28/2021
7	Horn-antenna(1-18GHz)	Schwarzbeck	BBHA9120D	267	10/26/2020	10/25/2022
8	Horn-antenna(1-18GHz)	ETS-LINDGREN	3117	00143290	02/25/2019	02/24/2021
9	Horn Antenna(18-40GHz)	Schwarzbeck	BBHA9170	BBHA9170171	02/27/2018	02/26/2021
10	Pre-Amplifier(30MHz~18GHz)	CCSRF	AMP1277	1	10/19/2020	10/18/2021
11	Pre-Amplifier(0.1~26.5GHz)	EMCI	EMC012645	980060	04/21/2020	04/20/2021
12	Low Pass Filter	MICRO-TRONICS	VLFX-950	RV142900829	N.C.R	N.C.R
13	High Pass Filter	Mini-Circuits	VHF-1200	15542	N.C.R	N.C.R
14	Filter (5450MHz~5770 MHz)	MICRO-TRONICS	BRC50704-01	2	N.C.R	N.C.R
15	Filter (5690 MHz~5930 MHz)	MICRO-TRONICS	BRC50705-01	4	N.C.R	N.C.R
16	Filter (5150 MHz~5350 MHz)	MICRO-TRONICS	BRC50703-01	2	N.C.R	N.C.R
17	Filter (885 MHz~915 MHz)	MICRO-TRONICS	BRM14698	1	N.C.R	N.C.R
18	Filter (815 MHz~860 MHz)	MICRO-TRONICS	BRM14697	1	N.C.R	N.C.R
19	Filter (1745 MHz~1910 MHz)	MICRO-TRONICS	BRM14700	1	N.C.R	N.C.R
20	Filter (1922 MHz~1977 MHz)	MICRO-TRONICS	BRM50715	1	N.C.R	N.C.R
21	Filter (2550 MHz)	MICRO-TRONICS	HPM13362	5	N.C.R	N.C.R
	. ,	MICRO-TRONICS	BRM50713	1	N.C.R	N.C.R
22	Filter (1532 MHz \sim 1845 MHz)					
	Filter (1532 MHz~1845 MHz) Filter (2.4GHz)	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
22				5	N.C.R 04/21/2020	N.C.R 04/22/2021



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the 130 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@gs.com

Ltd.	INO.588 West Jindu Road, Songjiang District, Shanghai, China			201612	
	中国・上海	•	松江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)





Report No.: SHEM210200103801 Page: 10 of 38

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is PCB molo-pole Antenna on the main PCB and no consideration of replacement. The best case gain of the antenna is -5dBi.

Antenna location: Refer to Appendix (Internal Photos)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Isbility, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is one exorerising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esp.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 11 of 38

7 Radio Spectrum Matter Test Results

7.1 Minimum 6dB Bandwidth


Test Requirement	47 CFR Part 15, Subpart C 15.247a(2)
Test Method:	ANSI C63.10 (2013) Section 11.8.1
Limit:	≥500 kHz

7.1.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:48 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulationmodulation

7.1.2 Test Setup Diagram



Ground Reference Plane

7.1.3 Measurement Procedure and Data

The detailed test data see: Appendix A for SHEM210200103801



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 12 of 38

7.2 Conducted Peak Output Power

Test Requirement47 CFR Part 15, Subpart C 15.247(b)(3)Test Method:ANSI C63.10 (2013) Section 11.9.1Limit:Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)	
	1 for ≥50 hopping channels	
902-928	0.25 for 25≤ hopping channels <50	
	1 for digital modulation	
2400-2483.5	1 for ≥75 non-overlapping hopping channels	
	0.125 for all other frequency hopping systems	
	1 for digital modulation	
5725-5850	1 for frequency hopping systems and digital modulation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)




Report No.: SHEM210200103801 Page: 13 of 38

7.2.1 E.U.T. Operation

Operating Environment:	
------------------------	--

Temperature:	24 °C	Humidity:	48	% RH	Atmospheric Pressure:	1010	mbar
Test mode	a:TX mode_Ke modulation	ep the EUT	in cor	ntinuously tra	ansmitting mode with GFS	SK	

7.2.2 Test Setup Diagram



Ground Reference Plane

7.2.3 Measurement Procedure and Data

The detailed test data see: Appendix A for SHEM210200103801



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the authenticity of testing linspection report & certificate, liease contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 14 of 38

7.3 Power Spectrum Density


Test Requirement	47 CFR Part 15, Subpart C 15.247(e)
Test Method:	ANSI C63.10 (2013) Section 11.10.2
Limit:	${\leq}8\text{dBm}$ in any 3 kHz band during any time interval of continuous transmission

7.3.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:48 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulationmodulation

7.3.2 Test Setup Diagram



Ground Reference Plane

7.3.3 Measurement Procedure and Data

The detailed test data see: Appendix A for SHEM210200103801



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's intervention only and within the limitation and obligations under the transaction document. This document is cancel to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gss.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 15 of 38

7.4 Conducted Band Edges Measurement

47 CFR Part 15, Subpart C 15.247(d) Test Requirement Test Method: ANSI C63.10 (2013) Section 11.13.3.2 Limit: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-en/Co

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612




Report No.: SHEM210200103801 Page: 16 of 38

7.4.1 E.U.T. Operation

Operating Er	vironment:			
Temperature	· 24 °C	Humidity.	48	(

Temperature:	24 °C	Humidity:	48	% RH	Atmospheric Pressure:	1010	mbar
Test mode	a:TX mode_Ke modulation	ep the EUT i	n cor	ntinuously tra	ansmitting mode with GFS	SK	

7.4.2 Test Setup Diagram



Ground Reference Plane

7.4.3 Measurement Procedure and Data

The detailed test data see: Appendix A for SHEM210200103801



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation or liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 17 of 38

7.5 Conducted Spurious Emissions

Test Requirement	47 CFR Part 15, Subpart C 15.247(d)
Test Method:	ANSI C63.10 (2013) Section 11.11
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612




Report No.: SHEM210200103801 Page: 18 of 38

7.5.1 E.U.T. Operation

Operating Enviro	onment:	
Tomporatura	24 00	Lumidity

Temperature:	24 °C	Humidity:	48	% RH	Atmospheric Pressure:	1010	mbar
Test mode	–	ep the EUT	in coi	ntinuously tr	ansmitting mode with GFS	SK	
	modulation						

7.5.2 Test Setup Diagram



Ground Reference Plane

7.5.3 Measurement Procedure and Data

The detailed test data see: Appendix A for SHEM210200103801



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN_Obaccheck@sgs.com (86-21)61915666 (86-21)61915678 www.sqsgroup.com.cn

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 19 of 38

7.6 Radiated Emissions which fall in the restricted bands

Test Requirement47 CFR Part 15, Subpart C 15.205 & 15.209Test Method:ANSI C63.10 (2013) Section 6.10.5Limit:Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-and-Conditions/terms-en/Cocument.sgs.com/en/Terms-en/Co

NO.588	West	Jir	du Road, Songjiang District, Sh	anghai,China	201612	
中国・	上海	•	松江区金都西路588号	邮编:	201612	




Report No.: SHEM210200103801 Page: 20 of 38


7.6.1 E.U.T. Operation


Operating Environment:

Temperature:24 °CHumidity:48 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulationmodulation

7.6.2 Test Setup Diagram









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

NO.588 Wes	t Ji	ndu Road, Songjiang District, S	hanghai,China	201612	
中国・上海	•	松江区金都西路588号	邮编:	201612	



Report No.: SHEM210200103801 Page: 21 of 38

7.6.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Islotication and Jurisdiction is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is one exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ess.com

NO.588 West Jindu Road, Songjiang Di	strict, Shanghai, China 201612	
中国・上海・松江区金都西路58	8号 邮编: 201612	



Report No.: SHEM210200103801 Page: 22 of 38

		0 dBu∀/m												Limit Limit		
																<u>,</u>
	70															
															Å	
		Marine and and	1 Auril more	-			terran and a second							3		╢
				1-440 440 1440			and the second second second									+
											_					+
2	0.0 23	310.0002319).50 2329	.00 233	B.50	231	8.00 2	357.50	236	7.00	2 376.	. 50 2 3	86.00		2105.	 .00 MH
0.	F	requency (MHz)	Reading (dBuV)	Correct factor(d			esult BuV/m)	Lim (dBu\		Mar (dł	gin 3)			Remar	k	
	2	2324.250	52.69	-4.4			8.28	74.0	-		.72			peak		
	1	2390.000	49.42	-4.2	4	4	5.18	74.()0	-28	.82			peak		
	1	2403.860	99.97	-4.2	1	9	5.76	74.0)()	21	76			peak		

Mode:a; Polarization:Horizontal; Modulation:GFSK; ; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esp.com

1.	NO.588 West J	indu Road, Songjiang District, Shanghai, C	hina	201612	
	中国・上海・	•松江区金都西路588号 曲	3编:	201612	



 Report No.:
 SHEM210200103801

 Page:
 23 of 38

-	20.0 dBu∀/m							jmitl: — jmit2: —
	70							
	yan fish di kanadhifi	and sourced from	an an in Miladow	ana dipunga Padina.	unnunuuku	aran wang tang tang tang tang tang tang tang t	under sold and the second s	anonia
2	2310.000231	9.50 2329.0	10 2338.50	2318.00 2	357.50 236	7.00 2376.	50 2386.00	2105.00 MH
0.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Re	mark
	2351.610 51.80		-4.34	47.46	74.00	-26.54	р	eak
	2390.000	49.80	-4.24	45.56	74.00	-28.44	р	eak
	2403.860	92.09	-4.21	87.88	74.00	13.88	p p	eak

Mode:a; Polarization:Vertical; Modulation:GFSK; ; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN.Doccheck@esgs.com

NO.588 West		ndu Road, Songjiang District, Sh	nanghai,China	201612	
中国・上海	•	松江区金都西路588号	邮编:	201612	



Report No.: SHEM210200103801 Page: 24 of 38

Mode:a; Polarization:Horizontal; Modulation:GFSK; ; Channel:High

1	20.0 di	∃u¥/m														
															mitl: mit2:	_
									_							
	Å	-							_							
	70	 							+							
	1	12	ŝ	}	L .						manentari					
	-	% ~·	ur na s	(hynader)	lan sen an an an an an an Ann Ann Ann Ann Ann	Leaving Jong Pro	un al angel	enterna da tra	au air ann an tha ann an	ngu tanah ka	en an	lation rande	norad fa	nadal karangar	uluationalismo	
									_							
2	2175.0	00.248	7.50	2500	0.00 20	12.50	252	5.00 2	537.50	255	0.00 25	62.50	2575		250	0.00 MHz
	2175.0	00210	7.90	2501	0.00 25	12.90	292	5.UU Z	937.50	255	0.00 251	92.90	2575		260	U.UU MHZ
No.	Frequ (MH			eading (BuV)		ection (dB/m)		lesult BuV/m)	Limi (dBuV		Margin (dB)			Rem	nark	
1	2480			39.54		01		5.53	74.0		11.53			pea	ak	
2	2483	.500	4	19.09	-4	00	4	5.09	74.0	0	-28.91			pea	ak	
3	2493	.250	5	51.22	-3.	98	4	7.24	74.0	0	-26.76			pea	ak	
4	2500	.000	4	19.27	-3.	96	4	5.31	74.0	0	-28.69			pea	ak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN.Doccheck@esgs.com

NO.588	West	Jin	du Road,	Songjiang I	District,Shangha	i,China	201612	
中国・	上海	•	松江区	金都西路5	88号	邮编:	201612	



Report No.: SHEM210200103801 Page: 25 of 38

1	20	.0	dB	u٧	γm																						
		Γ									Τ													imitl	-	-	
		⊢						_			+		_											imit2	-	-	
			1																								
		⊢	А					_			+					<u> </u>								_		_	
			Ξľ																								
		F	Π								+																
	70	F	П								—																
				1																							
				Ľ																							
		7		ķ		,	,				\vdash																
		M		ľ	Ч н е	~~5			muni		u neu-		r	witten				a physical and a start of the s	and an an	للمرجو	innen.	www.		-	and the second	ordere	
		⊢	+	+				+			+		-											+		-	
				Τ																							
2	0.0 ר		. OC	10.2			0 2	500	0.0	25	12.50		26.21	5.00	25.3	 7.50	25.5	0.00	256	2.50	25	75.00			2500.		1115
	2	175		102	.10	7.9		500		291	12.90		1923	9.00	293	17.90	200	0.00	200	2.90	25	19.00			2000.	.UU N	
No.	F		que		y	Τ	Read				ction			esult		Lir		M	argin				Rer	mark	c		
			<u>AH</u>		_	╞	(dBu		fa		dB/n	n)		uV/m)		<u>V/m)</u>		dB)	_							
1			80.			╞	98.9		_	-4.				4.91		74.			0.91	_			· ·	ak			
2			83.			\downarrow	54.6		_	-4.				0.64		74.			23.36	_				ak			
3			90.			\downarrow	50.2		\perp	-3.				6.27		74.			27.73					ak			
4		25	00.	00	0		49.2	27		-3.	96		4	5.31		74.	00	-4	28.69				ре	eak			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

td.	NO.588 West Jind	u Road, Songjiang District, Shang	ghai,China	201612	
	中国・上海・根	公江区金都西路588号	邮编:	201612	



Report No.: SHEM210200103801 Page: 26 of 38

7.7 Radiated Spurious Emissions

Test Requirement47 CFR Part 15, Subpart C 15.205 & 15.209Test Method:ANSI C63.10 (2013) Section 6.4,6.5,6.6Measurement Distance:3mLimit:Image: Construction Construction Construction Construction Construction Construction Construction Construction Construction

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esps.com

NO.588 West Jindu Road, Songjiang District, Shanghai,	China	201612
中国・上海・松江区金都西路588号 6	邮编:	201612




Report No.: SHEM210200103801 Page: 27 of 38


7.7.1 E.U.T. Operation


Operating Environment:

Temperature:24 °CHumidity:48 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulationmodulation

7.7.2 Test Setup Diagram









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gsg.com

NO.588	West	Jir	du Road, Songjiang District,	Shanghai,China	201612
中国・	上海	•	松江区金都西路588号	邮编:	201612



Report No.: SHEM210200103801 Page: 28 of 38

7.7.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark:

1) For emission below 1GHz, through pre-scan found the worst case is the lowest channel. Only the worst case is recorded in the report.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

3) Scan from 9kHz to 25GHz, the disturbance above 18GHz and below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

4) For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

NO.588 West JI	ndu Road,Songjiang District,Sha	angnai, China	201612
中国・上海・	松江区金都西路588号	邮编:	201612




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM210200103801 Page: 29 of 38

Below 1GHz

Mode:a; Polarization:Horizontal



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	34.8500	3.76	23.17	26.93	40.00	-13.07	200	360	QP
2	141.5500	2.49	19.86	22.35	43.50	-21.15	100	3	QP
3	446.1300	1.87	24.25	26.12	46.00	-19.88	100	17	QP
4	651.7700	1.20	27.12	28.32	46.00	-17.68	300	351	QP
5	853.5300	2.00	28.12	30.12	46.00	-15.88	400	351	QP
6	954.4100	2.27	29.29	31.56	46.00	-14.44	200	250	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com (86-21)61915666 fi86-21)61915678 www.sgsqroup.com.cn


NO.588 W	est Jir	ndu Road, Songjiang Distric	t,Shanghai,China	201612
中国・上	海 ·	松江区金都西路588号	邮编:	201612



 Report No.:
 SHEM210200103801

 Page:
 30 of 38

Mode:a; Polarization:Vertical



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	30.9700	3.64	25.38	29.02	40.00	-10.98	100	152	QP
2	131.8500	2.57	19.55	22.12	43.50	-21.38	200	16	QP
3	669.2300	1.43	27.26	28.69	46.00	-17.31	200	0	QP
4	754.5900	1.14	27.51	28.65	46.00	-17.35	300	360	QP
5	872.9300	1.77	28.35	30.12	46.00	-15.88	200	349	QP
6	954.4100	2.27	29.29	31.56	46.00	-14.44	400	297	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

d.	NO.588 West	lindu Road, Songjiang District, Sha	nghai,China	201612	
	中国・上海	・松江区金都西路588号	邮编:	201612	



Report No.: SHEM210200103801 Page: 31 of 38

Above 1GHz

Mode:a; Polarization:Horizontal; Modulation:GFSK; ; Channel:Low

1	00.	0 dBu∀/m													1
													Limi Limi		
								+							
	-			-		2					_	 			
	50			×		Ŷ		ľ	8						1
						\top									1
						-		$- \parallel$				 			
	0.0														
	1[000.0002700	.00 1100.	.00 610	0.00	780	0.00 9	500	.00 12	00.00 12	900.0	600.00		18 0 00.0	0MHz
No.	F	requency	Reading	Correc			esult		Limit	Margir	ı 🗌	F	Rema	rk	
1		(MHz) 4804.000	(dBuV) 57.81	factor(d			BuV/m) 7.53	(0	BuV/m) 74.00	(dB) -26.47	,		peak	r	
2		7206.000	55.40	-7.1			8.30		74.00	-25.70			peak		
3	9	9608.000	53.18	-4.9	6	4	8.22		74.00	-25.78	3	 	peak		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

d.	NO.588 West Ji	indu Road, Songjiang District, Shanghai,	China	201612
	中国・上海・	松江区金都西路588号	邮编:	201612



 Report No.:
 SHEM210200103801

 Page:
 32 of 38

															nitl: nit2:	_
	50-			1 X		گ		3								
	0.0															
	10	00.0002700	.00 1100	.00 6100	.00	780	0.00 9	500.00	112	00.00 1;	2900	1. 0 0	1600.0	0	18	1000.00M
D.	Fi	requency (MHz)	Reading (dBuV)	Correct factor(dl			lesult BuV/m)	Lim (dBu\		Margi (dB)	n			Rem	ark	
	4	1804.000	58.49	-10.2			8.21	74.(-	-25.7	9			pea	k	
	7	7206.000	55.37	-7.10)	4	8.27	74.0)0	-25.7	3			pea	k	
	9	9608.000	53.33	-4.96	6	4	8.37	74.0	0	-25.6	3			pea	k	

Mode:a; Polarization:Vertical; Modulation:GFSK; ; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN.Doccheck@esgs.com

NO.588 West Jindu Road, Songjiang District, Shang	ghai,China	201612	
中国・上海・松江区金都西路588号	邮编:	201612	



 Report No.:
 SHEM210200103801

 Page:
 33 of 38

									nit1: — nit2: —
	50-			1	~				
				Î	Î				
	0.0 10	100.000 2700	.00 1100.0	0 6100.00	7800.00 9	500.00 12	00.00 1290	0.00 1600.00	
0.	Fi	requency (MHz)	Reading (dBuV)	Correction factor(dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Rem	ark
	4	1880.000	57.27	-9.99	47.28	74.00	-26.72	pea	k
	7	7320.000	54.50	-6.91	47.59	74.00	-26.41	pea	k
	0	9760.000	52.23	-4.25	47.98	74.00	-26.02	pea	k

Mode:a; Polarization:Horizontal; Modulation:GFSK; ; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. So the except in full, without prior written approval of the Company, any unauthorized alteration, forgery or fallification of the content or appearance of this destructions is to test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN. Doccheck@esp.com

NO.588 West		ndu Road, Songjiang District, Sh	nanghai,China	201612	
中国・上海	•	松江区金都西路588号	邮编:	201612	



Report No.: SHEM210200103801 Page: 34 of 38

									mit1: — mit2: —
	50-			<u>}</u>	2	 			
				Î					
	ł								
	0.0								
	IŌ	00.0002700	.00 1100.	00 6100.00	7800.00)500.00 2	00.00 1290	0.00 1600.00	18000.00MH
0.	Fi	requency (MHz)	Reading (dBuV)	Correction factor(dB/m		Limit (dBuV/m)	Margin (dB)	Rem	nark
	4	1880.000	57.67	-9.99	47.68	74.00	-26.32	pea	ak
	7	7320.000	55.48	-6.91	48.57	74.00	-25.43	pea	ak
	9	9760.000	53.60	-4.25	49.35	74.00	-24.65	pea	ak

Mode:a; Polarization:Vertical; Modulation:GFSK; ; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

d.	NO.588 West Jin	du Road, Songjiang District, Shangha	i,China	201612	
	中国・上海・	松江区金都西路588号	邮编:	201612	



Report No.: SHEM210200103801 Page: 35 of 38

									nitl: — nit2: —
	50			*	2				
	0.0 10	100.000 2700	.00 1100.0	10 6100.00	7800.00 9	500.00 12	00.00 290	0.00 1600.00	18000.00MH
0.	Fi	requency (MHz)	Reading (dBuV)	Correction factor(dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Rem	ark
	4	1960.000	57.64	-9.68	47.96	74.00	-26.04	pea	k
	7	7440.000	56.09	-6.72	49.37	74.00	-24.63	pea	k
	9	9920.000	52.17	-3.50	48.67	74.00	-25.33	pea	ik

Mode:a; Polarization:Horizontal; Modulation:GFSK; ; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN.Doccheck@esgs.com

NO.588 West		ndu Road, Songjiang District, Sh	nanghai,China	201612	
中国・上海	•	松江区金都西路588号	邮编:	201612	



Report No.: SHEM210200103801 Page: 36 of 38

									nitl: — nit2: —
	50			1	2	3			
				×					
	0.0 1 0	00.000 2700	.00 1100.0	0 6100.00	7800.00 9	500.00 12	00.00 1290	0.00 14600.00	18000.00MH
0.	Fi	requency (MHz)	Reading (dBuV)	Correction factor(dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Rem	ark
\neg	4	1960.000	58.35	-9.68	48.67	74.00	-25.33	pea	ak
	7	7440.000	56.39	-6.72	49.67	74.00	-24.33	pea	
\rightarrow		9920.000	53.63	-3.50	50.13	74.00	-23.87	pea	ak

Mode:a; Polarization:Vertical; Modulation:GFSK; ; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. So the except in full, without prior written approval of the Company, any unauthorized alteration, forgery or fallification of the content or appearance of this destructions is to test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN. Doccheck@esp.com

d.	NO.588 West J	indu Road, Songjiang District, Shanghai, Ch	ina	201612	
	中国・上海・	•松江区金都西路588号 邮	编:	201612	



Report No.: SHEM210200103801 Page: 37 of 38

7.8 99% Bandwidth


Test Requirement	RSS-Gen Section 6.7
Test Method:	ANSI C63.10 Section 6.9.3

7.8.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:48 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulationmodulation

7.8.2 Test Setup Diagram



Ground Reference Plane

7.8.3 Measurement Procedure and Data

The detailed test data see: Appendix A for SHEM210200103801



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Sont exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM210200103801 Page: 38 of 38

8 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

9 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esps.com

NO.588 West Jindu	Road, Songjiang District, Sha	nghai,China	201612	
中国・上海・松	江区金都西路588号	邮编:	201612	