


5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 27
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1218G	62.68	74.00	-11.32	51.27	3	Horizontal	352	2.35	-	33.60	8.47	30.66			
AV	5.1368G	50.04	54.00	-3.96	38.63	3	Horizontal	352	2.35	-	33.60	8.48	30.67			
PK	5.2571G	110.77	Inf	-Inf	99.13	3	Horizontal	352	2.35	-	33.81	8.60	30.77			
AV	5.2616G	97.58	Inf	-Inf	85.93	3	Horizontal	352	2.35	-	33.82	8.60	30.77			
PK	5.396G	63.18	74.00	-10.82	51.38	3	Horizontal	352	2.35	-	33.99	8.69	30.88			
AV	5.3864G	50.62	54.00	-3.38	38.84	3	Horizontal	352	2.35	-	33.97	8.68	30.87			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 27
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5469G	53.88	68.20	-14.32	47.07	3	Vertical	182	1.50	-	38.59	11.04	42.82			
PK	15.81471G	54.50	74.00	-19.50	45.93	3	Vertical	114	1.02	-	37.43	13.09	41.95			
AV	15.80676G	41.19	54.00	-12.81	32.63	3	Vertical	114	1.02	-	37.41	13.09	41.94			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_TX
Setting 27
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54054G	53.60	68.20	-14.60	46.82	3	Horizontal	223	1.05	-	38.58	11.03	42.83			
PK	15.81123G	54.14	74.00	-19.86	45.58	3	Horizontal	309	2.65	-	37.42	13.09	41.95			
AV	15.8088G	41.20	54.00	-12.80	32.63	3	Horizontal	309	2.65	-	37.42	13.09	41.94			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3032G	114.98	Inf	-Inf	106.49	3	Vertical	309	1.80	-	33.90	5.39	30.80			
AV	5.3162G	101.40	Inf	-Inf	92.92	3	Vertical	309	1.80	-	33.90	5.39	30.81			
PK	5.3536G	67.69	74.00	-6.31	59.22	3	Vertical	309	1.80	-	33.91	5.40	30.84			
AV	5.35G	53.48	54.00	-0.52	45.02	3	Vertical	309	1.80	-	33.90	5.40	30.84			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3194G	109.20	Inf	-Inf	100.73	3	Horizontal	317	1.03	-	33.90	5.39	30.82			
AV	5.3068G	95.88	Inf	-Inf	87.40	3	Horizontal	317	1.03	-	33.90	5.39	30.81			
PK	5.3534G	63.17	74.00	-10.83	54.70	3	Horizontal	317	1.03	-	33.91	5.40	30.84			
AV	5.35G	48.77	54.00	-5.23	40.31	3	Horizontal	317	1.03	-	33.90	5.40	30.84			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.62429G	51.37	74.00	-22.63	47.27	3	Vertical	291	1.81	-	38.55	8.27	42.72			
AV	10.63041G	38.33	54.00	-15.67	34.23	3	Vertical	291	1.81	-	38.54	8.27	42.71			
PK	15.9159G	52.90	74.00	-21.10	47.16	3	Vertical	131	3.00	-	37.64	10.25	42.15			
AV	15.94329G	40.21	54.00	-13.79	34.63	3	Vertical	131	3.00	-	37.53	10.26	42.21			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX


EUT_Z_2TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62408G	54.70	74.00	-19.30	47.78	3	Horizontal	54	2.09	-	38.55	11.09	42.72			
AV	10.62711G	41.12	54.00	-12.88	34.19	3	Horizontal	54	2.09	-	38.55	11.09	42.71			
PK	15.94104G	55.83	74.00	-18.17	47.35	3	Horizontal	127	1.21	-	37.54	13.14	42.20			
AV	15.9408G	43.01	54.00	-10.99	34.53	3	Horizontal	127	1.21	-	37.54	13.14	42.20			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	66.05	74.00	-7.95	57.50	3	Vertical	315	1.00	-	34.02	5.46	30.93			
AV	5.4596G	51.58	54.00	-2.42	43.03	3	Vertical	315	1.00	-	34.02	5.46	30.93			
PK	5.4672G	67.89	68.20	-0.31	59.33	3	Vertical	315	1.00	-	34.03	5.46	30.93			
PK	5.5216G	116.08	Inf	-Inf	107.48	3	Vertical	315	1.00	-	34.06	5.51	30.97			
AV	5.5278G	102.04	Inf	-Inf	93.46	3	Vertical	315	1.00	-	34.04	5.51	30.97			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4222G	59.67	74.00	-14.33	51.14	3	Horizontal	294	2.87	-	34.00	5.43	30.90			
PK	5.47G	60.72	68.20	-7.48	52.15	3	Horizontal	294	2.87	-	34.04	5.47	30.94			
AV	5.4594G	46.67	54.00	-7.33	38.12	3	Horizontal	294	2.87	-	34.02	5.46	30.93			
PK	5.5228G	107.52	Inf	-Inf	98.93	3	Horizontal	294	2.87	-	34.05	5.51	30.97			
AV	5.5244G	94.09	Inf	-Inf	85.50	3	Horizontal	294	2.87	-	34.05	5.51	30.97			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02891G	55.10	74.00	-18.90	47.42	3	Vertical	360	2.15	-	38.60	11.36	42.28			
AV	11.02606G	41.60	54.00	-12.40	33.91	3	Vertical	360	2.15	-	38.60	11.36	42.27			
PK	16.5447G	59.34	68.20	-8.86	48.18	3	Vertical	38	1.50	-	39.16	13.35	41.35			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01514G	54.68	74.00	-19.32	46.98	3	Horizontal	30	1.24	-	38.60	11.35	42.25			
AV	11.01487G	41.86	54.00	-12.14	34.16	3	Horizontal	30	1.24	-	38.60	11.35	42.25			
PK	16.53924G	58.96	68.20	-9.24	47.84	3	Horizontal	353	2.88	-	39.11	13.35	41.34			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4567G	66.26	74.00	-7.74	54.44	3	Vertical	257	1.01	-	34.01	8.74	30.93			
AV	5.4549G	51.55	54.00	-2.45	39.72	3	Vertical	257	1.01	-	34.01	8.74	30.92			
PK	5.4663G	63.94	68.20	-4.26	52.09	3	Vertical	257	1.01	-	34.03	8.75	30.93			
PK	5.5449G	117.79	Inf	-Inf	105.95	3	Vertical	257	1.01	-	34.01	8.81	30.98			
AV	5.5335G	104.35	Inf	-Inf	92.50	3	Vertical	257	1.01	-	34.03	8.80	30.98			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4084G	63.93	74.00	-10.07	52.12	3	Horizontal	186	1.80	-	34.00	8.70	30.89			
PK	5.466G	62.81	68.20	-5.39	50.96	3	Horizontal	186	1.80	-	34.03	8.75	30.93			
AV	5.4573G	50.44	54.00	-3.56	38.62	3	Horizontal	186	1.80	-	34.01	8.74	30.93			
PK	5.5377G	108.21	Inf	-Inf	96.36	3	Horizontal	186	1.80	-	34.02	8.81	30.98			
AV	5.5665G	93.42	Inf	-Inf	81.58	3	Horizontal	186	1.80	-	34.00	8.83	30.99			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11254G	57.47	74.00	-16.53	49.89	3	Vertical	341	1.50	-	38.60	11.42	42.44			
AV	11.11041G	42.36	54.00	-11.64	34.79	3	Vertical	341	1.50	-	38.60	11.41	42.44			
PK	16.64922G	59.85	68.20	-8.35	48.23	3	Vertical	324	1.58	-	39.80	13.39	41.57			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10183G	56.17	74.00	-17.83	48.58	3	Horizontal	197	1.81	-	38.60	11.41	42.42			
AV	11.11248G	42.26	54.00	-11.74	34.68	3	Horizontal	197	1.81	-	38.60	11.42	42.44			
PK	16.66047G	59.46	68.20	-8.74	47.84	3	Horizontal	330	1.83	-	39.82	13.39	41.59			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6664G	118.11	Inf	-Inf	106.23	3	Vertical	308	1.01	-	34.00	8.92	31.04			
AV	5.6648G	104.39	Inf	-Inf	92.51	3	Vertical	308	1.01	-	34.00	8.92	31.04			
PK	5.7252G	66.44	68.20	-1.76	54.53	3	Vertical	308	1.01	-	34.00	8.97	31.06			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_TX
Setting 24
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.668G	105.15	Inf	-Inf	93.27	3	Horizontal	165	2.80	-	34.00	8.92	31.04			
AV	5.6782G	92.71	Inf	-Inf	80.82	3	Horizontal	165	2.80	-	34.00	8.93	31.04			
PK	5.7324G	62.76	68.20	-5.44	50.86	3	Horizontal	165	2.80	-	34.00	8.97	31.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35119G	55.13	74.00	-18.87	47.76	3	Vertical	58	1.14	-	38.70	11.58	42.91			
AV	11.32605G	41.98	54.00	-12.02	34.58	3	Vertical	58	1.14	-	38.70	11.56	42.86			
PK	17.02293G	60.26	68.20	-7.94	47.63	3	Vertical	70	1.07	-	41.40	13.52	42.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.32635G	55.41	74.00	-18.59	48.01	3	Horizontal	280	3.00	-	38.70	11.56	42.86			
AV	11.33493G	41.93	54.00	-12.07	34.55	3	Horizontal	280	3.00	-	38.70	11.56	42.88			
PK	17.02104G	59.88	68.20	-8.32	47.25	3	Horizontal	212	1.75	-	41.40	13.52	42.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7024G	117.85	Inf	-Inf	109.30	3	Vertical	330	1.04	-	34.00	5.60	31.05			
AV	5.7264G	105.27	Inf	-Inf	96.72	3	Vertical	330	1.04	-	34.00	5.61	31.06			
PK	5.8624G	66.90	68.20	-1.30	58.28	3	Vertical	330	1.04	-	34.05	5.70	31.13			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.712G	107.53	Inf	-Inf	98.99	3	Horizontal	290	3.00	-	34.00	5.60	31.06			
AV	5.7128G	95.10	Inf	-Inf	86.56	3	Horizontal	290	3.00	-	34.00	5.60	31.06			
PK	5.908G	58.51	68.20	-9.69	49.71	3	Horizontal	290	3.00	-	34.20	5.75	31.15			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40851G	55.38	74.00	-18.62	47.97	3	Vertical	179	1.25	-	38.82	11.61	43.02			
AV	11.42081G	42.02	54.00	-11.98	34.60	3	Vertical	179	1.25	-	38.84	11.62	43.04			
PK	17.12895G	60.33	68.20	-7.87	47.38	3	Vertical	252	2.89	-	41.67	13.56	42.28			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41802G	55.09	74.00	-18.91	47.67	3	Horizontal	286	2.96	-	38.84	11.62	43.04			
AV	11.42399G	41.98	54.00	-12.02	34.56	3	Horizontal	286	2.96	-	38.85	11.62	43.05			
PK	17.14098G	60.26	68.20	-7.94	47.23	3	Horizontal	298	1.18	-	41.75	13.56	42.28			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 25
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6395G	65.52	68.20	-2.68	56.96	3	Vertical	300	1.01	-	34.00	5.58	31.02			
PK	5.7585G	117.94	Inf	-Inf	109.38	3	Vertical	300	1.01	-	34.02	5.62	31.08			
AV	5.7415G	103.73	Inf	-Inf	95.19	3	Vertical	300	1.01	-	34.00	5.61	31.07			
PK	5.9625G	59.07	68.20	-9.13	50.20	3	Vertical	300	1.01	-	34.23	5.81	31.17			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 25
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	60.50	68.20	-7.70	51.95	3	Horizontal	311	2.79	-	34.00	5.58	31.03			
PK	5.758G	109.24	Inf	-Inf	100.68	3	Horizontal	311	2.79	-	34.02	5.62	31.08			
AV	5.7485G	94.49	Inf	-Inf	85.95	3	Horizontal	311	2.79	-	34.00	5.61	31.07			
PK	5.9995G	59.43	68.20	-8.77	50.47	3	Horizontal	311	2.79	-	34.30	5.85	31.19			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50199G	54.78	74.00	-19.22	47.30	3	Vertical	163	1.32	-	39.00	11.68	43.20			
AV	11.50523G	41.79	54.00	-12.21	34.30	3	Vertical	163	1.32	-	39.01	11.68	43.20			
PK	17.27787G	61.70	68.20	-6.50	47.84	3	Vertical	329	1.16	-	42.52	13.61	42.27			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50808G	54.74	74.00	-19.26	47.23	3	Horizontal	43	1.88	-	39.02	11.68	43.19			
AV	11.51333G	41.68	54.00	-12.32	34.16	3	Horizontal	43	1.88	-	39.03	11.68	43.19			
PK	17.26485G	61.48	68.20	-6.72	47.73	3	Horizontal	17	1.21	-	42.42	13.60	42.27			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	65.31	68.20	-2.89	56.76	3	Vertical	328	1.00	-	34.00	5.58	31.03			
PK	5.7865G	115.55	Inf	-Inf	106.94	3	Vertical	328	1.00	-	34.07	5.63	31.09			
AV	5.7835G	103.60	Inf	-Inf	94.99	3	Vertical	328	1.00	-	34.07	5.63	31.09			
PK	6.045G	59.84	68.20	-8.36	50.89	3	Vertical	328	1.00	-	34.30	5.86	31.21			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5695G	59.17	68.20	-9.03	50.61	3	Horizontal	313	2.50	-	34.00	5.55	30.99			
PK	5.7785G	105.10	Inf	-Inf	96.51	3	Horizontal	313	2.50	-	34.06	5.62	31.09			
AV	5.789G	92.89	Inf	-Inf	84.27	3	Horizontal	313	2.50	-	34.08	5.63	31.09			
PK	5.9455G	59.13	68.20	-9.07	50.30	3	Horizontal	313	2.50	-	34.20	5.79	31.16			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5855G	56.02	74.00	-17.98	48.20	3	Vertical	226	2.34	-	39.24	11.73	43.15			
AV	11.59498G	42.36	54.00	-11.64	34.48	3	Vertical	226	2.34	-	39.28	11.74	43.14			
PK	17.39751G	62.61	68.20	-5.59	47.93	3	Vertical	219	2.20	-	43.29	13.65	42.26			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59972G	55.52	74.00	-18.48	47.62	3	Horizontal	293	1.10	-	39.30	11.74	43.14			
AV	11.60326G	42.22	54.00	-11.78	34.32	3	Horizontal	293	1.10	-	39.30	11.74	43.14			
PK	17.38509G	62.48	68.20	-5.72	47.89	3	Horizontal	170	1.43	-	43.21	13.64	42.26			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	64.10	74.00	-9.90	56.45	3	Vertical	268	1.00	-	32.10	6.91	31.36			
AV	5.1495G	51.32	54.00	-2.68	43.67	3	Vertical	268	1.00	-	32.10	6.91	31.36			
PK	5.227G	112.14	Inf	-Inf	104.89	3	Vertical	268	1.00	-	31.69	6.96	31.40			
AV	5.2305G	99.50	Inf	-Inf	92.26	3	Vertical	268	1.00	-	31.68	6.96	31.40			
PK	5.353G	60.05	74.00	-13.95	52.96	3	Vertical	268	1.00	-	31.51	7.05	31.47			
AV	5.4525G	47.89	54.00	-6.11	40.48	3	Vertical	268	1.00	-	31.81	7.12	31.52			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1435G	60.17	74.00	-13.83	52.52	3	Horizontal	16	2.36	-	32.10	6.91	31.36			
AV	5.146G	47.88	54.00	-6.12	40.23	3	Horizontal	16	2.36	-	32.10	6.91	31.36			
PK	5.233G	103.85	Inf	-Inf	96.63	3	Horizontal	16	2.36	-	31.67	6.96	31.41			
AV	5.227G	91.79	Inf	-Inf	84.54	3	Horizontal	16	2.36	-	31.69	6.96	31.40			
PK	5.4255G	59.51	74.00	-14.49	52.21	3	Horizontal	16	2.36	-	31.70	7.11	31.51			
AV	5.3565G	46.81	54.00	-7.19	39.71	3	Horizontal	16	2.36	-	31.51	7.06	31.47			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.434G	53.40	68.20	-14.80	70.22	3	Vertical	53	1.55	-	38.43	10.96	66.21			
PK	15.135G	57.40	68.20	-10.80	68.47	3	Vertical	104	1.42	-	39.76	12.83	63.66			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	9.959G	54.02	68.20	-14.18	71.24	3	Horizontal	48	2.52	-	39.12	10.52	66.86			
PK	15.193G	57.02	68.20	-11.18	68.23	3	Horizontal	174	2.46	-	39.44	12.85	63.50			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 25
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.063G	59.25	74.00	-14.75	51.19	3	Vertical	271	1.80	-	33.45	5.22	30.61			
AV	5.0975G	47.30	54.00	-6.70	39.09	3	Vertical	271	1.80	-	33.59	5.26	30.64			
PK	5.285G	110.79	Inf	-Inf	102.32	3	Vertical	271	1.80	-	33.87	5.39	30.79			
AV	5.287G	97.29	Inf	-Inf	88.82	3	Vertical	271	1.80	-	33.87	5.39	30.79			
PK	5.3525G	64.56	74.00	-9.44	56.09	3	Vertical	271	1.80	-	33.91	5.40	30.84			
AV	5.352G	52.60	54.00	-1.40	44.14	3	Vertical	271	1.80	-	33.90	5.40	30.84			
PK	5.4755G	59.73	68.20	-8.47	51.15	3	Vertical	271	1.80	-	34.05	5.47	30.94			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0445G	63.35	74.00	-10.65	52.18	3	Horizontal	354	2.74	-	33.40	8.37	30.60			
AV	5.142G	50.82	54.00	-3.18	39.40	3	Horizontal	354	2.74	-	33.60	8.49	30.67			
PK	5.252G	107.03	Inf	-Inf	95.40	3	Horizontal	354	2.74	-	33.80	8.59	30.76			
AV	5.2515G	93.61	Inf	-Inf	81.98	3	Horizontal	354	2.74	-	33.80	8.59	30.76			
PK	5.3645G	63.95	74.00	-10.05	52.20	3	Horizontal	354	2.74	-	33.93	8.67	30.85			
AV	5.352G	51.89	54.00	-2.11	40.17	3	Horizontal	354	2.74	-	33.90	8.66	30.84			
PK	5.493G	63.95	68.20	-4.25	52.04	3	Horizontal	354	2.74	-	34.09	8.77	30.95			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.492G	53.64	68.20	-14.56	70.28	3	Vertical	286	1.75	-	38.48	11.00	66.12			
PK	16.079G	57.32	74.00	-16.68	69.54	3	Vertical	136	1.99	-	37.60	13.19	63.01			
AV	16.093G	44.67	54.00	-9.33	56.89	3	Vertical	136	1.99	-	37.60	13.19	63.01			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.556G	53.80	68.20	-14.40	70.33	3	Horizontal	125	2.05	-	38.60	11.04	66.17			
PK	15.87057G	54.71	74.00	-19.29	66.91	3	Horizontal	176	1.51	-	37.58	13.11	62.89			
AV	15.87693G	41.16	54.00	-12.84	53.34	3	Horizontal	176	1.51	-	37.61	13.11	62.90			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 25
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3015G	60.53	68.20	-7.67	52.04	3	Vertical	296	2.25	-	33.90	5.39	30.80			
AV	5.35G	46.63	54.00	-7.37	38.17	3	Vertical	296	2.25	-	33.90	5.40	30.84			
PK	5.449G	65.85	74.00	-8.15	57.32	3	Vertical	296	2.25	-	34.00	5.45	30.92			
PK	5.47G	67.34	68.20	-0.86	58.77	3	Vertical	296	2.25	-	34.04	5.47	30.94			
AV	5.46G	53.09	54.00	-0.91	44.54	3	Vertical	296	2.25	-	34.02	5.46	30.93			
PK	5.561G	115.02	Inf	-Inf	106.47	3	Vertical	296	2.25	-	34.00	5.54	30.99			
AV	5.518G	97.54	Inf	-Inf	88.95	3	Vertical	296	2.25	-	34.06	5.50	30.97			
PK	5.755G	60.89	68.20	-7.31	52.34	3	Vertical	296	2.25	-	34.01	5.62	31.08			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3415G	62.80	68.20	-5.40	51.08	3	Horizontal	167	1.80	-	33.90	8.65	30.83			
AV	5.35G	50.00	54.00	-4.00	38.28	3	Horizontal	167	1.80	-	33.90	8.66	30.84			
PK	5.4595G	64.31	74.00	-9.69	52.48	3	Horizontal	167	1.80	-	34.02	8.74	30.93			
AV	5.46G	51.71	54.00	-2.29	39.88	3	Horizontal	167	1.80	-	34.02	8.74	30.93			
PK	5.463G	63.62	68.20	-4.58	51.78	3	Horizontal	167	1.80	-	34.03	8.74	30.93			
PK	5.5085G	104.03	Inf	-Inf	92.13	3	Horizontal	167	1.80	-	34.08	8.78	30.96			
AV	5.4995G	90.06	Inf	-Inf	78.15	3	Horizontal	167	1.80	-	34.10	8.77	30.96			
PK	5.7645G	62.41	68.20	-5.79	50.46	3	Horizontal	167	1.80	-	34.03	9.00	31.08			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05466G	53.55	74.00	-20.45	70.13	3	Vertical	251	1.29	-	38.60	11.38	66.56			
AV	11.06921G	39.98	54.00	-14.02	56.53	3	Vertical	251	1.29	-	38.60	11.39	66.54			
PK	16.58085G	59.81	68.20	-8.39	70.16	3	Vertical	354	2.76	-	39.45	13.36	63.16			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 25
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0729G	53.71	74.00	-20.29	70.26	3	Horizontal	63	2.74	-	38.60	11.39	66.54			
AV	11.05514G	39.96	54.00	-14.04	56.54	3	Horizontal	63	2.74	-	38.60	11.38	66.56			
PK	17.07G	60.75	68.20	-7.45	68.78	3	Horizontal	11	1.27	-	41.44	13.53	63.00			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 27
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3795G	60.99	74.00	-13.01	52.48	3	Vertical	320	1.03	-	33.96	5.41	30.86			
AV	5.4145G	48.60	54.00	-5.40	40.07	3	Vertical	320	1.03	-	34.00	5.42	30.89			
PK	5.4695G	61.49	68.20	-6.71	52.92	3	Vertical	320	1.03	-	34.04	5.47	30.94			
PK	5.645G	113.96	Inf	-Inf	105.41	3	Vertical	320	1.03	-	34.00	5.58	31.03			
AV	5.573G	100.97	Inf	-Inf	92.41	3	Vertical	320	1.03	-	34.00	5.55	30.99			
PK	5.726G	62.72	68.20	-5.48	54.17	3	Vertical	320	1.03	-	34.00	5.61	31.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 27
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	64.41	74.00	-9.59	52.60	3	Horizontal	187	1.29	-	34.00	8.73	30.92			
AV	5.373G	51.33	54.00	-2.67	39.57	3	Horizontal	187	1.29	-	33.95	8.67	30.86			
PK	5.464G	63.17	68.20	-5.03	51.33	3	Horizontal	187	1.29	-	34.03	8.74	30.93			
PK	5.582G	101.82	Inf	-Inf	89.98	3	Horizontal	187	1.29	-	34.00	8.84	31.00			
AV	5.6085G	89.83	Inf	-Inf	77.97	3	Horizontal	187	1.29	-	34.00	8.87	31.01			
PK	5.749G	64.99	68.20	-3.21	53.07	3	Horizontal	187	1.29	-	34.00	8.99	31.07			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 27
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22075G	53.47	74.00	-20.53	69.72	3	Vertical	203	1.14	-	38.64	11.49	66.38			
AV	11.23473G	40.45	54.00	-13.55	56.64	3	Vertical	203	1.14	-	38.67	11.50	66.36			
PK	16.8411G	59.21	68.20	-8.99	68.25	3	Vertical	116	1.12	-	40.55	13.45	63.04			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 27
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22819G	53.32	74.00	-20.68	69.54	3	Horizontal	263	1.30	-	38.66	11.49	66.37			
AV	11.23179G	40.32	54.00	-13.68	56.53	3	Horizontal	263	1.30	-	38.66	11.50	66.37			
PK	16.82586G	59.53	68.20	-8.67	68.66	3	Horizontal	94	2.99	-	40.46	13.45	63.04			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	64.87	74.00	-9.13	53.05	3	Vertical	273	2.26	-	34.01	8.73	30.92			
AV	5.459G	52.69	54.00	-1.31	40.86	3	Vertical	273	2.26	-	34.02	8.74	30.93			
PK	5.468G	63.39	68.20	-4.81	51.53	3	Vertical	273	2.26	-	34.04	8.75	30.93			
PK	5.6605G	114.39	Inf	-Inf	102.51	3	Vertical	273	2.26	-	34.00	8.91	31.03			
AV	5.7G	102.26	Inf	-Inf	90.36	3	Vertical	273	2.26	-	34.00	8.95	31.05			
PK	5.8695G	64.11	68.20	-4.09	52.16	3	Vertical	273	2.26	-	34.08	9.00	31.13			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	63.48	74.00	-10.52	51.66	3	Horizontal	90	2.72	-	34.01	8.73	30.92			
AV	5.4505G	51.35	54.00	-2.65	39.54	3	Horizontal	90	2.72	-	34.00	8.73	30.92			
PK	5.4625G	63.07	68.20	-5.13	51.24	3	Horizontal	90	2.72	-	34.02	8.74	30.93			
PK	5.6805G	103.40	Inf	-Inf	91.51	3	Horizontal	90	2.72	-	34.00	8.93	31.04			
AV	5.6625G	90.67	Inf	-Inf	78.79	3	Horizontal	90	2.72	-	34.00	8.91	31.03			
PK	5.857G	63.87	68.20	-4.33	51.96	3	Horizontal	90	2.72	-	34.03	9.00	31.12			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39263G	55.01	74.00	-18.99	70.81	3	Vertical	274	2.35	-	38.79	11.60	66.19			
AV	11.39464G	41.08	54.00	-12.92	56.88	3	Vertical	274	2.35	-	38.79	11.60	66.19			
PK	17.05791G	61.14	68.20	-7.06	69.18	3	Vertical	256	2.09	-	41.42	13.53	62.99			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39212G	54.63	74.00	-19.37	70.44	3	Horizontal	285	2.89	-	38.78	11.60	66.19			
AV	11.38846G	41.10	54.00	-12.90	56.91	3	Horizontal	285	2.89	-	38.78	11.60	66.19			
PK	17.07708G	61.02	68.20	-7.18	69.04	3	Horizontal	245	1.29	-	41.45	13.54	63.01			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.618G	61.73	68.20	-6.47	53.16	3	Vertical	330	1.00	-	34.00	5.58	31.01			
PK	5.747G	117.56	Inf	-Inf	109.02	3	Vertical	330	1.00	-	34.00	5.61	31.07			
AV	5.7435G	99.60	Inf	-Inf	91.06	3	Vertical	330	1.00	-	34.00	5.61	31.07			
PK	5.9545G	59.29	68.20	-8.91	50.45	3	Vertical	330	1.00	-	34.21	5.80	31.17			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5955G	63.87	68.20	-4.33	52.01	3	Horizontal	162	2.72	-	34.00	8.86	31.00			
PK	5.738G	109.94	Inf	-Inf	98.03	3	Horizontal	162	2.72	-	34.00	8.98	31.07			
AV	5.7365G	91.63	Inf	-Inf	79.72	3	Horizontal	162	2.72	-	34.00	8.98	31.07			
PK	5.9845G	63.28	68.20	-4.92	51.24	3	Horizontal	162	2.72	-	34.27	8.95	31.18			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56467G	54.43	74.00	-19.57	69.58	3	Vertical	72	2.18	-	39.16	11.72	66.03			
AV	11.565G	41.36	54.00	-12.64	56.51	3	Vertical	72	2.18	-	39.16	11.72	66.03			
PK	17.31558G	63.41	68.20	-4.79	70.15	3	Vertical	250	2.62	-	42.79	13.62	63.15			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56317G	54.73	74.00	-19.27	69.89	3	Horizontal	331	1.17	-	39.15	11.72	66.03			
AV	11.5623G	41.45	54.00	-12.55	56.61	3	Horizontal	331	1.17	-	39.15	11.72	66.03			
PK	17.32446G	62.85	68.20	-5.35	69.53	3	Horizontal	351	2.36	-	42.85	13.62	63.15			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	64.83	74.00	-9.17	56.61	3	Vertical	345	1.08	-	33.60	5.28	30.66			
AV	5.1436G	50.91	54.00	-3.09	42.67	3	Vertical	345	1.08	-	33.60	5.31	30.67			
PK	5.3268G	106.87	Inf	-Inf	98.39	3	Vertical	345	1.08	-	33.90	5.40	30.82			
AV	5.262G	103.96	Inf	-Inf	95.53	3	Vertical	345	1.08	-	33.82	5.38	30.77			
AV	5.3508G	52.23	54.00	-1.77	43.77	3	Vertical	345	1.08	-	33.90	5.40	30.84			
PK	5.4012G	64.83	74.00	-9.17	56.30	3	Vertical	345	1.08	-	34.00	5.41	30.88			
PK	5.3308G	65.34	68.20	-2.86	56.76	3	Vertical	345	1.08	-	34.04	5.51	30.97			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1116G	68.54	74.00	-5.46	57.14	3	Horizontal	3	2.40	-	33.60	8.45	30.65			
AV	5.1484G	52.04	54.00	-1.96	40.62	3	Horizontal	3	2.40	-	33.60	8.50	30.68			
PK	5.2332G	102.13	Inf	-Inf	90.53	3	Horizontal	3	2.40	-	33.77	8.58	30.75			
AV	5.1844G	97.59	Inf	-Inf	86.09	3	Horizontal	3	2.40	-	33.67	8.54	30.71			
PK	5.4044G	63.72	74.00	-10.28	51.91	3	Horizontal	3	2.40	-	34.00	8.69	30.88			
AV	5.4004G	52.37	54.00	-1.63	40.56	3	Horizontal	3	2.40	-	34.00	8.69	30.88			
PK	5.5148G	64.58	68.20	-3.62	52.69	3	Horizontal	3	2.40	-	34.07	8.79	30.97			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49913G	54.27	68.20	-13.93	70.88	3	Vertical	64	1.89	-	38.50	11.00	66.11			
PK	15.73515G	55.40	74.00	-18.60	67.62	3	Vertical	82	1.28	-	37.53	13.06	62.81			
AV	15.73794G	42.55	54.00	-11.45	54.78	3	Vertical	82	1.28	-	37.52	13.06	62.81			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4868G	54.52	68.20	-13.68	71.18	3	Horizontal	68	1.65	-	38.47	11.00	66.13			
PK	15.7374G	55.56	74.00	-18.44	67.78	3	Horizontal	259	1.13	-	37.53	13.06	62.81			
AV	15.73518G	42.59	54.00	-11.41	54.81	3	Horizontal	259	1.13	-	37.53	13.06	62.81			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	66.67	68.20	-1.53	58.21	3	Vertical	318	1.14	-	33.90	5.40	30.84			
AV	5.35G	49.69	54.00	-4.31	41.23	3	Vertical	318	1.14	-	33.90	5.40	30.84			
PK	5.4348G	66.36	74.00	-7.64	57.83	3	Vertical	318	1.14	-	34.00	5.44	30.91			
PK	5.4676G	64.97	68.20	-3.23	56.40	3	Vertical	318	1.14	-	34.04	5.46	30.93			
AV	5.4572G	51.62	54.00	-2.38	43.08	3	Vertical	318	1.14	-	34.01	5.46	30.93			
PK	5.5596G	107.79	Inf	-Inf	99.24	3	Vertical	318	1.14	-	34.00	5.54	30.99			
AV	5.5668G	95.42	Inf	-Inf	86.87	3	Vertical	318	1.14	-	34.00	5.54	30.99			
PK	5.8564G	63.26	68.20	-4.94	54.66	3	Vertical	318	1.14	-	34.03	5.69	31.12			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2964G	63.97	68.20	-4.23	52.26	3	Horizontal	290	1.80	-	33.89	8.62	30.80			
AV	5.35G	51.31	54.00	-2.69	39.59	3	Horizontal	290	1.80	-	33.90	8.66	30.84			
PK	5.4364G	66.53	74.00	-7.47	54.72	3	Horizontal	290	1.80	-	34.00	8.72	30.91			
AV	5.4164G	51.88	54.00	-2.12	40.07	3	Horizontal	290	1.80	-	34.00	8.70	30.89			
PK	5.462G	63.18	68.20	-5.02	51.35	3	Horizontal	290	1.80	-	34.02	8.74	30.93			
PK	5.5148G	101.77	Inf	-Inf	89.88	3	Horizontal	290	1.80	-	34.07	8.79	30.97			
AV	5.4996G	92.25	Inf	-Inf	80.34	3	Horizontal	290	1.80	-	34.10	8.77	30.96			
PK	5.8172G	63.79	68.20	-4.41	51.81	3	Horizontal	290	1.80	-	34.07	9.02	31.11			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12518G	53.96	74.00	-20.04	70.42	3	Vertical	226	2.98	-	38.60	11.42	66.48			
AV	11.12776G	40.71	54.00	-13.29	57.16	3	Vertical	226	2.98	-	38.60	11.43	66.48			
PK	16.71816G	59.56	68.20	-8.64	69.31	3	Vertical	306	1.03	-	39.94	13.41	63.10			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 24
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13907G	53.94	74.00	-20.06	70.38	3	Horizontal	162	2.94	-	38.60	11.43	66.47			
AV	11.1325G	40.64	54.00	-13.36	57.08	3	Horizontal	162	2.94	-	38.60	11.43	66.47			
PK	16.70514G	59.83	68.20	-8.37	69.61	3	Horizontal	178	2.73	-	39.91	13.41	63.10			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.315G	65.43	68.20	-2.77	56.95	3	Vertical	65	1.00	-	33.90	5.39	30.81			
AV	5.35G	49.06	54.00	-4.94	40.60	3	Vertical	65	1.00	-	33.90	5.40	30.84			
PK	5.456G	64.50	74.00	-9.50	55.96	3	Vertical	65	1.00	-	34.01	5.45	30.92			
AV	5.415G	50.68	54.00	-3.32	42.15	3	Vertical	65	1.00	-	34.00	5.42	30.89			
PK	5.468G	65.88	68.20	-2.32	57.31	3	Vertical	65	1.00	-	34.04	5.46	30.93			
PK	5.659G	103.12	Inf	-Inf	94.56	3	Vertical	65	1.00	-	34.00	5.59	31.03			
AV	5.695G	90.17	Inf	-Inf	81.62	3	Vertical	65	1.00	-	34.00	5.60	31.05			
PK	5.859G	61.57	68.20	-6.63	52.97	3	Vertical	65	1.00	-	34.04	5.69	31.13			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.343G	64.19	68.20	-4.01	52.47	3	Horizontal	294	2.90	-	33.90	8.65	30.83			
AV	5.35G	52.07	54.00	-1.93	40.35	3	Horizontal	294	2.90	-	33.90	8.66	30.84			
AV	5.353G	52.88	54.00	-1.12	41.15	3	Horizontal	294	2.90	-	33.91	8.66	30.84			
PK	5.409G	64.78	74.00	-9.22	52.97	3	Horizontal	294	2.90	-	34.00	8.70	30.89			
PK	5.463G	62.73	68.20	-5.47	50.89	3	Horizontal	294	2.90	-	34.03	8.74	30.93			
PK	5.529G	100.36	Inf	-Inf	88.49	3	Horizontal	294	2.90	-	34.04	8.80	30.97			
AV	5.567G	90.93	Inf	-Inf	79.09	3	Horizontal	294	2.90	-	34.00	8.83	30.99			
PK	5.866G	63.82	68.20	-4.38	51.89	3	Horizontal	294	2.90	-	34.06	9.00	31.13			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23113G	53.54	74.00	-20.46	69.76	3	Vertical	259	1.45	-	38.66	11.49	66.37			
AV	11.23179G	41.69	54.00	-12.31	57.90	3	Vertical	259	1.45	-	38.66	11.50	66.37			
PK	16.8366G	59.71	68.20	-8.49	68.78	3	Vertical	214	2.77	-	40.52	13.45	63.04			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 23
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23395G	54.11	74.00	-19.89	70.30	3	Horizontal	65	2.12	-	38.67	11.50	66.36			
AV	11.23419G	41.90	54.00	-12.10	58.09	3	Horizontal	65	2.12	-	38.67	11.50	66.36			
PK	16.83924G	60.25	68.20	-7.95	69.30	3	Horizontal	154	2.07	-	40.54	13.45	63.04			