

## DOSSIER DE DEFINITION **DEFINITION FILE**

## **SPECIFICATION D'ETIQUETTE CONFORMITE REGLEMENTAIRE**

REGULATORY COMPLIANCE LABEL **SPECIFICATION** 

Page 1/4

Model:

SmartDate X30 (AC version)

P/N: XXXXXXXX

QR

Description: SmartDate X30xxxxxxxxx

Model/모델명/型號/Modelo: SmartDate X30

S/N: XXXXXXXXXX

Manufacturer/公司(工廠)名稱 /公司(工廠)地址:



a - nover company

Complies with

**IMDA Standards** 

Markem-Imaje IND LTD, NOTTINGHAM NG7 2QN, UK Patent protected, see http://patents.markem-imaje.com/m4

Manufactured/제조년월/出廠年份: YYYY MM

Country of origin/제조국가/原產地/origen: Made in XXX Electrical Rating/電氣輸入: 100-230V AC | 50/60Hz | 2.2-1.1A

Trademark/제조자/品牌/Marca: MARKEM-IMAJE

기자재의 명칭: RFID/USN용 무선기기 (13.56MHz 대역 사용 기기)

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.







HIDF18000269

CAN ICES-003(A) / NMB-003(A)

5020795

Conforms to UL Std. 62368-1 Cert. to CSA Std. C22.2 No. 62368-1


MARKING AND CODING EQUIPMENT

Centenary Way Manchester, M50 1RF, UK





R-R-MI8-SDX30



**IFETEL:** 



X: Wildcard character

Regulatory Compliance Label Specification				
Model:	SmartDate X30 (AC version)	Page 2/4		

LOGO	Logo Requirements	Certification	Text	Text Requirements
Intertek 5020795	Height ≥ 5mm Width (for the circle part of the logo)	NRTL	Conforms to UL Std. 62368-1 Cert. to CSA Std. C22.2 No. 62368-1	The text has to be big enough to be legible without magnification and must be located on the right of the Intertek logo.
C€	<b>8</b> Height≥5mm Width	CE		
Z	<b>8</b> Height ≥ 7mm Width	WEEE		
	<b>8</b> Height ≥ 5mm Width	КС	R-R-MI8-SDX30	The text has to be big enough to be legible without magnification.
<b>€2000m</b>	<b>9</b> Height ≥ 5mm Width	China National Deviation		
Ø	<b>8</b> Height ≥ 6mm Width	C-mim		
EAC	<b>g</b> Height≥5mm Width	EAC		This logo should be near to CE logo.
ANATEL	<b>g</b> Height ≥ 4mm Width	ANATEL	08667-22-11483	The text has to be big enough to be legible without magnification and must be located under the ANATEL logo.
R!	<b>g</b> Height ≥ 4 mm Width	ENACOM	H-23987	The text has to be big enough to be legible without magnification and must be located to the right of the R logo Arial font, Font size ≥ 5

Regulatory Compliance Label Specification				
Model:	SmartDate X30 (AC version)	Page 3/4		

MEME	Height ≥ 8mm Width ≥ 8mm	SIRIM	HIDF18000269	The text has to be big enough to be legible without magnification and must be located under the MCMC logo.
		IFETEL	RCPMASD18-0837	The text has to be big enough to be legible without magnification.
Complies with IMDA Standards DA108100	Height ≥ 9mm Width ≥ 17mm	IMDA		The text has to be big enough to be legible without magnification.
	<b>8</b> Height ≥ 5mm Width	NCC	CCAH20LPA430T1	The text has to be big enough to be legible without magnification and must be located to the right of the NCC logo.
CA	<b>8</b> Height ≥ 5mm Width	UKCA	Centenary House, Centenary Way Manchester, M50 1RF, UK	The text has to be big enough to be legible without magnification and must be located under the UKCA logo.
No logo		ICES-Gen ICES-003	CAN ICES-003(A) / NMB-003(A)	The text has to be big enough to be legible without magnification.
	<b>8</b> Height ≥ 3mm Width	RCM		
No logo			This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation	The text has to be big enough to be legible without magnification
		FCC Radio	FCC ID: XXXXXXXXX	The text has to be big enough to be legible without magnification
		IC Radio	IC : XXXXXX	The text has to be big enough to be legible without magnification

3: Proportions must be kept

Regulatory Compliance Label Specification				
Model:	SmartDate X30 (AC version)	Page 4/4		

## **Revision History**

Dd/mm/yyyy	D. Piech			FCC ID, IC ID and FCC sentence added	CRCO- ????	AG
24/06/2022	N. MOREIRA	D.PIECH	J. PALISSE	ANATEL number and KC text update,	CRCO-34200	AE
01/04/2022	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Addition of RCM logo to SmartDate X30 label	CRCO-30999	AD
16/08/2021	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Correction of voltage and Reordering "manufactured" "country of origen" and "trademark" fields to harmonize TTO labels	CRCO-17543	AC
4/06/2021	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Update of voltage format and addition of cETLus, ICES and UKCA markings	CRCO-17543	АВ
14/10/2020	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Label Specification STS creation	CRCO-10190	AA
Date	Written by	Checked by	Approved by	Description	N° CR/CO	REV