




4.8.1.1.10 802.11N20_Highest Channel









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205				
Test Method:	ANSI C63.10 :2013 Section 11.12				
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak
	Above 1GHz	Peak	1MHz	3MHz	Peak
		Peak	1MHz	10Hz	Average
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30
	1.705MHz-30MHz	30	-	-	30
	30MHz-88MHz	100	40.0	Quasi-peak	3
	88MHz-216MHz	150	43.5	Quasi-peak	3
	216MHz-960MHz	200	46.0	Quasi-peak	3
	960MHz-1GHz	500	54.0	Quasi-peak	3
	Above 1GHz	500	54.0	Average	3
	Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.				

Test Setup:	
-------------	--






Figure 1. Below 30MHz




Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotating table was turned from 0 degrees to 360 degrees to find the maximum reading.
- Use the following spectrum analyzer settings:
 - Span shall be wide enough to fully capture the emission being measured;
 - Set RBW=100 kHz for $f < 1 \text{ GHz}$, RBW=1MHz for $f > 1 \text{ GHz}$; VBW $\geq$ RBW; Sweep = auto;






	Detector function = peak; Trace = max hold for peak (3) For average measurement: use duty cycle correction factor method per 15.35(c). Duty cycle = On time/100 milliseconds On time = $N_1 * L_1 + N_2 * L_2 + \dots + N_{n-1} * L_{n-1} + N_n * L_n$ Where N_1 is number of type 1 pulses, L_1 is length of type 1 pulses, etc. Average Emission Level = Peak Emission Level + 20*log(Duty cycle) g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. i. Test the EUT in the lowest channel, the middle channel, the Highest channel j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates. Charge + Transmitting mode.
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode. Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11B; 6Mbps of rate is the worst case of 802.11G; 6.5Mbps of rate is the worst case of 802.11N(HT20); For below 1GHz, through Pre-scan, find the 1Mbps of rate of 802.11B at lowest channel is the worst case. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



4.9.1 Radiated emission below 1GHz

4.9.1.1 Charge + Transmitting, Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	35.3377	25.32	-32.65	40.00	14.68	150	16	Vertical
2	48.9245	23.65	-30.19	40.00	16.35	150	337	Vertical
3	60.5703	20.44	-31.79	40.00	19.56	150	324	Vertical
4	122.681	10.16	-33.67	43.50	33.34	150	34	Vertical
5	204.202	16.13	-30.73	43.50	27.37	150	315	Vertical
6	984.957	23.90	-14.05	54.00	30.10	150	299	Vertical



4.9.1.2 Charge + Transmitting, Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.3082	12.09	-32.34	40.00	27.91	150	272	Horizontal
2	60.5703	13.61	-31.79	40.00	26.39	150	134	Horizontal
3	118.799	13.95	-33.07	43.50	29.55	150	238	Horizontal
4	176.543	18.56	-33.15	43.50	24.94	150	222	Horizontal
5	209.539	19.69	-30.63	43.50	23.81	150	297	Horizontal
6	896.643	24.11	-15.28	46.00	21.89	150	328	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) Test Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2 Transmitter emission above 1GHz

4.9.2.1 ANT1


4.9.2.1.1 802.11B_Lowest Channel_ Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2973.99	55.00	9.57	74.00	19.00	150	211	Vertical
2	2983.99	44.40	9.52	54.00	9.60	150	239	Vertical
3	4824.00	47.55	-18.21	54.00	6.45	150	232	Vertical
4	4824.00	50.70	-18.21	74.00	23.30	150	232	Vertical
5	7236.00	46.89	-9.99	74.00	27.11	150	18	Vertical
6	7236.00	35.83	-9.99	54.00	18.17	150	119	Vertical
7	17960.3	46.68	0.71	54.00	7.32	150	269	Vertical


4.9.2.1.2 802.11B_ Middle Channel_ Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2952.48	54.96	9.67	74.00	19.04	150	140	Vertical
2	2993.49	44.15	9.48	54.00	9.85	150	264	Vertical
3	4874.00	34.19	-17.99	54.00	19.81	150	261	Vertical
4	4874.00	43.33	-17.99	74.00	30.67	150	288	Vertical
5	7311.00	47.81	-9.74	74.00	26.19	150	68	Vertical
6	7311.00	36.49	-9.74	54.00	17.51	150	119	Vertical
7	17904.2	46.76	0.69	54.00	7.24	150	219	Vertical

4.9.2.1.3 802.11B_ Highest Channel_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2981.49	43.86	9.54	54.00	10.14	150	129	Vertical
2	2988.49	55.04	9.50	74.00	18.96	150	197	Vertical
3	4924.00	31.84	-17.72	54.00	22.16	150	260	Vertical
4	4924.00	42.22	-17.72	74.00	31.78	150	205	Vertical
5	7386.00	46.90	-9.55	74.00	27.10	150	320	Vertical
6	7386.00	36.78	-9.55	54.00	17.22	150	320	Vertical
7	16932.3	46.26	0.98	54.00	7.74	150	68	Vertical



4.9.2.1.4 802.11B_Lowest Channel_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2965.49	43.95	9.61	54.00	10.05	150	288	Horizontal
2	2966.99	55.26	9.60	74.00	18.74	150	67	Horizontal
3	4824.00	50.80	-18.21	54.00	3.20	150	64	Horizontal
4	4824.00	53.01	-18.21	74.00	20.99	150	64	Horizontal
5	7236.00	48.86	-9.99	74.00	25.14	150	221	Horizontal
6	7236.00	36.79	-9.99	54.00	17.21	150	120	Horizontal
7	17959.2	46.72	0.71	54.00	7.28	150	120	Horizontal




4.9.2.1.5 802.11B_ Middle Channel_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2965.99	43.99	9.61	54.00	10.01	150	287	Horizontal
2	2966.99	54.68	9.60	74.00	19.32	150	342	Horizontal
3	4874.00	36.25	-17.99	54.00	17.75	150	65	Horizontal
4	4874.00	44.02	-17.99	74.00	29.98	150	65	Horizontal
5	7311.00	47.51	-9.74	74.00	26.49	150	220	Horizontal
6	7311.00	36.76	-9.74	54.00	17.24	150	270	Horizontal
7	17921.8	46.87	0.70	54.00	7.13	150	69	Horizontal

4.9.2.1.6 802.11B_ Highest Channel_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2937.98	55.11	9.55	74.00	18.89	150	122	Horizontal
2	2993.49	43.91	9.48	54.00	10.09	150	219	Horizontal
3	4924.00	32.23	-17.72	54.00	21.77	150	70	Horizontal
4	4924.00	42.91	-17.72	74.00	31.09	150	70	Horizontal
5	7386.00	47.85	-9.55	74.00	26.15	150	170	Horizontal
6	7386.00	36.91	-9.55	54.00	17.09	150	69	Horizontal
7	17887.2	46.93	0.52	54.00	7.07	150	170	Horizontal



4.9.2.1.7 802.11G_Lowest Channel_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2990.99	55.19	9.49	74.00	18.81	150	128	Vertical
2	2997.49	44.15	9.46	54.00	9.85	150	292	Vertical
3	4824.00	35.93	-18.21	54.00	18.07	150	251	Vertical
4	4824.00	46.65	-18.21	74.00	27.35	150	251	Vertical
5	7236.00	47.22	-9.99	74.00	26.78	150	219	Vertical
6	7236.00	35.87	-9.99	54.00	18.13	150	360	Vertical
7	17954.8	46.91	0.71	54.00	7.09	150	169	Vertical



4.9.2.1.8 802.11G_Middle Channel_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2941.98	55.10	9.59	74.00	18.90	150	58	Vertical
2	2968.49	43.85	9.59	54.00	10.15	150	154	Vertical
3	4874.00	31.31	-17.99	54.00	22.69	150	280	Vertical
4	4874.00	41.82	-17.99	74.00	32.18	150	253	Vertical
5	7311.00	47.09	-9.74	74.00	26.91	150	174	Vertical
6	7311.00	37.15	-9.74	54.00	16.85	150	273	Vertical
7	17872.9	46.85	0.33	54.00	7.15	150	324	Vertical



4.9.2.1.9 802.11G_ Highest Channel_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2948.98	44.42	9.67	54.00	9.58	150	253	Vertical
2	2989.99	55.74	9.50	74.00	18.26	150	32	Vertical
3	4924.00	29.71	-17.72	54.00	24.29	150	342	Vertical
4	4924.00	41.74	-17.72	74.00	32.26	150	314	Vertical
5	7386.00	47.69	-9.55	74.00	26.31	150	318	Vertical
6	7386.00	37.16	-9.55	54.00	16.84	150	168	Vertical
7	17968.0	47.07	0.71	54.00	6.93	150	168	Vertical



4.9.2.1.10 802.11G_Lowest Channel_Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2920.98	44.07	9.37	54.00	9.93	150	55	Horizontal
2	2982.99	54.96	9.53	74.00	19.04	150	342	Horizontal
3	4824.00	38.97	-18.21	54.00	15.03	150	69	Horizontal
4	4824.00	48.87	-18.21	74.00	25.13	150	42	Horizontal
5	7236.00	46.58	-9.99	74.00	27.42	150	169	Horizontal
6	7236.00	36.01	-9.99	54.00	17.99	150	68	Horizontal
7	17915.8	47.05	0.69	54.00	6.95	150	119	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 2307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.1.11 802.11G_ Middle Channel_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2953.98	43.77	9.66	54.00	10.23	150	342	Horizontal
2	2988.99	54.72	9.50	74.00	19.28	150	176	Horizontal
3	4874.00	31.61	-17.99	54.00	22.39	150	67	Horizontal
4	4874.00	43.55	-17.99	74.00	30.45	150	67	Horizontal
5	7311.00	47.66	-9.74	74.00	26.34	150	69	Horizontal
6	7311.00	36.62	-9.74	54.00	17.38	150	69	Horizontal
7	17918.0	46.74	0.70	54.00	7.26	150	118	Horizontal



4.9.2.1.12 802.11G_ Highest Channel_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2954.98	55.46	9.66	74.00	18.54	150	329	Horizontal
2	2993.99	43.88	9.48	54.00	10.12	150	303	Horizontal
3	4924.00	30.02	-17.72	54.00	23.98	150	315	Horizontal
4	4924.00	41.27	-17.72	74.00	32.73	150	315	Horizontal
5	7386.00	47.58	-9.55	74.00	26.42	150	269	Horizontal
6	7386.00	36.50	-9.55	54.00	17.50	150	119	Horizontal
7	17349.8	46.09	0.03	54.00	7.91	150	18	Horizontal



4.9.2.1.13 802.11N20_Lowest Channel_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2985.49	54.92	9.52	74.00	19.08	150	217	Vertical
2	2994.49	43.84	9.48	54.00	10.16	150	176	Vertical
3	4824.00	33.69	-18.21	54.00	20.31	150	261	Vertical
4	4824.00	44.97	-18.21	74.00	29.03	150	234	Vertical
5	7236.00	46.53	-9.99	74.00	27.47	150	68	Vertical
6	7236.00	35.83	-9.99	54.00	18.17	150	119	Vertical
7	17902.6	47.00	0.69	54.00	7.00	150	119	Vertical




4.9.2.1.14 802.11N20_Middle Channel_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2918.97	55.58	9.34	74.00	18.42	150	306	Vertical
2	2938.98	44.22	9.56	54.00	9.78	150	358	Vertical
3	4874.00	30.25	-17.99	54.00	23.75	150	259	Vertical
4	4874.00	41.83	-17.99	74.00	32.17	150	259	Vertical
5	7311.00	48.27	-9.74	74.00	25.73	150	360	Vertical
6	7311.00	36.65	-9.74	54.00	17.35	150	360	Vertical
7	17929.5	46.77	0.70	54.00	7.23	150	219	Vertical

4.9.2.1.15 802.11N20_ Highest Channel_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2929.98	55.23	9.46	74.00	18.77	150	140	Vertical
2	2951.98	44.15	9.67	54.00	9.85	150	346	Vertical
3	4924.00	29.39	-17.72	54.00	24.61	150	260	Vertical
4	4924.00	40.87	-17.72	74.00	33.13	150	69	Vertical
5	7386.00	47.58	-9.55	74.00	26.42	150	69	Vertical
6	7386.00	36.53	-9.55	54.00	17.47	150	168	Vertical
7	17945.5	46.92	0.70	54.00	7.08	150	219	Vertical




4.9.2.1.16 802.11N20_Lowest Channel_Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2971.99	55.58	9.58	74.00	18.42	150	245	Horizontal
2	2990.49	44.17	9.49	54.00	9.83	150	300	Horizontal
3	4824.00	35.33	-18.21	54.00	18.67	150	62	Horizontal
4	4824.00	46.84	-18.21	74.00	27.16	150	62	Horizontal
5	7236.00	46.60	-9.99	74.00	27.40	150	360	Horizontal
6	7236.00	35.96	-9.99	54.00	18.04	150	360	Horizontal
7	17905.9	46.80	0.69	54.00	7.20	150	18	Horizontal

4.9.2.1.17 802.11N20_Middle Channel_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2949.48	55.75	9.67	74.00	18.25	150	342	Horizontal
2	2963.49	44.31	9.62	54.00	9.69	150	120	Horizontal
3	4874.00	30.15	-17.99	54.00	23.85	150	233	Horizontal
4	4874.00	41.78	-17.99	74.00	32.22	150	342	Horizontal
5	7311.00	47.27	-9.74	74.00	26.73	150	220	Horizontal
6	7311.00	37.18	-9.74	54.00	16.82	150	360	Horizontal
7	17907.5	46.63	0.69	54.00	7.37	150	270	Horizontal



4.9.2.1.18 802.11N20_ Highest Channel_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2971.49	43.78	9.58	54.00	10.22	150	125	Horizontal
2	2998.99	54.72	9.45	74.00	19.28	150	97	Horizontal
3	4924.00	29.71	-17.72	54.00	24.29	150	96	Horizontal
4	4924.00	40.92	-17.72	74.00	33.08	150	96	Horizontal
5	7386.00	47.44	-9.55	74.00	26.56	150	321	Horizontal
6	7386.00	36.35	-9.55	54.00	17.65	150	270	Horizontal
7	16650.7	45.85	0.40	54.00	8.15	150	119	Horizontal

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205		
Test Method:	ANSI C63.10: 2013 Section 11.12		
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			




Figure 1. 30MHz to 1GHz




Figure 2. Above 1 GHz

Test Procedure:	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotating table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates. Charge + Transmitting mode.
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode. Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11B; 6Mbps of rate is the worst case of 802.11G; 6.5Mbps of rate is the worst case of 802.11N(HT20); Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test plot as follows:

4.10.1 ANT1

4.10.1.1 802.11B_Lowest Channel_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2378.16	34.01	7.78	54.00	19.99	150	223	Vertical
2	2381.92	47.94	7.78	74.00	26.06	150	14	Vertical
3	2390.00	34.17	7.77	54.00	19.83	150	223	Vertical
4	2390.00	48.03	7.77	74.00	25.97	150	29	Vertical
5	2412.00	89.86	7.81	136.99	-	150	14	Vertical
6	2412.00	80.59	7.81	136.99	-	150	14	Vertical



4.10.1.2 802.11B_ Highest Channel_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.00	87.01	7.98	136.99	-	150	233	Vertical
2	2462.00	77.05	7.98	136.99	-	150	227	Vertical
3	2483.50	46.34	8.01	74.00	27.66	150	105	Vertical
4	2483.50	34.15	8.01	54.00	19.85	150	40	Vertical
5	2490.74	34.43	8.02	54.00	19.57	150	105	Vertical
6	2493.24	48.17	8.02	74.00	25.83	150	14	Vertical



4.10.1.3 802.11B_Lowest Channel_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2386.57	50.67	7.77	74.00	23.33	150	286	Horizontal
2	2388.07	41.15	7.77	54.00	12.85	150	281	Horizontal
3	2390.00	42.42	7.77	54.00	11.58	150	286	Horizontal
4	2390.00	52.53	7.77	74.00	21.47	150	286	Horizontal
5	2412.00	102.03	7.81	136.99	-	150	277	Horizontal
6	2412.00	93.30	7.81	136.99	-	150	281	Horizontal



4.10.1.4 802.11B_ Highest Channel_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.00	98.97	7.98	136.99	-	150	282	Horizontal
2	2462.00	89.34	7.98	136.99	-	150	282	Horizontal
3	2483.50	48.20	8.01	74.00	25.80	150	287	Horizontal
4	2483.50	37.67	8.01	54.00	16.33	150	276	Horizontal
5	2487.89	34.92	8.02	54.00	19.08	150	270	Horizontal
6	2487.94	48.60	8.02	74.00	25.40	150	167	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.10.1.5 802.11G_Lowest Channel_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2385.97	35.61	7.77	54.00	18.39	150	331	Vertical
2	2386.72	51.04	7.77	74.00	22.96	150	327	Vertical
3	2389.57	55.91	7.77	74.00	18.09	150	210	Vertical
4	2390.00	40.20	7.77	54.00	13.80	150	327	Vertical
5	2412.00	88.89	7.81	136.99	-	150	234	Vertical
6	2412.00	77.96	7.81	136.99	-	150	230	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) Science & Technology Park

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.6 802.11G_ Highest Channel_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.00	86.78	7.98	136.99	-	150	227	Vertical
2	2462.00	75.67	7.98	136.99	-	150	227	Vertical
3	2483.50	39.83	8.01	54.00	14.17	150	183	Vertical
4	2483.59	58.02	8.01	74.00	15.98	150	183	Vertical
5	2484.74	55.78	8.01	74.00	18.22	150	183	Vertical
6	2485.04	37.05	8.01	54.00	16.95	150	183	Vertical





4.10.1.7 802.11G_Lowest Channel_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2386.27	62.88	7.77	74.00	11.12	150	282	Horizontal
2	2389.72	69.77	7.77	74.00	4.23	150	282	Horizontal
3	2390.00	51.41	7.77	54.00	2.59	150	286	Horizontal
4	2412.00	92.10	7.81	136.99	-	150	282	Horizontal
5	2412.00	102.78	7.81	136.99	-	150	278	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.8 802.11G_ Highest Channel_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.00	97.61	7.98	136.99	-	150	274	Horizontal
2	2462.00	87.67	7.98	136.99	-	150	280	Horizontal
3	2483.50	50.78	8.01	54.00	3.22	150	286	Horizontal
4	2483.84	69.28	8.01	74.00	4.72	150	274	Horizontal
5	2485.39	66.27	8.01	74.00	7.73	150	269	Horizontal
6	2486.54	43.37	8.01	54.00	10.63	150	286	Horizontal





4.10.1.9 802.11N20_Lowest Channel_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2379.97	49.24	7.78	74.00	24.76	150	360	Vertical
2	2380.12	34.04	7.78	54.00	19.96	150	50	Vertical
3	2389.72	55.98	7.77	74.00	18.02	150	210	Vertical
4	2390.00	37.78	7.77	54.00	16.22	150	325	Vertical
5	2412.00	86.96	7.81	136.99	-	150	222	Vertical
6	2412.00	76.27	7.81	136.99	-	150	17	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) FCC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.10 802.11N20_ Highest Channel_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.00	82.96	7.98	136.99	-	150	229	Vertical
2	2462.00	73.00	7.98	136.99	-	150	229	Vertical
3	2483.50	36.87	8.01	54.00	17.13	150	178	Vertical
4	2483.79	54.12	8.01	74.00	19.88	150	178	Vertical
5	2484.64	53.80	8.01	74.00	20.20	150	178	Vertical
6	2489.24	34.51	8.02	54.00	19.49	150	145	Vertical



4.10.1.11 802.11N20_Lowest Channel_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2386.27	41.22	7.77	54.00	12.78	150	274	Horizontal
2	2386.72	59.87	7.77	74.00	14.13	150	283	Horizontal
3	2390.00	67.18	7.77	74.00	6.82	150	106	Horizontal
4	2390.00	47.73	7.77	54.00	6.27	150	278	Horizontal
5	2412.00	101.21	7.81	136.99	-	150	283	Horizontal
6	2412.00	90.28	7.81	136.99	-	150	278	Horizontal



4.10.1.12 802.11N20_ Highest Channel_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.00	95.44	7.98	136.99	-	150	276	Horizontal
2	2462.00	85.12	7.98	136.99	-	150	276	Horizontal
3	2483.50	46.51	8.01	54.00	7.49	150	282	Horizontal
4	2484.34	65.38	8.01	74.00	8.62	150	270	Horizontal
5	2488.74	36.97	8.02	54.00	17.03	150	276	Horizontal
6	2489.09	54.04	8.02	74.00	19.96	150	276	Horizontal

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

All Modes have been tested, but only the worst case data displayed in this report.





5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	$\pm 0.75\text{dB}$
2	RF power density, conducted	$\pm 2.84\text{dB}$
3	Spurious emissions, conducted	$\pm 0.75\text{dB}$
4	Radiated Spurious emission test	$\pm 4.5\text{dB}$ (30MHz-1GHz)
		$\pm 4.8\text{dB}$ (1GHz-25GHz)
5	Conduct emission test	$\pm 3.12\text{ dB}$ (9KHz- 30MHz)
6	Temperature test	$\pm 1^{\circ}\text{C}$
7	Humidity test	$\pm 3\%$
8	DC and low frequency voltages	$\pm 0.5\%$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



6 Equipment List

Conducted Emission					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal. Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2019-06-13	2022-06-12
LISN	Rohde & Schwarz	ENV216	SEM007-01	N/A	N/A
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2019-07-11	2020-07-10
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	2019-09-24	2020-09-23
Coaxial Cable	SGS	N/A	SEM024-01	2020-04-01	2021-03-31
2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN-T2-02	EMC0122	2020-03-24	2021-03-23
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2019-06-13	2022-06-12

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal. Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2019/7/15	2020/7/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2
Coaxial Cable	SGS	N/A	SEM031-01	2019/6/12	2020/6/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2019/7/14	2020/7/14
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2019/10/27	2020/10/27
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2019/7/14	2020/7/14

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal. Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Measurement Software	AUDIX	e3V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2019/6/12	2020/6/11
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologies Inc	N9010A	SEM004-09	2020/3/22	2021/3/21



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (0.8-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Pre-amplifier(0.1-1.3GHz)	HP	8447D	SEM005-02	2019/7/14	2020/7/14
Low Noise Amplifier(100MHz-18GHz)	Black Diamond Series	BDLNA-0118-352810	SEM005-05	2019/9/3	2020/9/2
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2020/3/22	2021/3/21
Band filter	N/A	N/A	SEM023-01	N/A	N/A

RE in Chamber

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal. Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2017/8/5	2020/8/4
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2019/6/12	2020/6/11
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologies	N9038A	SEM004-05	2019/7/14	2020/7/14
BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2017/6/27	2020/6/26
Pre-amplifier (0.1-1.3GHz)	Agilent Technologies	8447D	SEM005-01	2020/3/22	2021/3/21

RE in Chamber

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30
EMI Test Receiver (9k-7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/22	2021/3/21
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/22	2022/3/21
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/22	2021/3/21
Loop Antenna (9kHz-30MHz)	ETS-Lindgren	6502	SEM003-08	2017/8/22	2020/8/21
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM029-01	2019/6/12	2020/6/11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of Set-Up for HR/2020/30023.

The End



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CCC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com