



Appendix F

RF Test Data for 5.5GWIFI (Conducted Measurement)

Product Name: GNSS RECEIVER

Test Model: INNO8

Environmental Conditions

Temperature:	23.5° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





F.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	29.056	---	Pass
NVNT	a	5580	Ant1	29.404	---	Pass
NVNT	a	5700	Ant1	27.729	---	Pass
NVNT	n20	5500	Ant1	28.3	---	Pass
NVNT	n20	5580	Ant1	26.563	---	Pass
NVNT	n20	5700	Ant1	28.307	---	Pass
NVNT	n40	5510	Ant1	43.353	---	Pass
NVNT	n40	5550	Ant1	39.677	---	Pass
NVNT	n40	5670	Ant1	44.324	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1



-26dB Bandwidth NVNT a 5580MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5700MHz Ant1



-26dB Bandwidth NVNT n20 5500MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5580MHz Ant1



-26dB Bandwidth NVNT n20 5700MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5550MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





F.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	12.34	0.32	12.66	24	Pass
NVNT	a	5580	Ant1	12.65	0.32	12.97	24	Pass
NVNT	a	5700	Ant1	12.59	0.32	12.91	24	Pass
NVNT	n20	5500	Ant1	11.44	0.37	11.81	24	Pass
NVNT	n20	5580	Ant1	11.1	0.37	11.47	24	Pass
NVNT	n20	5700	Ant1	11.61	0.36	11.97	24	Pass
NVNT	n40	5510	Ant1	10.77	0.54	11.31	24	Pass
NVNT	n40	5550	Ant1	10	0.54	10.54	24	Pass
NVNT	n40	5670	Ant1	10.29	0.54	10.83	24	Pass





F.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant1	2.38	0.32	2.7	10.5	Pass
NVNT	a	5580	Ant1	2.27	0.32	2.59	10.5	Pass
NVNT	a	5700	Ant1	2.2	0.32	2.52	10.5	Pass
NVNT	n20	5500	Ant1	0.85	0.37	1.22	10.5	Pass
NVNT	n20	5580	Ant1	0.44	0.37	0.81	10.5	Pass
NVNT	n20	5700	Ant1	0.86	0.36	1.22	10.5	Pass
NVNT	n40	5510	Ant1	-2.75	0.54	-2.21	10.5	Pass
NVNT	n40	5550	Ant1	-3.51	0.54	-2.97	10.5	Pass
NVNT	n40	5670	Ant1	-3.41	0.54	-2.87	10.5	Pass






Test Graphs

PSD NVNT a 5500MHz Ant1




PSD NVNT a 5580MHz Ant1










PSD NVNT a 5700MHz Ant1



PSD NVNT n20 5500MHz Ant1








Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





F.4 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant1	5460	-50.43	6.95	-	51.75	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-58.27	6.95	0.32	44.23	Average	54	Pass
NVNT	a	5500	Ant1	5469.6	-42.14	6.95	-	60.04	Peak	68.2	Pass
NVNT	a	5500	Ant1	5469.8	-55.75	6.95	0.32	46.75	Average	54	Pass
NVNT	a	5500	Ant1	5470	-46.69	6.95	-	55.49	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-56.23	6.95	0.32	46.27	Average	54	Pass
NVNT	a	5700	Ant1	5725	-42.25	6.95	-	59.93	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-54.71	6.95	0.32	47.79	Average	54	Pass
NVNT	a	5700	Ant1	5725.4	-37.25	6.95	-	64.93	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725.4	-51.88	6.95	0.32	50.62	Average	54	Pass
NVNT	a	5700	Ant1	5735	-49.64	6.95	-	52.54	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-57.71	6.95	0.32	44.79	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-47.99	6.95	-	54.19	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-57.37	6.95	0.37	45.18	Average	54	Pass
NVNT	n20	5500	Ant1	5469.6	-38	6.95	-	64.18	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5469.8	-54.78	6.95	0.37	47.77	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-41.8	6.95	-	60.38	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-55.97	6.95	0.37	46.58	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-35.03	6.95	-	67.15	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-50.07	6.95	0.36	52.47	Average	54	Pass
NVNT	n20	5700	Ant1	5735	-47.53	6.95	-	54.65	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-56.88	6.95	0.36	45.66	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-48.74	6.95	-	53.44	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-57.31	6.95	0.54	45.41	Average	54	Pass
NVNT	n40	5510	Ant1	5465.6	-42.02	6.95	-	60.16	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-54.72	6.95	0.54	48	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-43.12	6.95	-	59.06	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-50.36	6.95	-	51.82	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-57.79	6.95	0.54	44.93	Average	54	Pass
NVNT	n40	5670	Ant1	5729.6	-48.08	6.95	-	54.1	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-57.62	6.95	0.54	45.1	Average	54	Pass
NVNT	n40	5670	Ant1	5735	-48.75	6.95	-	53.43	Peak	68.2	Pass






Test Graphs

Restrict Band NVNT a 5500MHz Ant1 Peak



Restrict Band NVNT a 5500MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5700MHz Ant1 Peak



Restrict Band NVNT a 5700MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5500MHz Ant1 Peak



Restrict Band NVNT n20 5500MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity