


|                        |                    |
|------------------------|--------------------|
| Process<br>CYAN        | Process<br>MAGENTA |
| Process<br>YELLOW      | Process<br>BLACK   |
| PMS<br>COOL<br>GRAY 11 |                    |

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |

|                                                                                                                                                                                                                                                           |           |                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
|  <b>Lighting Graphics Approval</b><br>Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities. |           |                    |
| REVIEWED<br>DATE                                                                                                                                                                                                                                          | SIGNATURE | PACKAGING GRAPHICS |
| <hr/> <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div>  |           |                    |



4.25"

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"


### **⚠ WARNING: RISK OF ELECTRIC SHOCK**

This product installation requires handling 120 volt wiring.  
Follow each step carefully.

If any concerns handling wiring, hire a qualified electrician.  
Ensure all work meets applicable local and national codes.

2

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |

## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

| REVIEWED DATE                                                                                                                                                                                                                                      | SIGNATURE | PACKAGING GRAPHICS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
| <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div> |           |                    |

## Simple DIY Setup

Install  
your Smart  
Switch

Download  
the C by GE app

Add  
your Smart Switch to  
the C by GE app




3

4.25"

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |

## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

| REVIEWED DATE                                                                                                                                                                                                                                     | SIGNATURE | PACKAGING GRAPHICS |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
| <div> <input type="checkbox"/> Proof Reading – Spellig           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div> |           |                    |

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

## Compatibility Requirements

Rating 120V AC 60Hz

Neutral wire is required  
(Wire is usually white or grey)

Ground wire is required  
(Wire is usually green, green with a yellow stripe, or copper) ⚡

Wi-Fi 802.11 b/g/n @ 2.4 GHZ is required


Works with halogen, incandescent and LED bulbs, including C by GE Smart Bulbs.

LED up to 1.25 amps

Incandescent/halogen up to 5 amps

Motor up to 1/4HP

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website

☐ Proof against TDS request

☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

### ! IMPORTANT NOTE ON 3-WAY WIRING:

Some lights have one wall switch, while others are controlled by two or more wall switches (such as stair lights, which have a switch at both the top and bottom of the stairs). If your lights have more than one switch (called a 3-way), we've created instructions for how to install and enable the capability.

Visit [cbyge.com/switch-support](http://cbyge.com/switch-support) for 3-way installation instructions and how-to-videos.

For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

5

4.25"


|                                                                                                             |                                                                                                       |                                                                                             |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <br>Process<br>CYAN           | <br>Process<br>MAGENTA | Job#/Project Name: 5670129 Cons Digital INS CbyGE                                           |
| <br>Process<br>YELLOW       | <br>Process<br>BLACK | Version# (date) 3 (02-21-19) CN                                                             |
|                                                                                                             |                                                                                                       | Bar Code: N/A                                                                               |
|                                                                                                             |                                                                                                       | Insert: NONE                                                                                |
|                                                                                                             |                                                                                                       | Supplier Project#: N/A                                                                      |
|                                                                                                             |                                                                                                       | Print Method: <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
|                                                                                                             |                                                                                                       | GE DIE#: NOT CONTROLLED                                                                     |
| <br>PMS<br>COOL<br>GRAY 11 |                                                                                                       | Resource (PK)#: PK-00100922-5                                                               |

|                                                                                                                                                                                                                                                                      |           |                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
|  <h2>Lighting Graphics App roval</h2> <p>Approvals designate all items on checklist have been reviewed &amp; are correct in addition to other organizational responsibilities.</p> |           |                    |
| REVIEWED<br>DATE                                                                                                                                                                                                                                                     | SIGNATURE | PACKAGING GRAPHICS |
| <hr/> <div> <input type="checkbox"/> Proof Reading - Spelling         <input type="checkbox"/> Website       </div> <div> <input type="checkbox"/> Proof against TDS request         <input type="checkbox"/> Graphics Printability       </div>                     |           |                    |


# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website

☐ Proof against TDS request

☐ Graphics Printability

### YOU'LL NEED




Phillips Screwdriver



Needle Nose Pliers  
(recommended)



Voltage Tester  
(recommended)



Approximately  
30 minutes of your day  
to install and setup  
the switch

7

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

4.25"

|                                                                                                             |                                                                                                       |                                                                                             |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <br>Process<br>CYAN           | <br>Process<br>MAGENTA | Job#/Project Name: 5670129 Cons Digital INS CbyGE                                           |
| <br>Process<br>YELLOW       | <br>Process<br>BLACK | Version# (date) 3 (02-21-19) CN                                                             |
|                                                                                                             |                                                                                                       | Bar Code: N/A                                                                               |
|                                                                                                             |                                                                                                       | Insert: NONE                                                                                |
|                                                                                                             |                                                                                                       | Supplier Project#: N/A                                                                      |
|                                                                                                             |                                                                                                       | Print Method: <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
|                                                                                                             |                                                                                                       | GE DIE#: NOT CONTROLLED                                                                     |
| <br>PMS<br>COOL<br>GRAY 11 |                                                                                                       | Resource (PK)#: PK-00100922-5                                                               |

|                                                                                                                                                                                                                                                            |           |                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
|  <b>Lighting Graphics App roval</b><br>Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities. |           |                    |
| REVIEWED<br>DATE                                                                                                                                                                                                                                           | SIGNATURE | PACKAGING GRAPHICS |
| <hr/> <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div>   |           |                    |

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

## You Got This!


And we're here to help.  
For in-depth instructional videos and a guided tour through the installation, go to [cbyge.com/switch-support](http://cbyge.com/switch-support).

8

For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

4.25"





|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS


- |                                                    |                                                |
|----------------------------------------------------|------------------------------------------------|
| <input type="checkbox"/> Proof Reading - Spelling  | <input type="checkbox"/> Website               |
| <input type="checkbox"/> Proof against TDS request | <input type="checkbox"/> Graphics Printability |

### BEFORE YOU DO ANYTHING: Step 1 Turn Off The Power!

Turn off the power for the switch location at the circuit breaker box.

Test existing switch by toggling switch on/off, ensuring lights do not turn on.

Now, follow these setup steps for a single gang switch.



For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

9

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

4.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

Job#/Project Name: 5670129 Cons Digital INS CbyGE

Version# (date) 3 (02-21-19) CN

Bar Code: N/A

Insert: NONE

Supplier Project#: N/A

Print Method: ☐ Offset/Litho ☐ Flexo (direct)

GE DIE#: NOT CONTROLLED

Resource (PK)#: PK-00100922-5



## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

### STEP 2


## Remove Your Old Switch

1. Remove the existing wall plate and switch from the wall.
2. Use voltage tester on the black wires to confirm power to the switch is off (recommended).
3. Before disconnecting the wires from the wall, label each with the provided wire labels.  
▲ Neutral and ground wires are required. If you don't have either wire, the C by GE switch is not compatible.
4. Disconnect wires and remove existing switch.

10

For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website


☐ Proof against TDS request

☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

11

4.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

Job#/Project Name: 5670129 Cons Digital INS CbyGE

Version# (date) 3 (02-21-19) CN

Bar Code: N/A

Insert: NONE

Supplier Project#: N/A

Print Method: ☐ Offset/Litho ☐ Flexo (direct)

GE DIE#: NOT CONTROLLED

Resource (PK)#: PK-00100922-5



## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

### STEP 3

## Connect The Wires

1. Connect the neutral (white) wire on the switch to the neutral (white label) wire from the wall.
2. Connect the line (black) wire on the switch to the line (black label) wire from the wall.
3. Connect the load (black) wire on the switch with the load (black label) wire from the wall.

**NOTE: Both black wires on the switch are interchangeable and can be connected to either the load or line wire from the wall.**

4. Connect the ground (green) wire on the switch with the ground (green label) wire from the wall.


5. Cap the 3-way/multi-way traveler wire (if applicable). For 3-way switch setup, visit [cbyge.com/switch-support](http://cbyge.com/switch-support)

**▲ Attention: Incorrectly connecting the Neutral or Ground wire from the wall to the Line or Load wire on the switch will damage the product.**

12

For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website


☐ Proof against TDS request

☐ Graphics Printability

# PC93105002 INS


This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



### USING WIRE NUTS

1. Insert wires into wire nut.
2. Turn wire nut clockwise.
3. Pull gently on wires to test connection.



For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

13

4.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

### STEP 4


## Fit Wires Into Wall Box

Neatly push the wires back into the box, rotating the switch so it's oriented according to the image.

14

For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website


☐ Proof against TDS request

☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

15

4.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading – Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

### STEP 5

## Secure The Switch


Using a Phillips screwdriver and the screws provided, secure the switch to the wall until level and flush. Screw on the faceplate bracket, then snap the faceplate cover onto the bracket.

16

For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

4.25"





|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website


☐ Proof against TDS request

☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

17

4.25"

|                                                                                                             |                                                                                                       |                                                                                             |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <br>Process<br>CYAN           | <br>Process<br>MAGENTA | Job#/Project Name: 5670129 Cons Digital INS CbyGE                                           |
| <br>Process<br>YELLOW       | <br>Process<br>BLACK | Version# (date) 3 (02-21-19) CN                                                             |
|                                                                                                             |                                                                                                       | Bar Code: N/A                                                                               |
|                                                                                                             |                                                                                                       | Insert: NONE                                                                                |
|                                                                                                             |                                                                                                       | Supplier Project#: N/A                                                                      |
|                                                                                                             |                                                                                                       | Print Method: <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
|                                                                                                             |                                                                                                       | GE DIE#: NOT CONTROLLED                                                                     |
| <br>PMS<br>COOL<br>GRAY 11 |                                                                                                       | Resource (PK)#: PK-00100922-5                                                               |

|                                                                                                                                                                                                                                                            |           |                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
|  <b>Lighting Graphics App roval</b><br>Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities. |           |                    |
| REVIEWED<br>DATE                                                                                                                                                                                                                                           | SIGNATURE | PACKAGING GRAPHICS |
| <hr/> <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div>   |           |                    |

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.


3.25"

## STEP 6


## Turn The Power Back On

After the switch is secured and faceplate mounted, turn the power back on at the circuit breaker box.

At the switch, the light ring will flash blue indicating the device is wired correctly and the device is in setup mode.



4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

| REVIEWED<br>DATE                                   | SIGNATURE                                      | PACKAGING GRAPHICS |
|----------------------------------------------------|------------------------------------------------|--------------------|
|                                                    |                                                |                    |
| <input type="checkbox"/> Proof Reading - Spelling  | <input type="checkbox"/> Website               |                    |
| <input type="checkbox"/> Proof against TDS request | <input type="checkbox"/> Graphics Printability |                    |

Light ring will continuously flash blue until the switch is added to the C by GE app.

Light ring will flash red if the circuit is overloaded.  
Max load rating 1.25 amps for LED and 5 amps for incandescent/halogen.

Light ring will not illuminate if wired incorrectly.

#### IF LIGHTS DON'T TURN ON:

1. Check that power to the switch is on at the breaker.
2. Turn power off at the breaker, return to the switch to confirm the wires are securely and properly wired according to the installation guide.
3. Go to [cbyge.com/switch-support](http://cbyge.com/switch-support) for more troubleshooting.

For Help, Go To: [cbyge.com/switch-support](http://cbyge.com/switch-support) or call 1-844-30C-BYGE

19

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

4.25"


|                                                                                                             |                                                                                                       |                                                                                             |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <br>Process<br>CYAN           | <br>Process<br>MAGENTA | Job#/Project Name: 5670129 Cons Digital INS CbyGE                                           |
| <br>Process<br>YELLOW       | <br>Process<br>BLACK | Version# (date) 3 (02-21-19) CN                                                             |
|                                                                                                             |                                                                                                       | Bar Code: N/A                                                                               |
|                                                                                                             |                                                                                                       | Insert: NONE                                                                                |
|                                                                                                             |                                                                                                       | Supplier Project#: N/A                                                                      |
|                                                                                                             |                                                                                                       | Print Method: <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
|                                                                                                             |                                                                                                       | GE DIE#: NOT CONTROLLED                                                                     |
| <br>PMS<br>COOL<br>GRAY 11 |                                                                                                       | Resource (PK)#: PK-00100922-5                                                               |

|                                                                                                                                                                                                                                                            |           |                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
|  <b>Lighting Graphics App roval</b><br>Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities. |           |                    |
| REVIEWED<br>DATE                                                                                                                                                                                                                                           | SIGNATURE | PACKAGING GRAPHICS |
| <hr/> <div> <input type="checkbox"/> Proof Reading - Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div>   |           |                    |


# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website

☐ Proof against TDS request

☐ Graphics Printability

## Enable Your Voice Assistant

### Amazon Alexa

To setup, open the Alexa app, search for the C by GE skill, follow the setup instructions.

Try this...

Alexa, turn off the living room.  
Alexa, turn on the bedroom.

### Google Assistant

To setup, open the Google Assistant or Google Home app, search for the C by GE action, follow the setup instructions.

Try this...

Hey Google, turn on the lights.  
Hey Google, good morning.  
Hey Google, I'm leaving.


21

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |

## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

| REVIEWED DATE                                                                                                                                                                                                                                      | SIGNATURE | PACKAGING GRAPHICS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
| <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div> |           |                    |

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

## Additional Information and Warnings


### FCC Compliance Statement Compliance Notice:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

22

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website

☐ Proof against TDS request

☐ Graphics Printability

This device complies with Part 15 of the FCC Rules and Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications that are not expressly approved by the manufacturer could void the user's authority to operate the equipment.

#### RF Exposure Information:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall not be less than 8 inches during normal operation.

#### RF Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This transmitter must be installed to provide a separation distance of at least 8 inches from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter.

23

# PC93105002 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

4.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

For supply connections, use copper wire only rated at 75°C.

**⚠ CAUTION - High Voltage - Disconnect power supply before servicing**

Operation temperature: 0-40°C

For Control of Electronic Ballast, CFLs, LED, and LED Lamps.  
Type 1 Enclosure

IP20

Pollution Degree 2

Impulse Voltage: 2500V

Type 1.B action


Indoor use only.



24

4.25"






|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

| REVIEWED DATE                                                                                                                                                                                                                                      | SIGNATURE | PACKAGING GRAPHICS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
| <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div> |           |                    |



4.25"

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading – Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"


### ⚠ Avertissement :

### RISQUE DE DÉCHARGE ÉLECTRIQUE

L'installation de ce produit implique la manipulation d'un câblage de 120 volts. Suivez attentivement chaque étape. Si vous avez des préoccupations concernant la manipulation du câblage, faites appel à un électricien qualifié. Veillez à ce que tous les travaux soient conformes aux règlements locaux et fédéraux.

26

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading – Spelling

☐ Website

☐ Proof against TDS request

☐ Graphics Printability

### Renseignements supplémentaires et mises en garde

#### Déclaration de conformité aux normes de la FCC :

Cet appareil a été testé et reconnu conforme aux limites établies pour les appareils numériques de classe B, selon la section 15 des règlements de la FCC. Ces limites sont conçues pour assurer une protection raisonnable contre le brouillage préjudiciable dans une installation résidentielle. Cet équipement produit, utilise et peut dégager une énergie de fréquence radio; s'il n'est pas installé et utilisé conformément aux consignes, il peut provoquer un brouillage préjudiciable aux communications radio. Cependant, il n'y a aucune garantie quant à l'absence de brouillage dans une installation particulière. Si cet équipement ne provoque pas d'interférence nuisible à la réception de la radio ou de la télévision, ce qu'on peut déterminer en éteignant puis en allumant l'équipement, l'utilisateur est encouragé à essayer de corriger l'interférence en appliquant l'une ou plusieurs des mesures suivantes :

- Réorienter ou repositionner l'antenne de réception.
- Augmenter la distance séparant l'équipement du récepteur.
- Connecter l'équipement à une prise sur un circuit différent de celui auquel le récepteur est branché.
- Consulter le revendeur ou un technicien de radio/TV expérimenté pour obtenir de l'aide.

27

# PC93105002 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

4.25"

|                                                                                                          |                                                                                                    |                                                                                             |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|  Process<br>CYAN           |  Process<br>MAGENTA | Job#/Project Name: 5670129 Cons Digital INS CbyGE                                           |
|  Process<br>YELLOW       |  Process<br>BLACK | Version# (date) 3 (02-21-19) CN                                                             |
|                                                                                                          |                                                                                                    | Bar Code: N/A                                                                               |
|                                                                                                          |                                                                                                    | Insert: NONE                                                                                |
|                                                                                                          |                                                                                                    | Supplier Project#: N/A                                                                      |
|                                                                                                          |                                                                                                    | Print Method: <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
|                                                                                                          |                                                                                                    | GE DIE#: NOT CONTROLLED                                                                     |
|  PMS<br>COOL<br>GRAY 11 |                                                                                                    | Resource (PK)#: PK-00100922-5                                                               |

|                                                                                                                                                                                                                                                            |           |                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
|  <b>Lighting Graphics App roval</b><br>Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities. |           |                    |
| REVIEWED<br>DATE                                                                                                                                                                                                                                           | SIGNATURE | PACKAGING GRAPHICS |
| <hr/> <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div>   |           |                    |

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Cet appareil est conforme à la partie 15 des règlements de la FCC et aux normes RSS sur les appareils exempts de licence du ministère de l'Industrie du Canada. Le fonctionnement de ce produit est assujéti aux deux conditions suivantes :

1. cet appareil ne doit pas causer d'interférences nuisibles;
2. cet appareil doit accepter toute interférence reçue, y compris celles pouvant causer un fonctionnement indésirable.

Tout changement non expressément autorisé par le fabricant peut annuler les droits de l'utilisateur d'utiliser cet équipement.

Renseignements relatifs à l'exposition aux radiofréquences :


Cet équipement est conforme aux limites d'exposition aux rayons de la FCC, définies pour un environnement non contrôlé. Afin d'éviter la possibilité de dépasser les limites d'exposition aux radiofréquences établies par la FCC, toute personne ne devait pas se tenir à moins de 20 cm (8 po) de l'antenne lors d'un fonctionnement normal.

Déclaration relative à l'exposition aux radiofréquences :

Cet équipement est conforme aux limites d'exposition aux rayons de la norme IC RSS-102, définies pour un environnement non contrôlé. Cet émetteur doit être installé à au moins 20 cm (8 po) de toutes les personnes et ne doit pas être colocalisé ou fonctionner conjointement avec une autre antenne ou un autre émetteur.

28

4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

| REVIEWED DATE                                                                                                                                                                                                                                      | SIGNATURE | PACKAGING GRAPHICS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------|
| <div> <input type="checkbox"/> Proof Reading – Spelling           <input type="checkbox"/> Website         </div> <div> <input type="checkbox"/> Proof against TDS request           <input type="checkbox"/> Graphics Printability         </div> |           |                    |

Pour les raccordements d'alimentation, utiliser du fil de cuivre d'une température nominale de 75 °C seulement.

⚠ ATTENTION - Haute tension – Débrancher l'alimentation électrique avant d'effectuer l'entretien  
 Température de fonctionnement : De 0 °C à 40 °C  
 Pour le contrôle des lampes à ballast électronique, fluocompactes et à DEL.  
 Boîtier de type 1  
 IP20  
 Degré de pollution : 2  
 Tension de choc : 2 500 V  
 Action de type 1.B

Réservé à un usage intérieur.




29

# PC93105002 INS

This art is supplied at 100% size.  
 Do not resize, reshape or alter in any way.

3.25"

4.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

Job#/Project Name: 5670129 Cons Digital INS CbyGE

Version# (date) 3 (02-21-19) CN

Bar Code: N/A

Insert: NONE

Supplier Project#: N/A

Print Method: ☐ Offset/Litho ☐ Flexo (direct)

GE DIE#: NOT CONTROLLED

Resource (PK)#: PK-00100922-5



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE


PACKAGING GRAPHICS

☐ Proof Reading - Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability


# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



4.25"



|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Job#/Project Name: | 5670129 Cons Digital INS CbyGE                                                |
| Version# (date)    | 3 (02-21-19) CN                                                               |
| Bar Code:          | N/A                                                                           |
| Insert:            | NONE                                                                          |
| Supplier Project#: | N/A                                                                           |
| Print Method:      | <input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct) |
| GE DIE#:           | NOT CONTROLLED                                                                |
| Resource (PK)#:    | PK-00100922-5                                                                 |



## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling

☐ Website

☐ Proof against TDS request

☐ Graphics Printability



4.25"

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Process  
CYANProcess  
MAGENTAProcess  
YELLOWProcess  
BLACKPMS  
COOL  
GRAY 11

Job#/Project Name: 5670129 Cons Digital INS CbyGE

Version# (date) 3 (02-21-19) CN

Bar Code: N/A

Insert: NONE

Supplier Project#: N/A

Print Method: ☐ Offset/Litho ☐ Flexo (direct)

GE DIE#: NOT CONTROLLED

Resource (PK)#: PK-00100922-5



## Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED  
DATE

SIGNATURE

PACKAGING GRAPHICS

☐ Proof Reading - Spelling☐ Website☐ Proof against TDS request☐ Graphics Printability

# PC93105002 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



Res: PK-00100922-5

32

4.25"