


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2400MHz	2500MHz	2400MHz	2400MHz	2500MHz
	-1.25	-0.77	-0.62	-5.24	-2.46	-1.94
MAX. Gain	-0.62dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	39.74mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.25853	-30.0921	-7.17919
2450	-0.772402	-36.6015	-7.52013
2500	-0.620352	-22.1522	-6.64131

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-5.2445	-22.2624	-12.3826
2450	-2.4652	-24.5837	-10.5492
2500	-1.94130	-29.5413	-9.30012

ANT Test Labs: Attestation of Global Compliance Co., Ltd.