

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                        |                                             |                                                                                            |                                                                                       |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|
| <b>Prüfbericht-Nr.:</b><br><i>Test report no.:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>CN213JY9 001</b>                                                                                                                                                                                                                    | <b>Auftrags-Nr.:</b><br><i>Order no.:</i>   | <b>168347807</b>                                                                           | <b>Seite 1 von 21</b><br><i>Page 1 of 21</i>                                          |  |
| <b>Kunden-Referenz-Nr.:</b><br><i>Client reference no.:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                               | N/A                                                                                                                                                                                                                                    | <b>Auftragsdatum:</b><br><i>Order date:</i> | 2021-12-14                                                                                 |                                                                                       |  |
| <b>Auftraggeber:</b><br><i>Client:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Beijing Roborock Technology Co., Ltd.</b><br>Floor 6, Suite 6016, 6017, 6018, Building C, Kangjian Baosheng Plaza, No. 8<br>Heiquan Road, Haidian District, Beijing, P.R.China.                                                     |                                             |                                                                                            |                                                                                       |  |
| <b>Prüfgegenstand:</b><br><i>Test item:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Robotic Vacuum Cleaner                                                                                                                                                                                                                 |                                             |                                                                                            |                                                                                       |  |
| <b>Bezeichnung / Typ-Nr.:</b><br><i>Identification / Type no.:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                        | Q380RR<br>(Trademark: roborock)                                                                                                                                                                                                        |                                             |                                                                                            |                                                                                       |  |
| <b>Auftrags-Inhalt:</b><br><i>Order content:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                          | FCC and IC approval                                                                                                                                                                                                                    |                                             |                                                                                            |                                                                                       |  |
| <b>Prüfgrundlage:</b><br><i>Test specification:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                       | CFR47 FCC Part 15: Subpart C Section 15.247<br>CFR47 FCC Part 15: Subpart C Section 15.207<br>CFR47 FCC Part 15: Subpart C Section 15.209<br>RSS-247 Issue 2 February 2017<br>RSS-Gen Issue 5 March 2019<br>RSS-102 Issue 5 March 2015 |                                             |                                                                                            |                                                                                       |  |
| <b>Wareneingangsdatum:</b><br><i>Date of sample receipt:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2021-12-15                                                                                                                                                                                                                             | Please refer to photo documents             |                                                                                            |                                                                                       |  |
| <b>Prüfmuster-Nr.:</b><br><i>Test sample no.:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                         | A003182172-001~004                                                                                                                                                                                                                     |                                             |                                                                                            |                                                                                       |  |
| <b>Prüfzeitraum:</b><br><i>Testing period:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 2021-12-17 – 2021-12-29                                                                                                                                                                                                                |                                             |                                                                                            |                                                                                       |  |
| <b>Ort der Prüfung:</b><br><i>Place of testing:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                       | TÜV Rheinland (Shenzhen)<br>Co., Ltd.                                                                                                                                                                                                  |                                             |                                                                                            |                                                                                       |  |
| <b>Prüflaboratorium:</b><br><i>Testing laboratory:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                    | TÜV Rheinland (Shenzhen)<br>Co., Ltd.                                                                                                                                                                                                  |                                             |                                                                                            |                                                                                       |  |
| <b>Prüfergebnis*:</b><br><i>Test result*:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Pass                                                                                                                                                                                                                                   |                                             |                                                                                            |                                                                                       |  |
| <b>geprüft von:</b><br><i>tested by:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                     |                                             | <b>genehmigt von:</b><br><i>authorized by:</i>                                             |  |  |
| <b>Datum:</b><br><i>Date:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 2022-01-18                                                                                                                                                                                                                             |                                             | <b>Ausstellungsdatum:</b><br><i>Issue date:</i>                                            | 2022-01-18                                                                            |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Signed by: Chris Chen                                                                                                                                                                                                                  |                                             |                                                                                            | Signed by: Lin Lin                                                                    |  |
| <b>Stellung / Position</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Section Manager                                                                                                                                                                                                                        |                                             | <b>Stellung / Position</b>                                                                 | Reviewer                                                                              |  |
| <b>Sonstiges / Other:</b><br><br>FCC ID: 2AN2O-Q380RR01<br>IC: 23317-Q380RR01<br>HVIN: Q380RR-FN31                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                        |                                             |                                                                                            |                                                                                       |  |
| <b>Zustand des Prüfgegenstandes bei Anlieferung:</b><br><i>Condition of the test item at delivery:</i>                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                        |                                             | <b>Prüfmuster vollständig und unbeschädigt</b><br><i>Test item complete and undamaged:</i> |                                                                                       |  |
| * Legende: 1 = sehr gut      2 = gut      3 = befriedigend      4 = ausreichend      5 = mangelhaft<br>P(ass) = entspricht o.g. Prüfgrundlage(n)      F(ail) = entspricht nicht o.g. Prüfgrundlage(n)      N/A = nicht anwendbar      N/T = nicht getestet<br>Legend: 1 = very good      2 = good      3 = satisfactory      4 = sufficient      5 = poor<br>P(ass) = passed a.m. test specifications(s)      F(ail) = failed a.m. test specifications(s)      N/A = not applicable      N/T = not tested |                                                                                                                                                                                                                                        |                                             |                                                                                            |                                                                                       |  |
| <b>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</b><br><i>This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i>                                                |                                                                                                                                                                                                                                        |                                             |                                                                                            |                                                                                       |  |

## ***Test Summary***

**5.1.1 ANTENNA REQUIREMENT**

*RESULT: Pass*

**5.1.2 MAXIMUM PEAK CONDUCTED OUTPUT POWER**

*RESULT: Pass*

**5.1.3 CONDUCTED POWER SPECTRAL DENSITY**

*RESULT: Pass*

**5.1.4 99%dB BANDWIDTH**

*RESULT: Pass*

**5.1.5 6dB BANDWIDTH**

*RESULT: Pass*

**5.1.6 CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 KHz BANDWIDTH**

*RESULT: Pass*

**5.1.7 RADIATED SPURIOUS EMISSION**

*RESULT: Pass*

**5.1.8 CONDUCTED EMISSION ON AC MAINS**

*RESULT: Pass*

## Contents

|              |                                                                         |           |
|--------------|-------------------------------------------------------------------------|-----------|
| <b>1</b>     | <b>GENERAL REMARKS .....</b>                                            | <b>4</b>  |
| <b>1.1</b>   | <b>COMPLEMENTARY MATERIALS .....</b>                                    | <b>4</b>  |
| <b>2</b>     | <b>TEST SITES .....</b>                                                 | <b>5</b>  |
| <b>2.1</b>   | <b>TEST FACILITIES .....</b>                                            | <b>5</b>  |
| <b>2.2</b>   | <b>LIST OF TEST AND MEASUREMENT INSTRUMENTS.....</b>                    | <b>5</b>  |
| <b>2.3</b>   | <b>TRACEABILITY .....</b>                                               | <b>6</b>  |
| <b>2.4</b>   | <b>CALIBRATION .....</b>                                                | <b>6</b>  |
| <b>2.5</b>   | <b>MEASUREMENT UNCERTAINTY.....</b>                                     | <b>6</b>  |
| <b>2.6</b>   | <b>LOCATION OF ORIGINAL DATA.....</b>                                   | <b>7</b>  |
| <b>2.7</b>   | <b>STATUS OF FACILITY USED FOR TESTING.....</b>                         | <b>7</b>  |
| <b>3</b>     | <b>GENERAL PRODUCT INFORMATION .....</b>                                | <b>8</b>  |
| <b>3.1</b>   | <b>PRODUCT FUNCTION AND INTENDED USE.....</b>                           | <b>8</b>  |
| <b>3.2</b>   | <b>RATINGS AND SYSTEM DETAILS .....</b>                                 | <b>8</b>  |
| <b>3.3</b>   | <b>INDEPENDENT OPERATION MODES .....</b>                                | <b>9</b>  |
| <b>3.4</b>   | <b>NOISE GENERATING AND NOISE SUPPRESSING PARTS .....</b>               | <b>9</b>  |
| <b>3.5</b>   | <b>SUBMITTED DOCUMENTS.....</b>                                         | <b>9</b>  |
| <b>4</b>     | <b>TEST SET-UP AND OPERATION MODES .....</b>                            | <b>10</b> |
| <b>4.1</b>   | <b>PRINCIPLE OF CONFIGURATION SELECTION .....</b>                       | <b>10</b> |
| <b>4.2</b>   | <b>TEST OPERATION AND TEST SOFTWARE .....</b>                           | <b>10</b> |
| <b>4.3</b>   | <b>SPECIAL ACCESSORIES AND AUXILIARY EQUIPMENT .....</b>                | <b>10</b> |
| <b>4.4</b>   | <b>COUNTERMEASURES TO ACHIEVE EMC COMPLIANCE .....</b>                  | <b>10</b> |
| <b>4.5</b>   | <b>TEST SETUP DIAGRAM .....</b>                                         | <b>11</b> |
| <b>5</b>     | <b>TEST RESULTS .....</b>                                               | <b>13</b> |
| <b>5.1</b>   | <b>TRANSMITTER REQUIREMENT &amp; TEST SUITES .....</b>                  | <b>13</b> |
| <b>5.1.1</b> | <i>Antenna Requirement .....</i>                                        | <i>13</i> |
| <b>5.1.2</b> | <i>Maximum Peak Conducted Output Power .....</i>                        | <i>14</i> |
| <b>5.1.3</b> | <i>Conducted Power Spectral Density .....</i>                           | <i>15</i> |
| <b>5.1.4</b> | <i>99%dB Bandwidth .....</i>                                            | <i>16</i> |
| <b>5.1.5</b> | <i>6dB Bandwidth .....</i>                                              | <i>17</i> |
| <b>5.1.6</b> | <i>Conducted Spurious Emissions Measured in 100 kHz Bandwidth .....</i> | <i>18</i> |
| <b>5.1.7</b> | <i>Radiated Spurious Emission .....</i>                                 | <i>19</i> |
| <b>5.1.8</b> | <i>Conducted Emission on AC Mains.....</i>                              | <i>20</i> |
| <b>6</b>     | <b>PHOTOGRAPHS OF THE TEST SET-UP .....</b>                             | <b>21</b> |

# 1 General Remarks

## 1.1 Complementary Materials

All attachments are integral parts of this test report. This applies especially to the following appendix:

Appendix A: Photographs of the Test Set-up

Appendix B: Test Results.

## 2 Test Sites

### 2.1 Test Facilities

TÜV Rheinland (Shenzhen) Co., Ltd.

No. 362 Huanguan Road Middle, Longhua District, 518110, Shenzhen, P. R. China.

FCC Registration No.: 694916

IC Registration No.: 25069

### 2.2 List of Test and Measurement Instruments

**Table 1: List of Test and Measurement Equipment**

| <b>Radio Spectrum Testing (SRD-Tonscend)</b>   |                     |                  |                   |                   |
|------------------------------------------------|---------------------|------------------|-------------------|-------------------|
| <b>Equipment</b>                               | <b>Manufacturer</b> | <b>Model No.</b> | <b>Serial No.</b> | <b>Cal. Until</b> |
| EXA Signal Analyzer, Multi-touch               | Keysight            | N9010B           | MY60241175        | 2022-09-28        |
| MXG X-Series RF Vector Signal Generator        | Keysight            | N5182B           | MY61250137        | 2022-09-28        |
| EXG X-Series Microwave Analog Signal Generator | Keysight            | N5173B           | MY61250141        | 2022-09-28        |
| DC power supply                                | Keysight            | E3642A           | MY61276100        | 2022-09-28        |
| Power Control Unit                             | Tonscend            | JS0806-4ADC      | N/A               | 2022-09-28        |
| Automation Control Unit                        | Tonscend            | JS0806-2         | 21C8060396        | 2022-09-28        |
| Test Software                                  | Tonscend            | JS1120-3         | N/A               | N/A               |
| Control PC                                     | Lenovo              | TianYi510S-071MB | YLY23JMF          | N/A               |
| Shielding Room 8#                              | Albatross           | SR8              | APC17151-SR8      | 2024-06-22        |
| <b>Unwanted Emission Testing (TS9975)</b>      |                     |                  |                   |                   |
| <b>Equipment</b>                               | <b>Manufacturer</b> | <b>Model No.</b> | <b>Serial No.</b> | <b>Cal. Until</b> |
| EMI Test Receiver                              | R&S                 | ESR 7            | 102021            | 2022-08-10        |
| Signal Analyzer                                | R&S                 | FSV 40           | 101439            | 2022-08-09        |
| System Controller Interface                    | R&S                 | SCI-100          | S10010038         | N/A               |
| Filterbank                                     | R&S                 | Wlan             | 100759            | 2022-08-09        |
| OSP                                            | R&S                 | OSP 120          | 102040            | N/A               |
| Pre-amplifier                                  | R&S                 | SCU08F1          | 08320031          | 2022-08-09        |
| Amplifier                                      | R&S                 | SCU-18F          | 180070            | 2022-08-09        |
| Amplifier                                      | R&S                 | SCU40A           | 100475            | 2022-08-09        |
| Trilog Broadband Antenna (30 MHz - 7 GHz)      | Schwarzbeck         | VULB 9162        | 193               | 2022-08-08        |
| Double-Ridged Antenna (1 -18 GHz)              | ETS-LINDGREN        | 3117             | 00218717          | 2022-08-08        |

| Wideband Ridged Horn Antenna (18-40 GHz) | Steatite     | QMS-00880           | 19067        | 2022-08-08 |
|------------------------------------------|--------------|---------------------|--------------|------------|
| Active Loop Antenna                      | Schwarzbeck  | FMZB 1513           | 302          | 2022-09-13 |
| Test software                            | R&S          | EMC32 (V10.60.10)   | N/A          | N/A        |
| Control PC                               | Dell         | OptiPlex 7050       | 36NV9P2      | N/A        |
| 3m Semi-Anechoic Chamber                 | Albatross    | SAC-3m              | APC17151-SAC | 2024-06-22 |
| <b>Conducted Emissions</b>               |              |                     |              |            |
| Equipment                                | Manufacturer | Model No.           | Serial No.   | Cal. Until |
| EMI Test Receiver                        | R&S          | ESR3                | 102680       | 2022-04-25 |
| Artificial Mains Network                 | R&S          | ENV216              | 101445       | 2022-04-25 |
| Artificial Mains Network                 | R&S          | ENV432              | 101546       | 2022-04-25 |
| EMC32 test software                      | R&S          | EMC32(Ver.10.50.00) | N/A          | N/A        |

## 2.3 Traceability

All measurement equipment calibrations are traceable to NIM (National Institute of Metrology) or where calibration is performed in other countries, to equivalent nationally recognized standards organizations.

## 2.4 Calibration

Equipment requiring calibration is calibrated periodically by the manufacturer or according to manufacturer's specifications. Additionally all equipment is verified for proper performance on a regular basis using in house standards or comparisons.

## 2.5 Measurement Uncertainty

The estimated combined standard uncertainty for radiated emissions and conducted emissions measurements as below table.

| Parameter                                              | Uncertainty                   |
|--------------------------------------------------------|-------------------------------|
| Radio Frequency                                        | $\pm 1 \times 10^{-7}$        |
| RF Power (conducted)                                   | $\pm 2.5$ dB                  |
| Radiated Emission of Transmitter, valid up to 26.5 GHz | $\pm 6$ dB                    |
| Radiated Emission of Receiver, valid up to 26.5 GHz    | $\pm 6$ dB                    |
| Conducted Emission, (9kHz to 150kHz)/(150kHz to 30MHz) | $\pm 3.70$ dB / $\pm 3.30$ dB |
| Temperature                                            | $\pm 1$ °C                    |
| Humidity                                               | $\pm 5$ %                     |
| Voltage (DC)                                           | $\pm 1$ %                     |
| Voltage (AC, <10kHz)                                   | $\pm 2$ %                     |

**Prüfbericht - Nr.: CN213JY9 001**  
*Test Report No.:*Seite 7 von 21  
Page 7 of 21

## 2.6 Location of Original Data

The original copies of all test data taken during actual testing were at this report and delivered to the applicant. A copy has been retained in the TÜV Rheinland (Shenzhen) file for certification follow-up purposes.

## 2.7 Status of Facility Used for Testing

The TÜV Rheinland (Shenzhen) Co., Ltd. Test facility located at No. 362 Huanguan Road Middle, Longhua District, 518110, Shenzhen, P. R. China. is listed on the US Federal Communications Commission list of facilities approved to perform measurements.

### 3 General Product Information

#### 3.1 Product Function and Intended Use

The EUT is **Robotic Vacuum Cleaner**, which supports Wi-Fi 802.11 b/g/n wireless technology.

For details refer to the User Manual, Technical Description and Circuit Diagram.

#### 3.2 Ratings and System Details

**Table 2: Technical Specification of EUT**

| General Information of EUT                    | Value                                                                                                                                             |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Kind of Equipment:                            | Robotic Vacuum Cleaner                                                                                                                            |
| Type Designation:                             | Q380RR                                                                                                                                            |
| Trademark:                                    | roborock                                                                                                                                          |
| FCC ID:                                       | 2AN2O-Q380RR01                                                                                                                                    |
| IC:                                           | 23317-Q380RR01                                                                                                                                    |
| HVIN:                                         | Q380RR-FN31                                                                                                                                       |
| Operating Voltage:                            | AC 100-240V, 50/60Hz<br>DC 14.4V by battery                                                                                                       |
| Testing Voltage:                              | AC 120V, 60Hz<br>Fully charged battery                                                                                                            |
| Docking station:                              | Model: CDZ12RR<br>Input: 100-240VAC, 50-60Hz, 28W<br>Output: 20V DC, 1.2A                                                                         |
| Auto-Empty Dock:                              | Model: AED03LRR<br>Rated Input (Dust Collection) : 120VAC 50-60Hz 9.5A<br>Rated Input (Charge) : 120VAC 50-60Hz 0.5A<br>Rated Output : 20VDC 1.2A |
| Battery:                                      | Model: BRR-2P4S-5200S<br>Capacitance: 74.88Wh, 5200mAh<br>Rated Voltage: 14.4V                                                                    |
| Technical Specification of Wi-Fi 802.11 b/g/n |                                                                                                                                                   |
| Operating Frequency:                          | 2412 - 2462 MHz for 802.11b/g/n(HT20)                                                                                                             |
| Type of Modulation:                           | DSSS(DBPSK/DQPSK/CCK)<br>OFDM(BPSK/QPSK/16QAM/64QAM)                                                                                              |
| Data Rate:                                    | 1/2/5.5/11 Mbps for 802.11b<br>6/9/12/18/24/36/48/54 Mbps for 802.11g<br>MCS0 ~ MCS7 for 802.11n                                                  |
| Channel Number:                               | 11 channels for 802.11b/g/n(HT20)                                                                                                                 |
| Channel Separation:                           | 5 MHz                                                                                                                                             |
| Antenna Type:                                 | FPC Antenna                                                                                                                                       |
| Max. Antenna Gain:                            | 3.87 dBi                                                                                                                                          |



**Table 3: RF Channel and Frequency of Wi-Fi 802.11 b/g/n**

| RF Channel | Frequency (MHz) | RF Channel | Frequency (MHz) |
|------------|-----------------|------------|-----------------|
| <b>01</b>  | <b>2412</b>     | 07         | 2442            |
| 02         | 2417            | 08         | 2447            |
| <b>03</b>  | <b>2422</b>     | <b>09</b>  | <b>2452</b>     |
| 04         | 2427            | 10         | 2457            |
| 05         | 2432            | <b>11</b>  | <b>2462</b>     |
| <b>06</b>  | <b>2437</b>     | /          | /               |

### 3.3 Independent Operation Modes

The basic operation modes are:

- A. On
  - 1. Wi-Fi transmitting mode
    - 1) Low Channel
    - 2) Middle Channel
    - 3) High Channel
- B. On, Charging and WIFI link mode
- C. Off

### 3.4 Noise Generating and Noise Suppressing Parts

Refer to Circuit Diagram for further details.

### 3.5 Submitted Documents

- Application Form
- User Manual
- Operation Description
- FCC/IC Label and Location Info

## 4 Test Set-up and Operation Modes

### 4.1 Principle of Configuration Selection

**Radio Spectrum:** The equipment under test (EUT) was configured at its highest power output in order to measure its highest possible radiation and conducted level. The test modes were adapted accordingly in reference to the instructions for use.

**Emission:** The equipment under test (EUT) was configured to measure its highest possible radiation level. The test modes were adapted accordingly in reference to the instructions for use.

### 4.2 Test Operation and Test Software

Test operation refers to test setup in chapter 5. All testing were performed according to the procedures in ANSI C63.10: 2013.

### 4.3 Special Accessories and Auxiliary Equipment

Table 4: List of Accessories and Auxiliary Equipment

| Description | Manufacturer | Model | S/N       |
|-------------|--------------|-------|-----------|
| Laptop      | Lenovo       | T480  | PF-16A6N8 |

### 4.4 Countermeasures to Achieve EMC Compliance

The test sample which has been tested contained the noise suppression parts as described in the Technical Construction File (TCF).

No additional measures were employed to achieve compliance.

## 4.5 Test Setup Diagram

Diagram of Measurement Configuration for Radiation Test (Below 1GHz)







Diagram of Measurement Configuration for Radiation Test (Above 1GHz)



**Diagram of Measurement Configuration for Mains Conduction Measurement**



**Diagram of Measurement Configuration for Conducted Transmitter Measurement**



## 5 Test Results

### 5.1 Transmitter Requirement & Test Suites

#### 5.1.1 Antenna Requirement

RESULT:

Pass

**Test Specification**

|               |   |                                                                     |
|---------------|---|---------------------------------------------------------------------|
| Test standard | : | FCC Part 15.247(b)(4) and Part 15.203                               |
| Limit         | : | the use of antennas with directional gains that do not exceed 6 dBi |

According to the manufacturer declared, the EUT has a FPC antenna, the directional gain of antenna is 3.87 dBi, and the antenna connector is designed with permanent attachment and no consideration of replacement. Therefore the EUT is considered sufficient to comply with the provision.

Refer to EUT Photo for further details.

## 5.1.2 Maximum Peak Conducted Output Power

**RESULT:**
**Pass**
**Test Specification**

|                   |                                                        |
|-------------------|--------------------------------------------------------|
| Test standard     | : FCC Part 15.247(b)(3)<br>RSS-247 Clause 5.4(2)&(4)   |
| Basic standard    | : ANSI C63.10: 2013                                    |
| Limits            | : < 1 W (Maximum Conducted Peak Power)<br>e.i.r.p. <4W |
| Kind of test site | : Shielded Room                                        |

**Test Setup**

|                      |                         |
|----------------------|-------------------------|
| Date of testing      | : 2021-12-28            |
| Input voltage        | : Fully charged battery |
| Operation mode       | : A                     |
| Test channel         | : Low / Middle / High   |
| Ambient temperature  | : 23.6 °C               |
| Relative humidity    | : 45 %                  |
| Atmospheric pressure | : 101 kPa               |

For details refer to following test result.

**Table 5: Test Result of Maximum Peak Conducted Output Power, Wi-Fi 802.11 b/g/n**

| Test Mode              | Data Rate | Test Channel (MHz) | Measured Peak Power |        | Limit (W) |
|------------------------|-----------|--------------------|---------------------|--------|-----------|
|                        |           |                    | (dBm)               | (W)    |           |
| 802.11b                | 1 Mbps    | 2412               | 12.26               | 0.0168 | < 1.0     |
|                        |           | 2437               | 12.37               | 0.0173 |           |
|                        |           | 2462               | 12.85               | 0.0193 |           |
| 802.11g                | 6 Mbps    | 2412               | 20.84               | 0.1213 |           |
|                        |           | 2437               | 20.39               | 0.1094 |           |
|                        |           | 2462               | 19.88               | 0.0973 |           |
| 802.11n (HT20)         | MCS0      | 2412               | 20.38               | 0.1091 |           |
|                        |           | 2437               | 21.92               | 0.1556 |           |
|                        |           | 2462               | 20.47               | 0.1114 |           |
| Maximum Measured Value |           |                    | 21.92               | 0.1556 |           |

Note:

- 1) The cable loss is taken into account in results.
- 2) Antenna gain(G): 3.87 dBi

Note: The cable loss is taken into account in results and the e.i.r.p. is 25.76 dBm less than 4W (36 dBm).

### 5.1.3 Conducted Power Spectral Density

**RESULT:****Pass****Test Specification**

|                   |                                               |
|-------------------|-----------------------------------------------|
| Test standard     | : FCC Part 15.247(e)<br>RSS-247 Clause 5.2(2) |
| Basic standard    | : ANSI C63.10: 2013                           |
| Limits            | : 8 dBm / 3kHz                                |
| Kind of test site | : Shielded Room                               |

**Test Setup**

|                      |                         |
|----------------------|-------------------------|
| Date of testing      | : 2021-12-28            |
| Input voltage        | : Fully charged battery |
| Operation mode       | : A                     |
| Test channel         | : Low / Middle / High   |
| Ambient temperature  | : 23.6 °C               |
| Relative humidity    | : 45 %                  |
| Atmospheric pressure | : 101 kPa               |

For the measurement records, refer to the appendix B.

**Prüfbericht - Nr.: CN213JY9 001**  
Test Report No.:

Seite 16 von 21  
Page 16 of 21

### 5.1.4 99%dB Bandwidth

**RESULT:**

**Pass**

#### Test Specification

|                   |                      |
|-------------------|----------------------|
| Test standard     | : RSS-Gen clause 6.7 |
| Basic standard    | : ANSI C63.10: 2013  |
| Kind of test site | : Shielded Room      |

#### Test Setup

|                      |                         |
|----------------------|-------------------------|
| Date of testing      | : 2021-12-28            |
| Input voltage        | : Fully charged battery |
| Operation mode       | : A                     |
| Test channel         | : Low / Middle / High   |
| Ambient temperature  | : 23.6 °C               |
| Relative humidity    | : 45 %                  |
| Atmospheric pressure | : 101 kPa               |

For the measurement records, refer to the appendix B.



### 5.1.5 6dB Bandwidth

**RESULT:****Pass****Test Specification**

|                   |                                                  |
|-------------------|--------------------------------------------------|
| Test standard     | : FCC Part 15.247(a)(2)<br>RSS-247 Clause 5.2(a) |
| Basic standard    | : ANSI C63.10: 2013                              |
| Limits            | : > 500 KHz                                      |
| Kind of test site | : Shielded Room                                  |

**Test Setup**

|                      |                         |
|----------------------|-------------------------|
| Date of testing      | : 2021-12-28            |
| Input voltage        | : Fully charged battery |
| Operation mode       | : A                     |
| Test channel         | : Low / Middle / High   |
| Ambient temperature  | : 23.6 °C               |
| Relative humidity    | : 45 %                  |
| Atmospheric pressure | : 101 kPa               |

For the measurement records, refer to the appendix B.

### 5.1.6 Conducted Spurious Emissions Measured in 100 kHz Bandwidth

**RESULT:****Pass****Test Specification**

|                   |                                                                                                                                                                                                                                                                    |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test standard     | : FCC Part 15.247(d)<br>RSS-247 Clause 5.5                                                                                                                                                                                                                         |
| Basic standard    | : ANSI C63.10: 2013                                                                                                                                                                                                                                                |
| Limits            | : 20dB (below that in the 100kHz bandwidth within the band that contains the highest level of the desired power);<br>In addition, radiated emissions which fall in the restricted bands, must also comply with the radiated emission limits specified in 15.209(a) |
| Kind of test site | : Shielded Room                                                                                                                                                                                                                                                    |

**Test Setup**

|                      |                         |
|----------------------|-------------------------|
| Date of testing      | : 2021-12-28            |
| Input voltage        | : Fully charged battery |
| Operation mode       | : A                     |
| Test channel         | : Low / Middle / High   |
| Ambient temperature  | : 23.6 °C               |
| Relative humidity    | : 45 %                  |
| Atmospheric pressure | : 101 kPa               |

Test results of 100kHz Bandwidth of Frequency Band Edge by Conducted method refer to test plots, and compliance is achieved as well.

For the measurement records, refer to the appendix B.

### 5.1.7 Radiated Spurious Emission

**RESULT:****Pass****Test Specification**

|                   |                                                                         |
|-------------------|-------------------------------------------------------------------------|
| Test standard     | : FCC Part 15.247(d) & FCC Part 15.205<br>RSS-247 Clause 3.3 & 5.5      |
| Basic standard    | : ANSI C63.10: 2013                                                     |
| Limits            | : Refer to 15.209(a) of FCC part 15.247(d)<br>RSS-Gen Table 4 & Table 5 |
| Kind of test site | : 3m Semi-anechoic Chamber                                              |

**Test Setup**

|                      |                         |
|----------------------|-------------------------|
| Date of testing      | : 2021-12-21            |
| Input voltage        | : Fully charged battery |
| Operation mode       | : A                     |
| Test channel         | : Low / Middle / High   |
| Ambient temperature  | : Refer to test result  |
| Relative humidity    | : Refer to test result  |
| Atmospheric pressure | : 101 kPa               |

**Remark:**

Testing was carried out within frequency range 9kHz to the tenth harmonics. Only the worst case spurious emissions configuration of the each mode were reported.

For the measurement records, refer to the appendix B.

**Prüfbericht - Nr.:** CN213JY9 001  
*Test Report No.:*Seite 20 von 21  
Page 20 of 21

### 5.1.8 Conducted Emission on AC Mains

**RESULT:****Pass****Test Specification**

|                   |                                            |
|-------------------|--------------------------------------------|
| Test standard     | : FCC Part 15.207(a)<br>RSS-Gen Clause 8.8 |
| Basic standard    | : ANSI C63.10: 2013                        |
| Frequency range   | : 0.15 – 30MHz                             |
| Limits            | : FCC Part 15.207(a)<br>RSS-Gen Table 4    |
| Kind of test site | : Shielded Room                            |

**Test Setup**

|                      |                 |
|----------------------|-----------------|
| Date of testing      | : 2021-12-29    |
| Input voltage        | : AC 120V, 60Hz |
| Operation mode       | : B             |
| Earthing             | : Not connected |
| Ambient temperature  | : 22 °C         |
| Relative humidity    | : 52 %          |
| Atmospheric pressure | : 101 kPa       |

For the measurement records, refer to the appendix B.

## 6 Photographs of the Test Set-Up

For photographs of the test set-up, refer to the appendix A.

---END---