



ELEMENT WASHINGTON DC LLC

7185 Oakland Mills Road, Columbia, MD 21046 USA

Tel. 410.290.6652 / Fax 410.290.6654

<http://www.element.com>

PART 27 MEASUREMENT REPORT

Applicant Name:

Samsung Electronics Co., Ltd.
129, Samsung-ro,
Yeongtong-gu, Suwon-si
Gyeonggi-do, 16677, Korea

Date of Testing:

09/06/2024 – 11/12/2024

Test Report Issue Date:

11/12/2024

Test Site/Location:

Element Lab., Columbia, MD, USA

Test Report Serial No.:

1M2408260069-06.A3L

FCC ID:

A3LSMS938B

APPLICANT:

Samsung Electronics Co., Ltd.

Application Type:

Certification

Model:

SM-S938B/DS

Additional Model:

SM-S938B

EUT Type:

Portable Handset

FCC Classification:

PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part:

27

Test Procedure(s):

ANSI C63.26-2015, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

RJ Ortanez
Executive Vice President



FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 1 of 169

© 2024 ELEMENT

V11.1 08/28/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

TABLE OF CONTENTS

1.0	INTRODUCTION	7
1.1	Scope	7
1.2	Element Test Location.....	7
1.3	Test Facility / Accreditations.....	7
2.0	PRODUCT INFORMATION.....	8
2.1	Equipment Description	8
2.2	Device Capabilities.....	8
2.3	Test Configuration	8
2.4	Software and Firmware	8
2.5	EMI Suppression Device(s)/Modifications	8
3.0	DESCRIPTION OF TESTS	9
3.1	Evaluation Procedure	9
3.2	Radiated Power and Radiated Spurious Emissions	9
4.0	MEASUREMENT UNCERTAINTY	10
5.0	TEST EQUIPMENT CALIBRATION DATA	11
6.0	SAMPLE EMISSION DESIGNATORS	12
7.0	TEST RESULTS.....	13
7.1	Summary.....	13
7.2	Conducted Output Power Data	17
7.3	Occupied Bandwidth	19
7.4	Spurious and Harmonic Emissions at Antenna Terminal	77
7.5	Band Edge Emissions at Antenna Terminal	99
7.6	Peak-Average Ratio	122
7.7	Radiated Power (ERP/EIRP).....	133
7.8	Radiated Spurious Emissions Measurements	141
7.9	Frequency Stability / Temperature Variation	162
8.0	CONCLUSION.....	169

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 2 of 169

MEASUREMENT REPORT

FCC Part 27

Antenna-1						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	ERP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 12/17	10 MHz	QPSK	704.0 - 711.0	0.086	19.33	9M02G7D
		16QAM	704.0 - 711.0	0.072	18.56	9M01W7D
	5 MHz	QPSK	701.5 - 713.5	0.087	19.42	4M52G7D
		16QAM	701.5 - 713.5	0.072	18.59	4M53W7D
	3 MHz	QPSK	700.5 - 714.5	0.084	19.22	2M72G7D
		16QAM	700.5 - 714.5	0.074	18.68	2M73W7D
	1.4 MHz	QPSK	699.7 - 715.3	0.084	19.26	1M11G7D
		16QAM	699.7 - 715.3	0.071	18.53	1M12W7D
LTE Band 13	10 MHz	QPSK	782.0	0.060	17.78	9M00G7D
		16QAM	782.0	0.052	17.13	9M01W7D
	5 MHz	QPSK	779.5 - 784.5	0.061	17.84	4M53G7D
		16QAM	779.5 - 784.5	0.052	17.16	4M53W7D

Antenna-1					
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP	
				Max. Power [W]	Max. Power [dBm]
WCDMA1700	N/A	Spread Spectrum	1712.4 - 1752.6	0.216	23.34
LTE Band 66/4	20 MHz	QPSK	1720.0 - 1770.0	0.182	22.61
		16QAM	1720.0 - 1770.0	0.151	21.78
	15 MHz	QPSK	1717.5 - 1772.5	0.203	23.08
		16QAM	1717.5 - 1772.5	0.171	22.34
	10 MHz	QPSK	1715.0 - 1775.0	0.202	23.05
		16QAM	1715.0 - 1775.0	0.163	22.11
	5 MHz	QPSK	1712.5 - 1777.5	0.202	23.05
		16QAM	1712.5 - 1777.5	0.164	22.15
	3 MHz	QPSK	1711.5 - 1778.5	0.206	23.13
		16QAM	1711.5 - 1778.5	0.163	22.13
	1.4 MHz	QPSK	1710.7 - 1779.3	0.201	23.04
		16QAM	1710.7 - 1779.3	0.158	21.98

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset		Page 3 of 169

Antenna-1						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n66	45 MHz	$\pi/2$ BPSK	1732.5 - 1757.5	0.158	21.97	43M1G7D
		QPSK	1732.5 - 1757.5	0.156	21.93	43M5G7D
		16QAM	1732.5 - 1757.5	0.127	21.02	43M6W7D
	40 MHz	$\pi/2$ BPSK	1730.0 - 1760.0	0.151	21.79	38M7G7D
		QPSK	1730.0 - 1760.0	0.156	21.92	38M8G7D
		16QAM	1730.0 - 1760.0	0.119	20.77	38M8W7D
	35 MHz	$\pi/2$ BPSK	1727.5 - 1762.5	0.148	21.71	32M3G7D
		QPSK	1727.5 - 1762.5	0.145	21.62	33M7G7D
		16QAM	1727.5 - 1762.5	0.135	21.31	33M7W7D
	30 MHz	$\pi/2$ BPSK	1725.0 - 1765.0	0.155	21.89	28M7G7D
		QPSK	1725.0 - 1765.0	0.156	21.94	28M7G7D
		16QAM	1725.0 - 1765.0	0.126	20.99	28M7W7D
	25 MHz	$\pi/2$ BPSK	1722.5 - 1767.5	0.154	21.87	23M0W7D
		QPSK	1722.5 - 1767.5	0.156	21.93	23M9W7D
		16QAM	1722.5 - 1767.5	0.126	21.01	23M9W7D
	20 MHz	$\pi/2$ BPSK	1720.0 - 1770.0	0.152	21.80	18M0G7D
		QPSK	1720.0 - 1770.0	0.152	21.83	19M0G7D
		16QAM	1720.0 - 1770.0	0.130	21.13	19M0W7D
	15 MHz	$\pi/2$ BPSK	1717.5 - 1772.5	0.153	21.86	13M5G7D
		QPSK	1717.5 - 1772.5	0.154	21.87	14M2G7D
		16QAM	1717.5 - 1772.5	0.131	21.16	14M1W7D
	10 MHz	$\pi/2$ BPSK	1715.0 - 1775.0	0.149	21.74	9M02G7D
		QPSK	1715.0 - 1775.0	0.146	21.65	9M33G7D
		16QAM	1715.0 - 1775.0	0.115	20.60	9M34W7D
	5 MHz	$\pi/2$ BPSK	1712.5 - 1777.5	0.149	21.73	4M49G7D
		QPSK	1712.5 - 1777.5	0.147	21.66	4M53G7D
		16QAM	1712.5 - 1777.5	0.124	20.92	4M50W7D

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 4 of 169

Antenna-2								
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	ERP		EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	Max. Power [W]	Max. Power [dBm]	
LTE Band 12/17	10 MHz	QPSK	704.0 - 711.0	0.103	20.13	0.169	22.28	8M99G7D
		16QAM	704.0 - 711.0	0.080	19.01	0.131	21.16	9M02W7D
	5 MHz	QPSK	701.5 - 713.5	0.106	20.27	0.175	22.42	4M53G7D
		16QAM	701.5 - 713.5	0.078	18.94	0.129	21.09	4M53W7D
	3 MHz	QPSK	700.5 - 714.5	0.103	20.13	0.169	22.28	2M72G7D
		16QAM	700.5 - 714.5	0.079	19.00	0.130	21.15	2M72W7D
	1.4 MHz	QPSK	699.7 - 715.3	0.092	19.66	0.152	21.81	1M11G7D
		16QAM	699.7 - 715.3	0.075	18.74	0.123	20.89	1M10W7D
LTE Band 13	10 MHz	QPSK	782.0	0.092	19.65	0.151	21.80	9M05G7D
		16QAM	782.0	0.079	18.95	0.129	21.10	9M03W7D
	5 MHz	QPSK	779.5 - 784.5	0.093	19.67	0.152	21.82	4M54G7D
		16QAM	779.5 - 784.5	0.080	19.05	0.132	21.20	4M52W7D

Antenna-2						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 66/4	20 MHz	QPSK	1720.0 - 1770.0	0.104	20.18	18M0G7D
		16QAM	1720.0 - 1770.0	0.091	19.58	18M1W7D
	15 MHz	QPSK	1717.5 - 1772.5	0.116	20.65	13M5G7D
		16QAM	1717.5 - 1772.5	0.103	20.14	13M5W7D
	10 MHz	QPSK	1715.0 - 1775.0	0.115	20.62	9M05G7D
		16QAM	1715.0 - 1775.0	0.098	19.91	9M04W7D
	5 MHz	QPSK	1712.5 - 1777.5	0.115	20.62	4M55G7D
		16QAM	1712.5 - 1777.5	0.099	19.95	4M55W7D
	3 MHz	QPSK	1711.5 - 1778.5	0.117	20.70	2M73G7D
		16QAM	1711.5 - 1778.5	0.098	19.93	2M73W7D
	1.4 MHz	QPSK	1710.7 - 1779.3	0.115	20.61	1M11G7D
		16QAM	1710.7 - 1779.3	0.095	19.78	1M11W7D

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset		Page 5 of 169

Antenna-2						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n66	45 MHz	$\pi/2$ BPSK	1732.5 - 1757.5	0.211	23.23	43M2G7D
		QPSK	1732.5 - 1757.5	0.212	23.27	43M5G7D
		16QAM	1732.5 - 1757.5	0.173	22.38	43M6W7D
	40 MHz	$\pi/2$ BPSK	1730.0 - 1760.0	0.206	23.14	38M7G7D
		QPSK	1730.0 - 1760.0	0.202	23.04	38M8G7D
		16QAM	1730.0 - 1760.0	0.153	21.83	38M8W7D
	35 MHz	$\pi/2$ BPSK	1727.5 - 1762.5	0.207	23.16	32M4G7D
		QPSK	1727.5 - 1762.5	0.211	23.25	33M7G7D
		16QAM	1727.5 - 1762.5	0.169	22.29	33M8W7D
	30 MHz	$\pi/2$ BPSK	1725.0 - 1765.0	0.200	23.01	28M8G7D
		QPSK	1725.0 - 1765.0	0.200	23.00	28M7G7D
		16QAM	1725.0 - 1765.0	0.170	22.31	28M7W7D
	25 MHz	$\pi/2$ BPSK	1722.5 - 1767.5	0.205	23.12	23M0W7D
		QPSK	1722.5 - 1767.5	0.208	23.18	23M9W7D
		16QAM	1722.5 - 1767.5	0.170	22.31	23M9W7D
	20 MHz	$\pi/2$ BPSK	1720.0 - 1770.0	0.203	23.09	18M0G7D
		QPSK	1720.0 - 1770.0	0.200	23.01	19M0G7D
		16QAM	1720.0 - 1770.0	0.153	21.85	19M0W7D
	15 MHz	$\pi/2$ BPSK	1717.5 - 1772.5	0.204	23.10	13M5G7D
		QPSK	1717.5 - 1772.5	0.208	23.17	14M2G7D
		16QAM	1717.5 - 1772.5	0.168	22.27	14M2W7D
	10 MHz	$\pi/2$ BPSK	1715.0 - 1775.0	0.202	23.06	9M01G7D
		QPSK	1715.0 - 1775.0	0.200	23.00	9M35G7D
		16QAM	1715.0 - 1775.0	0.169	22.28	9M33W7D
	5 MHz	$\pi/2$ BPSK	1712.5 - 1777.5	0.207	23.15	4M52G7D
		QPSK	1712.5 - 1777.5	0.205	23.12	4M51G7D
		16QAM	1712.5 - 1777.5	0.165	22.19	4M50W7D

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 6 of 169

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 Element Test Location

Measurements were conducted at the Element laboratory(ies) indicated in Section 1.3 below. All measurement facilities are compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01r01.

1.3 Test Facility / Accreditations

Measurements were performed at Element lab located in Columbia, MD 21046, U.S.A. (“MD”)

- Element Washington DC LLC is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element Washington DC LLC facility is a registered (2451B) test laboratory with the site description on file with ISED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB # US0110) for ISED Canada as designated by NIST under the U.S. and Canada Mutual Recognition Agreements (MRAs).

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 7 of 169

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMS938B**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

Test Device Serial No.: 0286M, 0334M, 0099M, 0084M, 0081M, 0670R, 0741M, 0734M

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, Multi-band 5G NR (FR1), 802.11b/g/n/ax/be WLAN, 802.11a/n/ac/ax/be UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), NFC, UWB, Wireless Power Transfer

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI C63.26-2015. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

Band	Ant1	Ant2
WCDMA	Ant A	-
LTE Band 66/4	Ant A	Ant F
LTE Band B12/17	Ant A	Ant E
LTE Band B13	Ant E	Ant A
NR Band n66	Ant A	Ant F

Table 2-1. Antenna Naming Convention

2.4 Software and Firmware

Testing was performed on device(s) using software/firmware version S938BXXU0AXHN installed on the EUT.

2.5 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 8 of 169

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the “American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services” (ANSI C63.26-2015) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI C63.26-2015. For emissions below 1GHz, a half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]};$$

where P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

For radiated spurious emissions measurements, the field strength conversion method is used per the formulas in Section 5.2.7 of ANSI C63.26-2015. Field Strength (EIRP) is calculated using the following formulas:

$$E_{\text{[dB}\mu\text{V/m]}} = \text{Measured amplitude level}_{\text{[dBm]}} + 107 + \text{Cable Loss}_{\text{[dB]}} + \text{Antenna Factor}_{\text{[dB/m]}}$$

And

$$\text{EIRP}_{\text{[dBm]}} = E_{\text{[dB}\mu\text{V/m]}} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01 v01r01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015.

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 9 of 169

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (\pm dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

Table 4-1. Measurement Uncertainty Budget – MD

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 10 of 169

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	AP2	EMC Cable and Switch System	4/2/2024	Annual	4/2/2025	AP2
-	AP1	EMC Cable and Switch System	4/2/2024	Annual	4/2/2025	AP1
-	ETS	EMC Cable and Switch System	4/2/2024	Annual	4/2/2025	ETS
-	LTx1	Licensed Transmitter Cable Set	4/2/2024	Annual	4/2/2025	LTx1
-	LTx4	Licensed Transmitter Cable Set	4/2/2024	Annual	4/2/2025	LTx4
-	LTx5	Licensed Transmitter Cable Set	4/2/2024	Annual	4/2/2025	LTx5
Agilent	N9030A	50GHz PXA Signal Analyzer	4/23/2024	Annual	4/23/2025	US51350301
Anritsu	MT8821C	Radio Communication Analyzer		N/A		6201381794
Emco	3116	Horn Antenna (18 - 40GHz)	7/5/2023	Triennial	7/5/2025	9203-2178
Espec	ESX-2CA	Environmental Chamber	9/26/2024	Annual	9/26/2026	17620
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/29/2023	Biennial	3/29/2025	128337
ETS Lindgren	3164-10	Quad Ridge Horn 400MHz - 10000MHz	7/13/2023	Biennial	7/13/2025	00166283
Keysight Technologies	N9020A	MXA Signal Analyzer	4/11/2024	Annual	4/11/2025	MY54500644
Keysight Technologies	N9030A	PXA Signal Analyzer	2/29/2024	Annual	3/1/2025	MY55410501
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator		N/A		11208010032
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator		N/A		11403100002
Rohde & Schwarz	CMW500	Radio Communication Tester		N/A		112347
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	10/16/2024	Annual	10/16/2025	100342
Rohde & Schwarz	FSW26	2Hz-26.5GHz Signal and Spectrum Analyzer	3/8/2024	Annual	3/8/2025	103187
Sunol	JB6	LB6 Antenna	3/2/2023	Biennial	3/2/2025	A082816

Table 5-1. Test Equipment Calibration Table – MD

Notes:

- For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 11 of 169

6.0 SAMPLE EMISSION DESIGNATORS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 12 of 169

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMS938B
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): WCDMA/LTE/NR

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Transmitter Conducted Output Power *	2.1046(a), 2.1046(c)	N/A	PASS	Section 7.2
	Occupied Bandwidth	2.1049(h)	N/A	PASS	Section 7.3
	Conducted Band Edge / Spurious Emissions (LTE Band 13)	2.1051, 27.53(c), 27.53(f)	Undesirable emissions must meet the limits detailed in sections 27.53(c) and 27.53(f)	PASS	Sections 7.4, 7.5
	Conducted Band Edge / Spurious Emissions (LTE Band 12, 17)	2.1051, 27.53(g)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Sections 7.4, 7.5
	Conducted Band Edge / Spurious Emissions (WCDMA AWS; LTE Band 4, 66; NR Band n66)	2.1051, 27.53(h)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Sections 7.4, 7.5
	Peak-to-Average Ratio (WCDMA AWS; LTE Band 4, 66; NR Band n66)	27.50(d)(5)	≤ 13 dB	PASS	Section 7.6
	Frequency Stability	2.1055, 27.54	Fundamental emissions stay within authorized frequency block	PASS	Section 7.9
RADIATED	Effective Radiated Power (LTE Band 13)	27.50(b)(10)	≤ 3 Watts max. ERP	PASS	Section 7.7
	Effective Radiated Power (LTE Band 12, 17)	27.50(c)(10)	≤ 3 Watts max. ERP	PASS	Section 7.7
	Equivalent Isotropic Radiated Power (WCDMA AWS; LTE Band 4, 66; NR Band n66)	27.50(d)(4)	≤ 1 Watt max. EIRP	PASS	Section 7.7
	Radiated Spurious Emissions (LTE Band 13)	2.1053, 27.53(c), 27.53(f)	Undesirable emissions must meet the limits detailed in sections 27.53(c) and 27.53(f)	PASS	Section 7.8
	Radiated Spurious Emissions (LTE Band 12, 17, 71)	2.1053, 27.53(g)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Section 7.8
	Radiated Spurious Emissions (WCDMA AWS; LTE Band 4, 66; NR Band n66)	2.1053, 27.53(h)(1)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Section 7.8

* The only transmitter output conducted powers included in this report are those where the Pmax value, per the tune-up document, is higher than any of the DSI power levels. For the remaining conducted power measurements, see the **RF Exposure Report**.

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 13 of 169

- 2) The analyzer plots shown in Section 7.0 were taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is EMC Software Tool v1.2.2.
- 5) Data was leveraged from model SM-S938U for the certification of SM-S938B/DS. See Table 7-2 for spot-check results.

FCC Rules	Test Item	Test Case	Units	Limit	Reference Model: SM-S938U	Variant Model: SM-S938B	Deviation (dB)	Max Deviation (dB)	Pass/Fail
27	Conducted Output Power	Mid Ch., 5MHz, 782MHz, QPSK	dBm	N/A	24.34	24.22	-0.12	1	PASS
	Occupied Bandwidth	Mid Ch., 10MHz, 782MHz, QPSK	dBm	N/A	9.00	9.04	-	N/A	PASS
	ERP	Mid Ch., 5MHz, 782MHz, QPSK	dBm	>30	17.84	17.71	-0.13	3	PASS
	RSE	Mid Ch., 1564MHz, Ant E	dBm	-13	-64.49	-62.39	2.10	3	PASS

Table 7-2. Summary of Spot-Checks – LTE Band 13 Ant 1

FCC Rules	Test Item	Test Case	Units	Limit	Reference Model: SM-S938U	Variant Model: SM-S938B	Deviation (dB)	Max Deviation (dB)	Pass/Fail
27	Conducted Output Power	High Ch., 20MHz, 1770MHz, QPSK	dBm	N/A	24.23	24.07	-0.16	1	PASS
	Occupied Bandwidth	Mid Ch., 20MHz, 1745MHz, QPSK	dBm	N/A	17.99	18.02	-	N/A	PASS
	ERP	Low Ch., 3MHz, 1711.5MHz, QPSK	dBm	>30	23.13	23.17	0.04	3	PASS
	RSE	Mid Ch., 3490MHz, Ant A	dBm	-13	-61.72	-63.02	-1.30	3	PASS

Table 7-3. Summary of Spot-Checks – LTE Band 66/4 Ant 1


Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
5 MHz	QPSK	23205	779.5	1 / 12	24.19
		23230	782.0	1 / 24	24.22
		23255	784.5	1 / 12	24.14
	16-QAM	23205	779.5	1 / 12	23.45

Table 7-4. Conducted Output Power Measurements (Spot-check) – LTE Band 13 Ant 1

Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
QPSK	132572	1770.0	1 / 50	24.07

Table 7-5. Conducted Output Power Measurements (Spot-check) – LTE Band 66/4 Ant 1

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset		Page 14 of 169



Plot 7-1. Occupied Bandwidth (Spot-check) – LTE Band 13 Ant 1



Plot 7-2. Occupied Bandwidth (Spot-check) – LTE Band 66/4 Ant 1

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 15 of 169

Bandwidth	Mod.	Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Ant. Gain [dBi]	RB Size/Offset	Substitute Level [dBm]	ERP [dBm]	ERP [Watts]	ERP Limit [dBm]	Margin [dB]
5 MHz	QPSK	779.50	V	155	127	0.94	1 / 12	18.90	17.68	0.059	34.77	-17.09
	QPSK	782.00	V	155	127	0.89	1 / 24	18.97	17.71	0.059	34.77	-17.06
	QPSK	784.50	V	155	127	0.85	1 / 12	18.94	17.63	0.058	34.77	-17.14
	16-QAM	779.50	V	155	127	0.94	1 / 12	18.25	17.03	0.051	34.77	-17.74

Table 7-6. ERP Measurements (Spot-check) – LTE Band 13 Ant 1

Mod.	Frequency [MHz]	Ant. Pol. [H/V]	EUT Pol.	Antenna Height [cm]	Turntable Azimuth [degree]	Ant. Gain [dBi]	RB Size/Offset	Substitute Level [dBm]	EIRP [dBm]	EIRP [Watts]	EIRP Limit [dBm]	Margin [dB]
QPSK	1711.50	V	Y	155	324	2.88	1 / 7	20.29	23.17	0.208	30.00	-6.83

Table 7-7. EIRP Measurements (Spot-check) – LTE Band 66/4 Ant 1

Bandwidth (MHz):	10
Frequency (MHz):	782
RB / Offset:	1 / 25

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
1564.00	H	162	40	-67.24	-6.90	32.86	-62.39	-40.00	-22.39

Table 7-8. Radiated Spurious Measurements (Spot-check) – LTE Band 13 Ant 1

Bandwidth (MHz):	20
Frequency (MHz):	1745
RB / Offset:	1 / 50

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
3490.00	H	-	-	-74.91	0.15	32.24	-63.02	-13.00	-50.02

Table 7-9. Radiated Spurious Measurements (Spot-check) – LTE Band 66/4 Ant 1

- Each spot check test on the EUT was performed using the same procedure and setting that were used to perform the test on the corresponding reference device.
- All test cases were performed to verify the variant EUT is still in compliance with the spot checked results to the reference device and was performed using the guidance of ANSI C63.26-2015.

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 16 of 169

7.2 Conducted Output Power Data

Test Overview

All emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

Test Procedure Used

ANSI C63.26-2015 – Section 5.2

Test Settings

1. Detector = RMS
2. Trace mode = trace average for continuous emissions, max hold for pulse emissions
3. Sweep time = auto couple
4. The trace was allowed to stabilize
5. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. Test Instrument & Measurement Setup

Test Notes

1. Conducted power measurements were evaluated using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device.
2. All other conducted power measurements are contained in the RF exposure report for this filing.
3. Conducted power was found to reduce for the higher order QAM modulations when compared to 16QAM. Due to this trend, only the worst-case QAM (16QAM) powers are included in this section.

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 17 of 169

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
45 MHz	π/2 BPSK	346500	1732.5	1 / 1	22.52
		349000	1745.0	1 / 1	22.66
		351500	1757.5	1 / 1	22.72
	QPSK	346500	1732.5	1 / 1	22.51
		349000	1745.0	1 / 1	22.59
		351500	1757.5	1 / 1	22.54
	16-QAM	349000	1745.0	1 / 1	21.71
40 MHz	π/2 BPSK	346000	1730.0	1 / 1	22.35
		349000	1745.0	1 / 1	22.57
		352000	1760.0	1 / 1	22.46
	QPSK	346000	1730.0	1 / 1	22.48
		349000	1745.0	1 / 1	22.36
		352000	1760.0	1 / 1	22.31
	16-QAM	346000	1730.0	1 / 1	21.63
35 MHz	π/2 BPSK	345500	1727.5	1 / 94	22.66
		349000	1745.0	1 / 94	22.58
		352500	1762.5	1 / 94	22.46
	QPSK	345500	1727.5	1 / 94	22.41
		349000	1745.0	1 / 94	22.57
		352500	1762.5	1 / 94	22.51
	16-QAM	349000	1745.0	1 / 94	21.62
30 MHz	π/2 BPSK	345000	1725.0	1 / 1	22.51
		349000	1745.0	1 / 158	22.43
		353000	1765.0	1 / 158	22.59
	QPSK	345000	1725.0	1 / 1	22.54
		349000	1745.0	1 / 158	22.28
		353000	1765.0	1 / 158	22.42
	16-QAM	349000	1745.0	1 / 158	21.64
25 MHz	π/2 BPSK	344500	1722.5	1 / 66	22.62
		349000	1745.0	1 / 131	22.51
		353500	1767.5	1 / 66	22.44
	QPSK	344500	1722.5	1 / 66	22.42
		349000	1745.0	1 / 131	22.50
		353500	1767.5	1 / 66	22.41
	16-QAM	349000	1745.0	1 / 131	21.64
20 MHz	π/2 BPSK	344000	1720.0	1 / 104	22.47
		349000	1745.0	1 / 53	22.52
		354000	1770.0	1 / 53	22.40
	QPSK	344000	1720.0	1 / 104	22.42
		349000	1745.0	1 / 53	22.33
		354000	1770.0	1 / 53	22.41
	16-QAM	349000	1745.0	1 / 53	21.18
15 MHz	π/2 BPSK	343500	1717.5	1 / 1	22.48
		349000	1745.0	1 / 1	22.53
		354500	1772.5	1 / 1	22.48
	QPSK	343500	1717.5	1 / 1	22.71
		349000	1745.0	1 / 1	22.47
		354500	1772.5	1 / 1	22.35
	16-QAM	343500	1717.5	1 / 1	21.42
10 MHz	π/2 BPSK	343000	1715.0	1 / 50	22.45
		349000	1745.0	1 / 1	22.49
		355000	1775.0	1 / 26	22.45
	QPSK	343000	1715.0	1 / 50	22.32
		349000	1745.0	1 / 1	22.32
		355000	1775.0	1 / 26	22.25
	16-QAM	343000	1715.0	1 / 50	21.17
5 MHz	π/2 BPSK	342500	1712.5	1 / 12	22.56
		349000	1745.0	1 / 23	22.58
		355500	1777.5	1 / 12	22.61
	QPSK	342500	1712.5	1 / 12	22.26
		349000	1745.0	1 / 23	22.44
		355500	1777.5	1 / 12	22.53
	16-QAM	355500	1777.5	1 / 12	21.53

Table 7-10. Max Conducted Power Test Results - NR n66 - Ant2

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 18 of 169

7.3 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst-case configuration results are reported in this section.

Test Procedure Used

ANSI C63.26-2015 – Section 5.4.4

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes

None.


FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 19 of 169

Mode	Bandwidth	Modulation	OBW [MHz]
WCDMA-AWS	5MHz	GMSK	4.17
LTE-B12/17	10MHz	QPSK	9.02
		16QAM	9.01
	5MHz	QPSK	4.52
		16QAM	4.53
	3MHz	QPSK	2.72
		16QAM	2.73
	1.4MHz	QPSK	1.11
		16QAM	1.12
LTE-B13	10MHz	QPSK	9.00
		16QAM	9.01
	5MHz	QPSK	4.53
		16QAM	4.53
LTE-B66-4	20MHz	QPSK	17.99
		16QAM	18.03
	15MHz	QPSK	13.55
		16QAM	13.53
	10MHz	QPSK	9.03
		16QAM	9.05
	5MHz	QPSK	4.53
		16QAM	4.51
	3MHz	QPSK	2.72
		16QAM	2.72
	1.4MHz	QPSK	1.10
		16QAM	1.11

Table 7-11. Occupied Bandwidth Results – Ant1

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 20 of 169


WCDMA AWS – ANT1




Plot 7-3. Occupied Bandwidth Plot (WCDMA, Ch. 1413 – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 21 of 169

LTE Band 12/17 – ANT1




Plot 7-4. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz QPSK - Full RB – ANT1)




Plot 7-5. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 16-QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 22 of 169




Plot 7-6. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz QPSK - Full RB – ANT1)




Plot 7-7. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 16-QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 23 of 169




Plot 7-8. Occupied Bandwidth Plot (LTE Band 12/17 - 3MHz QPSK - Full RB – ANT1)




Plot 7-9. Occupied Bandwidth Plot (LTE Band 12/17 - 3MHz 16-QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 24 of 169



Plot 7-10. Occupied Bandwidth Plot (LTE Band 12/17 – 1.4MHz QPSK - Full RB – ANT1)



Plot 7-11. Occupied Bandwidth Plot (LTE Band 12/17 – 1.4MHz 16-QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 25 of 169

LTE Band 13 – ANT1




Plot 7-12. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB – ANT1)



Plot 7-13. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 26 of 169




Plot 7-14. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB – ANT1)




Plot 7-15. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 27 of 169

LTE Band 66/4 - ANT1




Plot 7-16. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB - ANT1)




Plot 7-17. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 28 of 169




Plot 7-18. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB - ANT1)




Plot 7-19. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 29 of 169




Plot 7-20. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB - ANT1)




Plot 7-21. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 30 of 169



Plot 7-22. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB - ANT1)




Plot 7-23. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 31 of 169




Plot 7-24. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB - ANT1)




Plot 7-25. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 32 of 169



Plot 7-26. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB - ANT1)



Plot 7-27. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB - ANT1)


FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 33 of 169

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n66	45MHz	$\pi/2$ BPSK	43.14
		QPSK	43.53
		16QAM	43.56
	40MHz	$\pi/2$ BPSK	38.74
		QPSK	38.75
		16QAM	38.80
	35MHz	$\pi/2$ BPSK	32.35
		QPSK	33.71
		16QAM	33.72
	30MHz	$\pi/2$ BPSK	28.69
		QPSK	28.72
		16QAM	28.68
	25MHz	$\pi/2$ BPSK	23.12
		QPSK	23.93
		16QAM	23.91
	20MHz	$\pi/2$ BPSK	18.00
		QPSK	19.03
		16QAM	19.13
	15MHz	$\pi/2$ BPSK	13.50
		QPSK	14.21
		16QAM	14.21
	10MHz	$\pi/2$ BPSK	9.02
		QPSK	9.37
		16QAM	9.38
	5MHz	$\pi/2$ BPSK	4.53
		QPSK	4.55
		16QAM	4.55


Table 7-12. Occupied Bandwidth Results – Ant1

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 34 of 169

NR Band n66 – ANT1




Plot 7-28. Occupied Bandwidth Plot (NR Band n66 - 45.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)




Plot 7-29. Occupied Bandwidth Plot (NR Band n66 - 45.0MHz CP-OFDM QPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 35 of 169




Plot 7-30. Occupied Bandwidth Plot (NR Band n66 - 45.0MHz CP-OFDM 16QAM - Full RB – ANT1)




Plot 7-31. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 36 of 169




Plot 7-32. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz CP-OFDM QPSK - Full RB – ANT1)




Plot 7-33. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz CP-OFDM 16QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 37 of 169




Plot 7-34. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)




Plot 7-35. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz CP-OFDM QPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 38 of 169




Plot 7-36. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz CP-OFDM 16QAM - Full RB – ANT1)




Plot 7-37. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 39 of 169




Plot 7-38. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM QPSK - Full RB – ANT1)




Plot 7-39. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM 16QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 40 of 169




Plot 7-40. Occupied Bandwidth Plot (NR Band n66 - 25.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)




Plot 7-41. Occupied Bandwidth Plot (NR Band n66 - 25.0MHz CP-OFDM QPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 41 of 169




Plot 7-42. Occupied Bandwidth Plot (NR Band n66 - 25.0MHz CP-OFDM 16QAM - Full RB – ANT1)




Plot 7-43. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 42 of 169




Plot 7-44. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM QPSK - Full RB – ANT1)




Plot 7-45. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM 16QAM - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 43 of 169




Plot 7-46. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)




Plot 7-47. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM QPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 44 of 169





Plot 7-48. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM 16QAM - Full RB – ANT1)




Plot 7-49. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz DFT-s-OFDM BPSK - Full RB – ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 45 of 169




Plot 7-51. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM 16QAM - Full RB - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 - 11/12/2024	EUT Type: Portable Handset	Page 46 of 169




Plot 7-52. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz DFT-s-OFDM BPSK - Full RB - ANT1)



Plot 7-53. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM QPSK - Full RB - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 - 11/12/2024	EUT Type: Portable Handset	Page 47 of 169



Plot 7-54. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 16QAM - Full RB – ANT1)


FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 48 of 169

Mode	Bandwidth	Modulation	OBW [MHz]
LTE-B12/17	10MHz	QPSK	8.99
		16QAM	9.02
	5MHz	QPSK	4.53
		16QAM	4.53
	3MHz	QPSK	2.72
		16QAM	2.72
	1.4MHz	QPSK	1.11
		16QAM	1.10
LTE-B13	10MHz	QPSK	9.05
		16QAM	9.03
	5MHz	QPSK	4.54
		16QAM	4.52
LTE-B66-4	20MHz	QPSK	17.99
		16QAM	18.06
	15MHz	QPSK	13.53
		16QAM	13.51
	10MHz	QPSK	9.05
		16QAM	9.04
	5MHz	QPSK	4.55
		16QAM	4.55
	3MHz	QPSK	2.73
		16QAM	2.73
	1.4MHz	QPSK	1.11
		16QAM	1.11


Table 7-13. Occupied Bandwidth Results – Ant2

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 49 of 169

LTE Band 12/17 – ANT2




Plot 7-55. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz QPSK - Full RB – ANT2)




Plot 7-56. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 16-QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 50 of 169




Plot 7-57. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz QPSK - Full RB – ANT2)




Plot 7-58. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 16-QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 51 of 169




Plot 7-59. Occupied Bandwidth Plot (LTE Band 12/17 - 3MHz QPSK - Full RB – ANT2)




Plot 7-60. Occupied Bandwidth Plot (LTE Band 12/17 - 3MHz 16-QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 52 of 169




Plot 7-61. Occupied Bandwidth Plot (LTE Band 12/17 – 1.4MHz QPSK - Full RB – ANT2)




Plot 7-62. Occupied Bandwidth Plot (LTE Band 12/17 – 1.4MHz 16-QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 53 of 169

LTE Band 13 – ANT2




Plot 7-63. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB – ANT2)




Plot 7-64. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 54 of 169




Plot 7-65. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB – ANT2)




Plot 7-66. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 55 of 169

LTE Band 66/4 - ANT2




Plot 7-67. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB - ANT2)




Plot 7-68. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB - ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 56 of 169




Plot 7-69. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB - ANT2)




Plot 7-70. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB - ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 57 of 169




Plot 7-71. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB - ANT2)



Plot 7-72. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB - ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 58 of 169




Plot 7-73. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB - ANT2)




Plot 7-74. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB - ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 59 of 169



Plot 7-75. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB - ANT2)




Plot 7-76. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB - ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 60 of 169



Plot 7-77. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB - ANT2)



Plot 7-78. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB - ANT2)


FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 61 of 169

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n66	45MHz	$\pi/2$ BPSK	43.17
		QPSK	43.50
		16QAM	43.58
	40MHz	$\pi/2$ BPSK	38.69
		QPSK	38.76
		16QAM	38.84
	35MHz	$\pi/2$ BPSK	32.43
		QPSK	33.71
		16QAM	33.80
	30MHz	$\pi/2$ BPSK	28.69
		QPSK	28.70
		16QAM	28.69
	25MHz	$\pi/2$ BPSK	23.12
		QPSK	23.93
		16QAM	23.91
	20MHz	$\pi/2$ BPSK	18.00
		QPSK	19.03
		16QAM	19.13
	15MHz	$\pi/2$ BPSK	13.50
		QPSK	14.21
		16QAM	14.21
	10MHz	$\pi/2$ BPSK	9.02
		QPSK	9.37
		16QAM	9.38
	5MHz	$\pi/2$ BPSK	4.53
		QPSK	4.55
		16QAM	4.55


Table 7-14. Occupied Bandwidth Results – Ant2

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 62 of 169

NR Band n66 – ANT2




Plot 7-79. Occupied Bandwidth Plot (NR Band n66 - 45.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)




Plot 7-80. Occupied Bandwidth Plot (NR Band n66 - 45.0MHz CP-OFDM QPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 63 of 169




Plot 7-81. Occupied Bandwidth Plot (NR Band n66 - 45.0MHz CP-OFDM 16QAM - Full RB – ANT2)




Plot 7-82. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 64 of 169




Plot 7-83. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz CP-OFDM QPSK - Full RB – ANT2)




Plot 7-84. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 65 of 169




Plot 7-85. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)




Plot 7-86. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz CP-OFDM QPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 66 of 169




Plot 7-87. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz CP-OFDM 16QAM - Full RB – ANT2)



Plot 7-88. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 67 of 169




Plot 7-89. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM QPSK - Full RB – ANT2)




Plot 7-90. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 68 of 169




Plot 7-91. Occupied Bandwidth Plot (NR Band n66 - 25.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)




Plot 7-92. Occupied Bandwidth Plot (NR Band n66 - 25.0MHz CP-OFDM QPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 69 of 169




Plot 7-93. Occupied Bandwidth Plot (NR Band n66 - 25.0MHz CP-OFDM 16QAM - Full RB – ANT2)




Plot 7-94. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 70 of 169




Plot 7-95. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM QPSK - Full RB – ANT2)




Plot 7-96. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 71 of 169




Plot 7-97. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)




Plot 7-98. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM QPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 72 of 169




Plot 7-99. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM 16QAM - Full RB – ANT2)




Plot 7-100. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 73 of 169




Plot 7-101. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM QPSK - Full RB – ANT2)




Plot 7-102. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 74 of 169




Plot 7-103. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)



Plot 7-104. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM QPSK - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 75 of 169



Plot 7-105. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 76 of 169

7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.4

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 18GHz (separated into at least two plots per channel)
2. RBW \geq 100kHz
3. VBW \geq 3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

Test Notes

1. Per Part 27, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 77 of 169

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE Band 12/17	10 MHz	Low	30.0 - 697.9	-62.29	-13	-49.29
		Low	716.0 - 1000.0	-65.64	-13	-52.64
		Low	1000.0 - 10000.0	-44.27	-13	-31.27
		Mid	30.0 - 698.0	-65.05	-13	-52.05
		Mid	716.0 - 1000.0	-65.58	-13	-52.58
		Mid	1000.0 - 10000.0	-44.24	-13	-31.24
		High	30.0 - 697.9	-65.36	-13	-52.36
		High	716.1 - 1000.0	-60.62	-13	-47.62
		High	1000.0 - 10000.0	-43.86	-13	-30.86
LTE Band 13	10 MHz	Mid	30.0 - 777.0	-65.97	-35	-30.97
		Mid	787.0 - 1000.0	-65.95	-13	-52.95
		Mid	1000.0 - 20000.0	-39.42	-13	-26.42

Table 7-15. Conducted Spurious Emissions Results – Ant1


FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 78 of 169

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
WCDMA1700	N/A	Low	30.0 - 1705.0	-43.07	-13	-30.07
		Low	1755.0 - 10000.0	-47.58	-13	-34.58
		Low	10000.0 - 20000.0	-63.31	-13	-50.31
		Mid	30.0 - 1710.0	-54.04	-13	-41.04
		Mid	1755.0 - 10000.0	-47.62	-13	-34.62
		Mid	10000.0 - 20000.0	-63.15	-13	-50.15
		High	30.0 - 1710.0	-54.15	-13	-41.15
		High	1760.0 - 10000.0	-43.14	-13	-30.14
		High	10000.0 - 20000.0	-63.21	-13	-50.21
LTE-B66-4	20 MHz	Low	30.0 - 663.0	-52.35	-13	-39.35
		Low	698.0 - 1000.0	-45.29	-13	-32.29
		Low	1000.0 - 10000.0	-60.35	-13	-47.35
		Mid	30.0 - 663.0	-54.31	-13	-41.31
		Mid	698.0 - 1000.0	-46.07	-13	-33.07
		Mid	1000.0 - 10000.0	-60.65	-13	-47.65
		High	30.0 - 663.0	-53.90	-13	-40.90
		High	698.0 - 1000.0	-45.70	-13	-32.70
		High	1000.0 - 10000.0	-60.51	-13	-47.51
NR Band n66	45 MHz	Low	30.0 - 1710.0	-49.93	-13	-36.93
		Low	1780.0 - 10000.0	-42.32	-13	-29.32
		Low	10000.0 - 20000.0	-56.93	-13	-43.93
		Mid	30.0 - 1710.0	-49.98	-13	-36.98
		Mid	1780.0 - 10000.0	-42.09	-13	-29.09
		Mid	10000.0 - 20000.0	-56.88	-13	-43.88
		High	30.0 - 1710.0	-50.06	-13	-37.06
		High	1780.0 - 10000.0	-42.14	-13	-29.14
		High	10000.0 - 20000.0	-56.56	-13	-43.56


Table 7-16. Conducted Spurious Emissions Results – Ant1

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 79 of 169

WCDMA-AWS – ANT1




Plot 7-106. Conducted Spurious Plot (WCDMA-AWS - 5MHz QPSK - 1 RB – Low Channel)



Plot 7-107. Conducted Spurious Plot (WCDMA-AWS - 5MHz QPSK - 1 RB – Low Channel)


FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 80 of 169




Plot 7-108. Conducted Spurious Plot (WCDMA-AWS - 5MHz QPSK - 1 RB – Low Channel)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 81 of 169

LTE Band 12/17 – ANT1




Plot 7-109. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - High Channel - ANT1)



Plot 7-110. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - High Channel - ANT1)


FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 82 of 169




Plot 7-111. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - High Channel - ANT1)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 83 of 169

LTE Band 13 – ANT1




Plot 7-112. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)



Plot 7-113. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 84 of 169



Plot 7-114. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)

FCC ID: A3LSMS938B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260069-06.A3L	Test Dates: 09/06/2024 – 11/12/2024	EUT Type: Portable Handset	Page 85 of 169