




Appendix G: Duty Cycle Correction Factor (DCCF)**DCCF Calculate Formula**

$$\text{DCCF} = 20 * \text{Log}(\text{duty cycle}) = 20 * \text{Log}(T_{\text{on time}} / T_{\text{period}})$$


Modulation type	Test Frequency (MHz)	T _{on time} for single burst [ms]	T _{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.88	100	1.00	-30.81
$\pi/4$ DQPSK	2441	2.87	100	1.00	-30.84
8DPSK	2441	2.87	100	2.00	-30.84



Appendix H: Band edge and Spurious Emissions (conducted)


Test Item:	Band edge	Modulation type:	GFSK																																										
CH00 No hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 300/300 Offset 0.50 dB SWT 1.1 ms VBW 300 kHz RBW 100 kHz Mode Auto Sweep 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.56 dBm M2[1] 2.401770 GHz M3 2.400000 GHz M4 -49.54 dBm M5 -50.83 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.40177 GHz</td><td>2.56 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-49.54 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-54.96 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-54.68 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399906 GHz</td><td>-50.83 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:15:02			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40177 GHz	2.56 dBm			M2	1		2.4 GHz	-49.54 dBm			M3	1		2.39 GHz	-54.96 dBm			M4	1		2.31 GHz	-54.68 dBm			M5	1		2.399906 GHz	-50.83 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40177 GHz	2.56 dBm																																									
M2	1		2.4 GHz	-49.54 dBm																																									
M3	1		2.39 GHz	-54.96 dBm																																									
M4	1		2.31 GHz	-54.68 dBm																																									
M5	1		2.399906 GHz	-50.83 dBm																																									
CH00 Hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 500/500 Offset 0.50 dB SWT 1.1 ms VBW 300 kHz RBW 100 kHz Mode Auto Sweep 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.63 dBm M2[1] 2.404790 GHz M3 -53.35 dBm M4 -54.48 dBm M5 -51.68 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.40479 GHz</td><td>2.63 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-53.35 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-55.26 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-54.48 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.317159 GHz</td><td>-51.68 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:41:41			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40479 GHz	2.63 dBm			M2	1		2.4 GHz	-53.35 dBm			M3	1		2.39 GHz	-55.26 dBm			M4	1		2.31 GHz	-54.48 dBm			M5	1		2.317159 GHz	-51.68 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40479 GHz	2.63 dBm																																									
M2	1		2.4 GHz	-53.35 dBm																																									
M3	1		2.39 GHz	-55.26 dBm																																									
M4	1		2.31 GHz	-54.48 dBm																																									
M5	1		2.317159 GHz	-51.68 dBm																																									
CH78 No hopping mode	Spectrum Ref Level 20.00 dBm Att 30 dB Count 300/300 Offset 0.50 dB SWT 56.9 μs VBW 300 kHz RBW 100 kHz Mode Auto FFT 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.07 dBm M2[1] 2.4801810 GHz M3 -56.02 dBm M4 -56.26 dBm Start 2.478 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.480181 GHz</td><td>2.07 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-56.02 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-60.02 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4835478 GHz</td><td>-56.26 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:22:02			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.480181 GHz	2.07 dBm			M2	1		2.4835 GHz	-56.02 dBm			M3	1		2.5 GHz	-60.02 dBm			M4	1		2.4835478 GHz	-56.26 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.480181 GHz	2.07 dBm																																									
M2	1		2.4835 GHz	-56.02 dBm																																									
M3	1		2.5 GHz	-60.02 dBm																																									
M4	1		2.4835478 GHz	-56.26 dBm																																									

CH78
Hopping mode




Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																										
CH00 No hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 -17.340 dBm M3 M4 2.66 dBm 2.401770 GHz -48.87 dBm 2.400000 GHz Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.40177 GHz</td><td>2.66 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4 GHz</td><td>-48.87 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.39 GHz</td><td>-55.22 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.31 GHz</td><td>-54.84 dBm</td><td></td><td></td></tr><tr><td>M5</td><td></td><td>1</td><td>2.399906 GHz</td><td>-48.00 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:26:21			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40177 GHz	2.66 dBm			M2		1	2.4 GHz	-48.87 dBm			M3		1	2.39 GHz	-55.22 dBm			M4		1	2.31 GHz	-54.84 dBm			M5		1	2.399906 GHz	-48.00 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40177 GHz	2.66 dBm																																									
M2		1	2.4 GHz	-48.87 dBm																																									
M3		1	2.39 GHz	-55.22 dBm																																									
M4		1	2.31 GHz	-54.84 dBm																																									
M5		1	2.399906 GHz	-48.00 dBm																																									
CH00 Hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 -19.210 dBm M3 M4 0.79 dBm 2.403970 GHz -50.31 dBm 2.400000 GHz Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.40397 GHz</td><td>0.79 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4 GHz</td><td>-50.31 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.39 GHz</td><td>-55.60 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.31 GHz</td><td>-52.65 dBm</td><td></td><td></td></tr><tr><td>M5</td><td></td><td>1</td><td>2.399906 GHz</td><td>-49.66 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:44:24			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40397 GHz	0.79 dBm			M2		1	2.4 GHz	-50.31 dBm			M3		1	2.39 GHz	-55.60 dBm			M4		1	2.31 GHz	-52.65 dBm			M5		1	2.399906 GHz	-49.66 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40397 GHz	0.79 dBm																																									
M2		1	2.4 GHz	-50.31 dBm																																									
M3		1	2.39 GHz	-55.60 dBm																																									
M4		1	2.31 GHz	-52.65 dBm																																									
M5		1	2.399906 GHz	-49.66 dBm																																									
CH78 No hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 56.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 -17.830 dBm M3 M4 2.17 dBm 2.4798310 GHz -56.23 dBm 2.4835000 GHz Start 2.478 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.479831 GHz</td><td>2.17 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.4835 GHz</td><td>-56.23 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td>1</td><td>2.5 GHz</td><td>-59.95 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td>1</td><td>2.4838348 GHz</td><td>-55.87 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:51:58			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.479831 GHz	2.17 dBm			M2		1	2.4835 GHz	-56.23 dBm			M3		1	2.5 GHz	-59.95 dBm			M4		1	2.4838348 GHz	-55.87 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.479831 GHz	2.17 dBm																																									
M2		1	2.4835 GHz	-56.23 dBm																																									
M3		1	2.5 GHz	-59.95 dBm																																									
M4		1	2.4838348 GHz	-55.87 dBm																																									

CH78
Hopping mode









Test Item:	Band edge	Modulation type:	8DPSK																																										
CH00 No hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max M1[1] 1.96 dBm M2[1] -48.49 dBm M3 -55.49 dBm M4 -49.57 dBm -20 dBm -18.040 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td>1</td><td>2.40177 GHz</td><td>1.96 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td>1</td><td>2.4 GHz</td><td>-48.49 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td>1</td><td>2.39 GHz</td><td>-55.49 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td>1</td><td>2.31 GHz</td><td>-49.57 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td>1</td><td>2.399768 GHz</td><td>-49.57 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:34:27			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.40177 GHz	1.96 dBm			M2	1	1	2.4 GHz	-48.49 dBm			M3	1	1	2.39 GHz	-55.49 dBm			M4	1	1	2.31 GHz	-49.57 dBm			M5	1	1	2.399768 GHz	-49.57 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.40177 GHz	1.96 dBm																																									
M2	1	1	2.4 GHz	-48.49 dBm																																									
M3	1	1	2.39 GHz	-55.49 dBm																																									
M4	1	1	2.31 GHz	-49.57 dBm																																									
M5	1	1	2.399768 GHz	-49.57 dBm																																									
CH00 Hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1Pk Max M1[1] 1.97 dBm M2[1] -49.64 dBm M3 -55.54 dBm M4 -50.43 dBm -20 dBm -18.630 dBm Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td>1</td><td>2.40383 GHz</td><td>1.97 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td>1</td><td>2.4 GHz</td><td>-49.64 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td>1</td><td>2.39 GHz</td><td>-55.54 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td>1</td><td>2.31 GHz</td><td>-55.54 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td>1</td><td>2.399906 GHz</td><td>-50.43 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:46:49			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.40383 GHz	1.97 dBm			M2	1	1	2.4 GHz	-49.64 dBm			M3	1	1	2.39 GHz	-55.54 dBm			M4	1	1	2.31 GHz	-55.54 dBm			M5	1	1	2.399906 GHz	-50.43 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.40383 GHz	1.97 dBm																																									
M2	1	1	2.4 GHz	-49.64 dBm																																									
M3	1	1	2.39 GHz	-55.54 dBm																																									
M4	1	1	2.31 GHz	-55.54 dBm																																									
M5	1	1	2.399906 GHz	-50.43 dBm																																									
CH78 No hopping mode	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 56.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk Max M1[1] 1.74 dBm M2[1] -55.60 dBm M3 -59.85 dBm M4 -56.17 dBm -20 dBm -18.260 dBm Start 2.478 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td>1</td><td>2.479831 GHz</td><td>1.74 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td>1</td><td>2.4835 GHz</td><td>-55.60 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td>1</td><td>2.5 GHz</td><td>-59.85 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td>1</td><td>2.4839623 GHz</td><td>-56.17 dBm</td><td></td><td></td></tr></table> Date: 9 SEP 2024 10:39:36			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.479831 GHz	1.74 dBm			M2	1	1	2.4835 GHz	-55.60 dBm			M3	1	1	2.5 GHz	-59.85 dBm			M4	1	1	2.4839623 GHz	-56.17 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.479831 GHz	1.74 dBm																																									
M2	1	1	2.4835 GHz	-55.60 dBm																																									
M3	1	1	2.5 GHz	-59.85 dBm																																									
M4	1	1	2.4839623 GHz	-56.17 dBm																																									




CH78
Hoppig mode









Test Item:	Spurious Emission	Modulation type:	GFSK
CH00 Reference level	Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] -5.99 dBm 2.4018260 GHz CF 2.402 GHz 691 pts Span 30.0 MHz Date: 12 SEP 2024 15:26:00		
CH00 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -51.84 dBm 975.2500 MHz D1 -25.990 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 12 SEP 2024 15:26:15		
CH00 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -40.44 dBm 4.804167 GHz D1 -25.990 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 12 SEP 2024 15:26:30		

CH39 Reference level	 12.SEP.2024 15:35:11
CH39 30MHz~1000MHz	 12.SEP.2024 15:35:26
CH39 1GHz~26GHz	 12.SEP.2024 15:35:41

CH78 Reference level	 Date: 12 SEP 2024 15:37:24
CH78 30MHz~1000MHz	 Date: 12 SEP 2024 15:37:39
CH78 1GHz~26GHz	 Date: 12 SEP 2024 15:37:54




Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
CH00 Reference level	 Date: 12 SEP 2024 15:39:15		
CH00 30MHz~1000MHz	 Date: 12 SEP 2024 15:39:30		
CH00 1GHz~26GHz	 Date: 12 SEP 2024 15:39:46		

CH39 Reference level	 Date: 12.SEP.2024 15:43:41
CH39 30MHz~1000MHz	 Date: 12.SEP.2024 15:43:56
CH39 1GHz~26GHz	 Date: 12.SEP.2024 15:44:12

CH78 Reference level	
CH78 30MHz~1000MHz	
CH78 1GHz~26GHz	

Test Item:	Spurious Emission	Modulation type:	8DPSK
CH00 Reference level	Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] -5.80 dBm 2.4018260 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.402 GHz 691 pts Span 30.0 MHz Date: 12.SEP.2024 15:47:16		
CH00 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -50.59 dBm 948.3820 MHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 12.SEP.2024 15:47:31		
CH00 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -39.96 dBm 4.803333 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 12.SEP.2024 15:47:46		

CH39 Reference level	Date: 12.SEP.2024 15:51:13
CH39 30MHz~1000MHz	Date: 12.SEP.2024 15:51:28
CH39 1GHz~26GHz	Date: 12.SEP.2024 15:51:44

CH78 Reference level	 Date: 12.SEP.2024 15:52:53
CH78 30MHz~1000MHz	 Date: 12.SEP.2024 15:53:08
CH78 1GHz~26GHz	 Date: 12.SEP.2024 15:53:23

-----End of Report-----