


4.6 Conducted Spurious Emissions

4.6.1 Limits of Conducted Spurious Emissions Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission is equal to -13 dBm.


4.6.2 Test Setup



4.6.3 Test Procedure

- The EUT makes a phone call to the communication simulator. All measurements were done at low, middle and high operational frequency range.
- Measuring frequency range is from 30 MHz to 8 GHz for LTE Band 17 and from 30 MHz to 18 GHz for LTE Band 4. 10 dB attenuation pad is connected with spectrum. RBW=1 MHz and VBW=3 MHz are used for conducted emission measurement.


4.6.4 Test Results




LTE Band 4

Channel Bandwidth: 1.4 MHz


Channel 19957



Channel 10715




Channel 20393




LTE Band 4

Channel Bandwidth: 3 MHz


Channel 19965



Channel 19175




Channel 20385




LTE Band 4

Channel Bandwidth: 5 MHz


Channel 19975



Channel 10175




Channel 20375




LTE Band 4

Channel Bandwidth: 10 MHz


Channel 20000



Channel 17175




Channel 20350




LTE Band 4

Channel Bandwidth: 15 MHz


Channel 20025



Channel 10175




Channel 20325




LTE Band 4

Channel Bandwidth: 20 MHz


Channel 20050



Channel 17175




Channel 20300




LTE Band 12

Channel Bandwidth: 1.4 MHz


Channel 23017



Channel 23095




Channel 23173




LTE Band 12

Channel Bandwidth: 3 MHz


Channel 23025



Channel 23095




Channel 23165




LTE Band 12

Channel Bandwidth: 5 MHz


Channel 23035



Channel 23095




Channel 23155




LTE Band 12

Channel Bandwidth: 10 MHz


Channel 23060



Channel 23095






Channel 23130



LTE Band 13


Channel Bandwidth: 5 MHz




LTE Band 17

Channel Bandwidth: 5 MHz


Channel 23755



Channel 23790




Channel 23825




LTE Band 17

Channel Bandwidth: 10 MHz


Channel 23780



Channel 23790




Channel 23800




LTE Band 66

Channel Bandwidth: 1.4 MHz


Channel 131979



Channel 132322




Channel 132655




LTE Band 66

Channel Bandwidth: 3 MHz


Channel 131987



Channel 132322




Channel 132657




LTE Band 66

Channel Bandwidth: 5 MHz


Channel 131997




Channel 132322



Channel 132647







LTE Band 66

Channel Bandwidth: 15 MHz


Channel 132047



Channel 132322




Channel 132597




LTE Band 66

Channel Bandwidth: 20 MHz


Channel 132072



Channel 132322



Channel 132572



4.7 Radiated Emission Measurement

4.7.1 Limits of Radiated Emission Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission is equal to -13 dBm.

4.7.2 Test Procedure


- Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- EIRP = Output power level of S.G – TX cable loss + Antenna gain of substitution horn.
- E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, E.R.P power = E.I.P.R power - 2.15 dBi.

Note: The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.

4.7.3 Deviation from Test Standard

No deviation.

4.7.4 Test Setup



For the actual test configuration, please refer to the attached file (Test Setup Photo).

4.7.5 Test Results

WCDMA:


Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : WCDMA Band 4 L-CH Link

Tested by: Gavin Wu


		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3424.80	-49.72	-40.63	-13.00	-36.72	-9.09	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : WCDMA Band 4 L-CH Link
 Tested by: Gavin Wu

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3424.80	-53.57	-44.48	-13.00	-40.57	-9.09	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : WCDMA Band 4 M-CH Link
 Tested by: Gavin Wu


		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.20	-46.71	-37.80	-13.00	-33.71	-8.91	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : WCDMA Band 4 M-CH Link
 Tested by: Gavin Wu

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.20	-51.75	-42.84	-13.00	-38.75	-8.91	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : WCDMA Band 4 H-CH Link
Tested by: Gavin Wu

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-60.71	-60.30	-13.00	-47.71	-0.41	Peak
2	234.67	-46.35	-39.73	-13.00	-33.35	-6.62	Peak
3	393.75	-61.94	-55.96	-13.00	-48.94	-5.98	Peak
4	456.80	-63.51	-58.09	-13.00	-50.51	-5.42	Peak
5	547.98	-62.69	-59.77	-13.00	-49.69	-2.92	Peak
6	704.15	-61.66	-61.64	-13.00	-48.66	-0.02	Peak
7 pp	3505.20	-43.49	-35.38	-13.00	-30.49	-8.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-17



Site : 966 Chamber 5
Condition: PART27 VERTICAL
Remak : WCDMA Band 4 H-CH Link
Tested by: Gavin Wu

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-49.90	-50.02	-13.00	-36.90	0.12	Peak
2	208.48	-51.28	-43.61	-13.00	-38.28	-7.67	Peak
3	398.60	-58.60	-52.65	-13.00	-45.60	-5.95	Peak
4	454.86	-58.64	-53.18	-13.00	-45.64	-5.46	Peak
5	547.98	-60.45	-57.53	-13.00	-47.45	-2.92	Peak
6	700.27	-62.50	-62.40	-13.00	-49.50	-0.10	Peak
7 pp	3505.20	-48.27	-40.16	-13.00	-35.27	-8.11	Peak


LTE Band 4
Channel Bandwidth: 20 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 4 QPSK_20M_L-CH Link
Tested by: Getaz Yang


Freq	Level	Read	Limit	Over		
MHz	dBm	Level	Line	Limit	Factor	Remark
		dBm	dBm	dB	dB	
1 pp 3440.00	-51.48	-42.48	-13.00	-38.48	-9.00	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 4 QPSK_20M_L-CH Link

Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-55.21	-46.21	-13.00	-42.21	-9.00	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 4 QPSK_20M_M-CH Link

Tested by: Getaz Yang


		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.00	-51.35	-42.44	-13.00	-38.35	-8.91	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5
Condition: PART27 VERTICAL
Remak : LTE Band 4 QPSK_20M_M-CH Link
Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3465.00	-53.31	-44.40	-13.00	-40.31	-8.91	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 4 QPSK_20M_H-CH Link

Tested by: Getaz Yang

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-59.60	-59.72	-13.00	-46.60	0.12	Peak
2 pp	235.64	-46.71	-40.13	-13.00	-33.71	-6.58	Peak
3	267.65	-52.77	-46.42	-13.00	-39.77	-6.35	Peak
4	398.60	-61.98	-56.03	-13.00	-48.98	-5.95	Peak
5	552.83	-63.25	-60.52	-13.00	-50.25	-2.73	Peak
6	704.15	-61.95	-61.93	-13.00	-48.95	-0.02	Peak
7	3490.00	-51.34	-42.83	-13.00	-38.34	-8.51	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-15



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 4 QPSK_20M_H-CH Link

Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	40.67	-49.92	-50.04	-13.00	-36.92	0.12	Peak
2	206.54	-52.08	-44.33	-13.00	-39.08	-7.75	Peak
3	399.57	-58.27	-52.32	-13.00	-45.27	-5.95	Peak
4	460.68	-59.20	-53.85	-13.00	-46.20	-5.35	Peak
5	549.92	-60.50	-57.65	-13.00	-47.50	-2.85	Peak
6	710.94	-60.68	-60.79	-13.00	-47.68	0.11	Peak
7	3490.00	-53.47	-44.96	-13.00	-40.47	-8.51	Peak


LTE Band 12
Channel Bandwidth: 10 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 12 QPSK_10M_L-CH Link
Tested by: Getaz Yang


		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1408.00	-61.54	-47.20	-13.00	-48.54	-14.34	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
Condition: PART27 VERTICAL
Remak : LTE Band 12 QPSK_10M_L-CH Link
Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1408.00	-61.42	-47.08	-13.00	-48.42	-14.34	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 12 QPSK_10M_M-CH Link
Tested by: Getaz Yang


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-59.37	-58.96	-13.00	-46.37	-0.41	Peak
2 pp	222.06	-46.31	-39.19	-13.00	-33.31	-7.12	Peak
3	274.44	-53.37	-46.88	-13.00	-40.37	-6.49	Peak
4	338.46	-59.94	-53.52	-13.00	-46.94	-6.42	Peak
5	417.03	-62.76	-56.95	-13.00	-49.76	-5.81	Peak
6	603.27	-62.83	-62.07	-13.00	-49.83	-0.76	Peak
7	1415.00	-60.07	-45.73	-13.00	-47.07	-14.34	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5
Condition: PART27 VERTICAL
Remak : LTE Band 12 QPSK_10M_M-CH Link
Tested by: Getaz Yang

	Freq	Level	Read	Limit	Over		
	MHz	dBm	Level	Line	Limit	Factor	Remark
			dBm	dBm	dB	dB	
1 pp	41.64	-49.99	-49.58	-13.00	-36.99	-0.41	Peak
2	206.54	-51.90	-44.15	-13.00	-38.90	-7.75	Peak
3	265.71	-59.20	-52.89	-13.00	-46.20	-6.31	Peak
4	398.60	-59.10	-53.15	-13.00	-46.10	-5.95	Peak
5	454.86	-59.21	-53.75	-13.00	-46.21	-5.46	Peak
6	543.13	-61.33	-58.24	-13.00	-48.33	-3.09	Peak
7	1415.00	-60.48	-46.14	-13.00	-47.48	-14.34	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 12 QPSK_10M_H-CH Link
Tested by: Getaz Yang


		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-62.26	-47.92	-13.00	-49.26	-14.34	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : LTE Band 12 QPSK_10M_H-CH Link
 Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-61.95	-47.61	-13.00	-48.95	-14.34	Peak


LTE Band 13
Channel Bandwidth: 10 MHz / QPSK
Middle Channel_1RB



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27(B13) HORIZONTAL
Remak : LTE Band 13 QPSK_10M_M-CH Link
Tested by: Getaz Yang


		Read	Limit	Over			
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-60.60	-60.72	-13.00	-47.60	0.12	Peak
2	233.70	-46.38	-39.72	-13.00	-33.38	-6.66	Peak
3	273.47	-52.57	-46.10	-13.00	-39.57	-6.47	Peak
4	366.59	-61.21	-55.07	-13.00	-48.21	-6.14	Peak
5	446.13	-62.89	-57.31	-13.00	-49.89	-5.58	Peak
6	571.26	-63.08	-61.12	-13.00	-50.08	-1.96	Peak
7 pp	1564.00	-61.68	-46.66	-40.00	-21.68	-15.02	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART27(B13) VERTICAL

Remak : LTE Band 13 QPSK_10M_M-CH Link

Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-49.42	-49.01	-13.00	-36.42	-0.41	Peak
2	205.57	-51.70	-43.91	-13.00	-38.70	-7.79	Peak
3	274.44	-59.36	-52.87	-13.00	-46.36	-6.49	Peak
4	396.66	-58.60	-52.63	-13.00	-45.60	-5.97	Peak
5	467.47	-58.83	-53.61	-13.00	-45.83	-5.22	Peak
6	547.01	-60.79	-57.84	-13.00	-47.79	-2.95	Peak
7 pp	1564.00	-61.05	-46.03	-40.00	-21.05	-15.02	Peak


Middle Channel_50RB



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
 Condition: PART27(B13) HORIZONTAL
 Remak : LTE Band 13 QPSK_10M_M-CH Link
 Tested by: Getaz Yang

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-59.04	-58.63	-13.00	-46.04	-0.41	Peak
2	232.73	-46.51	-39.81	-13.00	-33.51	-6.70	Peak
3	267.65	-52.46	-46.11	-13.00	-39.46	-6.35	Peak
4	389.87	-62.58	-56.58	-13.00	-49.58	-6.00	Peak
5	503.36	-65.04	-60.53	-13.00	-52.04	-4.51	Peak
6	572.23	-63.32	-61.40	-13.00	-50.32	-1.92	Peak
7 pp	1564.00	-61.13	-46.11	-40.00	-21.13	-15.02	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-17



Site : 966 Chamber 5

Condition: PART27(B13) VERTICAL

Remak : LTE Band 13 QPSK_10M_M-CH Link

Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-49.39	-49.51	-13.00	-36.39	0.12	Peak
2	208.48	-51.86	-44.19	-13.00	-38.86	-7.67	Peak
3	273.47	-59.77	-53.30	-13.00	-46.77	-6.47	Peak
4	402.48	-58.54	-52.61	-13.00	-45.54	-5.93	Peak
5	494.63	-60.49	-55.77	-13.00	-47.49	-4.72	Peak
6	548.95	-61.06	-58.18	-13.00	-48.06	-2.88	Peak
7 pp	1564.00	-61.80	-46.78	-40.00	-21.80	-15.02	Peak


LTE Band 17
Channel Bandwidth: 10 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 17 QPSK_10M_L-CH Link
Tested by: Getaz Yang

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.64	-60.44	-60.03	-13.00	-47.44	-0.41	Peak
2	205.57	-47.18	-39.39	-13.00	-34.18	-7.79	Peak
3 pp	236.61	-46.22	-39.68	-13.00	-33.22	-6.54	Peak
4	297.72	-57.69	-50.72	-13.00	-44.69	-6.97	Peak
5	390.84	-61.85	-55.85	-13.00	-48.85	-6.00	Peak
6	577.08	-63.50	-61.78	-13.00	-50.50	-1.72	Peak
7	1418.00	-62.75	-48.41	-13.00	-49.75	-14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2017-01-15



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 17 QPSK_10M_L-CH Link

Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	40.67	-49.19	-49.31	-13.00	-36.19	0.12	Peak
2	206.54	-51.59	-43.84	-13.00	-38.59	-7.75	Peak
3	264.74	-59.62	-53.33	-13.00	-46.62	-6.29	Peak
4	399.57	-58.36	-52.41	-13.00	-45.36	-5.95	Peak
5	453.89	-59.56	-54.08	-13.00	-46.56	-5.48	Peak
6	501.42	-61.36	-56.78	-13.00	-48.36	-4.58	Peak
7	1418.00	-63.22	-48.88	-13.00	-50.22	-14.34	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 17 QPSK_10M_M-CH Link
Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1420.00	-62.84	-48.50	-13.00	-49.84	-14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2017-01-15



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : LTE Band 17 QPSK_10M_M-CH Link
 Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1420.00	-62.89	-48.55	-13.00	-49.89	-14.34	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 17 QPSK_10M_H-CH Link
Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-62.78	-48.44	-13.00	-49.78	-14.34	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2017-01-15



Site : 966 Chamber 5
Condition: PART27 VERTICAL
Remak : LTE Band 17 QPSK_10M_H-CH Link
Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1422.00	-63.05	-48.71	-13.00	-50.05	-14.34	Peak


LTE Band 66
Channel Bandwidth: 20 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : LTE Band 66 QPSK_20M_L-CH Link
Tested by: Getaz Yang


Freq	Level	Read	Limit	Over		
MHz	dBm	Level	Line	Limit	Factor	Remark
1 pp 3440.00	-49.99	-40.99	-13.00	-36.99	-9.00	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : LTE Band 66 QPSK_20M_L-CH Link
 Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-53.36	-44.36	-13.00	-40.36	-9.00	Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : LTE Band 66 QPSK_20M_M-CH Link
 Tested by: Getaz Yang


		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3490.00	-45.34	-36.83	-13.00	-32.34	-8.51	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 66 QPSK_20M_M-CH Link

Tested by: Getaz Yang

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3490.00	-49.33	-40.82	-13.00	-36.33	-8.51	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 66 QPSK_20M_H-CH Link

Tested by: Getaz Yang

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-59.60	-59.72	-13.00	-46.60	0.12	Peak
2	235.64	-46.71	-40.13	-13.00	-33.71	-6.58	Peak
3	267.65	-52.77	-46.42	-13.00	-39.77	-6.35	Peak
4	398.60	-61.98	-56.03	-13.00	-48.98	-5.95	Peak
5	552.83	-63.25	-60.52	-13.00	-50.25	-2.73	Peak
6	704.15	-61.95	-61.93	-13.00	-48.95	-0.02	Peak
7 pp	3540.00	-43.42	-35.07	-13.00	-30.42	-8.35	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 8

Date: 2017-02-09



Site : 966 Chamber 5
Condition: PART27 VERTICAL
Remak : LTE Band 66 QPSK_20M_H-CH Link
Tested by: Getaz Yang

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.67	-49.92	-50.04	-13.00	-36.92	0.12	Peak
2	206.54	-52.08	-44.33	-13.00	-39.08	-7.75	Peak
3	399.57	-58.27	-52.32	-13.00	-45.27	-5.95	Peak
4	460.68	-59.20	-53.85	-13.00	-46.20	-5.35	Peak
5	549.92	-60.50	-57.65	-13.00	-47.50	-2.85	Peak
6	710.94	-60.68	-60.79	-13.00	-47.68	0.11	Peak
7 pp	3540.00	-48.22	-39.87	-13.00	-35.22	-8.35	Peak

5 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo).

Appendix – Information on the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Linko EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---