


802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4456G	44.11	54.00	-9.89	2.63	3	Horizontal	304	2.12	-	41.48	31.78	5.72	34.87
AV	5.5764G	109.61	Inf	-Inf	2.76	3	Horizontal	304	2.12	-	106.85	31.85	5.79	34.88
PK	5.4678G	55.19	68.20	-13.01	2.70	3	Horizontal	304	2.12	-	52.49	31.84	5.73	34.87
PK	5.5752G	118.32	Inf	-Inf	2.76	3	Horizontal	304	2.12	-	115.56	31.85	5.79	34.88
PK	5.7258G	55.02	68.20	-13.18	2.87	3	Horizontal	304	2.12	-	52.15	32.00	5.80	34.93

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1603G	42.38	54.00	-11.62	13.07	3	Vertical	162	1.49	-	29.31	39.78	8.21	34.92
PK	11.15814G	54.00	74.00	-20.00	13.07	3	Vertical	162	1.49	-	40.93	39.78	8.21	34.92
PK	16.7307G	56.95	68.20	-11.25	15.35	3	Vertical	3	1.50	-	41.60	39.93	10.12	34.70

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1738G	42.29	54.00	-11.71	13.05	3	Horizontal	336	1.50	-	29.24	39.75	8.21	34.91
PK	11.14572G	54.29	74.00	-19.71	13.09	3	Horizontal	336	1.50	-	41.20	39.81	8.20	34.92
PK	16.75224G	56.58	68.20	-11.62	15.39	3	Horizontal	138	1.50	-	41.19	39.95	10.13	34.69

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.694G	96.91	Inf	-Inf	2.77	3	Vertical	24	1.63	-	94.14	31.89	5.80	34.92
PK	5.6944G	105.60	Inf	-Inf	2.77	3	Vertical	24	1.63	-	102.83	31.89	5.80	34.92
PK	5.7296G	60.36	68.20	-7.84	2.89	3	Vertical	24	1.63	-	57.47	32.02	5.80	34.93

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7044G	101.72	Inf	-Inf	2.80	3	Horizontal	52	1.08	-	98.92	31.92	5.80	34.92
PK	5.7056G	111.20	Inf	-Inf	2.80	3	Horizontal	52	1.08	-	108.40	31.92	5.80	34.92
PK	5.7264G	67.60	68.20	-0.60	2.88	3	Horizontal	52	1.08	-	64.72	32.01	5.80	34.93

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40006G	42.70	54.00	-11.30	13.50	3	Vertical	304	1.50	-	29.20	40.00	8.29	34.79
PK	11.40486G	54.42	74.00	-19.58	13.50	3	Vertical	304	1.50	-	40.92	40.00	8.29	34.79
PK	17.10744G	58.79	68.20	-9.41	15.68	3	Vertical	292	2.15	-	43.11	40.00	10.23	34.55

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4135G	42.57	54.00	-11.43	13.52	3	Horizontal	307	1.86	-	29.05	40.01	8.29	34.78
PK	11.41254G	53.59	74.00	-20.41	13.51	3	Horizontal	307	1.86	-	40.08	40.01	8.29	34.79
PK	17.09382G	58.28	68.20	-9.92	15.70	3	Horizontal	299	1.68	-	42.58	40.02	10.23	34.55

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.444G	43.05	54.00	-10.95	2.63	3	Vertical	24	1.91	-	40.42	31.78	5.72	34.87
AV	5.714G	101.90	Inf	-Inf	2.84	3	Vertical	24	1.91	-	99.06	31.96	5.80	34.92
PK	5.4668G	53.10	68.20	-15.10	2.69	3	Vertical	24	1.91	-	50.41	31.83	5.73	34.87
PK	5.714G	110.47	Inf	-Inf	2.84	3	Vertical	24	1.91	-	107.63	31.96	5.80	34.92
PK	5.8952G	55.37	68.20	-12.83	3.36	3	Vertical	24	1.91	-	52.01	32.49	5.85	34.98

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4404G	43.45	54.00	-10.55	2.61	3	Horizontal	52	1.00	-	40.84	31.76	5.72	34.87
AV	5.726G	107.67	Inf	-Inf	2.87	3	Horizontal	52	1.00	-	104.80	32.00	5.80	34.93
PK	5.462G	54.12	68.20	-14.08	2.68	3	Horizontal	52	1.00	-	51.44	31.82	5.73	34.87
PK	5.7248G	115.69	Inf	-Inf	2.87	3	Horizontal	52	1.00	-	112.82	32.00	5.80	34.93
PK	5.9G	56.00	68.20	-12.20	3.37	3	Horizontal	52	1.00	-	52.63	32.50	5.85	34.98

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44864G	43.04	54.00	-10.96	13.59	3	Vertical	360	1.01	-	29.45	40.05	8.31	34.77
PK	11.44726G	54.41	74.00	-19.59	13.59	3	Vertical	360	1.01	-	40.82	40.05	8.31	34.77
PK	17.15028G	58.44	68.20	-9.76	15.68	3	Vertical	230	1.56	-	42.76	40.00	10.25	34.57

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44642G	42.76	54.00	-11.24	13.59	3	Horizontal	130	2.95	-	29.17	40.05	8.31	34.77
PK	11.4391G	54.44	74.00	-19.56	13.57	3	Horizontal	130	2.95	-	40.87	40.04	8.30	34.77
PK	17.16144G	58.52	68.20	-9.68	15.67	3	Horizontal	173	1.85	-	42.85	40.00	10.25	34.58

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	103.05	Inf	-Inf	2.95	3	Vertical	34	2.71	-	100.10	32.08	5.80	34.93
PK	5.6022G	54.89	68.20	-13.31	2.71	3	Vertical	34	2.71	-	52.18	31.80	5.80	34.89
PK	5.7462G	110.78	Inf	-Inf	2.95	3	Vertical	34	2.71	-	107.83	32.08	5.80	34.93
PK	5.9586G	55.16	68.20	-13.04	3.46	3	Vertical	34	2.71	-	51.70	32.58	5.88	35.00

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7426G	107.69	Inf	-Inf	2.94	3	Horizontal	305	1.98	-	104.75	32.07	5.80	34.93
PK	5.601G	55.55	68.20	-12.65	2.71	3	Horizontal	305	1.98	-	52.84	31.80	5.80	34.89
PK	5.7414G	116.85	Inf	-Inf	2.94	3	Horizontal	305	1.98	-	113.91	32.07	5.80	34.93
PK	5.937G	54.85	68.20	-13.35	3.45	3	Horizontal	305	1.98	-	51.40	32.57	5.87	34.99

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49318G	42.89	54.00	-11.11	13.67	3	Vertical	350	1.50	-	29.22	40.09	8.32	34.74
PK	11.49018G	54.39	74.00	-19.61	13.66	3	Vertical	350	1.50	-	40.73	40.09	8.32	34.75
PK	17.2374G	57.61	68.20	-10.59	15.77	3	Vertical	231	1.48	-	41.84	40.11	10.27	34.61

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48328G	43.02	54.00	-10.98	13.65	3	Horizontal	88	1.50	-	29.37	40.08	8.32	34.75
PK	11.48232G	54.09	74.00	-19.91	13.65	3	Horizontal	88	1.50	-	40.44	40.08	8.32	34.75
PK	17.23962G	57.74	68.20	-10.46	15.77	3	Horizontal	318	2.02	-	41.97	40.12	10.27	34.62

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.779G	104.28	Inf	-Inf	3.02	3	Vertical	331	2.46	-	101.26	32.16	5.80	34.94
PK	5.5174G	54.83	68.20	-13.37	2.79	3	Vertical	331	2.46	-	52.04	31.90	5.76	34.87
PK	5.779G	112.93	Inf	-Inf	3.02	3	Vertical	331	2.46	-	109.91	32.16	5.80	34.94
PK	5.9662G	55.24	68.20	-12.96	3.45	3	Vertical	331	2.46	-	51.79	32.57	5.88	35.00

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	107.17	Inf	-Inf	3.03	3	Horizontal	310	2.09	-	104.14	32.18	5.80	34.95
PK	5.6374G	55.92	68.20	-12.28	2.70	3	Horizontal	310	2.09	-	53.22	31.80	5.80	34.90
PK	5.7898G	115.76	Inf	-Inf	3.03	3	Horizontal	310	2.09	-	112.73	32.18	5.80	34.95
PK	5.9434G	55.10	68.20	-13.10	3.47	3	Horizontal	310	2.09	-	51.63	32.59	5.87	34.99

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57009G	43.54	54.00	-10.46	13.48	3	Vertical	360	1.11	-	30.06	39.89	8.35	34.76
PK	11.57002G	55.40	74.00	-18.60	13.48	3	Vertical	360	1.11	-	41.92	39.89	8.35	34.76
PK	17.35672G	59.92	68.20	-8.28	16.39	3	Vertical	296	1.47	-	43.53	40.75	10.31	34.67

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57001G	42.84	54.00	-11.16	13.48	3	Horizontal	360	1.50	-	29.36	39.89	8.35	34.76
PK	11.57092G	54.43	74.00	-19.57	13.48	3	Horizontal	360	1.50	-	40.95	39.89	8.35	34.76
PK	17.35495G	59.22	68.20	-8.98	16.38	3	Horizontal	272	1.36	-	42.84	40.74	10.31	34.67

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	101.31	Inf	-Inf	3.12	3	Vertical	350	1.49	-	98.19	32.27	5.81	34.96
PK	5.6138G	54.51	68.20	-13.69	2.71	3	Vertical	350	1.49	-	51.80	31.80	5.80	34.89
PK	5.8178G	110.56	Inf	-Inf	3.12	3	Vertical	350	1.49	-	107.44	32.27	5.81	34.96
PK	6.0062G	54.90	68.20	-13.30	3.39	3	Vertical	350	1.49	-	51.51	32.50	5.90	35.01

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	107.40	Inf	-Inf	3.14	3	Horizontal	306	2.10	-	104.26	32.29	5.81	34.96
PK	5.6126G	55.35	68.20	-12.85	2.71	3	Horizontal	306	2.10	-	52.64	31.80	5.80	34.89
PK	5.8214G	115.88	Inf	-Inf	3.14	3	Horizontal	306	2.10	-	112.74	32.29	5.81	34.96
PK	5.939G	55.26	68.20	-12.94	3.46	3	Horizontal	306	2.10	-	51.80	32.58	5.87	34.99

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64985G	43.22	54.00	-10.78	13.15	3	Vertical	317	1.83	-	30.07	39.55	8.38	34.78
PK	11.64977G	54.99	74.00	-19.01	13.15	3	Vertical	317	1.83	-	41.84	39.55	8.38	34.78
PK	17.47653G	60.53	68.20	-7.67	17.09	3	Vertical	302	1.62	-	43.44	41.48	10.34	34.73

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65179G	42.65	54.00	-11.35	13.14	3	Horizontal	289	1.50	-	29.51	39.54	8.38	34.78
PK	11.65022G	54.54	74.00	-19.46	13.15	3	Horizontal	289	1.50	-	41.39	39.55	8.38	34.78
PK	17.47316G	59.79	68.20	-8.41	17.08	3	Horizontal	106	1.50	-	42.71	41.47	10.34	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.54	54.00	-4.46	2.55	3	Vertical	345	1.05	-	46.99	32.00	5.47	34.92
AV	5.1874G	97.18	Inf	-Inf	2.36	3	Vertical	345	1.05	-	94.82	31.78	5.49	34.91
PK	5.149G	63.73	74.00	-10.27	2.55	3	Vertical	345	1.05	-	61.18	32.00	5.47	34.92
PK	5.1754G	110.16	Inf	-Inf	2.43	3	Vertical	345	1.05	-	107.73	31.85	5.49	34.91

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.72	54.00	-0.28	2.55	3	Horizontal	56	1.00	-	51.17	32.00	5.47	34.92
AV	5.1878G	101.51	Inf	-Inf	2.35	3	Horizontal	56	1.00	-	99.16	31.77	5.49	34.91
PK	5.1498G	68.89	74.00	-5.11	2.55	3	Horizontal	56	1.00	-	66.34	32.00	5.47	34.92
PK	5.1754G	114.69	Inf	-Inf	2.43	3	Horizontal	56	1.00	-	112.26	31.85	5.49	34.91

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54096G	41.10	54.00	-12.90	13.18	3	Vertical	194	1.50	-	27.92	38.50	9.79	35.11
PK	10.36002G	55.74	68.20	-12.46	12.17	3	Vertical	351	2.21	-	43.57	39.48	7.93	35.24
PK	15.53982G	54.70	74.00	-19.30	13.17	3	Vertical	194	1.50	-	41.53	38.50	9.78	35.11

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.541G	41.03	54.00	-12.97	13.18	3	Horizontal	206	2.12	-	27.85	38.50	9.79	35.11
PK	10.36048G	54.94	68.20	-13.26	12.17	3	Horizontal	300	1.86	-	42.77	39.48	7.93	35.24
PK	15.53934G	55.15	74.00	-18.85	13.17	3	Horizontal	206	2.12	-	41.98	38.50	9.78	35.11

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.72	54.00	-2.28	2.55	3	Vertical	330	2.27	-	49.17	32.00	5.47	34.92
AV	5.2084G	102.91	Inf	-Inf	2.25	3	Vertical	330	2.27	-	100.66	31.65	5.51	34.91
PK	5.1468G	66.02	74.00	-7.98	2.55	3	Vertical	330	2.27	-	63.47	32.00	5.47	34.92
PK	5.196G	114.79	Inf	-Inf	2.31	3	Vertical	330	2.27	-	112.48	31.72	5.50	34.91

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.66	54.00	-0.34	2.55	3	Horizontal	56	1.00	-	51.11	32.00	5.47	34.92
AV	5.206G	105.02	Inf	-Inf	2.26	3	Horizontal	56	1.00	-	102.76	31.66	5.51	34.91
PK	5.148G	68.26	74.00	-5.74	2.55	3	Horizontal	56	1.00	-	65.71	32.00	5.47	34.92
PK	5.2072G	116.84	Inf	-Inf	2.26	3	Horizontal	56	1.00	-	114.58	31.66	5.51	34.91

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60098G	41.49	54.00	-12.51	12.85	3	Vertical	232	1.50	-	28.64	38.20	9.80	35.15
PK	10.39983G	56.08	68.20	-12.12	12.35	3	Vertical	355	2.19	-	43.73	39.60	7.94	35.19
PK	15.60033G	55.29	74.00	-18.71	12.85	3	Vertical	232	1.50	-	42.44	38.20	9.80	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.601G	41.16	54.00	-12.84	12.85	3	Horizontal	220	1.50	-	28.31	38.20	9.80	35.15
PK	10.39994G	54.72	68.20	-13.48	12.35	3	Horizontal	299	1.90	-	42.37	39.60	7.94	35.19
PK	15.59997G	54.70	74.00	-19.30	12.85	3	Horizontal	220	1.50	-	41.85	38.20	9.80	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	42.57	54.00	-11.43	2.55	3	Vertical	345	1.00	-	40.02	32.00	5.47	34.92
AV	5.2472G	100.87	Inf	-Inf	2.07	3	Vertical	345	1.00	-	98.80	31.42	5.55	34.90
AV	5.3834G	41.04	54.00	-12.96	2.30	3	Vertical	345	1.00	-	38.74	31.50	5.68	34.88
PK	5.1056G	55.37	74.00	-18.63	2.53	3	Vertical	345	1.00	-	52.84	32.00	5.45	34.92
PK	5.2484G	112.06	Inf	-Inf	2.06	3	Vertical	345	1.00	-	110.00	31.41	5.55	34.90
PK	5.3558G	53.64	74.00	-20.36	2.11	3	Vertical	345	1.00	-	51.53	31.33	5.66	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	43.64	54.00	-10.36	2.55	3	Horizontal	59	1.17	-	41.09	32.00	5.47	34.92
AV	5.2472G	104.27	Inf	-Inf	2.07	3	Horizontal	59	1.17	-	102.20	31.42	5.55	34.90
AV	5.35G	41.71	54.00	-12.29	2.07	3	Horizontal	59	1.17	-	39.64	31.30	5.65	34.88
PK	5.1362G	55.77	74.00	-18.23	2.55	3	Horizontal	59	1.17	-	53.22	32.00	5.47	34.92
PK	5.2466G	115.55	Inf	-Inf	2.07	3	Horizontal	59	1.17	-	113.48	31.42	5.55	34.90
PK	5.3522G	54.42	74.00	-19.58	2.08	3	Horizontal	59	1.17	-	52.34	31.31	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7211G	41.57	54.00	-12.43	12.79	3	Vertical	240	2.27	-	28.78	38.19	9.83	35.23
PK	10.47961G	55.65	68.20	-12.55	12.72	3	Vertical	357	2.19	-	42.93	39.84	7.97	35.09
PK	15.72016G	55.43	74.00	-18.57	12.80	3	Vertical	240	2.27	-	42.63	38.20	9.83	35.23

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72137G	41.37	54.00	-12.63	12.79	3	Horizontal	304	2.77	-	28.58	38.19	9.83	35.23
PK	10.48058G	53.94	68.20	-14.26	12.72	3	Horizontal	165	2.25	-	41.22	39.84	7.97	35.09
PK	15.72056G	55.33	74.00	-18.67	12.80	3	Horizontal	304	2.77	-	42.53	38.20	9.83	35.23

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	42.34	54.00	-11.66	2.55	3	Vertical	346	1.00	-	39.79	32.00	5.47	34.92
AV	5.2522G	100.97	Inf	-Inf	2.05	3	Vertical	346	1.00	-	98.92	31.40	5.55	34.90
AV	5.35G	41.46	54.00	-12.54	2.07	3	Vertical	346	1.00	-	39.39	31.30	5.65	34.88
PK	5.1478G	54.90	74.00	-19.10	2.55	3	Vertical	346	1.00	-	52.35	32.00	5.47	34.92
PK	5.2534G	113.24	Inf	-Inf	2.04	3	Vertical	346	1.00	-	111.20	31.39	5.55	34.90
PK	5.3686G	54.81	74.00	-19.19	2.20	3	Vertical	346	1.00	-	52.61	31.41	5.67	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.87	54.00	-11.13	2.55	3	Horizontal	60	1.12	-	40.32	32.00	5.47	34.92
AV	5.2678G	103.99	Inf	-Inf	2.03	3	Horizontal	60	1.12	-	101.96	31.36	5.57	34.90
AV	5.3506G	42.46	54.00	-11.54	2.07	3	Horizontal	60	1.12	-	40.39	31.30	5.65	34.88
PK	5.1442G	55.85	74.00	-18.15	2.55	3	Horizontal	60	1.12	-	53.30	32.00	5.47	34.92
PK	5.2666G	115.67	Inf	-Inf	2.04	3	Horizontal	60	1.12	-	113.63	31.37	5.57	34.90
PK	5.353G	57.23	74.00	-16.77	2.09	3	Horizontal	60	1.12	-	55.14	31.32	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78088G	40.93	54.00	-13.07	12.47	3	Vertical	233	1.04	-	28.46	37.90	9.85	35.28
PK	10.51989G	55.03	68.20	-13.17	12.81	3	Vertical	21	1.14	-	42.22	39.90	7.98	35.07
PK	15.78073G	54.20	74.00	-19.80	12.47	3	Vertical	233	1.04	-	41.73	37.90	9.85	35.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78127G	40.89	54.00	-13.11	12.46	3	Horizontal	300	1.50	-	28.43	37.89	9.85	35.28
PK	10.51949G	54.48	68.20	-13.72	12.81	3	Horizontal	1	2.21	-	41.67	39.90	7.98	35.07
PK	15.77989G	54.77	74.00	-19.23	12.46	3	Horizontal	300	1.50	-	42.31	37.90	9.84	35.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	99.97	Inf	-Inf	2.02	3	Vertical	109.8	1.00	-	97.95	31.30	5.61	34.89
AV	5.35G	47.68	54.00	-6.32	2.07	3	Vertical	109.8	1.00	-	45.61	31.30	5.65	34.88
PK	5.2936G	111.76	Inf	-Inf	2.01	3	Vertical	109.8	1.00	-	109.75	31.31	5.59	34.89
PK	5.3508G	61.86	74.00	-12.14	2.07	3	Vertical	109.8	1.00	-	59.79	31.30	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	104.24	Inf	-Inf	2.01	3	Horizontal	60	1.12	-	102.23	31.31	5.59	34.89
AV	5.35G	50.86	54.00	-3.14	2.07	3	Horizontal	60	1.12	-	48.79	31.30	5.65	34.88
PK	5.2936G	116.50	Inf	-Inf	2.01	3	Horizontal	60	1.12	-	114.49	31.31	5.59	34.89
PK	5.3516G	67.26	74.00	-6.74	2.08	3	Horizontal	60	1.12	-	65.18	31.31	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90125G	40.62	54.00	-13.38	12.32	3	Vertical	269	1.50	-	28.30	37.80	9.88	35.36
PK	10.59973G	55.58	68.20	-12.62	12.85	3	Vertical	315	1.26	-	42.73	39.90	8.01	35.06
PK	15.89923G	55.30	74.00	-18.70	12.31	3	Vertical	269	1.50	-	42.99	37.80	9.87	35.36

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90107G	40.61	54.00	-13.39	12.32	3	Horizontal	289	1.50	-	28.29	37.80	9.88	35.36
PK	10.59948G	54.44	68.20	-13.76	12.85	3	Horizontal	214	1.30	-	41.59	39.90	8.01	35.06
PK	15.9014G	54.49	74.00	-19.51	12.32	3	Horizontal	289	1.50	-	42.17	37.80	9.88	35.36

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3128G	98.42	Inf	-Inf	2.02	3	Vertical	346	1.02	-	96.40	31.30	5.61	34.89
AV	5.35G	51.01	54.00	-2.99	2.07	3	Vertical	346	1.02	-	48.94	31.30	5.65	34.88
PK	5.3282G	111.18	Inf	-Inf	2.04	3	Vertical	346	1.02	-	109.14	31.30	5.63	34.89
PK	5.351G	68.66	74.00	-5.34	2.08	3	Vertical	346	1.02	-	66.58	31.31	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3122G	102.23	Inf	-Inf	2.02	3	Horizontal	61	1.08	-	100.21	31.30	5.61	34.89
AV	5.35G	53.50	54.00	-0.50	2.07	3	Horizontal	61	1.08	-	51.43	31.30	5.65	34.88
PK	5.3284G	114.47	Inf	-Inf	2.04	3	Horizontal	61	1.08	-	112.43	31.30	5.63	34.89
PK	5.35G	70.54	74.00	-3.46	2.07	3	Horizontal	61	1.08	-	68.47	31.30	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63988G	41.37	54.00	-12.63	12.95	3	Vertical	313	1.99	-	28.42	39.98	8.02	35.05
AV	15.96145G	40.50	54.00	-13.50	12.29	3	Vertical	31	1.72	-	28.21	37.80	9.89	35.40
PK	10.63984G	54.33	74.00	-19.67	12.95	3	Vertical	313	1.99	-	41.38	39.98	8.02	35.05
PK	15.9605G	54.63	74.00	-19.37	12.29	3	Vertical	31	1.72	-	42.34	37.80	9.89	35.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63989G	41.01	54.00	-12.99	12.95	3	Horizontal	161	1.47	-	28.06	39.98	8.02	35.05
AV	15.96148G	40.48	54.00	-13.52	12.29	3	Horizontal	10	2.42	-	28.19	37.80	9.89	35.40
PK	10.64001G	54.31	74.00	-19.69	12.95	3	Horizontal	161	1.47	-	41.36	39.98	8.02	35.05
PK	15.96004G	54.41	74.00	-19.59	12.29	3	Horizontal	10	2.42	-	42.12	37.80	9.89	35.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	55.44	74.00	-18.56	2.68	3	Vertical	310	1.50	-	52.76	31.82	5.73	34.87
AV	5.46G	41.95	54.00	-12.05	2.68	3	Vertical	310	1.50	-	39.27	31.82	5.73	34.87
PK	5.469G	59.17	68.20	-9.03	2.71	3	Vertical	310	1.50	-	56.46	31.84	5.73	34.86
PK	5.508G	107.48	Inf	-Inf	2.79	3	Vertical	310	1.50	-	104.69	31.90	5.75	34.86
AV	5.5076G	94.33	Inf	-Inf	2.79	3	Vertical	310	1.50	-	91.54	31.90	5.75	34.86

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.76	54.00	-8.24	2.68	3	Horizontal	65	1.00	-	43.08	31.82	5.73	34.87
AV	5.5074G	102.26	Inf	-Inf	2.79	3	Horizontal	65	1.00	-	99.47	31.90	5.75	34.86
PK	5.4696G	67.85	68.20	-0.35	2.71	3	Horizontal	65	1.00	-	65.14	31.84	5.73	34.86
PK	5.5038G	114.65	Inf	-Inf	2.79	3	Horizontal	65	1.00	-	111.86	31.90	5.75	34.86

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99993G	41.41	54.00	-12.59	13.45	3	Vertical	230	1.47	-	27.96	40.30	8.15	35.00
PK	11.00008G	54.82	74.00	-19.18	13.45	3	Vertical	230	1.47	-	41.37	40.30	8.15	35.00
PK	16.50141G	57.63	68.20	-10.57	14.17	3	Vertical	37	1.50	-	43.46	39.00	10.05	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99989G	41.13	54.00	-12.87	13.45	3	Horizontal	312	1.21	-	27.68	40.30	8.15	35.00
PK	10.99986G	54.55	74.00	-19.45	13.45	3	Horizontal	312	1.21	-	41.10	40.30	8.15	35.00
PK	16.50001G	56.19	68.20	-12.01	14.17	3	Horizontal	32	1.50	-	42.02	39.00	10.05	34.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	41.68	54.00	-12.32	2.67	3	Vertical	329	2.61	-	39.01	31.81	5.73	34.87
AV	5.5872G	101.15	Inf	-Inf	2.73	3	Vertical	329	2.61	-	98.42	31.83	5.79	34.89
PK	5.4678G	53.81	68.20	-14.39	2.70	3	Vertical	329	2.61	-	51.11	31.84	5.73	34.87
PK	5.5884G	113.29	Inf	-Inf	2.72	3	Vertical	329	2.61	-	110.57	31.82	5.79	34.89
PK	5.7288G	54.27	68.20	-13.93	2.89	3	Vertical	329	2.61	-	51.38	32.02	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	42.42	54.00	-11.58	2.68	3	Horizontal	62	2.76	-	39.74	31.82	5.73	34.87
AV	5.5878G	105.41	Inf	-Inf	2.72	3	Horizontal	62	2.76	-	102.69	31.82	5.79	34.89
PK	5.4606G	54.92	68.20	-13.28	2.68	3	Horizontal	62	2.76	-	52.24	31.82	5.73	34.87
PK	5.5878G	117.43	Inf	-Inf	2.72	3	Horizontal	62	2.76	-	114.71	31.82	5.79	34.89
PK	5.7288G	55.46	68.20	-12.74	2.89	3	Horizontal	62	2.76	-	52.57	32.02	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15935G	40.53	54.00	-13.47	13.07	3	Vertical	351	1.50	-	27.46	39.78	8.21	34.92
PK	11.16024G	54.34	74.00	-19.66	13.07	3	Vertical	351	1.50	-	41.27	39.78	8.21	34.92
PK	16.74083G	57.04	68.20	-11.16	15.36	3	Vertical	98	3.00	-	41.68	39.94	10.12	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16015G	40.56	54.00	-13.44	13.07	3	Horizontal	226	1.50	-	27.49	39.78	8.21	34.92
PK	11.16041G	54.70	74.00	-19.30	13.07	3	Horizontal	226	1.50	-	41.63	39.78	8.21	34.92
PK	16.73937G	56.56	68.20	-11.64	15.36	3	Horizontal	264	1.50	-	41.20	39.94	10.12	34.70

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7076G	95.35	Inf	-Inf	2.81	3	Vertical	303	1.00	-	92.54	31.93	5.80	34.92
PK	5.7072G	107.32	Inf	-Inf	2.81	3	Vertical	303	1.00	-	104.51	31.93	5.80	34.92
PK	5.7264G	64.49	68.20	-3.71	2.88	3	Vertical	303	1.00	-	61.61	32.01	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7068G	99.23	Inf	-Inf	2.81	3	Horizontal	62	2.92	-	96.42	31.93	5.80	34.92
PK	5.7076G	112.08	Inf	-Inf	2.81	3	Horizontal	62	2.92	-	109.27	31.93	5.80	34.92
PK	5.7252G	67.66	68.20	-0.54	2.87	3	Horizontal	62	2.92	-	64.79	32.00	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40145G	40.63	54.00	-13.37	13.50	3	Vertical	167	1.50	-	27.13	40.00	8.29	34.79
PK	11.40108G	54.45	74.00	-19.55	13.50	3	Vertical	167	1.50	-	40.95	40.00	8.29	34.79
PK	17.10079G	58.04	68.20	-10.16	15.68	3	Vertical	13	1.50	-	42.36	40.00	10.23	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4014G	40.60	54.00	-13.40	13.50	3	Horizontal	256	1.50	-	27.10	40.00	8.29	34.79
PK	11.39966G	54.48	74.00	-19.52	13.50	3	Horizontal	256	1.50	-	40.98	40.00	8.29	34.79
PK	17.09944G	58.00	68.20	-10.20	15.68	3	Horizontal	198	1.30	-	42.32	40.00	10.23	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	41.27	54.00	-12.73	2.68	3	Vertical	312	1.46	-	38.59	31.82	5.73	34.87
AV	5.7188G	98.68	Inf	-Inf	2.85	3	Vertical	312	1.46	-	95.83	31.98	5.80	34.93
PK	5.46G	53.89	68.20	-14.31	2.68	3	Vertical	312	1.46	-	51.21	31.82	5.73	34.87
PK	5.7176G	110.54	Inf	-Inf	2.84	3	Vertical	312	1.46	-	107.70	31.97	5.80	34.93
PK	5.8904G	55.31	68.20	-12.89	3.35	3	Vertical	312	1.46	-	51.96	32.48	5.85	34.98

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	41.62	54.00	-12.38	2.68	3	Horizontal	61	2.68	-	38.94	31.82	5.73	34.87
AV	5.7128G	105.06	Inf	-Inf	2.83	3	Horizontal	61	2.68	-	102.23	31.95	5.80	34.92
PK	5.4668G	52.92	68.20	-15.28	2.69	3	Horizontal	61	2.68	-	50.23	31.83	5.73	34.87
PK	5.7164G	116.23	Inf	-Inf	2.85	3	Horizontal	61	2.68	-	113.38	31.97	5.80	34.92
PK	5.876G	55.93	68.20	-12.27	3.32	3	Horizontal	61	2.68	-	52.61	32.45	5.84	34.97

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43997G	41.47	54.00	-12.53	13.57	3	Vertical	2	2.26	-	27.90	40.04	8.30	34.77
PK	11.43869G	54.92	74.00	-19.08	13.57	3	Vertical	2	2.26	-	41.35	40.04	8.30	34.77
PK	17.16026G	58.86	68.20	-9.34	15.67	3	Vertical	236	2.07	-	43.19	40.00	10.25	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44086G	40.79	54.00	-13.21	13.57	3	Horizontal	278	1.50	-	27.22	40.04	8.30	34.77
PK	11.44106G	54.29	74.00	-19.71	13.57	3	Horizontal	278	1.50	-	40.72	40.04	8.30	34.77
PK	17.15873G	58.95	68.20	-9.25	15.67	3	Horizontal	227	2.45	-	43.28	40.00	10.25	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	99.75	Inf	-Inf	2.96	3	Vertical	311	1.44	-	96.79	32.10	5.80	34.94
PK	5.6046G	55.01	68.20	-13.19	2.71	3	Vertical	311	1.44	-	52.30	31.80	5.80	34.89
PK	5.7486G	110.35	Inf	-Inf	2.96	3	Vertical	311	1.44	-	107.39	32.09	5.80	34.93
PK	6.0198G	55.11	68.20	-13.09	3.40	3	Vertical	311	1.44	-	51.71	32.50	5.91	35.01

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	105.82	Inf	-Inf	2.97	3	Horizontal	62	2.98	-	102.85	32.11	5.80	34.94
PK	5.6382G	55.08	68.20	-13.12	2.70	3	Horizontal	62	2.98	-	52.38	31.80	5.80	34.90
PK	5.7402G	117.12	Inf	-Inf	2.93	3	Horizontal	62	2.98	-	114.19	32.06	5.80	34.93
PK	5.9358G	55.28	68.20	-12.92	3.45	3	Horizontal	62	2.98	-	51.83	32.57	5.87	34.99

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4898G	41.42	54.00	-12.58	13.66	3	Vertical	360	2.86	-	27.76	40.09	8.32	34.75
PK	11.48886G	54.81	74.00	-19.19	13.66	3	Vertical	360	2.86	-	41.15	40.09	8.32	34.75
PK	17.23649G	58.37	68.20	-9.83	15.77	3	Vertical	194	1.50	-	42.60	40.11	10.27	34.61

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49096G	41.16	54.00	-12.84	13.67	3	Horizontal	223	1.50	-	27.49	40.09	8.32	34.74
PK	11.49092G	54.79	74.00	-19.21	13.67	3	Horizontal	223	1.50	-	41.12	40.09	8.32	34.74
PK	17.2335G	58.00	68.20	-10.20	15.76	3	Horizontal	250	1.50	-	42.24	40.10	10.27	34.61

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	100.34	Inf	-Inf	3.02	3	Vertical	310	1.58	-	97.32	32.16	5.80	34.94
PK	5.533G	55.00	68.20	-13.20	2.80	3	Vertical	310	1.58	-	52.20	31.90	5.77	34.87
PK	5.7766G	111.39	Inf	-Inf	3.01	3	Vertical	310	1.58	-	108.38	32.15	5.80	34.94
PK	5.9494G	55.49	68.20	-12.71	3.48	3	Vertical	310	1.58	-	52.01	32.60	5.87	34.99

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	105.83	Inf	-Inf	3.02	3	Horizontal	62	2.72	-	102.81	32.16	5.80	34.94
PK	5.605G	55.42	68.20	-12.78	2.71	3	Horizontal	62	2.72	-	52.71	31.80	5.80	34.89
PK	5.7886G	116.96	Inf	-Inf	3.03	3	Horizontal	62	2.72	-	113.93	32.18	5.80	34.95
PK	6.0106G	55.38	68.20	-12.82	3.40	3	Horizontal	62	2.72	-	51.98	32.50	5.91	35.01

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56987G	41.80	54.00	-12.20	13.48	3	Vertical	3	2.22	-	28.32	39.89	8.35	34.76
PK	11.56929G	55.20	74.00	-18.80	13.48	3	Vertical	3	2.22	-	41.72	39.89	8.35	34.76
PK	17.35514G	59.77	68.20	-8.43	16.38	3	Vertical	302	2.98	-	43.39	40.74	10.31	34.67

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	41.22	54.00	-12.78	13.48	3	Horizontal	181	1.35	-	27.74	39.89	8.35	34.76
PK	11.57134G	54.54	74.00	-19.46	13.48	3	Horizontal	181	1.35	-	41.06	39.89	8.35	34.76
PK	17.35579G	59.26	68.20	-8.94	16.39	3	Horizontal	177	1.72	-	42.87	40.75	10.31	34.67

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	100.16	Inf	-Inf	3.12	3	Vertical	317	1.86	-	97.04	32.27	5.81	34.96
PK	5.819G	110.92	Inf	-Inf	3.13	3	Vertical	317	1.86	-	107.79	32.28	5.81	34.96
PK	5.9498G	54.89	68.20	-13.31	3.48	3	Vertical	317	1.86	-	51.41	32.60	5.87	34.99

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	104.27	Inf	-Inf	3.19	3	Horizontal	307	2.50	-	101.08	32.33	5.82	34.96
PK	5.838G	55.67	68.20	-12.53	2.73	3	Horizontal	307	2.50	-	52.94	31.83	5.79	34.89
PK	5.8238G	115.34	Inf	-Inf	3.15	3	Horizontal	307	2.50	-	112.19	32.30	5.81	34.96
PK	5.9378G	55.46	68.20	-12.74	3.46	3	Horizontal	307	2.50	-	52.00	32.58	5.87	34.99

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65002G	41.41	54.00	-12.59	13.15	3	Vertical	3	1.96	-	28.26	39.55	8.38	34.78
PK	11.65091G	54.36	74.00	-19.64	13.15	3	Vertical	3	1.96	-	41.21	39.55	8.38	34.78
PK	17.47535G	60.64	68.20	-7.56	17.09	3	Vertical	334	2.23	-	43.55	41.48	10.34	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6501G	40.98	54.00	-13.02	13.15	3	Horizontal	323	2.02	-	27.83	39.55	8.38	34.78
PK	11.65013G	54.59	74.00	-19.41	13.15	3	Horizontal	323	2.02	-	41.44	39.55	8.38	34.78
PK	17.47585G	59.42	68.20	-8.78	17.09	3	Horizontal	44	2.03	-	42.33	41.48	10.34	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.79	54.00	-5.21	2.55	3	Vertical	331	2.28	-	46.24	32.00	5.47	34.92
AV	5.1912G	94.55	Inf	-Inf	2.34	3	Vertical	331	2.28	-	92.21	31.75	5.50	34.91
PK	5.1492G	71.83	74.00	-2.17	2.55	3	Vertical	331	2.28	-	69.28	32.00	5.47	34.92
PK	5.1832G	106.54	Inf	-Inf	2.38	3	Vertical	331	2.28	-	104.16	31.80	5.49	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.31	54.00	-3.69	2.55	3	Horizontal	59	1.00	-	47.76	32.00	5.47	34.92
AV	5.2064G	96.62	Inf	-Inf	2.26	3	Horizontal	59	1.00	-	94.36	31.66	5.51	34.91
PK	5.1492G	73.37	74.00	-0.63	2.55	3	Horizontal	59	1.00	-	70.82	32.00	5.47	34.92
PK	5.1744G	108.51	Inf	-Inf	2.43	3	Horizontal	59	1.00	-	106.08	31.85	5.49	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.57116G	41.97	54.00	-12.03	13.00	3	Vertical	210	1.52	-	28.97	38.34	9.79	35.13
PK	10.37989G	54.86	68.20	-13.34	12.26	3	Vertical	354	2.26	-	42.60	39.54	7.93	35.21
PK	15.5704G	54.37	74.00	-19.63	13.01	3	Vertical	210	1.52	-	41.36	38.35	9.79	35.13

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.57068G	42.06	54.00	-11.94	13.01	3	Horizontal	163	1.49	-	29.05	38.35	9.79	35.13
PK	10.37944G	54.49	68.20	-13.71	12.26	3	Horizontal	11	1.39	-	42.23	39.54	7.93	35.21
PK	15.5714G	55.16	74.00	-18.84	13.00	3	Horizontal	163	1.49	-	42.16	38.34	9.79	35.13

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.39	54.00	-4.61	2.55	3	Vertical	346	1.00	-	46.84	32.00	5.47	34.92
AV	5.246G	98.20	Inf	-Inf	2.07	3	Vertical	346	1.00	-	96.13	31.42	5.55	34.90
PK	5.1456G	62.61	74.00	-11.39	2.55	3	Vertical	346	1.00	-	60.06	32.00	5.47	34.92
PK	5.2124G	109.10	Inf	-Inf	2.23	3	Vertical	346	1.00	-	106.87	31.63	5.51	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	2.55	3	Horizontal	58	1.16	-	51.31	32.00	5.47	34.92
AV	5.2136G	101.66	Inf	-Inf	2.22	3	Horizontal	58	1.16	-	99.44	31.62	5.51	34.91
PK	5.1432G	67.06	74.00	-6.94	2.55	3	Horizontal	58	1.16	-	64.51	32.00	5.47	34.92
PK	5.2324G	113.62	Inf	-Inf	2.14	3	Horizontal	58	1.16	-	111.48	31.51	5.53	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.68783G	43.13	54.00	-10.87	12.90	3	Vertical	296	1.50	-	30.23	38.29	9.82	35.21
PK	10.45755G	54.72	68.20	-13.48	12.61	3	Vertical	351	1.50	-	42.11	39.77	7.96	35.12
PK	15.6911G	55.45	74.00	-18.55	12.90	3	Vertical	296	1.50	-	42.55	38.29	9.82	35.21

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.68857G	43.07	54.00	-10.93	12.90	3	Horizontal	226	1.58	-	30.17	38.29	9.82	35.21
PK	10.46094G	54.55	68.20	-13.65	12.62	3	Horizontal	146	1.50	-	41.93	39.78	7.96	35.12
PK	15.69246G	56.24	74.00	-17.76	12.90	3	Horizontal	226	1.58	-	43.34	38.29	9.82	35.21

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2536G	98.89	Inf	-Inf	2.04	3	Vertical	346	1.00	-	96.85	31.39	5.55	34.90
AV	5.3508G	50.19	54.00	-3.81	2.07	3	Vertical	346	1.00	-	48.12	31.30	5.65	34.88
PK	5.2556G	110.89	Inf	-Inf	2.05	3	Vertical	346	1.00	-	108.84	31.39	5.56	34.90
PK	5.3524G	62.23	74.00	-11.77	2.08	3	Vertical	346	1.00	-	60.15	31.31	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2544G	102.12	Inf	-Inf	2.04	3	Horizontal	60	1.00	-	100.08	31.39	5.55	34.90
AV	5.35G	53.72	54.00	-0.28	2.07	3	Horizontal	60	1.00	-	51.65	31.30	5.65	34.88
PK	5.2792G	113.68	Inf	-Inf	2.02	3	Horizontal	60	1.00	-	111.66	31.34	5.58	34.90
PK	5.35G	66.92	74.00	-7.08	2.07	3	Horizontal	60	1.00	-	64.85	31.30	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.81242G	42.30	54.00	-11.70	12.35	3	Vertical	14	1.50	-	29.95	37.80	9.85	35.30
PK	10.54033G	54.40	68.20	-13.80	12.83	3	Vertical	313	1.61	-	41.57	39.90	7.99	35.06
PK	15.8081G	55.73	74.00	-18.27	12.35	3	Vertical	14	1.50	-	43.38	37.80	9.85	35.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.80911G	42.37	54.00	-11.63	12.35	3	Horizontal	149	1.50	-	30.02	37.80	9.85	35.30
PK	10.53938G	54.47	68.20	-13.73	12.83	3	Horizontal	163	1.49	-	41.64	39.90	7.99	35.06
PK	15.81115G	54.59	74.00	-19.41	12.35	3	Horizontal	149	1.50	-	42.24	37.80	9.85	35.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	94.89	Inf	-Inf	2.01	3	Vertical	333	2.21	-	92.88	31.31	5.59	34.89
AV	5.3504G	50.70	54.00	-3.30	2.07	3	Vertical	333	2.21	-	48.63	31.30	5.65	34.88
PK	5.3264G	106.75	Inf	-Inf	2.04	3	Vertical	333	2.21	-	104.71	31.30	5.63	34.89
PK	5.3508G	70.11	74.00	-3.89	2.07	3	Vertical	333	2.21	-	68.04	31.30	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	97.43	Inf	-Inf	2.01	3	Horizontal	60	1.15	-	95.42	31.31	5.59	34.89
AV	5.35G	53.61	54.00	-0.39	2.07	3	Horizontal	60	1.15	-	51.54	31.30	5.65	34.88
PK	5.3244G	109.71	Inf	-Inf	2.03	3	Horizontal	60	1.15	-	107.68	31.30	5.62	34.89
PK	5.35G	72.50	74.00	-1.50	2.07	3	Horizontal	60	1.15	-	70.43	31.30	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61995G	43.08	54.00	-10.92	12.91	3	Vertical	324	2.95	-	30.17	39.94	8.02	35.05
AV	15.93239G	41.94	54.00	-12.06	12.30	3	Vertical	1	1.50	-	29.64	37.80	9.88	35.38
PK	10.61949G	54.85	74.00	-19.15	12.91	3	Vertical	324	2.95	-	41.94	39.94	8.02	35.05
PK	15.93199G	54.65	74.00	-19.35	12.30	3	Vertical	1	1.50	-	42.35	37.80	9.88	35.38

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61995G	42.29	54.00	-11.71	12.91	3	Horizontal	160	1.50	-	29.38	39.94	8.02	35.05
AV	15.93064G	41.81	54.00	-12.19	12.30	3	Horizontal	12	2.42	-	29.51	37.80	9.88	35.38
PK	10.61868G	55.04	74.00	-18.96	12.91	3	Horizontal	160	1.50	-	42.13	39.94	8.02	35.05
PK	15.93077G	54.62	74.00	-19.38	12.30	3	Horizontal	12	2.42	-	42.32	37.80	9.88	35.38

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	43.04	54.00	-10.96	2.68	3	Vertical	310	1.48	-	40.36	31.82	5.73	34.87
AV	5.5264G	90.45	Inf	-Inf	2.79	3	Vertical	310	1.48	-	87.66	31.90	5.76	34.87
PK	5.4692G	60.74	68.20	-7.46	2.71	3	Vertical	310	1.48	-	58.03	31.84	5.73	34.86
PK	5.524G	102.22	Inf	-Inf	2.79	3	Vertical	310	1.48	-	99.43	31.90	5.76	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.60	54.00	-7.40	2.68	3	Horizontal	64	1.00	-	43.92	31.82	5.73	34.87
AV	5.5264G	97.95	Inf	-Inf	2.79	3	Horizontal	64	1.00	-	95.16	31.90	5.76	34.87
PK	5.4692G	67.95	68.20	-0.25	2.71	3	Horizontal	64	1.00	-	65.24	31.84	5.73	34.86
PK	5.5168G	110.05	Inf	-Inf	2.79	3	Horizontal	64	1.00	-	107.26	31.90	5.76	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0197G	42.45	54.00	-11.55	13.39	3	Vertical	318	1.42	-	29.06	40.22	8.16	34.99
PK	11.01791G	55.54	74.00	-18.46	13.40	3	Vertical	318	1.42	-	42.14	40.23	8.16	34.99
PK	16.53087G	56.79	68.20	-11.41	14.20	3	Vertical	206	1.55	-	42.59	39.00	10.06	34.86

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01874G	42.21	54.00	-11.79	13.40	3	Horizontal	294	2.43	-	28.81	40.23	8.16	34.99
PK	11.01969G	54.76	74.00	-19.24	13.39	3	Horizontal	294	2.43	-	41.37	40.22	8.16	34.99
PK	16.52592G	56.58	68.20	-11.62	14.20	3	Horizontal	360	2.54	-	42.38	39.00	10.06	34.86

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.68	54.00	-8.32	2.68	3	Vertical	328	2.64	-	43.00	31.82	5.73	34.87
AV	5.5656G	99.38	Inf	-Inf	2.77	3	Vertical	328	2.64	-	96.61	31.87	5.78	34.88
PK	5.4696G	61.56	68.20	-6.64	2.71	3	Vertical	328	2.64	-	58.85	31.84	5.73	34.86
PK	5.544G	111.76	Inf	-Inf	2.80	3	Vertical	328	2.64	-	108.96	31.90	5.77	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	50.96	54.00	-3.04	2.68	3	Horizontal	64	2.66	-	48.28	31.82	5.73	34.87
AV	5.5664G	103.23	Inf	-Inf	2.77	3	Horizontal	64	2.66	-	100.46	31.87	5.78	34.88
PK	5.4692G	68.04	68.20	-0.16	2.71	3	Horizontal	64	2.66	-	65.33	31.84	5.73	34.86
PK	5.56G	115.15	Inf	-Inf	2.78	3	Horizontal	64	2.66	-	112.37	31.88	5.78	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10054G	42.34	54.00	-11.66	13.14	3	Vertical	253	1.44	-	29.20	39.90	8.19	34.95
PK	11.10756G	54.48	74.00	-19.52	13.13	3	Vertical	253	1.44	-	41.35	39.88	8.19	34.94
PK	16.63974G	56.94	68.20	-11.26	14.68	3	Vertical	278	2.97	-	42.26	39.36	10.09	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0979G	42.10	54.00	-11.90	13.14	3	Horizontal	353	1.50	-	28.96	39.91	8.18	34.95
PK	11.11134G	54.44	74.00	-19.56	13.13	3	Horizontal	353	1.50	-	41.31	39.88	8.19	34.94
PK	16.65234G	57.30	68.20	-10.90	14.81	3	Horizontal	140	1.96	-	42.49	39.47	10.10	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6862G	94.03	Inf	-Inf	2.75	3	Vertical	323	2.77	-	91.28	31.87	5.80	34.92
PK	5.6778G	105.58	Inf	-Inf	2.75	3	Vertical	323	2.77	-	102.83	31.86	5.80	34.91
PK	5.7414G	64.72	68.20	-3.48	2.94	3	Vertical	323	2.77	-	61.78	32.07	5.80	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6532G	98.86	Inf	-Inf	2.70	3	Horizontal	60	2.72	-	96.16	31.81	5.80	34.91
PK	5.6688G	110.72	Inf	-Inf	2.73	3	Horizontal	60	2.72	-	107.99	31.84	5.80	34.91
PK	5.7264G	68.05	68.20	-0.15	2.88	3	Horizontal	60	2.72	-	65.17	32.01	5.80	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3319G	41.31	54.00	-12.69	13.24	3	Vertical	4	1.27	-	28.07	39.80	8.27	34.83
PK	11.34294G	54.25	74.00	-19.75	13.28	3	Vertical	4	1.27	-	40.97	39.83	8.27	34.82
PK	17.01678G	57.62	68.20	-10.58	15.95	3	Vertical	185	1.50	-	41.67	40.25	10.21	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.32518G	41.50	54.00	-12.50	13.21	3	Horizontal	43	1.98	-	28.29	39.78	8.26	34.83
PK	11.33592G	53.87	74.00	-20.13	13.25	3	Horizontal	43	1.98	-	40.62	39.81	8.27	34.83
PK	17.01696G	57.36	68.20	-10.84	15.95	3	Horizontal	114	1.50	-	41.41	40.25	10.21	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4448G	42.11	54.00	-11.89	2.63	3	Vertical	310	1.46	-	39.48	31.78	5.72	34.87
AV	5.7172G	97.66	Inf	-Inf	2.84	3	Vertical	310	1.46	-	94.82	31.97	5.80	34.93
PK	5.464G	52.68	68.20	-15.52	2.69	3	Vertical	310	1.46	-	49.99	31.83	5.73	34.87
PK	5.7196G	108.74	Inf	-Inf	2.85	3	Vertical	310	1.46	-	105.89	31.98	5.80	34.93
PK	5.9236G	55.06	68.20	-13.14	3.42	3	Vertical	310	1.46	-	51.64	32.55	5.86	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	42.35	54.00	-11.65	2.67	3	Horizontal	59	2.78	-	39.68	31.81	5.73	34.87
AV	5.7172G	103.77	Inf	-Inf	2.84	3	Horizontal	59	2.78	-	100.93	31.97	5.80	34.93
PK	5.4652G	53.18	68.20	-15.02	2.69	3	Horizontal	59	2.78	-	50.49	31.83	5.73	34.87
PK	5.7016G	114.97	Inf	-Inf	2.79	3	Horizontal	59	2.78	-	112.18	31.91	5.80	34.92
PK	5.8612G	62.40	68.20	-5.80	3.28	3	Horizontal	59	2.78	-	59.12	32.42	5.83	34.97

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42014G	42.00	54.00	-12.00	13.54	3	Vertical	215	1.50	-	28.46	40.02	8.30	34.78
PK	11.42042G	54.66	74.00	-19.34	13.54	3	Vertical	215	1.50	-	41.12	40.02	8.30	34.78
PK	17.12496G	58.37	68.20	-9.83	15.68	3	Vertical	200	2.11	-	42.69	40.00	10.24	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41172G	41.90	54.00	-12.10	13.51	3	Horizontal	160	1.00	-	28.39	40.01	8.29	34.79
PK	11.4302G	54.45	74.00	-19.55	13.55	3	Horizontal	160	1.00	-	40.90	40.03	8.30	34.78
PK	17.13474G	59.34	68.20	-8.86	15.68	3	Horizontal	25	1.77	-	43.66	40.00	10.24	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7718G	99.19	Inf	-Inf	3.00	3	Vertical	308	1.24	-	96.19	32.14	5.80	34.94
PK	5.6482G	58.98	68.20	-9.22	2.70	3	Vertical	308	1.24	-	56.28	31.80	5.80	34.90
PK	5.749G	110.34	Inf	-Inf	2.97	3	Vertical	308	1.24	-	107.37	32.10	5.80	34.93
PK	5.9326G	55.45	68.20	-12.75	3.45	3	Vertical	308	1.24	-	52.00	32.57	5.87	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	102.70	Inf	-Inf	2.95	3	Horizontal	305	2.46	-	99.75	32.08	5.80	34.93
PK	5.6434G	67.90	68.20	-0.30	2.70	3	Horizontal	305	2.46	-	65.20	31.80	5.80	34.90
PK	5.7658G	114.35	Inf	-Inf	2.99	3	Horizontal	305	2.46	-	111.36	32.13	5.80	34.94
PK	5.9338G	57.54	68.20	-10.66	3.45	3	Horizontal	305	2.46	-	54.09	32.57	5.87	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51061G	42.28	54.00	-11.72	13.66	3	Vertical	16	1.50	-	28.62	40.07	8.33	34.74
PK	11.50968G	54.92	74.00	-19.08	13.66	3	Vertical	16	1.50	-	41.26	40.07	8.33	34.74
PK	17.26479G	58.26	68.20	-9.94	15.84	3	Vertical	37	1.50	-	42.42	40.19	10.28	34.63

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50975G	42.24	54.00	-11.76	13.66	3	Horizontal	226	1.83	-	28.58	40.07	8.33	34.74
PK	11.51043G	54.85	74.00	-19.15	13.66	3	Horizontal	226	1.83	-	41.19	40.07	8.33	34.74
PK	17.26575G	58.39	68.20	-9.81	15.85	3	Horizontal	225	1.50	-	42.54	40.20	10.28	34.63

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	99.67	Inf	-Inf	3.02	3	Vertical	309	1.25	-	96.65	32.16	5.80	34.94
PK	5.6426G	56.46	68.20	-11.74	2.70	3	Vertical	309	1.25	-	53.76	31.80	5.80	34.90
PK	5.7986G	110.27	Inf	-Inf	3.05	3	Vertical	309	1.25	-	107.22	32.20	5.80	34.95
PK	5.9462G	56.80	68.20	-11.40	3.47	3	Vertical	309	1.25	-	53.33	32.59	5.87	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	102.89	Inf	-Inf	3.02	3	Horizontal	312	2.55	-	99.87	32.16	5.80	34.94
PK	5.6438G	61.29	68.20	-6.91	2.70	3	Horizontal	312	2.55	-	58.59	31.80	5.80	34.90
PK	5.7806G	114.06	Inf	-Inf	3.02	3	Horizontal	312	2.55	-	111.04	32.16	5.80	34.94
PK	5.9246G	60.59	68.50	-7.91	3.42	3	Horizontal	312	2.55	-	57.17	32.55	5.86	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58971G	42.11	54.00	-11.89	13.43	3	Vertical	0	1.50	-	28.68	39.83	8.36	34.76
PK	11.58876G	54.49	74.00	-19.51	13.43	3	Vertical	0	1.50	-	41.06	39.83	8.36	34.76
PK	17.38561G	60.52	68.20	-7.68	16.61	3	Vertical	302	1.26	-	43.91	40.98	10.32	34.69

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59019G	42.10	54.00	-11.90	13.43	3	Horizontal	328	1.50	-	28.67	39.83	8.36	34.76
PK	11.59026G	54.74	74.00	-19.26	13.43	3	Horizontal	328	1.50	-	41.31	39.83	8.36	34.76
PK	17.3835G	59.98	68.20	-8.22	16.61	3	Horizontal	290	1.50	-	43.37	40.97	10.32	34.68

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.76	54.00	-2.24	2.55	3	Vertical	331	2.28	-	49.21	32.00	5.47	34.92
AV	5.214G	91.82	Inf	-Inf	2.22	3	Vertical	331	2.28	-	89.60	31.62	5.51	34.91
AV	5.35G	42.60	54.00	-11.40	2.07	3	Vertical	331	2.28	-	40.53	31.30	5.65	34.88
PK	5.137G	66.18	74.00	-7.82	2.55	3	Vertical	331	2.28	-	63.63	32.00	5.47	34.92
PK	5.226G	104.01	Inf	-Inf	2.17	3	Vertical	331	2.28	-	101.84	31.54	5.53	34.90
PK	5.35G	55.89	74.00	-18.11	2.07	3	Vertical	331	2.28	-	53.82	31.30	5.65	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.14	54.00	-0.86	2.55	3	Horizontal	56	1.18	-	50.59	32.00	5.47	34.92
AV	5.229G	93.63	Inf	-Inf	2.16	3	Horizontal	56	1.18	-	91.47	31.53	5.53	34.90
AV	5.354G	43.35	54.00	-10.65	2.09	3	Horizontal	56	1.18	-	41.26	31.32	5.65	34.88
PK	5.148G	68.53	74.00	-5.47	2.55	3	Horizontal	56	1.18	-	65.98	32.00	5.47	34.92
PK	5.246G	105.41	Inf	-Inf	2.07	3	Horizontal	56	1.18	-	103.34	31.42	5.55	34.90
PK	5.35G	57.39	74.00	-16.61	2.07	3	Horizontal	56	1.18	-	55.32	31.30	5.65	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63131G	42.68	54.00	-11.32	12.87	3	Vertical	327	2.06	-	29.81	38.23	9.81	35.17
PK	10.41891G	54.24	68.20	-13.96	12.44	3	Vertical	357	1.14	-	41.80	39.66	7.95	35.17
PK	15.62957G	55.33	74.00	-18.67	12.87	3	Vertical	327	2.06	-	42.46	38.23	9.81	35.17

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63133G	42.65	54.00	-11.35	12.87	3	Horizontal	61	2.46	-	29.78	38.23	9.81	35.17
PK	10.41949G	54.18	68.20	-14.02	12.44	3	Horizontal	131	1.49	-	41.74	39.66	7.95	35.17
PK	15.63077G	55.35	74.00	-18.65	12.87	3	Horizontal	61	2.46	-	42.48	38.23	9.81	35.17

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	43.57	54.00	-10.43	2.55	3	Vertical	347	1.00	-	41.02	32.00	5.47	34.92
AV	5.253G	90.64	Inf	-Inf	2.04	3	Vertical	347	1.00	-	88.60	31.39	5.55	34.90
AV	5.35G	50.30	54.00	-3.70	2.07	3	Vertical	347	1.00	-	48.23	31.30	5.65	34.88
PK	5.139G	55.55	74.00	-18.45	2.55	3	Vertical	347	1.00	-	53.00	32.00	5.47	34.92
PK	5.266G	101.05	Inf	-Inf	2.04	3	Vertical	347	1.00	-	99.01	31.37	5.57	34.90
PK	5.381G	68.51	74.00	-5.49	2.29	3	Vertical	347	1.00	-	66.22	31.49	5.68	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.143G	44.46	54.00	-9.54	2.55	3	Horizontal	58	1.00	-	41.91	32.00	5.47	34.92
AV	5.253G	94.11	Inf	-Inf	2.04	3	Horizontal	58	1.00	-	92.07	31.39	5.55	34.90
AV	5.35G	53.42	54.00	-0.58	2.07	3	Horizontal	58	1.00	-	51.35	31.30	5.65	34.88
PK	5.141G	56.77	74.00	-17.23	2.55	3	Horizontal	58	1.00	-	54.22	32.00	5.47	34.92
PK	5.289G	105.25	Inf	-Inf	2.02	3	Horizontal	58	1.00	-	103.23	31.32	5.59	34.89
PK	5.361G	73.08	74.00	-0.92	2.15	3	Horizontal	58	1.00	-	70.93	31.37	5.66	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.86863G	42.10	54.00	-11.90	12.33	3	Vertical	41	1.68	-	29.77	37.80	9.87	35.34
PK	10.58032G	53.93	68.20	-14.27	12.84	3	Vertical	200	1.91	-	41.09	39.90	8.00	35.06
PK	15.86996G	54.50	74.00	-19.50	12.33	3	Vertical	41	1.68	-	42.17	37.80	9.87	35.34

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86986G	41.85	54.00	-12.15	12.33	3	Horizontal	26	2.03	-	29.52	37.80	9.87	35.34
PK	10.58106G	53.71	68.20	-14.49	12.84	3	Horizontal	196	2.20	-	40.87	39.90	8.00	35.06
PK	15.86864G	54.86	74.00	-19.14	12.33	3	Horizontal	26	2.03	-	42.53	37.80	9.87	35.34

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	44.91	54.00	-9.09	2.68	3	Vertical	324	2.42	-	42.23	31.82	5.73	34.87
AV	5.567G	90.68	Inf	-Inf	2.77	3	Vertical	324	2.42	-	87.91	31.87	5.78	34.88
PK	5.47G	62.51	68.20	-5.69	2.72	3	Vertical	324	2.42	-	59.79	31.84	5.74	34.86
PK	5.554G	101.31	Inf	-Inf	2.79	3	Vertical	324	2.42	-	98.52	31.89	5.78	34.88
PK	5.744G	54.77	68.20	-13.43	2.95	3	Vertical	324	2.42	-	51.82	32.08	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.18	54.00	-4.82	2.68	3	Horizontal	62	1.00	-	46.50	31.82	5.73	34.87
AV	5.547G	95.67	Inf	-Inf	2.80	3	Horizontal	62	1.00	-	92.87	31.90	5.77	34.87
PK	5.466G	67.60	68.20	-0.60	2.69	3	Horizontal	62	1.00	-	64.91	31.83	5.73	34.87
PK	5.554G	107.28	Inf	-Inf	2.79	3	Horizontal	62	1.00	-	104.49	31.89	5.78	34.88
PK	5.767G	56.40	68.20	-11.80	2.99	3	Horizontal	62	1.00	-	53.41	32.13	5.80	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05907G	42.20	54.00	-11.80	13.26	3	Vertical	15	2.27	-	28.94	40.06	8.17	34.97
PK	11.06083G	54.95	74.00	-19.05	13.26	3	Vertical	15	2.27	-	41.69	40.06	8.17	34.97
PK	16.58922G	57.10	68.20	-11.10	14.27	3	Vertical	262	1.06	-	42.83	39.00	10.08	34.81

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.06063G	42.18	54.00	-11.82	13.26	3	Horizontal	238	2.41	-	28.92	40.06	8.17	34.97
PK	11.0611G	55.05	74.00	-18.95	13.26	3	Horizontal	238	2.41	-	41.79	40.06	8.17	34.97
PK	16.58983G	57.08	68.20	-11.12	14.27	3	Horizontal	30	1.24	-	42.81	39.00	10.08	34.81

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.42	54.00	-7.58	2.68	3	Vertical	322	2.69	-	43.74	31.82	5.73	34.87
AV	5.633G	94.88	Inf	-Inf	2.70	3	Vertical	322	2.69	-	92.18	31.80	5.80	34.90
PK	5.468G	60.28	68.20	-7.92	2.70	3	Vertical	322	2.69	-	57.58	31.84	5.73	34.87
PK	5.614G	106.13	Inf	-Inf	2.71	3	Vertical	322	2.69	-	103.42	31.80	5.80	34.89
PK	5.73G	67.77	68.20	-0.43	2.89	3	Vertical	322	2.69	-	64.88	32.02	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	50.29	54.00	-3.71	2.68	3	Horizontal	79	1.00	-	47.61	31.82	5.73	34.87
AV	5.612G	99.51	Inf	-Inf	2.71	3	Horizontal	79	1.00	-	96.80	31.80	5.80	34.89
PK	5.461G	63.57	68.20	-4.63	2.68	3	Horizontal	79	1.00	-	60.89	31.82	5.73	34.87
PK	5.614G	111.33	Inf	-Inf	2.71	3	Horizontal	79	1.00	-	108.62	31.80	5.80	34.89
PK	5.731G	67.62	68.20	-0.58	2.89	3	Horizontal	79	1.00	-	64.73	32.02	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22019G	41.79	54.00	-12.21	13.04	3	Vertical	360	2.26	-	28.75	39.70	8.23	34.89
PK	11.21996G	54.60	74.00	-19.40	13.04	3	Vertical	360	2.26	-	41.56	39.70	8.23	34.89
PK	16.82933G	57.45	68.20	-10.75	15.52	3	Vertical	28	1.50	-	41.93	40.00	10.15	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22038G	41.63	54.00	-12.37	13.04	3	Horizontal	232	1.50	-	28.59	39.70	8.23	34.89
PK	11.21974G	54.47	74.00	-19.53	13.04	3	Horizontal	232	1.50	-	41.43	39.70	8.23	34.89
PK	16.83098G	58.55	68.20	-9.65	15.52	3	Horizontal	26	1.50	-	43.03	40.00	10.15	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.82	54.00	-11.18	2.68	3	Vertical	323	2.41	-	40.14	31.82	5.73	34.87
AV	5.6936G	96.13	Inf	-Inf	2.77	3	Vertical	323	2.41	-	93.36	31.89	5.80	34.92
PK	5.4668G	54.13	68.20	-14.07	2.69	3	Vertical	323	2.41	-	51.44	31.83	5.73	34.87
PK	5.6912G	107.22	Inf	-Inf	2.76	3	Vertical	323	2.41	-	104.46	31.88	5.80	34.92
PK	5.8556G	61.20	68.20	-7.00	3.27	3	Vertical	323	2.41	-	57.93	32.41	5.83	34.97

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	43.67	54.00	-10.33	2.68	3	Horizontal	60	2.92	-	40.99	31.82	5.73	34.87
AV	5.7128G	99.21	Inf	-Inf	2.83	3	Horizontal	60	2.92	-	96.38	31.95	5.80	34.92
PK	5.4668G	55.58	68.20	-12.62	2.69	3	Horizontal	60	2.92	-	52.89	31.83	5.73	34.87
PK	5.7068G	110.92	Inf	-Inf	2.81	3	Horizontal	60	2.92	-	108.11	31.93	5.80	34.92
PK	5.852G	64.33	68.20	-3.87	3.26	3	Horizontal	60	2.92	-	61.07	32.40	5.83	34.97

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37924G	41.62	54.00	-12.38	13.42	3	Vertical	223	1.50	-	28.20	39.94	8.28	34.80
PK	11.37903G	54.22	74.00	-19.78	13.42	3	Vertical	223	1.50	-	40.80	39.94	8.28	34.80
PK	17.07064G	58.22	68.20	-9.98	15.78	3	Vertical	106	1.64	-	42.44	40.09	10.22	34.53

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38107G	41.67	54.00	-12.33	13.42	3	Horizontal	340	2.50	-	28.25	39.94	8.28	34.80
PK	11.37971G	54.35	74.00	-19.65	13.42	3	Horizontal	340	2.50	-	40.93	39.94	8.28	34.80
PK	17.06996G	58.05	68.20	-10.15	15.78	3	Horizontal	154	1.50	-	42.27	40.09	10.22	34.53

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	93.81	Inf	-Inf	2.97	3	Vertical	313	1.48	-	90.84	32.11	5.80	34.94
PK	5.6466G	59.92	68.20	-8.28	2.70	3	Vertical	313	1.48	-	57.22	31.80	5.80	34.90
PK	5.7582G	105.89	Inf	-Inf	2.98	3	Vertical	313	1.48	-	102.91	32.12	5.80	34.94
PK	5.9274G	59.61	68.20	-8.59	3.42	3	Vertical	313	1.48	-	56.19	32.55	5.86	34.99

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	99.78	Inf	-Inf	2.97	3	Horizontal	60	3.00	-	96.81	32.11	5.80	34.94
PK	5.6442G	67.68	68.20	-0.52	2.70	3	Horizontal	60	3.00	-	64.98	31.80	5.80	34.90
PK	5.7378G	111.60	Inf	-Inf	2.92	3	Horizontal	60	3.00	-	108.68	32.05	5.80	34.93
PK	5.925G	61.44	68.20	-6.76	3.42	3	Horizontal	60	3.00	-	58.02	32.55	5.86	34.99

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54997G	42.69	54.00	-11.31	13.54	3	Vertical	360	2.19	-	29.15	39.95	8.34	34.75
PK	11.54996G	55.14	74.00	-18.86	13.54	3	Vertical	360	2.19	-	41.60	39.95	8.34	34.75
PK	17.32393G	58.31	68.20	-9.89	16.13	3	Vertical	68	1.50	-	42.18	40.49	10.30	34.66

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5506G	42.22	54.00	-11.78	13.54	3	Horizontal	351	1.50	-	28.68	39.95	8.34	34.75
PK	11.54993G	55.26	74.00	-18.74	13.54	3	Horizontal	351	1.50	-	41.72	39.95	8.34	34.75
PK	17.32622G	57.98	68.20	-10.22	16.15	3	Horizontal	4	1.65	-	41.83	40.51	10.30	34.66



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.1496G	50.17	54.00	-3.83	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.1848G	99.30	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1482G	65.69	74.00	-8.31	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1844G	110.67	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	5.175G	103.39	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	PK	5.1472G	67.88	74.00	-6.12	3	Horizontal	299	2.20	-
5775MHz	Pass	PK	5.1786G	114.34	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	15.54159G	42.11	54.00	-11.89	3	Vertical	81	1.38	-
5775MHz	Pass	PK	10.35976G	55.36	68.20	-12.84	3	Vertical	344	3.00	-
5775MHz	Pass	PK	15.5395G	54.89	74.00	-19.11	3	Vertical	81	1.38	-
5775MHz	Pass	AV	15.54077G	42.09	54.00	-11.91	3	Horizontal	124	1.50	-
5775MHz	Pass	PK	10.36004G	54.48	68.20	-13.72	3	Horizontal	39	2.13	-
5775MHz	Pass	PK	15.54186G	54.54	74.00	-19.46	3	Horizontal	124	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	119.24M	40.32	43.50	-3.18	-18.91	3	Vertical	360	1.00	-	59.23	16.69	1.08	36.68
PK	276.38M	42.09	46.00	-3.91	-16.98	3	Vertical	360	1.00	-	59.07	17.85	1.59	36.42
PK	416.06M	40.32	46.00	-5.68	-12.80	3	Vertical	360	1.00	-	53.12	21.82	1.97	36.59
PK	551.86M	40.77	46.00	-5.23	-10.01	3	Vertical	360	1.00	-	50.78	24.69	2.38	37.08
PK	831.22M	42.35	46.00	-3.65	-6.88	3	Vertical	360	1.00	-	49.23	27.82	2.87	37.57
QP	74.3M	39.00	40.00	-1.00	-24.37	3	Vertical	77	1.00	-	63.37	11.71	0.86	36.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	136.7M	39.58	43.50	-3.92	-18.51	3	Horizontal	0	1.00	-	58.09	16.78	1.16	36.45
PK	239.52M	38.61	46.00	-7.39	-18.55	3	Horizontal	0	1.00	-	57.16	16.35	1.46	36.36
PK	416.06M	39.08	46.00	-6.92	-12.80	3	Horizontal	0	1.00	-	51.88	21.82	1.97	36.59
PK	549.92M	37.83	46.00	-8.17	-10.25	3	Horizontal	0	1.00	-	48.08	24.45	2.38	37.08
QP	60M	39.78	40.00	-0.22	-25.34	3	Horizontal	192	3.00	-	65.12	10.90	0.82	37.06
QP	75.26M	37.65	40.00	-2.35	-24.30	3	Horizontal	222	2.39	-	61.95	11.77	0.86	36.93

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.15G	73.31	74.00	-0.69	3	Horizontal	298	2.20	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.34	54.00	-0.66	3	Vertical	322	2.42	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	301	1.81	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3548G	73.10	74.00	-0.90	3	Horizontal	301.6	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	308	1.83	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	67.94	68.20	-0.26	3	Horizontal	306	1.96	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4664G	67.99	68.20	-0.21	3	Horizontal	52.3	2.40	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.734G	68.07	68.20	-0.13	3	Horizontal	305	2.54	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.47434G	60.47	68.20	-7.73	3	Vertical	172	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6374G	60.67	68.20	-7.53	3	Horizontal	57	1.78	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	50.17	54.00	-3.83	3	Vertical	329	2.25	-
5180MHz	Pass	AV	5.1848G	99.30	Inf	-Inf	3	Vertical	329	2.25	-
5180MHz	Pass	PK	5.1482G	65.69	74.00	-8.31	3	Vertical	329	2.25	-
5180MHz	Pass	PK	5.1844G	110.67	Inf	-Inf	3	Vertical	329	2.25	-
5180MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
5180MHz	Pass	AV	5.175G	103.39	Inf	-Inf	3	Horizontal	299	2.20	-
5180MHz	Pass	PK	5.1472G	67.88	74.00	-6.12	3	Horizontal	299	2.20	-
5180MHz	Pass	PK	5.1786G	114.34	Inf	-Inf	3	Horizontal	299	2.20	-
5180MHz	Pass	AV	15.54159G	42.11	54.00	-11.89	3	Vertical	81	1.38	-
5180MHz	Pass	PK	10.35976G	55.36	68.20	-12.84	3	Vertical	344	3.00	-
5180MHz	Pass	PK	15.5395G	54.89	74.00	-19.11	3	Vertical	81	1.38	-
5180MHz	Pass	AV	15.54077G	42.09	54.00	-11.91	3	Horizontal	124	1.50	-
5180MHz	Pass	PK	10.36004G	54.48	68.20	-13.72	3	Horizontal	39	2.13	-
5180MHz	Pass	PK	15.54186G	54.54	74.00	-19.46	3	Horizontal	124	1.50	-
5200MHz	Pass	AV	5.15G	49.56	54.00	-4.44	3	Vertical	324	2.32	-
5200MHz	Pass	AV	5.192G	102.78	Inf	-Inf	3	Vertical	324	2.32	-
5200MHz	Pass	PK	5.148G	66.66	74.00	-7.34	3	Vertical	324	2.32	-
5200MHz	Pass	PK	5.1916G	113.47	Inf	-Inf	3	Vertical	324	2.32	-
5200MHz	Pass	AV	5.15G	48.66	54.00	-5.34	3	Horizontal	298	1.50	-
5200MHz	Pass	AV	5.2084G	101.60	Inf	-Inf	3	Horizontal	298	1.50	-
5200MHz	Pass	PK	5.1488G	62.38	74.00	-11.62	3	Horizontal	298	1.50	-
5200MHz	Pass	PK	5.2088G	112.62	Inf	-Inf	3	Horizontal	298	1.50	-
5200MHz	Pass	AV	15.61152G	42.79	54.00	-11.21	3	Vertical	67	2.19	-
5200MHz	Pass	PK	10.39984G	54.89	68.20	-13.31	3	Vertical	356	1.02	-
5200MHz	Pass	PK	15.59688G	55.40	74.00	-18.60	3	Vertical	67	2.19	-
5200MHz	Pass	AV	15.60744G	42.92	54.00	-11.08	3	Horizontal	85	1.93	-
5200MHz	Pass	PK	10.41482G	54.09	68.20	-14.11	3	Horizontal	329.1	1.50	-
5200MHz	Pass	PK	15.60456G	55.51	74.00	-18.49	3	Horizontal	85	1.93	-
5240MHz	Pass	AV	5.1416G	43.46	54.00	-10.54	3	Vertical	316	2.97	-
5240MHz	Pass	AV	5.231G	100.47	Inf	-Inf	3	Vertical	316	2.97	-
5240MHz	Pass	AV	5.3582G	41.85	54.00	-12.15	3	Vertical	316	2.97	-
5240MHz	Pass	PK	5.1326G	56.01	74.00	-17.99	3	Vertical	316	2.97	-
5240MHz	Pass	PK	5.234G	110.90	Inf	-Inf	3	Vertical	316	2.97	-
5240MHz	Pass	PK	5.3774G	53.54	74.00	-20.46	3	Vertical	316	2.97	-
5240MHz	Pass	AV	5.15G	43.43	54.00	-10.57	3	Horizontal	294	2.63	-
5240MHz	Pass	AV	5.2478G	102.35	Inf	-Inf	3	Horizontal	294	2.63	-
5240MHz	Pass	AV	5.369G	42.19	54.00	-11.81	3	Horizontal	294	2.63	-
5240MHz	Pass	PK	5.1458G	57.35	74.00	-16.65	3	Horizontal	294	2.63	-
5240MHz	Pass	PK	5.2484G	113.16	Inf	-Inf	3	Horizontal	294	2.63	-
5240MHz	Pass	PK	5.3558G	54.58	74.00	-19.42	3	Horizontal	294	2.63	-
5240MHz	Pass	AV	15.70644G	42.47	54.00	-11.53	3	Vertical	54	2.21	-
5240MHz	Pass	PK	10.4791G	55.11	68.20	-13.09	3	Vertical	4	2.83	-
5240MHz	Pass	PK	15.71724G	55.06	74.00	-18.94	3	Vertical	54	2.21	-
5240MHz	Pass	AV	15.70824G	42.41	54.00	-11.59	3	Horizontal	115	1.23	-
5240MHz	Pass	PK	10.49488G	54.15	68.20	-14.05	3	Horizontal	204	1.07	-
5240MHz	Pass	PK	15.72168G	55.57	74.00	-18.43	3	Horizontal	115	1.23	-
5260MHz	Pass	AV	5.1496G	43.23	54.00	-10.77	3	Vertical	327	2.28	-
5260MHz	Pass	AV	5.2654G	101.70	Inf	-Inf	3	Vertical	327	2.28	-
5260MHz	Pass	AV	5.3626G	42.08	54.00	-11.92	3	Vertical	327	2.28	-
5260MHz	Pass	PK	5.1166G	56.88	74.00	-17.12	3	Vertical	327	2.28	-
5260MHz	Pass	PK	5.2666G	113.35	Inf	-Inf	3	Vertical	327	2.28	-
5260MHz	Pass	PK	5.3728G	54.27	74.00	-19.73	3	Vertical	327	2.28	-
5260MHz	Pass	AV	5.143G	43.95	54.00	-10.05	3	Horizontal	300	2.06	-
5260MHz	Pass	AV	5.2522G	103.99	Inf	-Inf	3	Horizontal	300	2.06	-
5260MHz	Pass	AV	5.359G	42.94	54.00	-11.06	3	Horizontal	300	2.06	-
5260MHz	Pass	PK	5.1124G	56.35	74.00	-17.65	3	Horizontal	300	2.06	-
5260MHz	Pass	PK	5.2516G	114.77	Inf	-Inf	3	Horizontal	300	2.06	-
5260MHz	Pass	PK	5.35G	55.37	74.00	-18.63	3	Horizontal	300	2.06	-
5260MHz	Pass	AV	15.77624G	44.99	54.00	-9.01	3	Vertical	184	1.03	-
5260MHz	Pass	PK	10.51942G	54.29	68.20	-13.91	3	Vertical	18	2.25	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.78272G	56.05	74.00	-17.95	3	Vertical	184	1.03	-
5260MHz	Pass	AV	15.78228G	44.80	54.00	-9.20	3	Horizontal	201	2.29	-
5260MHz	Pass	PK	10.52398G	53.99	68.20	-14.21	3	Horizontal	165	1.41	-
5260MHz	Pass	PK	15.78468G	54.75	74.00	-19.25	3	Horizontal	201	2.29	-
5300MHz	Pass	AV	5.2948G	102.72	Inf	-Inf	3	Vertical	325	2.28	-
5300MHz	Pass	AV	5.35G	45.75	54.00	-8.25	3	Vertical	325	2.28	-
5300MHz	Pass	PK	5.2936G	114.03	Inf	-Inf	3	Vertical	325	2.28	-
5300MHz	Pass	PK	5.3516G	61.52	74.00	-12.48	3	Vertical	325	2.28	-
5300MHz	Pass	AV	5.3048G	102.42	Inf	-Inf	3	Horizontal	301	2.23	-
5300MHz	Pass	AV	5.35G	49.07	54.00	-4.93	3	Horizontal	301	2.23	-
5300MHz	Pass	PK	5.2912G	112.82	Inf	-Inf	3	Horizontal	301	2.23	-
5300MHz	Pass	PK	5.3516G	63.61	74.00	-10.39	3	Horizontal	301	2.23	-
5300MHz	Pass	AV	15.90184G	44.81	54.00	-9.19	3	Vertical	155	1.17	-
5300MHz	Pass	PK	10.60488G	54.25	74.00	-19.75	3	Vertical	232	1.67	-
5300MHz	Pass	PK	15.90366G	54.40	74.00	-19.60	3	Vertical	155	1.17	-
5300MHz	Pass	AV	15.90276G	44.60	54.00	-9.40	3	Horizontal	100	1.53	-
5300MHz	Pass	PK	10.60432G	53.64	74.00	-20.36	3	Horizontal	51	1.50	-
5300MHz	Pass	PK	15.90328G	55.02	74.00	-18.98	3	Horizontal	100	1.53	-
5320MHz	Pass	AV	5.3148G	98.84	Inf	-Inf	3	Vertical	21	1.00	-
5320MHz	Pass	AV	5.35G	50.06	54.00	-3.94	3	Vertical	21	1.00	-
5320MHz	Pass	PK	5.3188G	110.79	Inf	-Inf	3	Vertical	21	1.00	-
5320MHz	Pass	PK	5.351G	64.90	74.00	-9.10	3	Vertical	21	1.00	-
5320MHz	Pass	AV	5.328G	103.52	Inf	-Inf	3	Horizontal	301	1.81	-
5320MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	301	1.81	-
5320MHz	Pass	PK	5.3242G	114.12	Inf	-Inf	3	Horizontal	301	1.81	-
5320MHz	Pass	PK	5.3528G	71.89	74.00	-2.11	3	Horizontal	301	1.81	-
5320MHz	Pass	AV	10.63988G	45.16	54.00	-8.84	3	Vertical	26	2.33	-
5320MHz	Pass	AV	15.96222G	44.56	54.00	-9.44	3	Vertical	325	1.96	-
5320MHz	Pass	PK	10.63978G	53.97	74.00	-20.03	3	Vertical	26	2.33	-
5320MHz	Pass	PK	15.95742G	54.58	74.00	-19.42	3	Vertical	325	1.96	-
5320MHz	Pass	AV	10.63996G	43.84	54.00	-10.16	3	Horizontal	191	2.49	-
5320MHz	Pass	AV	15.96192G	44.53	54.00	-9.47	3	Horizontal	157	1.03	-
5320MHz	Pass	PK	10.64266G	54.46	74.00	-19.54	3	Horizontal	191	2.49	-
5320MHz	Pass	PK	15.95834G	55.74	74.00	-18.26	3	Horizontal	157	1.03	-
5500MHz	Pass	AV	5.46G	42.66	54.00	-11.34	3	Vertical	57	1.50	-
5500MHz	Pass	AV	5.5078G	96.32	Inf	-Inf	3	Vertical	57	1.50	-
5500MHz	Pass	PK	5.4658G	57.08	68.20	-11.12	3	Vertical	57	1.50	-
5500MHz	Pass	PK	5.508G	107.81	Inf	-Inf	3	Vertical	57	1.50	-
5500MHz	Pass	AV	5.46G	46.84	54.00	-7.16	3	Horizontal	306	1.96	-
5500MHz	Pass	AV	5.4918G	103.83	Inf	-Inf	3	Horizontal	306	1.96	-
5500MHz	Pass	PK	5.47G	67.94	68.20	-0.26	3	Horizontal	306	1.96	-
5500MHz	Pass	PK	5.4916G	114.77	Inf	-Inf	3	Horizontal	306	1.96	-
5500MHz	Pass	AV	11.00114G	44.52	54.00	-9.48	3	Vertical	34	1.39	-
5500MHz	Pass	PK	11.00168G	54.96	74.00	-19.04	3	Vertical	34	1.39	-
5500MHz	Pass	PK	16.50304G	56.54	68.20	-11.66	3	Vertical	317	1.76	-
5500MHz	Pass	AV	10.99928G	44.49	54.00	-9.51	3	Horizontal	275	1.26	-
5500MHz	Pass	PK	10.99732G	54.91	74.00	-19.09	3	Horizontal	275	1.26	-
5500MHz	Pass	PK	16.50182G	56.80	68.20	-11.40	3	Horizontal	172	1.77	-
5580MHz	Pass	AV	5.4558G	42.32	54.00	-11.68	3	Vertical	289	1.20	-
5580MHz	Pass	AV	5.5716G	101.99	Inf	-Inf	3	Vertical	289	1.20	-
5580MHz	Pass	PK	5.4618G	54.39	68.20	-13.81	3	Vertical	289	1.20	-
5580MHz	Pass	PK	5.5716G	111.86	Inf	-Inf	3	Vertical	289	1.20	-
5580MHz	Pass	PK	5.7258G	54.84	68.20	-13.36	3	Vertical	289	1.20	-
5580MHz	Pass	AV	5.4594G	43.29	54.00	-10.71	3	Horizontal	306	2.06	-
5580MHz	Pass	AV	5.5872G	107.02	Inf	-Inf	3	Horizontal	306	2.06	-
5580MHz	Pass	PK	5.4636G	55.86	68.20	-12.34	3	Horizontal	306	2.06	-
5580MHz	Pass	PK	5.5824G	117.90	Inf	-Inf	3	Horizontal	306	2.06	-
5580MHz	Pass	PK	5.73G	54.99	68.20	-13.21	3	Horizontal	306	2.06	-
5580MHz	Pass	AV	11.17G	44.04	54.00	-9.96	3	Vertical	287	2.48	-
5580MHz	Pass	PK	11.16328G	54.11	74.00	-19.89	3	Vertical	287	2.48	-
5580MHz	Pass	PK	16.74472G	57.65	68.20	-10.55	3	Vertical	15	1.57	-
5580MHz	Pass	AV	11.16424G	43.86	54.00	-10.14	3	Horizontal	254	1.99	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	11.15598G	54.07	74.00	-19.93	3	Horizontal	254	1.99	-
5580MHz	Pass	PK	16.74056G	57.43	68.20	-10.77	3	Horizontal	259	2.40	-
5700MHz	Pass	AV	5.708G	94.95	Inf	-Inf	3	Vertical	63	1.78	-
5700MHz	Pass	PK	5.708G	106.43	Inf	-Inf	3	Vertical	63	1.78	-
5700MHz	Pass	PK	5.7252G	63.63	68.20	-4.57	3	Vertical	63	1.78	-
5700MHz	Pass	AV	5.6912G	98.64	Inf	-Inf	3	Horizontal	48	2.07	-
5700MHz	Pass	PK	5.6916G	110.70	Inf	-Inf	3	Horizontal	48	2.07	-
5700MHz	Pass	PK	5.7252G	67.42	68.20	-0.78	3	Horizontal	48	2.07	-
5700MHz	Pass	AV	11.40492G	44.29	54.00	-9.71	3	Vertical	259	2.16	-
5700MHz	Pass	PK	11.39956G	54.84	74.00	-19.16	3	Vertical	259	2.16	-
5700MHz	Pass	PK	17.09144G	58.18	68.20	-10.02	3	Vertical	21	2.07	-
5700MHz	Pass	AV	11.40928G	44.30	54.00	-9.70	3	Horizontal	265	1.68	-
5700MHz	Pass	PK	11.40824G	54.11	74.00	-19.89	3	Horizontal	265	1.68	-
5700MHz	Pass	PK	17.09464G	59.00	68.20	-9.20	3	Horizontal	72	1.16	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	42.61	54.00	-11.39	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	101.03	Inf	-Inf	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	54.18	68.20	-14.02	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	112.68	Inf	-Inf	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	55.77	68.20	-12.43	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	42.48	54.00	-11.52	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	105.69	Inf	-Inf	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	54.91	68.20	-13.29	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	115.82	Inf	-Inf	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8916G	55.91	68.20	-12.29	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44256G	44.52	54.00	-9.48	3	Vertical	342	1.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43076G	54.48	74.00	-19.52	3	Vertical	342	1.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15428G	58.10	68.20	-10.10	3	Vertical	55	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43448G	44.58	54.00	-9.42	3	Horizontal	311	1.06	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44556G	54.72	74.00	-19.28	3	Horizontal	311	1.06	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17G	58.02	68.20	-10.18	3	Horizontal	190	1.76	-
5745MHz	Pass	AV	5.7366G	100.97	Inf	-Inf	3	Vertical	52	1.77	-
5745MHz	Pass	PK	5.5806G	54.98	68.20	-13.22	3	Vertical	52	1.77	-
5745MHz	Pass	PK	5.7366G	111.35	Inf	-Inf	3	Vertical	52	1.77	-
5745MHz	Pass	PK	6.033G	55.22	68.20	-12.98	3	Vertical	52	1.77	-
5745MHz	Pass	AV	5.7366G	105.92	Inf	-Inf	3	Horizontal	45	1.78	-
5745MHz	Pass	PK	5.6226G	55.96	68.20	-12.24	3	Horizontal	45	1.78	-
5745MHz	Pass	PK	5.7354G	115.29	Inf	-Inf	3	Horizontal	45	1.78	-
5745MHz	Pass	PK	5.9394G	55.96	68.20	-12.24	3	Horizontal	45	1.78	-
5745MHz	Pass	AV	11.49592G	44.54	54.00	-9.46	3	Vertical	12	1.50	-
5745MHz	Pass	PK	11.48444G	54.96	74.00	-19.04	3	Vertical	12	1.50	-
5745MHz	Pass	PK	17.2335G	57.82	68.20	-10.38	3	Vertical	278	1.39	-
5745MHz	Pass	AV	11.49316G	44.58	54.00	-9.42	3	Horizontal	119	2.48	-
5745MHz	Pass	PK	11.49904G	55.21	74.00	-18.79	3	Horizontal	119	2.48	-
5745MHz	Pass	PK	17.23836G	58.06	68.20	-10.14	3	Horizontal	53	1.50	-
5785MHz	Pass	AV	5.779G	102.70	Inf	-Inf	3	Vertical	290	1.40	-
5785MHz	Pass	PK	5.5162G	55.26	68.20	-12.94	3	Vertical	290	1.40	-
5785MHz	Pass	PK	5.785G	110.40	Inf	-Inf	3	Vertical	290	1.40	-
5785MHz	Pass	PK	5.9806G	54.89	68.20	-13.31	3	Vertical	290	1.40	-
5785MHz	Pass	AV	5.7826G	104.77	Inf	-Inf	3	Horizontal	312	1.56	-
5785MHz	Pass	PK	5.611G	55.79	68.20	-12.41	3	Horizontal	312	1.56	-
5785MHz	Pass	PK	5.7838G	112.46	Inf	-Inf	3	Horizontal	312	1.56	-
5785MHz	Pass	PK	5.9254G	55.01	68.20	-13.19	3	Horizontal	312	1.56	-
5785MHz	Pass	AV	11.5702G	44.74	54.00	-9.26	3	Vertical	92	1.69	-
5785MHz	Pass	PK	11.57508G	54.63	74.00	-19.37	3	Vertical	92	1.69	-
5785MHz	Pass	PK	17.35816G	58.79	68.20	-9.41	3	Vertical	269	1.40	-
5785MHz	Pass	AV	11.56704G	44.32	54.00	-9.68	3	Horizontal	261	1.35	-
5785MHz	Pass	PK	11.56112G	55.02	74.00	-18.98	3	Horizontal	261	1.35	-
5785MHz	Pass	PK	17.3548G	58.94	68.20	-9.26	3	Horizontal	270	2.19	-
5825MHz	Pass	AV	5.8334G	101.04	Inf	-Inf	3	Vertical	55	1.96	-
5825MHz	Pass	PK	5.6138G	55.92	68.20	-12.28	3	Vertical	55	1.96	-
5825MHz	Pass	PK	5.8298G	112.17	Inf	-Inf	3	Vertical	55	1.96	-
5825MHz	Pass	PK	6.0302G	56.25	68.20	-11.95	3	Vertical	55	1.96	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	AV	5.8178G	106.09	Inf	-Inf	3	Horizontal	308	2.01	-
5825MHz	Pass	PK	5.6138G	56.55	68.20	-11.65	3	Horizontal	308	2.01	-
5825MHz	Pass	PK	5.8274G	116.21	Inf	-Inf	3	Horizontal	308	2.01	-
5825MHz	Pass	PK	6.0374G	55.28	68.20	-12.92	3	Horizontal	308	2.01	-
5825MHz	Pass	AV	11.64976G	42.08	54.00	-11.92	3	Vertical	360	1.79	-
5825MHz	Pass	PK	11.65074G	55.09	74.00	-18.91	3	Vertical	360	1.79	-
5825MHz	Pass	PK	17.47434G	60.47	68.20	-7.73	3	Vertical	172	1.50	-
5825MHz	Pass	AV	11.64992G	42.59	54.00	-11.41	3	Horizontal	322	2.51	-
5825MHz	Pass	PK	11.64948G	54.95	74.00	-19.05	3	Horizontal	322	2.51	-
5825MHz	Pass	PK	17.47289G	60.09	68.20	-8.11	3	Horizontal	15	1.01	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	47.35	54.00	-6.65	3	Vertical	328	1.00	-
5190MHz	Pass	AV	5.1744G	92.07	Inf	-Inf	3	Vertical	328	1.00	-
5190MHz	Pass	PK	5.15G	70.38	74.00	-3.62	3	Vertical	328	1.00	-
5190MHz	Pass	PK	5.174G	103.99	Inf	-Inf	3	Vertical	328	1.00	-
5190MHz	Pass	AV	5.1444G	48.20	54.00	-5.80	3	Horizontal	298	2.20	-
5190MHz	Pass	AV	5.2052G	94.60	Inf	-Inf	3	Horizontal	298	2.20	-
5190MHz	Pass	PK	5.15G	73.31	74.00	-0.69	3	Horizontal	298	2.20	-
5190MHz	Pass	PK	5.1836G	108.64	Inf	-Inf	3	Horizontal	298	2.20	-
5190MHz	Pass	AV	15.55542G	41.95	54.00	-12.05	3	Vertical	138	1.31	-
5190MHz	Pass	PK	10.37994G	54.69	68.20	-13.51	3	Vertical	352	1.00	-
5190MHz	Pass	PK	15.57528G	54.75	74.00	-19.25	3	Vertical	138	1.31	-
5190MHz	Pass	AV	15.56928G	41.91	54.00	-12.09	3	Horizontal	280	1.74	-
5190MHz	Pass	PK	10.37988G	55.52	68.20	-12.68	3	Horizontal	141	1.95	-
5190MHz	Pass	PK	15.5775G	54.23	74.00	-19.77	3	Horizontal	280	1.74	-
5230MHz	Pass	AV	5.1496G	49.47	54.00	-4.53	3	Vertical	322	2.44	-
5230MHz	Pass	AV	5.2456G	97.95	Inf	-Inf	3	Vertical	322	2.44	-
5230MHz	Pass	PK	5.1324G	64.05	74.00	-9.95	3	Vertical	322	2.44	-
5230MHz	Pass	PK	5.2456G	110.12	Inf	-Inf	3	Vertical	322	2.44	-
5230MHz	Pass	AV	5.1496G	51.11	54.00	-2.89	3	Horizontal	305	2.04	-
5230MHz	Pass	AV	5.2248G	103.37	Inf	-Inf	3	Horizontal	305	2.04	-
5230MHz	Pass	PK	5.1344G	69.88	74.00	-4.12	3	Horizontal	305	2.04	-
5230MHz	Pass	PK	5.2252G	114.76	Inf	-Inf	3	Horizontal	305	2.04	-
5230MHz	Pass	AV	15.7002G	42.27	54.00	-11.73	3	Vertical	44	2.32	-
5230MHz	Pass	PK	10.46324G	54.71	68.20	-13.49	3	Vertical	3	2.90	-
5230MHz	Pass	PK	15.68874G	55.33	74.00	-18.67	3	Vertical	44	2.32	-
5230MHz	Pass	AV	15.69366G	42.36	54.00	-11.64	3	Horizontal	157	1.46	-
5230MHz	Pass	PK	10.45994G	54.99	68.20	-13.21	3	Horizontal	226	2.17	-
5230MHz	Pass	PK	15.68946G	54.49	74.00	-19.51	3	Horizontal	157	1.46	-
5270MHz	Pass	AV	5.2608G	95.39	Inf	-Inf	3	Vertical	264.1	2.03	-
5270MHz	Pass	AV	5.35G	46.08	54.00	-7.92	3	Vertical	264.1	2.03	-
5270MHz	Pass	PK	5.272G	107.05	Inf	-Inf	3	Vertical	264.1	2.03	-
5270MHz	Pass	PK	5.35G	59.09	74.00	-14.91	3	Vertical	264.1	2.03	-
5270MHz	Pass	AV	5.2728G	101.81	Inf	-Inf	3	Horizontal	62	1.70	-
5270MHz	Pass	AV	5.3508G	51.93	54.00	-2.07	3	Horizontal	62	1.70	-
5270MHz	Pass	PK	5.272G	113.13	Inf	-Inf	3	Horizontal	62	1.70	-
5270MHz	Pass	PK	5.35G	65.96	74.00	-8.04	3	Horizontal	62	1.70	-
5270MHz	Pass	AV	15.80652G	41.71	54.00	-12.29	3	Vertical	68	1.40	-
5270MHz	Pass	PK	10.52728G	54.27	68.20	-13.93	3	Vertical	14	1.02	-
5270MHz	Pass	PK	15.80334G	53.86	74.00	-20.14	3	Vertical	68	1.40	-
5270MHz	Pass	AV	15.81948G	41.78	54.00	-12.22	3	Horizontal	335	1.71	-
5270MHz	Pass	PK	10.5478G	54.13	68.20	-14.07	3	Horizontal	281	1.39	-
5270MHz	Pass	PK	15.79704G	54.42	74.00	-19.58	3	Horizontal	335	1.71	-
5310MHz	Pass	AV	5.3G	90.45	Inf	-Inf	3	Vertical	338	2.97	-
5310MHz	Pass	AV	5.3512G	45.46	54.00	-8.54	3	Vertical	338	2.97	-
5310MHz	Pass	PK	5.2928G	105.82	Inf	-Inf	3	Vertical	338	2.97	-
5310MHz	Pass	PK	5.3604G	67.05	74.00	-6.95	3	Vertical	338	2.97	-
5310MHz	Pass	AV	5.3044G	94.07	Inf	-Inf	3	Horizontal	301.6	1.50	-
5310MHz	Pass	AV	5.3512G	48.77	54.00	-5.23	3	Horizontal	301.6	1.50	-
5310MHz	Pass	PK	5.3052G	107.57	Inf	-Inf	3	Horizontal	301.6	1.50	-
5310MHz	Pass	PK	5.3548G	73.10	74.00	-0.90	3	Horizontal	301.6	1.50	-
5310MHz	Pass	AV	10.61976G	42.49	54.00	-11.51	3	Vertical	6	1.01	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	15.918G	41.40	54.00	-12.60	3	Vertical	239	2.11	-
5310MHz	Pass	PK	10.62846G	54.17	74.00	-19.83	3	Vertical	6	1.01	-
5310MHz	Pass	PK	15.92724G	54.58	74.00	-19.42	3	Vertical	239	2.11	-
5310MHz	Pass	AV	10.61994G	42.60	54.00	-11.40	3	Horizontal	181	1.76	-
5310MHz	Pass	AV	15.91632G	41.33	54.00	-12.67	3	Horizontal	77	2.32	-
5310MHz	Pass	PK	10.60824G	53.59	74.00	-20.41	3	Horizontal	181	1.76	-
5310MHz	Pass	PK	15.91812G	54.03	74.00	-19.97	3	Horizontal	77	2.32	-
5510MHz	Pass	AV	5.4588G	42.72	54.00	-11.28	3	Vertical	248.5	1.56	-
5510MHz	Pass	AV	5.4988G	90.31	Inf	-Inf	3	Vertical	248.5	1.56	-
5510MHz	Pass	PK	5.468G	66.93	68.20	-1.27	3	Vertical	248.5	1.56	-
5510MHz	Pass	PK	5.4976G	101.01	Inf	-Inf	3	Vertical	248.5	1.56	-
5510MHz	Pass	AV	5.4576G	43.70	54.00	-10.30	3	Horizontal	52.3	2.40	-
5510MHz	Pass	AV	5.492G	94.52	Inf	-Inf	3	Horizontal	52.3	2.40	-
5510MHz	Pass	PK	5.4664G	67.99	68.20	-0.21	3	Horizontal	52.3	2.40	-
5510MHz	Pass	PK	5.4976G	107.91	Inf	-Inf	3	Horizontal	52.3	2.40	-
5510MHz	Pass	AV	11.00668G	42.22	54.00	-11.78	3	Vertical	144	1.80	-
5510MHz	Pass	PK	11.01064G	55.23	74.00	-18.77	3	Vertical	144	1.80	-
5510MHz	Pass	PK	16.5174G	56.17	68.20	-12.03	3	Vertical	297	1.43	-
5510MHz	Pass	AV	11.01556G	42.01	54.00	-11.99	3	Horizontal	43	1.34	-
5510MHz	Pass	PK	11.00932G	55.09	74.00	-18.91	3	Horizontal	43	1.34	-
5510MHz	Pass	PK	16.53702G	56.51	68.20	-11.69	3	Horizontal	145	1.47	-
5550MHz	Pass	AV	5.4584G	42.45	54.00	-11.55	3	Vertical	58	1.83	-
5550MHz	Pass	AV	5.5424G	94.28	Inf	-Inf	3	Vertical	58	1.83	-
5550MHz	Pass	PK	5.4616G	60.21	68.20	-7.99	3	Vertical	58	1.83	-
5550MHz	Pass	PK	5.5484G	109.31	Inf	-Inf	3	Vertical	58	1.83	-
5550MHz	Pass	AV	5.4596G	46.06	54.00	-7.94	3	Horizontal	307.6	2.01	-
5550MHz	Pass	AV	5.5376G	102.58	Inf	-Inf	3	Horizontal	307.6	2.01	-
5550MHz	Pass	PK	5.4668G	67.97	68.20	-0.23	3	Horizontal	307.6	2.01	-
5550MHz	Pass	PK	5.5376G	113.46	Inf	-Inf	3	Horizontal	307.6	2.01	-
5550MHz	Pass	AV	11.09556G	41.91	54.00	-12.09	3	Vertical	103	1.80	-
5550MHz	Pass	PK	11.09256G	54.92	74.00	-19.08	3	Vertical	103	1.80	-
5550MHz	Pass	PK	16.6572G	57.18	68.20	-11.02	3	Vertical	90	1.04	-
5550MHz	Pass	AV	11.0868G	42.07	54.00	-11.93	3	Horizontal	354	1.36	-
5550MHz	Pass	PK	11.09268G	55.44	74.00	-18.56	3	Horizontal	354	1.36	-
5550MHz	Pass	PK	16.64364G	57.39	68.20	-10.81	3	Horizontal	272	2.32	-
5670MHz	Pass	AV	5.6532G	97.14	Inf	-Inf	3	Vertical	60	1.05	-
5670MHz	Pass	AV	5.727G	47.04	Inf	-Inf	3	Vertical	60	1.05	-
5670MHz	Pass	PK	5.6532G	106.55	Inf	-Inf	3	Vertical	60	1.05	-
5670MHz	Pass	PK	5.739G	62.24	68.20	-5.96	3	Vertical	60	1.05	-
5670MHz	Pass	AV	5.685G	96.02	Inf	-Inf	3	Horizontal	54	2.23	-
5670MHz	Pass	AV	5.7252G	48.60	Inf	-Inf	3	Horizontal	54	2.23	-
5670MHz	Pass	PK	5.6856G	108.94	Inf	-Inf	3	Horizontal	54	2.23	-
5670MHz	Pass	PK	5.7432G	67.14	68.20	-1.06	3	Horizontal	54	2.23	-
5670MHz	Pass	AV	11.33764G	41.32	54.00	-12.68	3	Vertical	352	1.80	-
5670MHz	Pass	PK	11.33746G	54.14	74.00	-19.86	3	Vertical	352	1.80	-
5670MHz	Pass	PK	17.00882G	57.20	68.20	-11.00	3	Vertical	343	1.79	-
5670MHz	Pass	AV	11.33536G	41.21	54.00	-12.79	3	Horizontal	24	2.19	-
5670MHz	Pass	PK	11.34072G	54.47	74.00	-19.53	3	Horizontal	24	2.19	-
5670MHz	Pass	PK	17.0078G	57.10	68.20	-11.10	3	Horizontal	198	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	44.40	54.00	-9.60	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	98.97	Inf	-Inf	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	53.05	68.20	-15.15	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7256G	109.36	Inf	-Inf	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8996G	55.75	68.20	-12.45	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4652G	44.83	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	103.10	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.8504G	47.43	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	55.40	68.20	-12.80	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	113.09	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	62.11	68.20	-6.09	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41804G	41.71	54.00	-12.29	3	Vertical	0	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41956G	54.94	74.00	-19.06	3	Vertical	0	1.62	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.125G	57.84	68.20	-10.36	3	Vertical	2	1.29	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42074G	41.78	54.00	-12.22	3	Horizontal	180	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41952G	54.70	74.00	-19.30	3	Horizontal	180	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12518G	58.37	68.20	-9.83	3	Horizontal	7	1.67	-
5755MHz	Pass	AV	5.7406G	100.41	Inf	-Inf	3	Vertical	308	1.93	-
5755MHz	Pass	PK	5.6494G	57.05	68.20	-11.15	3	Vertical	308	1.93	-
5755MHz	Pass	PK	5.7526G	109.88	Inf	-Inf	3	Vertical	308	1.93	-
5755MHz	Pass	PK	6.001G	54.96	68.20	-13.24	3	Vertical	308	1.93	-
5755MHz	Pass	AV	5.7706G	106.06	Inf	-Inf	3	Horizontal	57	1.78	-
5755MHz	Pass	PK	5.6374G	60.67	68.20	-7.53	3	Horizontal	57	1.78	-
5755MHz	Pass	PK	5.7706G	114.37	Inf	-Inf	3	Horizontal	57	1.78	-
5755MHz	Pass	PK	5.977G	55.20	68.20	-13.00	3	Horizontal	57	1.78	-
5755MHz	Pass	AV	11.50806G	41.90	54.00	-12.10	3	Vertical	36	1.55	-
5755MHz	Pass	PK	11.5146G	54.54	74.00	-19.46	3	Vertical	36	1.55	-
5755MHz	Pass	PK	17.26168G	58.29	68.20	-9.91	3	Vertical	145	1.10	-
5755MHz	Pass	AV	11.51216G	41.82	54.00	-12.18	3	Horizontal	150	1.15	-
5755MHz	Pass	PK	11.50992G	54.21	74.00	-19.79	3	Horizontal	150	1.15	-
5755MHz	Pass	PK	17.2628G	57.69	68.20	-10.51	3	Horizontal	3	1.73	-
5795MHz	Pass	AV	5.7794G	99.30	Inf	-Inf	3	Vertical	307	1.80	-
5795MHz	Pass	PK	5.543G	54.58	68.20	-13.62	3	Vertical	307	1.80	-
5795MHz	Pass	PK	5.7782G	108.08	Inf	-Inf	3	Vertical	307	1.80	-
5795MHz	Pass	PK	5.9294G	55.07	68.20	-13.13	3	Vertical	307	1.80	-
5795MHz	Pass	AV	5.7902G	106.20	Inf	-Inf	3	Horizontal	88	1.80	-
5795MHz	Pass	PK	5.5946G	56.44	68.20	-11.76	3	Horizontal	88	1.80	-
5795MHz	Pass	PK	5.8106G	115.14	Inf	-Inf	3	Horizontal	88	1.80	-
5795MHz	Pass	PK	5.9234G	59.02	69.38	-10.36	3	Horizontal	88	1.80	-
5795MHz	Pass	AV	11.58986G	44.69	54.00	-9.31	3	Vertical	355	1.13	-
5795MHz	Pass	PK	11.59104G	54.40	74.00	-19.60	3	Vertical	355	1.13	-
5795MHz	Pass	PK	17.38736G	58.31	68.20	-9.89	3	Vertical	153	1.31	-
5795MHz	Pass	AV	11.5922G	44.04	54.00	-9.96	3	Horizontal	330	1.78	-
5795MHz	Pass	PK	11.59068G	54.01	74.00	-19.99	3	Horizontal	330	1.78	-
5795MHz	Pass	PK	17.38702G	58.66	68.20	-9.54	3	Horizontal	205	1.75	-
802.11ax HEW80-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.34	54.00	-0.66	3	Vertical	322	2.42	-
5210MHz	Pass	AV	5.186G	91.09	Inf	-Inf	3	Vertical	322	2.42	-
5210MHz	Pass	AV	5.44G	41.73	54.00	-12.27	3	Vertical	322	2.42	-
5210MHz	Pass	PK	5.139G	68.54	74.00	-5.46	3	Vertical	322	2.42	-
5210MHz	Pass	PK	5.192G	101.93	Inf	-Inf	3	Vertical	322	2.42	-
5210MHz	Pass	PK	5.38G	53.97	74.00	-20.03	3	Vertical	322	2.42	-
5210MHz	Pass	AV	5.15G	48.24	54.00	-5.76	3	Horizontal	69	1.80	-
5210MHz	Pass	AV	5.237G	92.54	Inf	-Inf	3	Horizontal	69	1.80	-
5210MHz	Pass	AV	5.35G	43.21	54.00	-10.79	3	Horizontal	69	1.80	-
5210MHz	Pass	PK	5.124G	67.90	74.00	-6.10	3	Horizontal	69	1.80	-
5210MHz	Pass	PK	5.24G	103.72	Inf	-Inf	3	Horizontal	69	1.80	-
5210MHz	Pass	PK	5.366G	57.66	74.00	-16.34	3	Horizontal	69	1.80	-
5210MHz	Pass	AV	15.62694G	41.76	54.00	-12.24	3	Vertical	214	1.71	-
5210MHz	Pass	PK	10.42004G	54.65	68.20	-13.55	3	Vertical	350	1.03	-
5210MHz	Pass	PK	15.62636G	54.50	74.00	-19.50	3	Vertical	214	1.71	-
5210MHz	Pass	AV	15.63294G	41.65	54.00	-12.35	3	Horizontal	337	2.45	-
5210MHz	Pass	PK	10.41992G	54.60	68.20	-13.60	3	Horizontal	172	1.55	-
5210MHz	Pass	PK	15.63062G	54.34	74.00	-19.66	3	Horizontal	337	2.45	-
5290MHz	Pass	AV	5.146G	42.87	54.00	-11.13	3	Vertical	330	1.02	-
5290MHz	Pass	AV	5.328G	91.57	Inf	-Inf	3	Vertical	330	1.02	-
5290MHz	Pass	AV	5.352G	50.26	54.00	-3.74	3	Vertical	330	1.02	-
5290MHz	Pass	PK	5.147G	56.38	74.00	-17.62	3	Vertical	330	1.02	-
5290MHz	Pass	PK	5.326G	102.16	Inf	-Inf	3	Vertical	330	1.02	-
5290MHz	Pass	PK	5.352G	66.38	74.00	-7.62	3	Vertical	330	1.02	-
5290MHz	Pass	AV	5.149G	44.15	54.00	-9.85	3	Horizontal	308	1.83	-
5290MHz	Pass	AV	5.283G	94.73	Inf	-Inf	3	Horizontal	308	1.83	-
5290MHz	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	308	1.83	-
5290MHz	Pass	PK	5.133G	57.00	74.00	-17.00	3	Horizontal	308	1.83	-
5290MHz	Pass	PK	5.287G	106.60	Inf	-Inf	3	Horizontal	308	1.83	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.384G	71.85	74.00	-2.15	3	Horizontal	308	1.83	-
5290MHz	Pass	AV	15.8669G	41.18	54.00	-12.82	3	Vertical	281	1.46	-
5290MHz	Pass	PK	10.57964G	53.99	68.20	-14.21	3	Vertical	3	1.06	-
5290MHz	Pass	PK	15.86618G	53.60	74.00	-20.40	3	Vertical	281	1.46	-
5290MHz	Pass	AV	15.86608G	41.18	54.00	-12.82	3	Horizontal	293	2.47	-
5290MHz	Pass	PK	10.57622G	54.47	68.20	-13.73	3	Horizontal	53	2.44	-
5290MHz	Pass	PK	15.86646G	54.39	74.00	-19.61	3	Horizontal	293	2.47	-
5530MHz	Pass	AV	5.46G	42.57	54.00	-11.43	3	Vertical	63	1.68	-
5530MHz	Pass	AV	5.529G	86.67	Inf	-Inf	3	Vertical	63	1.68	-
5530MHz	Pass	PK	5.462G	58.45	68.20	-9.75	3	Vertical	63	1.68	-
5530MHz	Pass	PK	5.527G	99.51	Inf	-Inf	3	Vertical	63	1.68	-
5530MHz	Pass	PK	5.749G	54.73	68.20	-13.47	3	Vertical	63	1.68	-
5530MHz	Pass	AV	5.45G	46.98	54.00	-7.02	3	Horizontal	307	2.06	-
5530MHz	Pass	AV	5.533G	96.19	Inf	-Inf	3	Horizontal	307	2.06	-
5530MHz	Pass	PK	5.469G	67.79	68.20	-0.41	3	Horizontal	307	2.06	-
5530MHz	Pass	PK	5.531G	109.07	Inf	-Inf	3	Horizontal	307	2.06	-
5530MHz	Pass	PK	5.76G	55.86	68.20	-12.34	3	Horizontal	307	2.06	-
5530MHz	Pass	AV	11.05992G	41.74	54.00	-12.26	3	Vertical	0	2.77	-
5530MHz	Pass	PK	11.05642G	54.99	74.00	-19.01	3	Vertical	0	2.77	-
5530MHz	Pass	PK	16.5923G	56.49	68.20	-11.71	3	Vertical	153	1.15	-
5530MHz	Pass	AV	11.05982G	41.88	54.00	-12.12	3	Horizontal	315	2.09	-
5530MHz	Pass	PK	11.06406G	55.51	74.00	-18.49	3	Horizontal	315	2.09	-
5530MHz	Pass	PK	16.58688G	56.26	68.20	-11.94	3	Horizontal	156	1.70	-
5610MHz	Pass	AV	5.46G	42.52	54.00	-11.48	3	Vertical	59	1.81	-
5610MHz	Pass	AV	5.614G	92.85	Inf	-Inf	3	Vertical	59	1.81	-
5610MHz	Pass	PK	5.468G	54.26	68.20	-13.94	3	Vertical	59	1.81	-
5610MHz	Pass	PK	5.607G	104.55	Inf	-Inf	3	Vertical	59	1.81	-
5610MHz	Pass	PK	5.725G	62.11	68.20	-6.09	3	Vertical	59	1.81	-
5610MHz	Pass	AV	5.46G	46.06	54.00	-7.94	3	Horizontal	305	2.54	-
5610MHz	Pass	AV	5.643G	98.80	Inf	-Inf	3	Horizontal	305	2.54	-
5610MHz	Pass	PK	5.461G	62.23	68.20	-5.97	3	Horizontal	305	2.54	-
5610MHz	Pass	PK	5.647G	110.93	Inf	-Inf	3	Horizontal	305	2.54	-
5610MHz	Pass	PK	5.734G	68.07	68.20	-0.13	3	Horizontal	305	2.54	-
5610MHz	Pass	AV	11.2202G	41.07	54.00	-12.93	3	Vertical	30	1.15	-
5610MHz	Pass	PK	11.22184G	53.98	74.00	-20.02	3	Vertical	30	1.15	-
5610MHz	Pass	PK	16.83182G	57.34	68.20	-10.86	3	Vertical	198	2.37	-
5610MHz	Pass	AV	11.21978G	41.08	54.00	-12.92	3	Horizontal	31	1.08	-
5610MHz	Pass	PK	11.21662G	53.84	74.00	-20.16	3	Horizontal	31	1.08	-
5610MHz	Pass	PK	16.82976G	56.95	68.20	-11.25	3	Horizontal	292	2.31	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	42.63	54.00	-11.37	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7056G	94.83	Inf	-Inf	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.06	68.20	-13.14	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7044G	106.39	Inf	-Inf	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	61.18	68.20	-7.02	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.15	54.00	-10.85	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6552G	92.84	Inf	-Inf	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.36	68.20	-10.84	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	103.89	Inf	-Inf	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	62.65	68.20	-5.55	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37994G	41.38	54.00	-12.62	3	Vertical	355	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3781G	54.12	74.00	-19.88	3	Vertical	355	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07102G	57.88	68.20	-10.32	3	Vertical	83	1.58	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37988G	41.21	54.00	-12.79	3	Horizontal	326	1.39	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3798G	53.89	74.00	-20.11	3	Horizontal	326	1.39	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06728G	57.95	68.20	-10.25	3	Horizontal	352	1.47	-
5775MHz	Pass	AV	5.1496G	50.17	54.00	-3.83	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.1848G	99.30	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1482G	65.69	74.00	-8.31	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1844G	110.67	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	5.175G	103.39	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	PK	5.1472G	67.88	74.00	-6.12	3	Horizontal	299	2.20	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.1786G	114.34	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	15.54159G	42.11	54.00	-11.89	3	Vertical	81	1.38	-
5775MHz	Pass	PK	10.35976G	55.36	68.20	-12.84	3	Vertical	344	3.00	-
5775MHz	Pass	PK	15.5395G	54.89	74.00	-19.11	3	Vertical	81	1.38	-
5775MHz	Pass	AV	15.54077G	42.09	54.00	-11.91	3	Horizontal	124	1.50	-
5775MHz	Pass	PK	10.36004G	54.48	68.20	-13.72	3	Horizontal	39	2.13	-
5775MHz	Pass	PK	15.54186G	54.54	74.00	-19.46	3	Horizontal	124	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	50.17	54.00	-3.83	2.55	3	Vertical	329	2.25	-	47.62	32.00	5.47	34.92
AV	5.1848G	99.30	Inf	-Inf	2.37	3	Vertical	329	2.25	-	96.93	31.79	5.49	34.91
PK	5.1482G	65.69	74.00	-8.31	2.55	3	Vertical	329	2.25	-	63.14	32.00	5.47	34.92
PK	5.1844G	110.67	Inf	-Inf	2.37	3	Vertical	329	2.25	-	108.30	31.79	5.49	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.86	54.00	-0.14	2.55	3	Horizontal	299	2.20	-	51.31	32.00	5.47	34.92
AV	5.175G	103.39	Inf	-Inf	2.43	3	Horizontal	299	2.20	-	100.96	31.85	5.49	34.91
PK	5.1472G	67.88	74.00	-6.12	2.55	3	Horizontal	299	2.20	-	65.33	32.00	5.47	34.92
PK	5.1786G	114.34	Inf	-Inf	2.41	3	Horizontal	299	2.20	-	111.93	31.83	5.49	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54159G	42.11	54.00	-11.89	13.17	3	Vertical	81	1.38	-	28.94	38.49	9.79	35.11
PK	10.35976G	55.36	68.20	-12.84	12.17	3	Vertical	344	3.00	-	43.19	39.48	7.93	35.24
PK	15.5395G	54.89	74.00	-19.11	13.17	3	Vertical	81	1.38	-	41.72	38.50	9.78	35.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54077G	42.09	54.00	-11.91	13.18	3	Horizontal	124	1.50	-	28.91	38.50	9.79	35.11
PK	10.36004G	54.48	68.20	-13.72	12.17	3	Horizontal	39	2.13	-	42.31	39.48	7.93	35.24
PK	15.54186G	54.54	74.00	-19.46	13.17	3	Horizontal	124	1.50	-	41.37	38.49	9.79	35.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.56	54.00	-4.44	2.55	3	Vertical	324	2.32	-	47.01	32.00	5.47	34.92
AV	5.192G	102.78	Inf	-Inf	2.34	3	Vertical	324	2.32	-	100.44	31.75	5.50	34.91
PK	5.148G	66.66	74.00	-7.34	2.55	3	Vertical	324	2.32	-	64.11	32.00	5.47	34.92
PK	5.1916G	113.47	Inf	-Inf	2.34	3	Vertical	324	2.32	-	111.13	31.75	5.50	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.66	54.00	-5.34	2.55	3	Horizontal	298	1.50	-	46.11	32.00	5.47	34.92
AV	5.2084G	101.60	Inf	-Inf	2.25	3	Horizontal	298	1.50	-	99.35	31.65	5.51	34.91
PK	5.1488G	62.38	74.00	-11.62	2.55	3	Horizontal	298	1.50	-	59.83	32.00	5.47	34.92
PK	5.2088G	112.62	Inf	-Inf	2.25	3	Horizontal	298	1.50	-	110.37	31.65	5.51	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.61152G	42.79	54.00	-11.21	12.85	3	Vertical	67	2.19	-	29.94	38.21	9.80	35.16
PK	10.39984G	54.89	68.20	-13.31	12.35	3	Vertical	356	1.02	-	42.54	39.60	7.94	35.19
PK	15.59688G	55.40	74.00	-18.60	12.87	3	Vertical	67	2.19	-	42.53	38.22	9.80	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60744G	42.92	54.00	-11.08	12.85	3	Horizontal	85	1.93	-	30.07	38.21	9.80	35.16
PK	10.41482G	54.09	68.20	-14.11	12.42	3	Horizontal	329.1	1.50	-	41.67	39.64	7.95	35.17
PK	15.60456G	55.51	74.00	-18.49	12.85	3	Horizontal	85	1.93	-	42.66	38.20	9.80	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1416G	43.46	54.00	-10.54	2.55	3	Vertical	316	2.97	-	40.91	32.00	5.47	34.92
AV	5.231G	100.47	Inf	-Inf	2.14	3	Vertical	316	2.97	-	98.33	31.51	5.53	34.90
AV	5.3582G	41.85	54.00	-12.15	2.13	3	Vertical	316	2.97	-	39.72	31.35	5.66	34.88
PK	5.1326G	56.01	74.00	-17.99	2.55	3	Vertical	316	2.97	-	53.46	32.00	5.47	34.92
PK	5.234G	110.90	Inf	-Inf	2.13	3	Vertical	316	2.97	-	108.77	31.50	5.53	34.90
PK	5.3774G	53.54	74.00	-20.46	2.26	3	Vertical	316	2.97	-	51.28	31.46	5.68	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	43.43	54.00	-10.57	2.55	3	Horizontal	294	2.63	-	40.88	32.00	5.47	34.92
AV	5.2478G	102.35	Inf	-Inf	2.06	3	Horizontal	294	2.63	-	100.29	31.41	5.55	34.90
AV	5.369G	42.19	54.00	-11.81	2.20	3	Horizontal	294	2.63	-	39.99	31.41	5.67	34.88
PK	5.1458G	57.35	74.00	-16.65	2.55	3	Horizontal	294	2.63	-	54.80	32.00	5.47	34.92
PK	5.2484G	113.16	Inf	-Inf	2.06	3	Horizontal	294	2.63	-	111.10	31.41	5.55	34.90
PK	5.3558G	54.58	74.00	-19.42	2.11	3	Horizontal	294	2.63	-	52.47	31.33	5.66	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.70644G	42.47	54.00	-11.53	12.88	3	Vertical	54	2.21	-	29.59	38.27	9.83	35.22
PK	10.4791G	55.11	68.20	-13.09	12.71	3	Vertical	4	2.83	-	42.40	39.84	7.97	35.10
PK	15.71724G	55.06	74.00	-18.94	12.81	3	Vertical	54	2.21	-	42.25	38.21	9.83	35.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.70824G	42.41	54.00	-11.59	12.86	3	Horizontal	115	1.23	-	29.55	38.26	9.83	35.23
PK	10.49488G	54.15	68.20	-14.05	12.77	3	Horizontal	204	1.07	-	41.38	39.88	7.97	35.08
PK	15.72168G	55.57	74.00	-18.43	12.78	3	Horizontal	115	1.23	-	42.79	38.19	9.83	35.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.23	54.00	-10.77	2.55	3	Vertical	327	2.28	-	40.68	32.00	5.47	34.92
AV	5.2654G	101.70	Inf	-Inf	2.04	3	Vertical	327	2.28	-	99.66	31.37	5.57	34.90
AV	5.3626G	42.08	54.00	-11.92	2.16	3	Vertical	327	2.28	-	39.92	31.38	5.66	34.88
PK	5.1166G	56.88	74.00	-17.12	2.54	3	Vertical	327	2.28	-	54.34	32.00	5.46	34.92
PK	5.2666G	113.35	Inf	-Inf	2.04	3	Vertical	327	2.28	-	111.31	31.37	5.57	34.90
PK	5.3728G	54.27	74.00	-19.73	2.23	3	Vertical	327	2.28	-	52.04	31.44	5.67	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	43.95	54.00	-10.05	2.55	3	Horizontal	300	2.06	-	41.40	32.00	5.47	34.92
AV	5.2522G	103.99	Inf	-Inf	2.05	3	Horizontal	300	2.06	-	101.94	31.40	5.55	34.90
AV	5.359G	42.94	54.00	-11.06	2.13	3	Horizontal	300	2.06	-	40.81	31.35	5.66	34.88
PK	5.1124G	56.35	74.00	-17.65	2.54	3	Horizontal	300	2.06	-	53.81	32.00	5.46	34.92
PK	5.2516G	114.77	Inf	-Inf	2.05	3	Horizontal	300	2.06	-	112.72	31.40	5.55	34.90
PK	5.35G	55.37	74.00	-18.63	2.07	3	Horizontal	300	2.06	-	53.30	31.30	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77624G	44.99	54.00	-9.01	12.49	3	Vertical	184	1.03	-	32.50	37.92	9.84	35.27
PK	10.51942G	54.29	68.20	-13.91	12.81	3	Vertical	18	2.25	-	41.48	39.90	7.98	35.07
PK	15.78272G	56.05	74.00	-17.95	12.46	3	Vertical	184	1.03	-	43.59	37.89	9.85	35.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78228G	44.80	54.00	-9.20	12.46	3	Horizontal	201	2.29	-	32.34	37.89	9.85	35.28
PK	10.52398G	53.99	68.20	-14.21	12.81	3	Horizontal	165	1.41	-	41.18	39.90	7.98	35.07
PK	15.78468G	54.75	74.00	-19.25	12.45	3	Horizontal	201	2.29	-	42.30	37.88	9.85	35.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2948G	102.72	Inf	-Inf	2.01	3	Vertical	325	2.28	-	100.71	31.31	5.59	34.89
AV	5.35G	45.75	54.00	-8.25	2.07	3	Vertical	325	2.28	-	43.68	31.30	5.65	34.88
PK	5.2936G	114.03	Inf	-Inf	2.01	3	Vertical	325	2.28	-	112.02	31.31	5.59	34.89
PK	5.3516G	61.52	74.00	-12.48	2.08	3	Vertical	325	2.28	-	59.44	31.31	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3048G	102.42	Inf	-Inf	2.01	3	Horizontal	301	2.23	-	100.41	31.30	5.60	34.89
AV	5.35G	49.07	54.00	-4.93	2.07	3	Horizontal	301	2.23	-	47.00	31.30	5.65	34.88
PK	5.2912G	112.82	Inf	-Inf	2.02	3	Horizontal	301	2.23	-	110.80	31.32	5.59	34.89
PK	5.3516G	63.61	74.00	-10.39	2.08	3	Horizontal	301	2.23	-	61.53	31.31	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90184G	44.81	54.00	-9.19	12.32	3	Vertical	155	1.17	-	32.49	37.80	9.88	35.36
PK	10.60488G	54.25	74.00	-19.75	12.86	3	Vertical	232	1.67	-	41.39	39.91	8.01	35.06
PK	15.90366G	54.40	74.00	-19.60	12.32	3	Vertical	155	1.17	-	42.08	37.80	9.88	35.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90276G	44.60	54.00	-9.40	12.32	3	Horizontal	100	1.53	-	32.28	37.80	9.88	35.36
PK	10.60432G	53.64	74.00	-20.36	12.86	3	Horizontal	51	1.50	-	40.78	39.91	8.01	35.06
PK	15.90328G	55.02	74.00	-18.98	12.32	3	Horizontal	100	1.53	-	42.70	37.80	9.88	35.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3148G	98.84	Inf	-Inf	2.02	3	Vertical	21	1.00	-	96.82	31.30	5.61	34.89
AV	5.35G	50.06	54.00	-3.94	2.07	3	Vertical	21	1.00	-	47.99	31.30	5.65	34.88
PK	5.3188G	110.79	Inf	-Inf	2.03	3	Vertical	21	1.00	-	108.76	31.30	5.62	34.89
PK	5.351G	64.90	74.00	-9.10	2.08	3	Vertical	21	1.00	-	62.82	31.31	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.328G	103.52	Inf	-Inf	2.04	3	Horizontal	301	1.81	-	101.48	31.30	5.63	34.89
AV	5.35G	53.80	54.00	-0.20	2.07	3	Horizontal	301	1.81	-	51.73	31.30	5.65	34.88
PK	5.3242G	114.12	Inf	-Inf	2.03	3	Horizontal	301	1.81	-	112.09	31.30	5.62	34.89
PK	5.3528G	71.89	74.00	-2.11	2.09	3	Horizontal	301	1.81	-	69.80	31.32	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63988G	45.16	54.00	-8.84	12.95	3	Vertical	26	2.33	-	32.21	39.98	8.02	35.05
AV	15.96222G	44.56	54.00	-9.44	12.29	3	Vertical	325	1.96	-	32.27	37.80	9.89	35.40
PK	10.63978G	53.97	74.00	-20.03	12.95	3	Vertical	26	2.33	-	41.02	39.98	8.02	35.05
PK	15.95742G	54.58	74.00	-19.42	12.29	3	Vertical	325	1.96	-	42.29	37.80	9.89	35.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63996G	43.84	54.00	-10.16	12.95	3	Horizontal	191	2.49	-	30.89	39.98	8.02	35.05
AV	15.96192G	44.53	54.00	-9.47	12.29	3	Horizontal	157	1.03	-	32.24	37.80	9.89	35.40
PK	10.64266G	54.46	74.00	-19.54	12.96	3	Horizontal	191	2.49	-	41.50	39.99	8.02	35.05
PK	15.95834G	55.74	74.00	-18.26	12.29	3	Horizontal	157	1.03	-	43.45	37.80	9.89	35.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	42.66	54.00	-11.34	2.68	3	Vertical	57	1.50	-	39.98	31.82	5.73	34.87
AV	5.5078G	96.32	Inf	-Inf	2.79	3	Vertical	57	1.50	-	93.53	31.90	5.75	34.86
PK	5.4658G	57.08	68.20	-11.12	2.69	3	Vertical	57	1.50	-	54.39	31.83	5.73	34.87
PK	5.508G	107.81	Inf	-Inf	2.79	3	Vertical	57	1.50	-	105.02	31.90	5.75	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.84	54.00	-7.16	2.68	3	Horizontal	306	1.96	-	44.16	31.82	5.73	34.87
AV	5.4918G	103.83	Inf	-Inf	2.77	3	Horizontal	306	1.96	-	101.06	31.88	5.75	34.86
PK	5.47G	67.94	68.20	-0.26	2.72	3	Horizontal	306	1.96	-	65.22	31.84	5.74	34.86
PK	5.4916G	114.77	Inf	-Inf	2.77	3	Horizontal	306	1.96	-	112.00	31.88	5.75	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00114G	44.52	54.00	-9.48	13.45	3	Vertical	34	1.39	-	31.07	40.30	8.15	35.00
PK	11.00168G	54.96	74.00	-19.04	13.44	3	Vertical	34	1.39	-	41.52	40.29	8.15	35.00
PK	16.50304G	56.54	68.20	-11.66	14.17	3	Vertical	317	1.76	-	42.37	39.00	10.05	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99928G	44.49	54.00	-9.51	13.45	3	Horizontal	275	1.26	-	31.04	40.30	8.15	35.00
PK	10.99732G	54.91	74.00	-19.09	13.45	3	Horizontal	275	1.26	-	41.46	40.30	8.15	35.00
PK	16.50182G	56.80	68.20	-11.40	14.17	3	Horizontal	172	1.77	-	42.63	39.00	10.05	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4558G	42.32	54.00	-11.68	2.67	3	Vertical	289	1.20	-	39.65	31.81	5.73	34.87
AV	5.5716G	101.99	Inf	-Inf	2.77	3	Vertical	289	1.20	-	99.22	31.86	5.79	34.88
PK	5.4618G	54.39	68.20	-13.81	2.68	3	Vertical	289	1.20	-	51.71	31.82	5.73	34.87
PK	5.5716G	111.86	Inf	-Inf	2.77	3	Vertical	289	1.20	-	109.09	31.86	5.79	34.88
PK	5.7258G	54.84	68.20	-13.36	2.87	3	Vertical	289	1.20	-	51.97	32.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	43.29	54.00	-10.71	2.68	3	Horizontal	306	2.06	-	40.61	31.82	5.73	34.87
AV	5.5872G	107.02	Inf	-Inf	2.73	3	Horizontal	306	2.06	-	104.29	31.83	5.79	34.89
PK	5.4636G	55.86	68.20	-12.34	2.69	3	Horizontal	306	2.06	-	53.17	31.83	5.73	34.87
PK	5.5824G	117.90	Inf	-Inf	2.75	3	Horizontal	306	2.06	-	115.15	31.84	5.79	34.88
PK	5.73G	54.99	68.20	-13.21	2.89	3	Horizontal	306	2.06	-	52.10	32.02	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17G	44.04	54.00	-9.96	13.06	3	Vertical	287	2.48	-	30.98	39.76	8.21	34.91
PK	11.16328G	54.11	74.00	-19.89	13.06	3	Vertical	287	2.48	-	41.05	39.77	8.21	34.92
PK	16.74472G	57.65	68.20	-10.55	15.37	3	Vertical	15	1.57	-	42.28	39.94	10.12	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16424G	43.86	54.00	-10.14	13.07	3	Horizontal	254	1.99	-	30.79	39.77	8.21	34.91
PK	11.15598G	54.07	74.00	-19.93	13.07	3	Horizontal	254	1.99	-	41.00	39.79	8.20	34.92
PK	16.74056G	57.43	68.20	-10.77	15.36	3	Horizontal	259	2.40	-	42.07	39.94	10.12	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.708G	94.95	Inf	-Inf	2.81	3	Vertical	63	1.78	-	92.14	31.93	5.80	34.92
PK	5.708G	106.43	Inf	-Inf	2.81	3	Vertical	63	1.78	-	103.62	31.93	5.80	34.92
PK	5.7252G	63.63	68.20	-4.57	2.87	3	Vertical	63	1.78	-	60.76	32.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6912G	98.64	Inf	-Inf	2.76	3	Horizontal	48	2.07	-	95.88	31.88	5.80	34.92
PK	5.6916G	110.70	Inf	-Inf	2.76	3	Horizontal	48	2.07	-	107.94	31.88	5.80	34.92
PK	5.7252G	67.42	68.20	-0.78	2.87	3	Horizontal	48	2.07	-	64.55	32.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40492G	44.29	54.00	-9.71	13.50	3	Vertical	259	2.16	-	30.79	40.00	8.29	34.79
PK	11.39956G	54.84	74.00	-19.16	13.50	3	Vertical	259	2.16	-	41.34	40.00	8.29	34.79
PK	17.09144G	58.18	68.20	-10.02	15.72	3	Vertical	21	2.07	-	42.46	40.03	10.23	34.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40928G	44.30	54.00	-9.70	13.51	3	Horizontal	265	1.68	-	30.79	40.01	8.29	34.79
PK	11.40824G	54.11	74.00	-19.89	13.51	3	Horizontal	265	1.68	-	40.60	40.01	8.29	34.79
PK	17.09464G	59.00	68.20	-9.20	15.70	3	Horizontal	72	1.16	-	43.30	40.02	10.23	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	42.61	54.00	-11.39	2.68	3	Vertical	64	1.85	-	39.93	31.82	5.73	34.87
AV	5.7152G	101.03	Inf	-Inf	2.84	3	Vertical	64	1.85	-	98.19	31.96	5.80	34.92
PK	5.4656G	54.18	68.20	-14.02	2.69	3	Vertical	64	1.85	-	51.49	31.83	5.73	34.87
PK	5.7164G	112.68	Inf	-Inf	2.85	3	Vertical	64	1.85	-	109.83	31.97	5.80	34.92
PK	5.9096G	55.77	68.20	-12.43	3.39	3	Vertical	64	1.85	-	52.38	32.52	5.85	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.48	54.00	-11.52	2.68	3	Horizontal	85	1.90	-	39.80	31.82	5.73	34.87
AV	5.7284G	105.69	Inf	-Inf	2.88	3	Horizontal	85	1.90	-	102.81	32.01	5.80	34.93
PK	5.4692G	54.91	68.20	-13.29	2.71	3	Horizontal	85	1.90	-	52.20	31.84	5.73	34.86
PK	5.7284G	115.82	Inf	-Inf	2.88	3	Horizontal	85	1.90	-	112.94	32.01	5.80	34.93
PK	5.8916G	55.91	68.20	-12.29	3.35	3	Horizontal	85	1.90	-	52.56	32.48	5.85	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44256G	44.52	54.00	-9.48	13.57	3	Vertical	342	1.88	-	30.95	40.04	8.30	34.77
PK	11.43076G	54.48	74.00	-19.52	13.55	3	Vertical	342	1.88	-	40.93	40.03	8.30	34.78
PK	17.15428G	58.10	68.20	-10.10	15.68	3	Vertical	55	1.81	-	42.42	40.00	10.25	34.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43448G	44.58	54.00	-9.42	13.56	3	Horizontal	311	1.06	-	31.02	40.03	8.30	34.77
PK	11.44556G	54.72	74.00	-19.28	13.59	3	Horizontal	311	1.06	-	41.13	40.05	8.31	34.77
PK	17.17G	58.02	68.20	-10.18	15.67	3	Horizontal	190	1.76	-	42.35	40.00	10.25	34.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	100.97	Inf	-Inf	2.92	3	Vertical	52	1.77	-	98.05	32.05	5.80	34.93
PK	5.5806G	54.98	68.20	-13.22	2.75	3	Vertical	52	1.77	-	52.23	31.84	5.79	34.88
PK	5.7366G	111.35	Inf	-Inf	2.92	3	Vertical	52	1.77	-	108.43	32.05	5.80	34.93
PK	6.033G	55.22	68.20	-12.98	3.41	3	Vertical	52	1.77	-	51.81	32.50	5.92	35.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	105.92	Inf	-Inf	2.92	3	Horizontal	45	1.78	-	103.00	32.05	5.80	34.93
PK	5.6226G	55.96	68.20	-12.24	2.70	3	Horizontal	45	1.78	-	53.26	31.80	5.80	34.90
PK	5.7354G	115.29	Inf	-Inf	2.91	3	Horizontal	45	1.78	-	112.38	32.04	5.80	34.93
PK	5.9394G	55.96	68.20	-12.24	3.46	3	Horizontal	45	1.78	-	52.50	32.58	5.87	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49592G	44.54	54.00	-9.46	13.68	3	Vertical	12	1.50	-	30.86	40.10	8.32	34.74
PK	11.48444G	54.96	74.00	-19.04	13.65	3	Vertical	12	1.50	-	41.31	40.08	8.32	34.75
PK	17.2335G	57.82	68.20	-10.38	15.76	3	Vertical	278	1.39	-	42.06	40.10	10.27	34.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49316G	44.58	54.00	-9.42	13.67	3	Horizontal	119	2.48	-	30.91	40.09	8.32	34.74
PK	11.49904G	55.21	74.00	-18.79	13.68	3	Horizontal	119	2.48	-	41.53	40.10	8.32	34.74
PK	17.23836G	58.06	68.20	-10.14	15.78	3	Horizontal	53	1.50	-	42.28	40.12	10.27	34.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.779G	102.70	Inf	-Inf	3.02	3	Vertical	290	1.40	-	99.68	32.16	5.80	34.94
PK	5.5162G	55.26	68.20	-12.94	2.80	3	Vertical	290	1.40	-	52.46	31.90	5.76	34.86
PK	5.785G	110.40	Inf	-Inf	3.02	3	Vertical	290	1.40	-	107.38	32.17	5.80	34.95
PK	5.9806G	54.89	68.20	-13.31	3.43	3	Vertical	290	1.40	-	51.46	32.54	5.89	35.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7826G	104.77	Inf	-Inf	3.03	3	Horizontal	312	1.56	-	101.74	32.17	5.80	34.94
PK	5.611G	55.79	68.20	-12.41	2.71	3	Horizontal	312	1.56	-	53.08	31.80	5.80	34.89
PK	5.7838G	112.46	Inf	-Inf	3.02	3	Horizontal	312	1.56	-	109.44	32.17	5.80	34.95
PK	5.9254G	55.01	68.20	-13.19	3.42	3	Horizontal	312	1.56	-	51.59	32.55	5.86	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5702G	44.74	54.00	-9.26	13.48	3	Vertical	92	1.69	-	31.26	39.89	8.35	34.76
PK	11.57508G	54.63	74.00	-19.37	13.46	3	Vertical	92	1.69	-	41.17	39.87	8.35	34.76
PK	17.35816G	58.79	68.20	-9.41	16.41	3	Vertical	269	1.40	-	42.38	40.77	10.31	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56704G	44.32	54.00	-9.68	13.49	3	Horizontal	261	1.35	-	30.83	39.90	8.35	34.76
PK	11.56112G	55.02	74.00	-18.98	13.52	3	Horizontal	261	1.35	-	41.50	39.92	8.35	34.75
PK	17.3548G	58.94	68.20	-9.26	16.38	3	Horizontal	270	2.19	-	42.56	40.74	10.31	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	101.04	Inf	-Inf	3.19	3	Vertical	55	1.96	-	97.85	32.33	5.82	34.96
PK	5.6138G	55.92	68.20	-12.28	2.71	3	Vertical	55	1.96	-	53.21	31.80	5.80	34.89
PK	5.8298G	112.17	Inf	-Inf	3.17	3	Vertical	55	1.96	-	109.00	32.32	5.81	34.96
PK	6.0302G	56.25	68.20	-11.95	3.41	3	Vertical	55	1.96	-	52.84	32.50	5.92	35.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	106.09	Inf	-Inf	3.12	3	Horizontal	308	2.01	-	102.97	32.27	5.81	34.96
PK	5.6138G	56.55	68.20	-11.65	2.71	3	Horizontal	308	2.01	-	53.84	31.80	5.80	34.89
PK	5.8274G	116.21	Inf	-Inf	3.16	3	Horizontal	308	2.01	-	113.05	32.31	5.81	34.96
PK	6.0374G	55.28	68.20	-12.92	3.41	3	Horizontal	308	2.01	-	51.87	32.50	5.92	35.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64976G	42.08	54.00	-11.92	13.15	3	Vertical	360	1.79	-	28.93	39.55	8.38	34.78
PK	11.65074G	55.09	74.00	-18.91	13.15	3	Vertical	360	1.79	-	41.94	39.55	8.38	34.78
PK	17.47434G	60.47	68.20	-7.73	17.08	3	Vertical	172	1.50	-	43.39	41.47	10.34	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64992G	42.59	54.00	-11.41	13.15	3	Horizontal	322	2.51	-	29.44	39.55	8.38	34.78
PK	11.64948G	54.95	74.00	-19.05	13.15	3	Horizontal	322	2.51	-	41.80	39.55	8.38	34.78
PK	17.47289G	60.09	68.20	-8.11	17.07	3	Horizontal	15	1.01	-	43.02	41.46	10.34	34.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	47.35	54.00	-6.65	2.55	3	Vertical	328	1.00	-	44.80	32.00	5.47	34.92
AV	5.1744G	92.07	Inf	-Inf	2.43	3	Vertical	328	1.00	-	89.64	31.85	5.49	34.91
PK	5.15G	70.38	74.00	-3.62	2.55	3	Vertical	328	1.00	-	67.83	32.00	5.47	34.92
PK	5.174G	103.99	Inf	-Inf	2.44	3	Vertical	328	1.00	-	101.55	31.86	5.49	34.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	48.20	54.00	-5.80	2.55	3	Horizontal	298	2.20	-	45.65	32.00	5.47	34.92
AV	5.2052G	94.60	Inf	-Inf	2.27	3	Horizontal	298	2.20	-	92.33	31.67	5.51	34.91
PK	5.15G	73.31	74.00	-0.69	2.55	3	Horizontal	298	2.20	-	70.76	32.00	5.47	34.92
PK	5.1836G	108.64	Inf	-Inf	2.38	3	Horizontal	298	2.20	-	106.26	31.80	5.49	34.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.55542G	41.95	54.00	-12.05	13.09	3	Vertical	138	1.31	-	28.86	38.42	9.79	35.12
PK	10.37994G	54.69	68.20	-13.51	12.26	3	Vertical	352	1.00	-	42.43	39.54	7.93	35.21
PK	15.57528G	54.75	74.00	-19.25	12.98	3	Vertical	138	1.31	-	41.77	38.32	9.79	35.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56928G	41.91	54.00	-12.09	13.01	3	Horizontal	280	1.74	-	28.90	38.35	9.79	35.13
PK	10.37988G	55.52	68.20	-12.68	12.26	3	Horizontal	141	1.95	-	43.26	39.54	7.93	35.21
PK	15.5775G	54.23	74.00	-19.77	12.97	3	Horizontal	280	1.74	-	41.26	38.31	9.79	35.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.47	54.00	-4.53	2.55	3	Vertical	322	2.44	-	46.92	32.00	5.47	34.92
AV	5.2456G	97.95	Inf	-Inf	2.08	3	Vertical	322	2.44	-	95.87	31.43	5.55	34.90
PK	5.1324G	64.05	74.00	-9.95	2.55	3	Vertical	322	2.44	-	61.50	32.00	5.47	34.92
PK	5.2456G	110.12	Inf	-Inf	2.08	3	Vertical	322	2.44	-	108.04	31.43	5.55	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.11	54.00	-2.89	2.55	3	Horizontal	305	2.04	-	48.56	32.00	5.47	34.92
AV	5.2248G	103.37	Inf	-Inf	2.17	3	Horizontal	305	2.04	-	101.20	31.55	5.52	34.90
PK	5.1344G	69.88	74.00	-4.12	2.55	3	Horizontal	305	2.04	-	67.33	32.00	5.47	34.92
PK	5.2252G	114.76	Inf	-Inf	2.18	3	Horizontal	305	2.04	-	112.58	31.55	5.53	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7002G	42.27	54.00	-11.73	12.91	3	Vertical	44	2.32	-	29.36	38.30	9.83	35.22
PK	10.46324G	54.71	68.20	-13.49	12.64	3	Vertical	3	2.90	-	42.07	39.79	7.96	35.11
PK	15.68874G	55.33	74.00	-18.67	12.90	3	Vertical	44	2.32	-	42.43	38.29	9.82	35.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.69366G	42.36	54.00	-11.64	12.89	3	Horizontal	157	1.46	-	29.47	38.29	9.82	35.22
PK	10.45994G	54.99	68.20	-13.21	12.62	3	Horizontal	226	2.17	-	42.37	39.78	7.96	35.12
PK	15.68946G	54.49	74.00	-19.51	12.90	3	Horizontal	157	1.46	-	41.59	38.29	9.82	35.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2608G	95.39	Inf	-Inf	2.04	3	Vertical	264.1	2.03	-	93.35	31.38	5.56	34.90
AV	5.35G	46.08	54.00	-7.92	2.07	3	Vertical	264.1	2.03	-	44.01	31.30	5.65	34.88
PK	5.272G	107.05	Inf	-Inf	2.03	3	Vertical	264.1	2.03	-	105.02	31.36	5.57	34.90
PK	5.35G	59.09	74.00	-14.91	2.07	3	Vertical	264.1	2.03	-	57.02	31.30	5.65	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2728G	101.81	Inf	-Inf	2.02	3	Horizontal	62	1.70	-	99.79	31.35	5.57	34.90
AV	5.3508G	51.93	54.00	-2.07	2.07	3	Horizontal	62	1.70	-	49.86	31.30	5.65	34.88
PK	5.272G	113.13	Inf	-Inf	2.03	3	Horizontal	62	1.70	-	111.10	31.36	5.57	34.90
PK	5.35G	65.96	74.00	-8.04	2.07	3	Horizontal	62	1.70	-	63.89	31.30	5.65	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.80652G	41.71	54.00	-12.29	12.36	3	Vertical	68	1.40	-	29.35	37.80	9.85	35.29
PK	10.52728G	54.27	68.20	-13.93	12.81	3	Vertical	14	1.02	-	41.46	39.90	7.98	35.07
PK	15.80334G	53.86	74.00	-20.14	12.36	3	Vertical	68	1.40	-	41.50	37.80	9.85	35.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.81948G	41.78	54.00	-12.22	12.35	3	Horizontal	335	1.71	-	29.43	37.80	9.85	35.30
PK	10.5478G	54.13	68.20	-14.07	12.83	3	Horizontal	281	1.39	-	41.30	39.90	7.99	35.06
PK	15.79704G	54.42	74.00	-19.58	12.37	3	Horizontal	335	1.71	-	42.05	37.81	9.85	35.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3G	90.45	Inf	-Inf	2.01	3	Vertical	338	2.97	-	88.44	31.30	5.60	34.89
AV	5.3512G	45.46	54.00	-8.54	2.08	3	Vertical	338	2.97	-	43.38	31.31	5.65	34.88
PK	5.2928G	105.82	Inf	-Inf	2.01	3	Vertical	338	2.97	-	103.81	31.31	5.59	34.89
PK	5.3604G	67.05	74.00	-6.95	2.14	3	Vertical	338	2.97	-	64.91	31.36	5.66	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	94.07	Inf	-Inf	2.01	3	Horizontal	301.6	1.50	-	92.06	31.30	5.60	34.89
AV	5.3512G	48.77	54.00	-5.23	2.08	3	Horizontal	301.6	1.50	-	46.69	31.31	5.65	34.88
PK	5.3052G	107.57	Inf	-Inf	2.02	3	Horizontal	301.6	1.50	-	105.55	31.30	5.61	34.89
PK	5.3548G	73.10	74.00	-0.90	2.10	3	Horizontal	301.6	1.50	-	71.00	31.33	5.65	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61976G	42.49	54.00	-11.51	12.91	3	Vertical	6	1.01	-	29.58	39.94	8.02	35.05
AV	15.918G	41.40	54.00	-12.60	12.31	3	Vertical	239	2.11	-	29.09	37.80	9.88	35.37
PK	10.62846G	54.17	74.00	-19.83	12.93	3	Vertical	6	1.01	-	41.24	39.96	8.02	35.05
PK	15.92724G	54.58	74.00	-19.42	12.30	3	Vertical	239	2.11	-	42.28	37.80	9.88	35.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61994G	42.60	54.00	-11.40	12.91	3	Horizontal	181	1.76	-	29.69	39.94	8.02	35.05
AV	15.91632G	41.33	54.00	-12.67	12.31	3	Horizontal	77	2.32	-	29.02	37.80	9.88	35.37
PK	10.60824G	53.59	74.00	-20.41	12.88	3	Horizontal	181	1.76	-	40.71	39.92	8.01	35.05
PK	15.91812G	54.03	74.00	-19.97	12.31	3	Horizontal	77	2.32	-	41.72	37.80	9.88	35.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.72	54.00	-11.28	2.68	3	Vertical	248.5	1.56	-	40.04	31.82	5.73	34.87
AV	5.4988G	90.31	Inf	-Inf	2.79	3	Vertical	248.5	1.56	-	87.52	31.90	5.75	34.86
PK	5.468G	66.93	68.20	-1.27	2.70	3	Vertical	248.5	1.56	-	64.23	31.84	5.73	34.87
PK	5.4976G	101.01	Inf	-Inf	2.79	3	Vertical	248.5	1.56	-	98.22	31.90	5.75	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	43.70	54.00	-10.30	2.68	3	Horizontal	52.3	2.40	-	41.02	31.82	5.73	34.87
AV	5.492G	94.52	Inf	-Inf	2.77	3	Horizontal	52.3	2.40	-	91.75	31.88	5.75	34.86
PK	5.4664G	67.99	68.20	-0.21	2.69	3	Horizontal	52.3	2.40	-	65.30	31.83	5.73	34.87
PK	5.4976G	107.91	Inf	-Inf	2.79	3	Horizontal	52.3	2.40	-	105.12	31.90	5.75	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00668G	42.22	54.00	-11.78	13.42	3	Vertical	144	1.80	-	28.80	40.27	8.15	35.00
PK	11.01064G	55.23	74.00	-18.77	13.42	3	Vertical	144	1.80	-	41.81	40.26	8.15	34.99
PK	16.5174G	56.17	68.20	-12.03	14.19	3	Vertical	297	1.43	-	41.98	39.00	10.06	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01556G	42.01	54.00	-11.99	13.41	3	Horizontal	43	1.34	-	28.60	40.24	8.16	34.99
PK	11.00932G	55.09	74.00	-18.91	13.41	3	Horizontal	43	1.34	-	41.68	40.26	8.15	35.00
PK	16.53702G	56.51	68.20	-11.69	14.21	3	Horizontal	145	1.47	-	42.30	39.00	10.06	34.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	42.45	54.00	-11.55	2.68	3	Vertical	58	1.83	-	39.77	31.82	5.73	34.87
AV	5.5424G	94.28	Inf	-Inf	2.80	3	Vertical	58	1.83	-	91.48	31.90	5.77	34.87
PK	5.4616G	60.21	68.20	-7.99	2.68	3	Vertical	58	1.83	-	57.53	31.82	5.73	34.87
PK	5.5484G	109.31	Inf	-Inf	2.80	3	Vertical	58	1.83	-	106.51	31.90	5.77	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.06	54.00	-7.94	2.68	3	Horizontal	307.6	2.01	-	43.38	31.82	5.73	34.87
AV	5.5376G	102.58	Inf	-Inf	2.80	3	Horizontal	307.6	2.01	-	99.78	31.90	5.77	34.87
PK	5.4668G	67.97	68.20	-0.23	2.69	3	Horizontal	307.6	2.01	-	65.28	31.83	5.73	34.87
PK	5.5376G	113.46	Inf	-Inf	2.80	3	Horizontal	307.6	2.01	-	110.66	31.90	5.77	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09556G	41.91	54.00	-12.09	13.15	3	Vertical	103	1.80	-	28.76	39.92	8.18	34.95
PK	11.09256G	54.92	74.00	-19.08	13.16	3	Vertical	103	1.80	-	41.76	39.93	8.18	34.95
PK	16.6572G	57.18	68.20	-11.02	14.85	3	Vertical	90	1.04	-	42.33	39.51	10.10	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0868G	42.07	54.00	-11.93	13.18	3	Horizontal	354	1.36	-	28.89	39.95	8.18	34.95
PK	11.09268G	55.44	74.00	-18.56	13.16	3	Horizontal	354	1.36	-	42.28	39.93	8.18	34.95
PK	16.64364G	57.39	68.20	-10.81	14.71	3	Horizontal	272	2.32	-	42.68	39.39	10.09	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6532G	97.14	Inf	-Inf	2.70	3	Vertical	60	1.05	-	94.44	31.81	5.80	34.91
AV	5.727G	47.04	Inf	-Inf	2.88	3	Vertical	60	1.05	-	44.16	32.01	5.80	34.93
PK	5.6532G	106.55	Inf	-Inf	2.70	3	Vertical	60	1.05	-	103.85	31.81	5.80	34.91
PK	5.739G	62.24	68.20	-5.96	2.93	3	Vertical	60	1.05	-	59.31	32.06	5.80	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.685G	96.02	Inf	-Inf	2.75	3	Horizontal	54	2.23	-	93.27	31.87	5.80	34.92
AV	5.7252G	48.60	Inf	-Inf	2.87	3	Horizontal	54	2.23	-	45.73	32.00	5.80	34.93
PK	5.6856G	108.94	Inf	-Inf	2.75	3	Horizontal	54	2.23	-	106.19	31.87	5.80	34.92
PK	5.7432G	67.14	68.20	-1.06	2.94	3	Horizontal	54	2.23	-	64.20	32.07	5.80	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33764G	41.32	54.00	-12.68	13.26	3	Vertical	352	1.80	-	28.06	39.81	8.27	34.82
PK	11.33746G	54.14	74.00	-19.86	13.26	3	Vertical	352	1.80	-	40.88	39.81	8.27	34.82
PK	17.00882G	57.20	68.20	-11.00	15.97	3	Vertical	343	1.79	-	41.23	40.27	10.20	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33536G	41.21	54.00	-12.79	13.25	3	Horizontal	24	2.19	-	27.96	39.81	8.27	34.83
PK	11.34072G	54.47	74.00	-19.53	13.27	3	Horizontal	24	2.19	-	41.20	39.82	8.27	34.82
PK	17.0078G	57.10	68.20	-11.10	15.98	3	Horizontal	198	1.46	-	41.12	40.28	10.20	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	44.40	54.00	-9.60	2.67	3	Vertical	62	1.97	-	41.73	31.81	5.73	34.87
AV	5.6944G	98.97	Inf	-Inf	2.77	3	Vertical	62	1.97	-	96.20	31.89	5.80	34.92
PK	5.464G	53.05	68.20	-15.15	2.69	3	Vertical	62	1.97	-	50.36	31.83	5.73	34.87
PK	5.7256G	109.36	Inf	-Inf	2.87	3	Vertical	62	1.97	-	106.49	32.00	5.80	34.93
PK	5.8996G	55.75	68.20	-12.45	3.37	3	Vertical	62	1.97	-	52.38	32.50	5.85	34.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4652G	44.83	Inf	-Inf	2.69	3	Horizontal	90	2.10	-	42.14	31.83	5.73	34.87
AV	5.6944G	103.10	Inf	-Inf	2.77	3	Horizontal	90	2.10	-	100.33	31.89	5.80	34.92
AV	5.8504G	47.43	Inf	-Inf	3.26	3	Horizontal	90	2.10	-	44.17	32.40	5.83	34.97
PK	5.4676G	55.40	68.20	-12.80	2.70	3	Horizontal	90	2.10	-	52.70	31.84	5.73	34.87
PK	5.6992G	113.09	Inf	-Inf	2.78	3	Horizontal	90	2.10	-	110.31	31.90	5.80	34.92
PK	5.8576G	62.11	68.20	-6.09	3.28	3	Horizontal	90	2.10	-	58.83	32.42	5.83	34.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41804G	41.71	54.00	-12.29	13.54	3	Vertical	0	1.62	-	28.17	40.02	8.30	34.78
PK	11.41956G	54.94	74.00	-19.06	13.54	3	Vertical	0	1.62	-	41.40	40.02	8.30	34.78
PK	17.125G	57.84	68.20	-10.36	15.68	3	Vertical	2	1.29	-	42.16	40.00	10.24	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42074G	41.78	54.00	-12.22	13.54	3	Horizontal	180	1.62	-	28.24	40.02	8.30	34.78
PK	11.41952G	54.70	74.00	-19.30	13.54	3	Horizontal	180	1.62	-	41.16	40.02	8.30	34.78
PK	17.12518G	58.37	68.20	-9.83	15.68	3	Horizontal	7	1.67	-	42.69	40.00	10.24	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7406G	100.41	Inf	-Inf	2.93	3	Vertical	308	1.93	-	97.48	32.06	5.80	34.93
PK	5.6494G	57.05	68.20	-11.15	2.70	3	Vertical	308	1.93	-	54.35	31.80	5.80	34.90
PK	5.7526G	109.88	Inf	-Inf	2.97	3	Vertical	308	1.93	-	106.91	32.11	5.80	34.94
PK	6.001G	54.96	68.20	-13.24	3.39	3	Vertical	308	1.93	-	51.57	32.50	5.90	35.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	106.06	Inf	-Inf	3.00	3	Horizontal	57	1.78	-	103.06	32.14	5.80	34.94
PK	5.6374G	60.67	68.20	-7.53	2.70	3	Horizontal	57	1.78	-	57.97	31.80	5.80	34.90
PK	5.7706G	114.37	Inf	-Inf	3.00	3	Horizontal	57	1.78	-	111.37	32.14	5.80	34.94
PK	5.977G	55.20	68.20	-13.00	3.44	3	Horizontal	57	1.78	-	51.76	32.55	5.89	35.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50806G	41.90	54.00	-12.10	13.67	3	Vertical	36	1.55	-	28.23	40.08	8.33	34.74
PK	11.5146G	54.54	74.00	-19.46	13.65	3	Vertical	36	1.55	-	40.89	40.06	8.33	34.74
PK	17.26168G	58.29	68.20	-9.91	15.84	3	Vertical	145	1.10	-	42.45	40.19	10.28	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51216G	41.82	54.00	-12.18	13.65	3	Horizontal	150	1.15	-	28.17	40.06	8.33	34.74
PK	11.50992G	54.21	74.00	-19.79	13.66	3	Horizontal	150	1.15	-	40.55	40.07	8.33	34.74
PK	17.2628G	57.69	68.20	-10.51	15.84	3	Horizontal	3	1.73	-	41.85	40.19	10.28	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	99.30	Inf	-Inf	3.02	3	Vertical	307	1.80	-	96.28	32.16	5.80	34.94
PK	5.543G	54.58	68.20	-13.62	2.80	3	Vertical	307	1.80	-	51.78	31.90	5.77	34.87
PK	5.7782G	108.08	Inf	-Inf	3.02	3	Vertical	307	1.80	-	105.06	32.16	5.80	34.94
PK	5.9294G	55.07	68.20	-13.13	3.43	3	Vertical	307	1.80	-	51.64	32.56	5.86	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	106.20	Inf	-Inf	3.03	3	Horizontal	88	1.80	-	103.17	32.18	5.80	34.95
PK	5.5946G	56.44	68.20	-11.76	2.72	3	Horizontal	88	1.80	-	53.72	31.81	5.80	34.89
PK	5.8106G	115.14	Inf	-Inf	3.10	3	Horizontal	88	1.80	-	112.04	32.24	5.81	34.95
PK	5.9234G	59.02	69.38	-10.36	3.42	3	Horizontal	88	1.80	-	55.60	32.55	5.86	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58986G	44.69	54.00	-9.31	13.43	3	Vertical	355	1.13	-	31.26	39.83	8.36	34.76
PK	11.59104G	54.40	74.00	-19.60	13.43	3	Vertical	355	1.13	-	40.97	39.83	8.36	34.76
PK	17.38736G	58.31	68.20	-9.89	16.63	3	Vertical	153	1.31	-	41.68	41.00	10.32	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5922G	44.04	54.00	-9.96	13.42	3	Horizontal	330	1.78	-	30.62	39.82	8.36	34.76
PK	11.59068G	54.01	74.00	-19.99	13.43	3	Horizontal	330	1.78	-	40.58	39.83	8.36	34.76
PK	17.38702G	58.66	68.20	-9.54	16.63	3	Horizontal	205	1.75	-	42.03	41.00	10.32	34.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.34	54.00	-0.66	2.55	3	Vertical	322	2.42	-	50.79	32.00	5.47	34.92
AV	5.186G	91.09	Inf	-Inf	2.36	3	Vertical	322	2.42	-	88.73	31.78	5.49	34.91
AV	5.44G	41.73	54.00	-12.27	2.61	3	Vertical	322	2.42	-	39.12	31.76	5.72	34.87
PK	5.139G	68.54	74.00	-5.46	2.55	3	Vertical	322	2.42	-	65.99	32.00	5.47	34.92
PK	5.192G	101.93	Inf	-Inf	2.34	3	Vertical	322	2.42	-	99.59	31.75	5.50	34.91
PK	5.38G	53.97	74.00	-20.03	2.28	3	Vertical	322	2.42	-	51.69	31.48	5.68	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.24	54.00	-5.76	2.55	3	Horizontal	69	1.80	-	45.69	32.00	5.47	34.92
AV	5.237G	92.54	Inf	-Inf	2.12	3	Horizontal	69	1.80	-	90.42	31.48	5.54	34.90
AV	5.35G	43.21	54.00	-10.79	2.07	3	Horizontal	69	1.80	-	41.14	31.30	5.65	34.88
PK	5.124G	67.90	74.00	-6.10	2.54	3	Horizontal	69	1.80	-	65.36	32.00	5.46	34.92
PK	5.24G	103.72	Inf	-Inf	2.10	3	Horizontal	69	1.80	-	101.62	31.46	5.54	34.90
PK	5.366G	57.66	74.00	-16.34	2.19	3	Horizontal	69	1.80	-	55.47	31.40	5.67	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62694G	41.76	54.00	-12.24	12.87	3	Vertical	214	1.71	-	28.89	38.23	9.81	35.17
PK	10.42004G	54.65	68.20	-13.55	12.44	3	Vertical	350	1.03	-	42.21	39.66	7.95	35.17
PK	15.62636G	54.50	74.00	-19.50	12.87	3	Vertical	214	1.71	-	41.63	38.23	9.81	35.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63294G	41.65	54.00	-12.35	12.87	3	Horizontal	337	2.45	-	28.78	38.23	9.81	35.17
PK	10.41992G	54.60	68.20	-13.60	12.44	3	Horizontal	172	1.55	-	42.16	39.66	7.95	35.17
PK	15.63062G	54.34	74.00	-19.66	12.87	3	Horizontal	337	2.45	-	41.47	38.23	9.81	35.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	42.87	54.00	-11.13	2.55	3	Vertical	330	1.02	-	40.32	32.00	5.47	34.92
AV	5.328G	91.57	Inf	-Inf	2.04	3	Vertical	330	1.02	-	89.53	31.30	5.63	34.89
AV	5.352G	50.26	54.00	-3.74	2.08	3	Vertical	330	1.02	-	48.18	31.31	5.65	34.88
PK	5.147G	56.38	74.00	-17.62	2.55	3	Vertical	330	1.02	-	53.83	32.00	5.47	34.92
PK	5.326G	102.16	Inf	-Inf	2.04	3	Vertical	330	1.02	-	100.12	31.30	5.63	34.89
PK	5.352G	66.38	74.00	-7.62	2.08	3	Vertical	330	1.02	-	64.30	31.31	5.65	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	44.15	54.00	-9.85	2.55	3	Horizontal	308	1.83	-	41.60	32.00	5.47	34.92
AV	5.283G	94.73	Inf	-Inf	2.02	3	Horizontal	308	1.83	-	92.71	31.33	5.58	34.89
AV	5.35G	53.84	54.00	-0.16	2.07	3	Horizontal	308	1.83	-	51.77	31.30	5.65	34.88
PK	5.133G	57.00	74.00	-17.00	2.55	3	Horizontal	308	1.83	-	54.45	32.00	5.47	34.92
PK	5.287G	106.60	Inf	-Inf	2.03	3	Horizontal	308	1.83	-	104.57	31.33	5.59	34.89
PK	5.384G	71.85	74.00	-2.15	2.30	3	Horizontal	308	1.83	-	69.55	31.50	5.68	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8669G	41.18	54.00	-12.82	12.33	3	Vertical	281	1.46	-	28.85	37.80	9.87	35.34
PK	10.57964G	53.99	68.20	-14.21	12.84	3	Vertical	3	1.06	-	41.15	39.90	8.00	35.06
PK	15.86618G	53.60	74.00	-20.40	12.33	3	Vertical	281	1.46	-	41.27	37.80	9.87	35.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.86608G	41.18	54.00	-12.82	12.33	3	Horizontal	293	2.47	-	28.85	37.80	9.87	35.34
PK	10.57622G	54.47	68.20	-13.73	12.84	3	Horizontal	53	2.44	-	41.63	39.90	8.00	35.06
PK	15.86646G	54.39	74.00	-19.61	12.33	3	Horizontal	293	2.47	-	42.06	37.80	9.87	35.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	42.57	54.00	-11.43	2.68	3	Vertical	63	1.68	-	39.89	31.82	5.73	34.87
AV	5.529G	86.67	Inf	-Inf	2.79	3	Vertical	63	1.68	-	83.88	31.90	5.76	34.87
PK	5.462G	58.45	68.20	-9.75	2.68	3	Vertical	63	1.68	-	55.77	31.82	5.73	34.87
PK	5.527G	99.51	Inf	-Inf	2.79	3	Vertical	63	1.68	-	96.72	31.90	5.76	34.87
PK	5.749G	54.73	68.20	-13.47	2.97	3	Vertical	63	1.68	-	51.76	32.10	5.80	34.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	46.98	54.00	-7.02	2.65	3	Horizontal	307	2.06	-	44.33	31.80	5.72	34.87
AV	5.533G	96.19	Inf	-Inf	2.80	3	Horizontal	307	2.06	-	93.39	31.90	5.77	34.87
PK	5.469G	67.79	68.20	-0.41	2.71	3	Horizontal	307	2.06	-	65.08	31.84	5.73	34.86
PK	5.531G	109.07	Inf	-Inf	2.80	3	Horizontal	307	2.06	-	106.27	31.90	5.77	34.87
PK	5.76G	55.86	68.20	-12.34	2.98	3	Horizontal	307	2.06	-	52.88	32.12	5.80	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05992G	41.74	54.00	-12.26	13.26	3	Vertical	0	2.77	-	28.48	40.06	8.17	34.97
PK	11.05642G	54.99	74.00	-19.01	13.27	3	Vertical	0	2.77	-	41.72	40.07	8.17	34.97
PK	16.5923G	56.49	68.20	-11.71	14.27	3	Vertical	153	1.15	-	42.22	39.00	10.08	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05982G	41.88	54.00	-12.12	13.26	3	Horizontal	315	2.09	-	28.62	40.06	8.17	34.97
PK	11.06406G	55.51	74.00	-18.49	13.24	3	Horizontal	315	2.09	-	42.27	40.04	8.17	34.97
PK	16.58688G	56.26	68.20	-11.94	14.27	3	Horizontal	156	1.70	-	41.99	39.00	10.08	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	42.52	54.00	-11.48	2.68	3	Vertical	59	1.81	-	39.84	31.82	5.73	34.87
AV	5.614G	92.85	Inf	-Inf	2.71	3	Vertical	59	1.81	-	90.14	31.80	5.80	34.89
PK	5.468G	54.26	68.20	-13.94	2.70	3	Vertical	59	1.81	-	51.56	31.84	5.73	34.87
PK	5.607G	104.55	Inf	-Inf	2.71	3	Vertical	59	1.81	-	101.84	31.80	5.80	34.89
PK	5.725G	62.11	68.20	-6.09	2.87	3	Vertical	59	1.81	-	59.24	32.00	5.80	34.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.06	54.00	-7.94	2.68	3	Horizontal	305	2.54	-	43.38	31.82	5.73	34.87
AV	5.643G	98.80	Inf	-Inf	2.70	3	Horizontal	305	2.54	-	96.10	31.80	5.80	34.90
PK	5.461G	62.23	68.20	-5.97	2.68	3	Horizontal	305	2.54	-	59.55	31.82	5.73	34.87
PK	5.647G	110.93	Inf	-Inf	2.70	3	Horizontal	305	2.54	-	108.23	31.80	5.80	34.90
PK	5.734G	68.07	68.20	-0.13	2.91	3	Horizontal	305	2.54	-	65.16	32.04	5.80	34.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.2202G	41.07	54.00	-12.93	13.04	3	Vertical	30	1.15	-	28.03	39.70	8.23	34.89
PK	11.22184G	53.98	74.00	-20.02	13.05	3	Vertical	30	1.15	-	40.93	39.70	8.23	34.88
PK	16.83182G	57.34	68.20	-10.86	15.52	3	Vertical	198	2.37	-	41.82	40.00	10.15	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21978G	41.08	54.00	-12.92	13.04	3	Horizontal	31	1.08	-	28.04	39.70	8.23	34.89
PK	11.21662G	53.84	74.00	-20.16	13.04	3	Horizontal	31	1.08	-	40.80	39.70	8.23	34.89
PK	16.82976G	56.95	68.20	-11.25	15.52	3	Horizontal	292	2.31	-	41.43	40.00	10.15	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	42.63	54.00	-11.37	2.67	3	Vertical	57	1.79	-	39.96	31.81	5.73	34.87
AV	5.7056G	94.83	Inf	-Inf	2.80	3	Vertical	57	1.79	-	92.03	31.92	5.80	34.92
PK	5.4656G	55.06	68.20	-13.14	2.69	3	Vertical	57	1.79	-	52.37	31.83	5.73	34.87
PK	5.7044G	106.39	Inf	-Inf	2.80	3	Vertical	57	1.79	-	103.59	31.92	5.80	34.92
PK	5.852G	61.18	68.20	-7.02	3.26	3	Vertical	57	1.79	-	57.92	32.40	5.83	34.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.15	54.00	-10.85	2.68	3	Horizontal	330	1.02	-	40.47	31.82	5.73	34.87
AV	5.6552G	92.84	Inf	-Inf	2.70	3	Horizontal	330	1.02	-	90.14	31.81	5.80	34.91
PK	5.4656G	57.36	68.20	-10.84	2.69	3	Horizontal	330	1.02	-	54.67	31.83	5.73	34.87
PK	5.672G	103.89	Inf	-Inf	2.73	3	Horizontal	330	1.02	-	101.16	31.84	5.80	34.91
PK	5.8556G	62.65	68.20	-5.55	3.27	3	Horizontal	330	1.02	-	59.38	32.41	5.83	34.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37994G	41.38	54.00	-12.62	13.42	3	Vertical	355	1.80	-	27.96	39.94	8.28	34.80
PK	11.3781G	54.12	74.00	-19.88	13.41	3	Vertical	355	1.80	-	40.71	39.93	8.28	34.80
PK	17.07102G	57.88	68.20	-10.32	15.78	3	Vertical	83	1.58	-	42.10	40.09	10.22	34.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37988G	41.21	54.00	-12.79	13.42	3	Horizontal	326	1.39	-	27.79	39.94	8.28	34.80
PK	11.3798G	53.89	74.00	-20.11	13.42	3	Horizontal	326	1.39	-	40.47	39.94	8.28	34.80
PK	17.06728G	57.95	68.20	-10.25	15.79	3	Horizontal	352	1.47	-	42.16	40.10	10.22	34.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	93.88	Inf	-Inf	2.93	3	Vertical	304	2.37	-	90.95	32.06	5.80	34.93
PK	5.6478G	62.73	68.20	-5.47	2.70	3	Vertical	304	2.37	-	60.03	31.80	5.80	34.90
PK	5.7486G	104.72	Inf	-Inf	2.96	3	Vertical	304	2.37	-	101.76	32.09	5.80	34.93
PK	5.9526G	58.76	68.20	-9.44	3.47	3	Vertical	304	2.37	-	55.29	32.59	5.88	35.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8002G	100.40	Inf	-Inf	3.05	3	Horizontal	91	2.00	-	97.35	32.20	5.80	34.95
PK	5.6406G	68.09	68.20	-0.11	2.70	3	Horizontal	91	2.00	-	65.39	31.80	5.80	34.90
PK	5.8014G	110.70	Inf	-Inf	3.06	3	Horizontal	91	2.00	-	107.64	32.21	5.80	34.95
PK	5.9286G	65.95	68.20	-2.25	3.43	3	Horizontal	91	2.00	-	62.52	32.56	5.86	34.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54516G	41.28	54.00	-12.72	13.55	3	Vertical	160	2.99	-	27.73	39.96	8.34	34.75
PK	11.54922G	54.41	74.00	-19.59	13.54	3	Vertical	160	2.99	-	40.87	39.95	8.34	34.75
PK	17.32644G	57.89	68.20	-10.31	16.15	3	Vertical	7	1.62	-	41.74	40.51	10.30	34.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5477G	41.31	54.00	-12.69	13.55	3	Horizontal	275	1.51	-	27.76	39.96	8.34	34.75
PK	11.54688G	54.03	74.00	-19.97	13.55	3	Horizontal	275	1.51	-	40.48	39.96	8.34	34.75
PK	17.32206G	57.44	68.20	-10.76	16.13	3	Horizontal	336	2.34	-	41.31	40.48	10.30	34.65


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.996G	38.02	54.00	-15.98	Vertical

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.996G	27.79	54.00	-26.21	3	Vertical	340	1.50	-
Mode 1	Pass	AV	4.996G	38.02	54.00	-15.98	3	Vertical	22	1.00	-
Mode 1	Pass	AV	5.548G	33.93	54.00	-20.07	3	Vertical	0	1.99	-
Mode 1	Pass	PK	1.996G	44.80	74.00	-29.20	3	Vertical	340	1.50	-
Mode 1	Pass	PK	4.996G	48.10	74.00	-25.90	3	Vertical	22	1.00	-
Mode 1	Pass	PK	5.548G	47.62	74.00	-26.38	3	Vertical	0	1.99	-
Mode 1	Pass	AV	1.996G	28.61	54.00	-25.39	3	Horizontal	306	1.50	-
Mode 1	Pass	AV	4.144G	32.97	54.00	-21.03	3	Horizontal	109	2.50	-
Mode 1	Pass	AV	4.708G	33.98	54.00	-20.02	3	Horizontal	118	1.50	-
Mode 1	Pass	PK	1.996G	40.82	74.00	-33.18	3	Horizontal	306	1.50	-
Mode 1	Pass	PK	4.144G	43.00	74.00	-31.00	3	Horizontal	109	2.50	-
Mode 1	Pass	PK	4.708G	44.59	74.00	-29.41	3	Horizontal	118	1.50	-

Radiated Emissions above 1GHz



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	27.79	54.00	-26.21	-5.29	3	Vertical	340	1.50	-	33.08	25.98	3.40	34.67
AV	4.996G	38.02	54.00	-15.98	1.94	3	Vertical	22	1.00	-	36.08	31.48	5.40	34.94
AV	5.548G	33.93	54.00	-20.07	2.60	3	Vertical	0	1.99	-	31.33	31.70	5.78	34.88
PK	1.996G	44.80	74.00	-29.20	-5.29	3	Vertical	340	1.50	-	50.09	25.98	3.40	34.67
PK	4.996G	48.10	74.00	-25.90	1.94	3	Vertical	22	1.00	-	46.16	31.48	5.40	34.94
PK	5.548G	47.62	74.00	-26.38	2.60	3	Vertical	0	1.99	-	45.02	31.70	5.77	34.87

Radiated Emissions above 1GHz



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	28.61	54.00	-25.39	-5.29	3	Horizontal	306	1.50	-	33.90	25.98	3.40	34.67
AV	4.144G	32.97	54.00	-21.03	-0.05	3	Horizontal	109	2.50	-	33.02	29.80	4.97	34.82
AV	4.708G	33.98	54.00	-20.02	1.60	3	Horizontal	118	1.50	-	32.38	31.22	5.30	34.92
PK	1.996G	40.82	74.00	-33.18	-5.29	3	Horizontal	306	1.50	-	46.11	25.98	3.40	34.67
PK	4.144G	43.00	74.00	-31.00	-0.05	3	Horizontal	109	2.50	-	43.05	29.80	4.97	34.82
PK	4.708G	44.59	74.00	-29.41	1.60	3	Horizontal	118	1.50	-	42.99	31.22	5.30	34.92