









No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5200.00	33.30	3.48	96.40	33.66	99.52	-----	-----	Peak
2	10400.00	38.30	4.92	49.44	33.91	58.75	68.20	9.45	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5200.00	33.30	3.48	101.22	33.66	104.34	-----	-----	Peak
2	10400.00	38.30	4.92	50.04	33.91	59.35	68.20	8.85	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	103.88	33.65	106.89	68.20	2.56	Peak
2	10480.00	38.30	4.95	56.25	33.86	65.64	68.20	2.56	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	97.23	33.65	100.24	68.20	11.34	Peak
2	10480.00	38.30	4.95	47.47	33.86	56.86	68.20	11.34	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5190.00	33.27	3.47	97.28	33.66	100.36	-----	-----	Peak
2	10380.00	38.28	4.92	47.77	33.93	57.04	68.20	11.16	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5190.00	33.27	3.47	90.46	33.66	93.54	-----	-----	Peak
2	10380.00	38.28	4.92	46.96	33.93	56.23	68.20	11.97	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5230.00	33.17	3.49	91.91	33.65	94.92	-----	-----	Peak
2	10460.00	38.30	4.94	46.71	33.88	56.07	68.20	12.13	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	98.34	33.65	101.35	-----	-----	Peak
2	10460.00	38.30	4.94	48.38	33.88	57.74	68.20	10.46	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5190.00	33.27	3.47	97.21	33.66	100.29	-----	-----	Peak
2	10380.00	38.28	4.92	49.02	33.93	58.29	68.20	9.91	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5190.00	33.27	3.47	91.60	33.66	94.68	-----	-----	Peak
2	10380.00	38.28	4.92	47.91	33.93	57.18	68.20	11.02	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5230.00	33.17	3.49	97.32	33.65	100.33	-----	-----	Peak
2	10460.00	38.30	4.94	47.75	33.88	57.11	68.20	11.09	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5230.00	33.17	3.49	99.68	33.65	102.69	-----	-----	Peak
2	10460.00	38.30	4.94	50.72	33.88	60.08	68.20	8.12	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5230.00	33.17	3.49	91.66	33.65	94.67	68.20	11.50	Peak
2	10460.00	38.30	4.94	47.34	33.88	56.70	68.20	11.50	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5230.00	33.17	3.49	99.85	33.65	102.86	68.20	10.19	Peak
2	10460.00	38.30	4.94	48.65	33.88	56.01	68.20	10.19	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06





No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5190.00	33.27	3.47	98.85	33.66	101.93	-----	-----	Peak
2	10380.00	38.28	4.92	52.09	33.93	61.36	68.20	6.84	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5190.00	33.27	3.47	89.52	33.66	92.60	-----	-----	Peak
2	10380.00	38.28	4.92	47.85	33.93	57.12	68.20	11.08	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5210.00	33.23	3.49	88.20	33.66	91.26	68.20	11.16	Peak
2	10420.00	38.30	4.93	47.72	33.91	57.04	68.20	11.16	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5210.00	33.23	3.49	94.67	33.66	97.73	68.20	11.91	Peak
2	10420.00	38.30	4.93	46.97	33.91	56.29	68.20	11.91	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5210.00	33.23	3.49	95.22	33.66	98.28	68.20	11.31	Peak
2	10420.00	38.30	4.93	47.57	33.91	56.09	68.20	11.31	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Ant. Freq. (MHz)	Cable Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5210.00	33.23	3.49	89.88	33.66	92.94	68.20	10.83	Peak
2	10420.00	38.30	4.93	48.05	33.91	57.37	68.20	10.83	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


U-NII-3 Band:



Site no. : RF Chamber Data no. : 73
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-3 Pressure : 101.7kPa
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Power Rating :
 Test Mode : 11a 5745MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	103.27	33.55	107.42			Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : RF Chamber Data no. : 74
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-3 Pressure : 101.7kPa
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Power Rating :
 Test Mode : 11a 5745MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	106.75	33.55	110.90			Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : RF Chamber Data no. : 75
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-3 Pressure : 101.7kPa
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Power Rating :
 Test Mode : 11a 5785MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	105.21	33.54	109.31			Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : RF Chamber Data no. : 76
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-3 Pressure : 101.7kPa
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Power Rating :
 Test Mode : 11a 5785MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	101.55	33.54	105.65			Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	101.49	33.54	105.78	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	104.41	33.54	108.70	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	103.23	33.55	107.38	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	106.91	33.55	111.06	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	97.31	33.54	101.41	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	104.40	33.54	108.50	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	-499.99	33.54	-495.70	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	100.76	33.54	105.05	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	107.13	33.55	111.28	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	102.46	33.55	106.61	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	102.73	33.54	106.83	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	105.82	33.54	109.92	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	105.70	33.54	109.99	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	101.01	33.54	105.30	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	101.67	33.55	105.82	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	34.00	3.70	105.39	33.55	109.54	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	106.31	33.54	110.41	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.93	3.71	103.73	33.54	107.83	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	102.65	33.54	106.94	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	34.10	3.73	104.48	33.54	108.77	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.97	3.71	101.36	33.55	105.49	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.97	3.71	98.19	33.55	102.32	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.90	3.72	100.64	33.54	104.72	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.90	3.72	97.11	33.54	101.19	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.97	3.71	97.75	33.55	101.88	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.97	3.71	100.76	33.55	104.89	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.90	3.72	100.71	33.54	104.79	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.90	3.72	97.84	33.54	101.92	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.97	3.71	99.37	33.55	103.50	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.97	3.71	102.56	33.55	106.69	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.90	3.72	100.90	33.54	104.98	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.90	3.72	99.10	33.54	103.18	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5775.00	33.93	3.71	97.89	33.55	101.98	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5775.00	33.93	3.71	94.72	33.55	98.81	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5775.00	33.93	3.71	100.57	33.55	104.66	-----	-----	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5775.00	33.93	3.71	94.91	33.55	99.00	-----	-----	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	32.12	33.60	41.84	54.00	12.16	Average
2	11490.00	38.12	5.20	43.87	33.60	53.59	74.00	20.41	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	32.19	33.60	41.91	54.00	12.09	Average
2	11490.00	38.12	5.20	43.94	33.60	53.66	74.00	20.34	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	32.33	33.62	42.03	54.00	11.97	Average
2	11570.00	38.10	5.22	44.07	33.62	53.77	74.00	20.23	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	32.33	33.62	42.03	54.00	11.97	Average
2	11570.00	38.10	5.22	44.07	33.62	53.77	74.00	20.23	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	32.11	33.62	41.81	54.00	12.19	Average
2	11570.00	38.10	5.22	44.21	33.62	53.91	74.00	20.09	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	32.11	33.62	41.81	54.00	12.19	Average
2	11570.00	38.10	5.22	44.21	33.62	53.91	74.00	20.09	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	32.09	33.63	41.79	54.00	12.21	Average
2	11650.00	38.10	5.23	45.52	33.63	55.22	74.00	18.78	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	32.18	33.63	41.88	54.00	12.12	Average
2	11650.00	38.10	5.23	44.88	33.63	54.58	74.00	19.42	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	33.40	33.60	43.12	54.00	10.88	Average
2	11490.00	38.12	5.20	44.05	33.60	53.77	74.00	20.23	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	33.42	33.60	43.14	54.00	10.86	Average
2	11490.00	38.12	5.20	43.83	33.60	53.55	74.00	20.45	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	33.09	33.62	42.79	54.00	11.21	Average
2	11570.00	38.10	5.22	44.36	33.62	54.06	74.00	19.94	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	33.11	33.62	42.81	54.00	11.19	Average
2	11570.00	38.10	5.22	43.27	33.62	52.97	74.00	21.03	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	33.18	33.63	42.88	54.00	11.12	Average
2	11650.00	38.10	5.23	44.96	33.63	54.66	74.00	19.34	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	33.40	33.63	43.10	54.00	10.90	Average
2	11650.00	38.10	5.23	45.89	33.63	55.59	74.00	18.41	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	31.85	33.60	41.57	54.00	12.43	Average
2	11490.00	38.12	5.20	44.14	33.60	53.86	74.00	20.14	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	31.71	33.60	41.43	54.00	12.57	Average
2	11490.00	38.12	5.20	44.71	33.60	54.43	74.00	19.57	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	32.09	33.62	41.79	54.00	12.21	Average
2	11570.00	38.10	5.22	43.13	33.62	52.03	74.00	21.17	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	32.05	33.62	41.75	54.00	12.25	Average
2	11570.00	38.10	5.22	43.28	33.62	52.98	74.00	21.02	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	32.06	33.63	41.76	54.00	12.24	Average
2	11650.00	38.10	5.23	44.41	33.63	54.11	74.00	19.89	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	32.14	33.63	41.84	54.00	12.16	Average
2	11650.00	38.10	5.23	44.51	33.63	54.21	74.00	19.79	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	31.77	33.60	41.49	54.00	12.51	Average
2	11490.00	38.12	5.20	45.23	33.60	54.95	74.00	19.05	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11490.00	38.12	5.20	31.58	33.60	41.30	54.00	12.70	Average
2	11490.00	38.12	5.20	43.79	33.60	53.51	74.00	20.49	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	31.65	33.62	41.35	54.00	12.65	Average
2	11570.00	38.10	5.22	44.69	33.62	54.39	74.00	19.61	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11570.00	38.10	5.22	31.47	33.62	41.17	54.00	12.83	Average
2	11570.00	38.10	5.22	44.10	33.62	53.80	74.00	20.20	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	31.55	33.63	41.25	54.00	12.75	Average
2	11650.00	38.10	5.23	44.94	33.63	54.64	74.00	19.36	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11650.00	38.10	5.23	31.74	33.63	41.44	54.00	12.56	Average
2	11650.00	38.10	5.23	44.50	33.63	54.20	74.00	19.80	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.97	33.60	41.67	54.00	12.33	Average
2	11510.00	38.10	5.20	44.81	33.60	54.51	74.00	19.49	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	32.06	33.60	41.76	54.00	12.24	Average
2	11510.00	38.10	5.20	45.33	33.60	55.03	74.00	18.97	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.59	33.60	41.29	54.00	12.71	Average
2	11510.00	38.10	5.20	44.32	33.60	54.02	74.00	19.98	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.07	33.60	40.77	54.00	13.23	Average
2	11510.00	38.10	5.20	45.10	33.60	54.80	74.00	19.20	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.90	33.60	41.60	54.00	12.40	Average
2	11510.00	38.10	5.20	44.97	33.60	54.67	74.00	19.33	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.98	33.60	41.68	54.00	12.32	Average
2	11510.00	38.10	5.20	44.10	33.60	53.80	74.00	20.20	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	31.26	33.62	40.96	54.00	13.04	Average
2	11590.00	38.10	5.22	43.96	33.62	53.66	74.00	20.34	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	31.24	33.62	40.94	54.00	13.06	Average
2	11590.00	38.10	5.22	44.76	33.62	54.46	74.00	19.54	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	31.47	33.62	41.17	54.00	12.83	Average
2	11590.00	38.10	5.22	45.38	33.62	55.08	74.00	18.92	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	31.29	33.62	40.99	54.00	13.01	Average
2	11590.00	38.10	5.22	43.68	33.62	53.38	74.00	20.62	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.87	33.60	41.57	54.00	12.43	Average
2	11510.00	38.10	5.20	44.46	33.60	54.16	74.00	19.84	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.88	33.60	41.58	54.00	12.42	Average
2	11510.00	38.10	5.20	45.00	33.60	54.70	74.00	19.30	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.83	33.60	41.53	54.00	12.47	Average
2	11510.00	38.10	5.20	44.57	33.60	54.27	74.00	19.73	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.75	33.60	41.45	54.00	12.55	Average
2	11510.00	38.10	5.20	44.19	33.60	53.89	74.00	20.11	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.20	33.60	40.90	54.00	13.10	Average
2	11510.00	38.10	5.20	44.48	33.60	54.18	74.00	19.82	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	31.17	33.60	40.87	54.00	13.13	Average
2	11510.00	38.10	5.20	44.68	33.60	54.38	74.00	19.62	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

5. BAND EDGE COMPLIANCE TEST

5.1. Test Equipments

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
1.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Apr.07,22	1 Year
2.	Amplifier	Agilent	8449B	3008A02495	Apr.06,22	1 Year
3.	Horn Antenna	ETC	MCTD 1209	DRH15F03006	Aug.12,22	1 Year
4.	RF Cable	eastsheep	141-SMA-JJ-1000	NO.1	Jul.01,22	1 Year
5.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Apr.01,23	1 Year
6.	Amplifier	Agilent	8449B	3008A02495	Apr.02,23	1 Year

5.2. Limit

For transmitters operating in the band 5150-5250 MHz, all emissions outside the band 5150-5250 MHz shall not exceed -27 dBm/MHz e.i.r.p.

For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge..

5.3. Test Procedure


1. The EUT is placed on a turntable, which is 1.5m above the ground plane and worked at highest radiated power.
2. The turntable was rotated for 360 degrees to determine the position of maximum emission level.
3. EUT is set 3m away from the receiving antenna, which is varied from 1m to 4m to find out the highest emission.
4. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission:
 - (a) PEAK: RBW=1MHz; VBW=3MHz; Sweep=AUTO
 - (b) AVERAGE: RBW=1MHz; VBW=10Hz; Sweep=AUTO
5. Per KDB789033 clause H 2)d).if the test distance is 3m,the EIRP(dBm)=E(dBuv/m)-95.2
Get the final compare with limit.

5.4. Test Results

Pass (The testing data was attached in the next pages.)


FCC ID: 2AY4C-GM06

U-NII-1 Band:




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	46.52	33.67	49.51	74.00	24.49	Peak
2	5175.92	33.27	3.47	97.14	33.66	100.22	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	45.64	33.67	48.63	74.00	25.37	Peak
2	5180.18	33.27	3.47	96.15	33.66	99.23	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.82	33.67	36.81	54.00	17.19	Average
2	5182.31	33.27	3.47	87.56	33.66	90.64	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	34.20	33.67	37.19	54.00	16.81	Average
2	5187.28	33.27	3.47	86.59	33.66	89.67	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Emission factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5236.26	33.17	3.49	88.80	33.65	91.81	54.00	18.36	Average
2	5350.00	32.90	3.54	32.81	33.63	35.62	54.00	18.36	Average
3	5460.00	32.70	3.58	33.28	33.61	35.95	54.00	18.05	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Emission factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5245.10	33.10	3.50	87.22	33.65	90.17	54.00	18.36	Average
2	5350.00	32.90	3.54	32.83	33.63	35.64	54.00	18.36	Average
3	5460.00	32.70	3.58	33.05	33.61	35.72	54.00	18.28	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Emission factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.72	33.10	3.50	98.64	33.65	101.59	74.00	26.65	Peak
2	5350.00	32.90	3.54	44.54	33.63	47.35	74.00	26.65	Peak
3	5460.00	32.70	3.58	44.97	33.61	47.64	68.20	20.56	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Emission factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.86	33.17	3.49	98.23	33.65	101.24	74.00	26.09	Peak
2	5350.00	32.90	3.54	45.10	33.63	47.91	74.00	26.09	Peak
3	5460.00	32.70	3.58	44.95	33.61	47.62	68.20	20.58	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	53.02	33.67	56.01	74.00	17.99	Peak
2	5177.34	33.27	3.47	102.62	33.66	105.70	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	50.26	33.67	53.25	74.00	20.75	Peak
2	5178.76	33.27	3.47	101.36	33.66	104.44	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	35.66	33.67	38.65	54.00	15.35	Average
2	5174.50	33.27	3.47	90.26	33.66	93.34	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	36.67	33.67	39.66	54.00	14.34	Average
2	5173.79	33.27	3.47	90.70	33.66	93.78	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5236.26	33.10	3.50	91.92	33.65	94.87	-----	-----	Average
2	5350.00	32.90	3.54	33.40	33.63	36.21	54.00	17.79	Average
3	5460.00	32.70	3.58	33.57	33.61	36.24	54.00	17.76	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5236.08	33.17	3.49	91.34	33.65	94.35	-----	-----	Average
2	5350.00	32.90	3.54	33.36	33.63	36.17	54.00	17.83	Average
3	5460.00	32.70	3.58	33.50	33.61	36.17	54.00	17.83	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5236.26	33.17	3.49	101.45	33.65	104.46	-----	-----	Peak
2	5350.00	32.90	3.54	45.98	33.63	48.79	74.00	25.21	Peak
3	5460.00	32.70	3.58	45.77	33.61	48.44	68.20	19.76	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5244.84	33.10	3.50	101.72	33.65	104.67	-----	-----	Peak
2	5350.00	32.90	3.54	46.47	33.63	49.28	74.00	24.72	Peak
3	5460.00	32.70	3.58	45.53	33.61	48.20	68.20	20.00	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	54.55	33.67	57.54	74.00	16.46	Peak
2	5183.73	33.27	3.47	100.01	33.66	103.09	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	54.60	33.67	57.59	74.00	16.41	Peak
2	5176.63	33.27	3.47	99.20	33.66	102.28	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	35.50	33.67	38.49	54.00	15.51	Average
2	5185.15	33.27	3.47	89.29	33.66	92.37	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	35.38	33.67	38.37	54.00	15.63	Average
2	5175.21	33.27	3.47	89.06	33.66	92.14	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5242.50	33.10	3.50	90.57	33.65	93.52	-----	-----	Average
2	5350.00	32.90	3.54	33.09	33.63	35.90	54.00	18.10	Average
3	5460.00	32.70	3.58	33.28	33.61	35.95	54.00	18.05	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.60	33.17	3.49	89.15	33.65	92.16	-----	-----	Average
2	5350.00	32.90	3.54	33.29	33.63	36.10	54.00	17.90	Average
3	5460.00	32.70	3.58	33.42	33.61	36.09	54.00	17.91	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5235.74	33.17	3.49	100.16	33.65	103.17	-----	-----	Peak
2	5350.00	32.90	3.54	46.52	33.63	49.33	74.00	24.67	Peak
3	5460.00	32.70	3.58	44.71	33.61	47.38	68.20	20.82	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5235.22	33.17	3.49	100.65	33.65	103.66	-----	-----	Peak
2	5350.00	32.90	3.54	44.71	33.63	47.52	74.00	26.48	Peak
3	5460.00	32.70	3.58	44.74	33.61	47.41	68.20	20.79	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	52.19	33.67	55.18	74.00	18.82	Peak
2	5178.05	33.27	3.47	101.06	33.66	104.14	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	49.22	33.67	52.21	74.00	21.79	Peak
2	5184.44	33.27	3.47	98.70	33.66	101.78	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	36.80	33.67	39.79	54.00	14.21	Average
2	5182.31	33.27	3.47	88.13	33.66	91.21	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	36.13	33.67	39.12	54.00	14.88	Average
2	5178.76	33.27	3.47	87.39	33.66	90.47	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.34	33.17	3.49	89.00	33.65	92.01	-----	-----	Average
2	5350.00	32.90	3.54	33.17	33.63	35.98	54.00	18.02	Average
3	5460.00	32.70	3.58	33.46	33.61	36.13	54.00	17.87	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5243.02	33.10	3.50	87.64	33.65	90.59	-----	-----	Average
2	5350.00	32.90	3.54	33.20	33.63	36.01	54.00	17.99	Average
3	5460.00	32.70	3.58	33.26	33.61	35.93	54.00	18.07	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.08	33.17	3.49	100.10	33.65	103.11	-----	-----	Peak
2	5350.00	32.90	3.54	44.70	33.63	47.51	74.00	26.49	Peak
3	5460.00	32.70	3.58	44.71	33.61	47.38	68.20	20.82	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5233.40	33.17	3.49	101.53	33.65	104.54	-----	-----	Peak
2	5350.00	32.90	3.54	45.06	33.63	47.87	74.00	26.13	Peak
3	5460.00	32.70	3.58	45.46	33.61	48.13	68.20	20.07	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5223.60	33.23	3.49	86.83	33.65	89.90	-----	-----	Average
2	5350.00	32.90	3.54	33.19	33.63	36.00	54.00	18.00	Average
3	5460.00	32.70	3.58	33.47	33.61	36.14	54.00	17.86	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5226.96	33.17	3.49	86.71	33.65	89.72	-----	-----	Average
2	5350.00	32.90	3.54	33.29	33.63	36.10	54.00	17.90	Average
3	5460.00	32.70	3.58	33.54	33.61	36.21	54.00	17.79	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5232.56	33.17	3.49	96.86	33.65	99.87	-----	-----	Peak
2	5350.00	32.90	3.54	44.72	33.63	47.53	74.00	26.47	Peak
3	5460.00	32.70	3.58	45.67	33.61	48.34	68.20	19.86	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5221.92	33.23	3.49	95.65	33.65	98.72	-----	-----	Peak
2	5350.00	32.90	3.54	45.61	33.63	48.42	74.00	25.58	Peak
3	5460.00	32.70	3.58	45.63	33.61	48.30	68.20	19.90	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	53.96	33.67	56.95	74.00	17.05	Peak
2	5182.55	33.27	3.47	95.26	33.66	98.34	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	56.01	33.67	59.00	74.00	15.00	Peak
2	5194.96	33.30	3.48	94.90	33.66	98.02	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	38.79	33.67	41.78	54.00	12.22	Average
2	5197.15	33.30	3.48	86.06	33.66	89.18	---	---	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	37.21	33.67	40.20	54.00	13.80	Average
2	5200.07	33.30	3.48	85.35	33.66	88.47	---	---	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	43.77	33.67	46.76	54.00	7.24	Average
2	5205.18	33.30	3.48	89.99	33.66	93.11	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	43.93	33.67	46.92	54.00	7.08	Average
2	5203.72	33.30	3.48	90.65	33.66	93.77	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	57.31	33.67	60.30	74.00	13.70	Peak
2	5183.28	33.27	3.47	101.15	33.66	104.23	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	53.76	33.67	56.75	74.00	17.25	Peak
2	5202.26	33.30	3.48	97.06	33.66	100.18	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5224.16	33.23	3.49	97.78	33.65	100.85	72.00	28.85	Peak
2	5350.00	32.90	3.54	45.64	33.63	48.45	74.00	25.55	Peak
3	5460.00	32.70	3.58	45.18	33.61	47.85	68.20	20.35	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5236.20	33.17	3.49	100.91	33.65	103.92	72.00	31.92	Peak
2	5350.00	32.90	3.54	45.95	33.63	48.76	74.00	25.24	Peak
3	5460.00	32.70	3.58	45.37	33.61	48.04	68.20	20.16	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5220.80	33.23	3.49	90.61	33.65	93.68	54.00	39.68	Average
2	5350.00	32.90	3.54	33.62	33.63	36.43	54.00	17.57	Average
3	5460.00	32.70	3.58	33.67	33.61	36.34	54.00	17.66	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5222.48	33.23	3.49	87.55	33.65	90.62	54.00	36.62	Average
2	5350.00	32.90	3.54	33.37	33.63	36.18	54.00	17.82	Average
3	5460.00	32.70	3.58	33.58	33.61	36.25	54.00	17.75	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5219.96	33.23	3.49	87.10	33.66	90.16	-----	-----	Average
2	5350.00	32.90	3.54	33.61	33.63	36.42	54.00	17.58	Average
3	5460.00	32.70	3.58	33.61	33.61	36.28	54.00	17.72	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5225.00	33.17	3.49	88.70	33.65	91.71	-----	-----	Average
2	5350.00	32.90	3.54	33.31	33.63	36.12	54.00	17.88	Average
3	5460.00	32.70	3.58	33.71	33.61	36.38	54.00	17.62	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5218.84	33.23	3.49	100.37	33.66	103.43	-----	-----	Peak
2	5350.00	32.90	3.54	44.82	33.63	47.63	74.00	26.37	Peak
3	5460.00	32.70	3.58	44.85	33.61	47.52	68.20	20.68	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5218.56	33.23	3.49	98.21	33.66	101.27	-----	-----	Peak
2	5350.00	32.90	3.54	44.62	33.63	47.43	74.00	26.57	Peak
3	5460.00	32.70	3.58	44.59	33.61	47.26	68.20	20.94	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5147.51	33.20	3.46	58.34	33.67	61.33	74.00	12.67	Peak
2	5150.00	33.20	3.46	53.36	33.67	56.35	74.00	17.65	Peak
3	5208.10	33.23	3.49	96.05	33.66	99.11	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	58.87	33.67	61.86	74.00	12.14	Peak
2	5179.63	33.27	3.47	98.88	33.66	101.96	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	40.25	33.67	43.24	54.00	10.76	Average
2	5200.80	33.30	3.48	87.24	33.66	90.36	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	39.71	33.67	42.70	54.00	11.30	Average
2	5192.77	33.30	3.48	85.71	33.66	88.83	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5137.56	33.17	3.45	44.21	33.67	47.16	54.00	6.84	Average
2	5150.00	33.20	3.46	43.63	33.67	46.62	54.00	7.38	Average
3	5233.81	33.17	3.49	85.28	33.65	88.29	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	43.28	33.67	46.27	54.00	7.73	Average
2	5181.45	33.27	3.47	83.63	33.66	86.71	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5139.10	33.17	3.45	62.38	33.67	65.33	74.00	8.67	Peak
2	5150.00	33.20	3.46	52.20	33.67	55.19	74.00	18.81	Peak
3	5243.05	33.10	3.50	93.43	33.65	96.38	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5138.33	33.17	3.45	61.91	33.67	64.86	74.00	9.14	Peak
2	5150.00	33.20	3.46	56.20	33.67	59.19	74.00	14.81	Peak
3	5180.68	33.27	3.47	93.73	33.66	96.81	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5237.36	33.17	3.49	95.51	33.65	98.52	74.00	17.86	Peak
2	5350.00	32.90	3.54	53.33	33.63	56.14	74.00	17.86	Peak
3	5360.56	32.87	3.55	57.28	33.63	60.07	74.00	13.93	Peak
4	5460.00	32.70	3.58	45.52	33.61	48.19	68.20	20.01	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5242.48	33.10	3.50	93.92	33.65	96.87	74.00	18.11	Peak
2	5350.00	32.90	3.54	53.08	33.63	55.99	74.00	14.03	Peak
3	5361.52	32.87	3.55	57.18	33.63	59.97	74.00	14.03	Peak
4	5460.00	32.70	3.58	45.84	33.61	48.51	68.20	19.69	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5181.04	33.27	3.47	83.58	33.66	86.66	54.00	15.35	Average
2	5350.00	32.90	3.54	35.84	33.63	38.65	54.00	15.35	Average
3	5460.00	32.70	3.58	33.92	33.61	36.59	54.00	17.41	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5231.60	33.17	3.49	84.30	33.65	87.31	54.00	14.80	Average
2	5350.00	32.90	3.54	36.39	33.63	39.20	54.00	14.80	Average
3	5460.00	32.70	3.58	33.92	33.61	36.59	54.00	17.41	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5229.04	33.17	3.49	93.51	33.65	96.52	-----	-----	Peak
2	5350.00	32.90	3.54	48.26	33.63	51.07	74.00	22.93	Peak
3	5372.72	32.87	3.55	51.55	33.63	54.34	74.00	19.66	Peak
4	5460.00	32.70	3.58	45.17	33.61	47.84	68.20	20.36	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5228.72	33.17	3.49	96.29	33.65	99.30	-----	-----	Peak
2	5350.00	32.90	3.54	49.02	33.63	51.83	74.00	22.17	Peak
3	5460.00	32.70	3.58	45.65	33.61	48.32	68.20	19.88	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5237.04	33.17	3.49	84.83	33.65	87.84	-----	-----	Average
2	5350.00	32.90	3.54	36.08	33.63	38.89	54.00	15.11	Average
3	5460.00	32.70	3.58	34.30	33.61	36.97	54.00	17.03	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5174.00	33.27	3.47	83.05	33.66	86.13	-----	-----	Average
2	5350.00	32.90	3.54	36.82	33.63	39.63	54.00	14.37	Average
3	5460.00	32.70	3.58	33.91	33.61	36.58	54.00	17.42	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	40.51	33.67	43.50	54.00	10.50	Average
2	5172.98	33.23	3.47	83.25	33.66	86.29	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	41.86	33.67	44.85	54.00	9.15	Average
2	5241.51	33.10	3.50	84.64	33.65	87.59	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5129.86	33.17	3.45	57.30	33.67	60.25	74.00	13.75	Peak
2	5150.00	33.20	3.46	54.22	33.67	57.21	74.00	16.79	Peak
3	5245.36	33.10	3.50	94.84	33.65	97.79	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5116.77	33.13	3.45	57.31	33.68	60.21	74.00	13.79	Peak
2	5150.00	33.20	3.46	49.32	33.67	52.31	74.00	21.69	Peak
3	5185.30	33.27	3.47	92.61	33.66	95.69	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


U-NII-3 Band:



Site no. : 3m Chamber Data no. : 1
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5745MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.86	33.61	47.53	68.20	20.67	Peak
2	5650.00	33.50	3.66	45.12	33.57	48.71	68.20	19.49	Peak
3	5700.00	33.90	3.68	45.31	33.56	49.33	105.20	55.87	Peak
4	5720.00	33.97	3.69	57.78	33.56	61.86	110.80	48.92	Peak
5	5725.00	33.97	3.69	63.45	33.56	67.55	122.80	55.25	Peak
6	5747.32	34.00	3.70	100.89	33.55	105.04	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 2
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5745MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.71	33.61	48.38	68.20	19.82	Peak
2	5650.00	33.50	3.66	45.38	33.57	48.97	68.20	19.23	Peak
3	5700.00	33.90	3.68	46.28	33.56	50.30	105.20	54.90	Peak
4	5720.00	33.97	3.69	52.79	33.56	56.89	110.80	53.91	Peak
5	5725.00	33.97	3.69	64.50	33.56	68.60	122.80	54.20	Peak
6	5746.48	34.00	3.70	100.71	33.55	104.86	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 3
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5745MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.26	33.61	35.93	54.00	18.07	Average
2	5741.02	34.00	3.70	90.78	33.55	94.93	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 4
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5745MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.08	33.61	35.75	54.00	18.25	Average
2	5749.42	34.00	3.70	91.15	33.55	95.30	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.30	34.10	3.73	92.42	33.54	96.71	---	---	Average
2	7250.00	36.20	4.15	33.38	33.88	39.85	54.00	14.15	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.30	34.10	3.73	86.83	33.54	91.12	---	---	Average
2	7250.00	36.20	4.15	33.14	33.88	39.61	54.00	14.39	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.45	34.10	3.73	99.52	33.54	103.81	---	---	Peak
2	5850.00	34.20	3.74	55.78	33.53	60.19	122.20	62.01	Peak
3	5855.00	34.33	3.75	54.83	33.53	59.38	110.80	51.42	Peak
4	5875.00	34.47	3.75	45.51	33.53	50.20	105.20	55.00	Peak
5	5925.00	35.00	3.77	46.74	33.52	51.99	68.20	16.21	Peak
6	7250.00	36.20	4.15	44.10	33.88	50.57	68.20	17.63	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5829.25	34.10	3.73	102.02	33.54	106.31	---	---	Peak
2	5850.00	34.20	3.74	58.71	33.53	63.12	122.20	59.08	Peak
3	5855.00	34.33	3.75	57.84	33.53	62.39	110.80	48.41	Peak
4	5875.00	34.47	3.75	46.58	33.53	51.27	105.20	53.93	Peak
5	5925.00	35.00	3.77	45.66	33.52	50.91	68.20	17.29	Peak
6	7250.00	36.20	4.15	45.44	33.88	51.91	68.20	16.29	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5829.25	34.10	3.73	100.89	33.54	105.18	-----	-----	Peak
2	5850.00	34.20	3.74	59.68	33.53	64.09	122.20	58.11	Peak
3	5855.00	34.33	3.75	58.47	33.53	63.02	110.80	47.78	Peak
4	5875.00	34.47	3.75	50.19	33.53	54.88	105.20	50.32	Peak
5	5925.00	35.00	3.77	45.56	33.52	50.81	68.20	17.39	Peak
6	7250.00	36.20	4.15	44.44	33.88	50.91	68.20	17.29	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5829.25	34.10	3.73	98.85	33.54	103.14	-----	-----	Peak
2	5850.00	34.20	3.74	56.58	33.53	60.99	122.20	61.21	Peak
3	5855.00	34.33	3.75	55.81	33.53	60.36	110.80	50.44	Peak
4	5875.00	34.47	3.75	44.76	33.53	49.45	105.20	55.75	Peak
5	5925.00	35.00	3.77	44.74	33.52	49.99	68.20	18.21	Peak
6	7250.00	36.20	4.15	44.45	33.88	50.92	68.20	17.20	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5829.25	34.10	3.73	88.87	33.54	93.16	-----	-----	Average
2	7250.00	36.20	4.15	33.06	33.88	39.53	54.00	14.47	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5829.25	34.10	3.73	91.38	33.54	95.67	-----	-----	Average
2	7250.00	36.20	4.15	32.90	33.88	39.37	54.00	14.63	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.20	33.61	35.87	54.00	18.13	Average
2	5743.96	34.00	3.70	92.07	33.55	96.22	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.23	33.61	35.90	54.00	18.10	Average
2	5750.68	34.00	3.70	88.55	33.55	92.70	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.69	33.61	47.36	68.20	20.84	Peak
2	5650.00	33.50	3.66	46.10	33.57	49.69	68.20	18.51	Peak
3	5700.00	33.90	3.68	47.53	33.56	51.55	105.20	53.65	Peak
4	5720.00	33.97	3.69	57.00	33.56	61.10	110.80	49.70	Peak
5	5725.00	33.97	3.69	63.03	33.56	67.13	122.80	55.67	Peak
6	5748.58	34.00	3.70	98.97	33.55	103.12	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.90	33.61	47.57	68.20	20.63	Peak
2	5650.00	33.50	3.66	45.91	33.57	49.50	68.20	18.70	Peak
3	5700.00	33.90	3.68	49.46	33.56	53.48	105.20	51.72	Peak
4	5720.00	33.97	3.69	60.01	33.56	64.11	110.80	46.69	Peak
5	5725.00	33.97	3.69	64.69	33.56	68.79	122.80	54.01	Peak
6	5738.92	34.00	3.70	101.63	33.55	105.78	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.24	33.61	47.91	68.20	20.29	Peak
2	5650.00	33.50	3.66	46.10	33.57	49.69	68.20	18.51	Peak
3	5700.00	33.90	3.68	49.18	33.56	53.20	105.20	52.00	Peak
4	5720.00	33.97	3.69	57.02	33.56	61.12	110.80	49.68	Peak
5	5725.00	33.97	3.69	66.60	33.56	70.70	122.80	52.10	Peak
6	5749.00	34.00	3.70	101.02	33.55	105.97	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.81	33.61	48.48	68.20	19.72	Peak
2	5650.00	33.50	3.66	45.91	33.57	49.50	68.20	18.70	Peak
3	5700.00	33.90	3.68	47.84	33.56	51.86	105.20	53.34	Peak
4	5720.00	33.97	3.69	57.39	33.56	61.49	110.80	49.31	Peak
5	5725.00	33.97	3.69	64.95	33.56	69.05	122.80	53.75	Peak
6	5738.92	34.00	3.70	98.43	33.55	102.58	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.17	33.61	35.84	54.00	18.16	Average
2	5750.26	34.00	3.70	88.27	33.55	92.42	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.16	33.61	35.83	54.00	18.17	Average
2	5748.16	34.00	3.70	90.83	33.55	94.98	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.45	34.10	3.73	90.24	33.54	94.53	-----	-----	Average
2	7250.00	36.20	4.15	32.77	33.88	39.24	54.00	14.76	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.30	34.10	3.73	86.66	33.54	90.95	-----	-----	Average
2	7250.00	36.20	4.15	32.77	33.88	39.24	54.00	14.76	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.30	34.10	3.73	97.08	33.54	101.37	-----	-----	Peak
2	5850.00	34.20	3.74	55.89	33.53	60.30	122.20	61.90	Peak
3	5855.00	34.33	3.75	54.07	33.53	58.62	110.80	52.18	Peak
4	5875.00	34.47	3.75	44.85	33.53	49.54	105.20	55.66	Peak
5	5925.00	35.00	3.77	45.69	33.52	50.94	68.20	17.26	Peak
6	7250.00	36.20	4.15	43.92	33.88	50.39	68.20	17.81	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.30	34.10	3.73	97.79	33.54	102.08	-----	-----	Peak
2	5850.00	34.20	3.74	57.48	33.53	61.89	122.20	60.31	Peak
3	5855.00	34.33	3.75	54.13	33.53	58.68	110.80	52.12	Peak
4	5875.00	34.47	3.75	47.22	33.53	51.91	105.20	53.29	Peak
5	5925.00	35.00	3.77	45.12	33.52	50.37	68.20	17.83	Peak
6	7250.00	36.20	4.15	45.02	33.88	51.49	68.20	16.71	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5829.25	34.10	3.73	100.14	33.54	104.43	-----	-----	Peak
2	5850.00	34.20	3.74	60.32	33.53	64.73	122.20	57.47	Peak
3	5855.00	34.33	3.75	58.77	33.53	63.32	110.80	47.48	Peak
4	5875.00	34.47	3.75	47.35	33.53	52.04	105.20	53.16	Peak
5	5925.00	35.00	3.77	45.58	33.52	50.83	68.20	17.37	Peak
6	7250.00	36.20	4.15	44.47	33.88	50.94	68.20	17.26	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.45	34.10	3.73	97.65	33.54	101.94	-----	-----	Peak
2	5850.00	34.20	3.74	58.86	33.53	63.27	122.20	58.93	Peak
3	5855.00	34.33	3.75	55.81	33.53	60.36	110.80	50.44	Peak
4	5875.00	34.47	3.75	45.42	33.53	50.11	105.20	55.09	Peak
5	5925.00	35.00	3.77	45.02	33.52	50.27	68.20	17.93	Peak
6	7250.00	36.20	4.15	44.47	33.88	50.94	68.20	17.26	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.40	34.10	3.73	85.97	33.54	90.26	-----	-----	Average
2	7250.00	36.20	4.15	32.77	33.88	39.24	54.00	14.76	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.45	34.10	3.73	86.61	33.54	90.90	-----	-----	Average
2	7250.00	36.20	4.15	32.57	33.88	39.04	54.00	14.96	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.21	33.61	35.88	54.00	18.12	Average
2	5746.48	34.00	3.70	89.27	33.55	93.42	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.27	33.61	35.94	54.00	18.06	Average
2	5740.60	34.00	3.70	86.40	33.55	90.55	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.70	33.61	47.37	68.20	20.83	Peak
2	5650.00	33.50	3.66	45.66	33.57	49.25	68.20	18.95	Peak
3	5700.00	33.90	3.68	46.60	33.56	50.62	105.20	54.58	Peak
4	5720.00	33.97	3.69	61.65	33.56	65.75	110.80	45.05	Peak
5	5725.00	33.97	3.69	65.93	33.56	70.03	122.80	52.77	Peak
6	5743.12	34.00	3.70	99.07	33.55	103.22	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.67	33.61	47.34	68.20	20.86	Peak
2	5650.00	33.50	3.66	45.46	33.57	49.05	68.20	19.15	Peak
3	5700.00	33.90	3.68	46.42	33.56	50.44	105.20	54.76	Peak
4	5720.00	33.97	3.69	59.07	33.56	63.17	110.80	47.63	Peak
5	5725.00	33.97	3.69	67.59	33.56	71.69	122.80	51.11	Peak
6	5741.44	34.00	3.70	99.78	33.55	103.93	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.08	33.61	47.75	68.20	20.45	Peak
2	5650.00	33.50	3.66	44.56	33.57	48.15	68.20	20.05	Peak
3	5700.00	33.90	3.68	51.72	33.56	55.74	105.20	49.46	Peak
4	5720.00	33.97	3.69	64.52	33.56	68.62	110.80	42.18	Peak
5	5725.00	33.97	3.69	66.06	33.56	70.16	122.80	52.64	Peak
6	5768.00	33.97	3.71	96.59	33.55	100.72	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.37	33.61	47.04	68.20	21.16	Peak
2	5650.00	33.50	3.66	44.67	33.57	48.26	68.20	19.94	Peak
3	5700.00	33.90	3.68	51.33	33.56	55.35	105.20	49.85	Peak
4	5720.00	33.97	3.69	62.46	33.56	66.56	110.80	44.24	Peak
5	5725.00	33.97	3.69	65.85	33.56	69.95	122.80	52.85	Peak
6	5757.88	33.97	3.71	94.28	33.55	96.41	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.40	33.61	36.07	54.00	17.93	Average
2	5749.52	34.00	3.70	84.41	33.55	88.56	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.27	33.61	35.94	54.00	18.06	Average
2	5751.72	33.97	3.71	86.72	33.55	90.85	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5787.86	33.90	3.72	95.39	33.54	99.47	-----	-----	Average
2	7250.00	36.20	4.15	33.35	33.88	39.82	54.00	14.18	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5801.79	33.90	3.72	87.87	33.54	91.95	-----	-----	Average
2	7250.00	36.20	4.15	33.25	33.88	39.72	54.00	14.28	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.84	33.90	3.72	97.21	33.54	101.29	-----	-----	Peak
2	5850.00	34.20	3.74	54.78	33.53	59.19	122.20	63.01	Peak
3	5855.00	34.33	3.75	55.83	33.53	60.38	110.80	50.42	Peak
4	5875.00	34.47	3.75	48.66	33.53	53.35	105.20	51.85	Peak
5	5925.00	35.00	3.77	45.00	33.52	50.25	68.20	17.95	Peak
6	7250.00	36.20	4.15	43.61	33.88	50.08	68.20	18.12	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5781.89	33.93	3.71	100.73	33.54	104.83	-----	-----	Peak
2	5850.00	34.20	3.74	62.81	33.53	67.22	122.20	54.98	Peak
3	5855.00	34.33	3.75	57.39	33.53	61.94	110.80	48.86	Peak
4	5875.00	34.47	3.75	54.56	33.53	59.25	105.20	45.95	Peak
5	5925.00	35.00	3.77	45.28	33.52	50.53	68.20	17.67	Peak
6	7250.00	36.20	4.15	44.02	33.88	50.49	68.20	17.71	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5801.79	33.90	3.72	103.20	33.54	107.28	-----	-----	Peak
2	5850.00	34.20	3.74	57.67	33.53	62.08	122.20	60.12	Peak
3	5855.00	34.33	3.75	57.79	33.53	62.34	110.80	48.46	Peak
4	5875.00	34.47	3.75	55.89	33.53	60.58	105.20	44.62	Peak
5	5925.00	35.00	3.77	45.89	33.52	51.14	68.20	17.06	Peak
6	7250.00	36.20	4.15	44.61	33.88	51.08	68.20	17.12	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5783.88	33.93	3.71	98.44	33.54	102.54	-----	-----	Peak
2	5850.00	34.20	3.74	53.67	33.53	58.08	122.20	64.12	Peak
3	5855.00	34.33	3.75	56.87	33.53	61.42	110.80	49.38	Peak
4	5875.00	34.47	3.75	46.27	33.53	50.96	105.20	54.24	Peak
5	5925.00	35.00	3.77	45.04	33.52	50.29	68.20	17.91	Peak
6	7250.00	36.20	4.15	43.61	33.88	50.08	68.20	18.12	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5805.77	34.00	3.73	88.24	33.54	92.43	-----	-----	Average
2	7250.00	36.20	4.15	33.38	33.88	39.85	54.00	14.15	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5781.89	33.93	3.71	92.42	33.54	96.52	-----	-----	Average
2	7250.00	36.20	4.15	33.22	33.88	39.69	54.00	14.31	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.41	33.61	36.08	54.00	17.92	Average
2	5749.08	34.00	3.70	93.83	33.55	97.98	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.62	33.61	36.29	54.00	17.71	Average
2	5752.60	33.97	3.71	89.13	33.55	93.26	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	46.48	33.61	49.15	68.20	19.05	Peak
2	5650.00	33.50	3.66	45.48	33.57	49.07	68.20	19.13	Peak
3	5700.00	33.90	3.68	53.15	33.56	57.17	105.20	48.03	Peak
4	5720.00	33.97	3.69	65.96	33.56	70.06	110.80	40.74	Peak
5	5725.00	33.97	3.69	67.41	33.56	71.51	122.80	51.29	Peak
6	5748.64	34.00	3.70	98.74	33.55	102.89	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.05	33.61	47.72	68.20	20.48	Peak
2	5650.00	33.50	3.66	47.69	33.57	51.28	68.20	16.92	Peak
3	5700.00	33.90	3.68	57.19	33.56	61.21	105.20	43.99	Peak
4	5720.00	33.97	3.69	70.76	33.56	74.86	110.80	35.94	Peak
5	5725.00	33.97	3.69	71.93	33.56	76.03	122.80	46.77	Peak
6	5747.76	34.00	3.70	103.38	33.55	107.53	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.78	33.61	47.45	68.20	20.75	Peak
2	5650.00	33.50	3.66	51.86	33.57	55.45	68.20	12.75	Peak
3	5700.00	33.90	3.68	54.32	33.56	58.34	105.20	46.86	Peak
4	5720.00	33.97	3.69	68.05	33.56	72.15	110.80	38.65	Peak
5	5725.00	33.97	3.69	74.54	33.56	78.64	122.80	44.16	Peak
6	5758.76	33.97	3.71	103.28	33.55	107.41	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.02	33.61	47.69	68.20	20.51	Peak
2	5650.00	33.50	3.66	45.99	33.57	49.58	68.20	18.62	Peak
3	5700.00	33.90	3.68	54.65	33.56	58.67	105.20	46.53	Peak
4	5720.00	33.97	3.69	63.99	33.56	68.09	110.80	42.71	Peak
5	5725.00	33.97	3.69	67.79	33.56	71.89	122.80	50.91	Peak
6	5749.52	34.00	3.70	99.13	33.55	103.28	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.55	33.61	36.22	54.00	17.78	Average
2	5759.20	33.97	3.71	88.82	33.55	92.95	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.59	33.61	36.26	54.00	17.74	Average
2	5761.84	33.97	3.71	92.61	33.55	96.74	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5787.86	33.90	3.72	93.35	33.54	97.43	-----	-----	Average
2	7250.00	36.20	4.15	33.23	33.88	39.70	54.00	14.30	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5801.79	33.90	3.72	87.68	33.54	91.76	-----	-----	Average
2	7250.00	36.20	4.15	33.20	33.88	39.67	54.00	14.33	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5783.88	33.93	3.71	97.96	33.54	102.06	-----	-----	Peak
2	5850.00	34.20	3.74	57.12	33.53	61.53	122.20	60.67	Peak
3	5855.00	34.33	3.75	51.74	33.53	56.29	110.80	54.51	Peak
4	5875.00	34.47	3.75	47.20	33.53	51.89	105.20	53.31	Peak
5	5925.00	35.00	3.77	45.63	33.52	50.88	68.20	17.32	Peak
6	7250.00	36.20	4.15	44.39	33.88	50.86	68.20	17.34	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5783.88	33.93	3.71	102.64	33.54	106.74	-----	-----	Peak
2	5850.00	34.20	3.74	59.88	33.53	64.29	122.20	57.91	Peak
3	5855.00	34.33	3.75	54.56	33.53	59.11	110.80	51.69	Peak
4	5875.00	34.47	3.75	50.38	33.53	55.07	105.20	50.13	Peak
5	5925.00	35.00	3.77	44.89	33.52	50.14	68.20	18.06	Peak
6	7250.00	36.20	4.15	44.01	33.88	50.48	68.20	17.72	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5809.32	34.00	3.73	98.12	33.54	102.31	-----	-----	Peak
2	5850.00	34.20	3.74	68.52	33.53	72.93	122.20	49.27	Peak
3	5855.00	34.33	3.75	66.19	33.53	70.74	110.80	40.06	Peak
4	5875.00	34.47	3.75	65.53	33.53	70.22	105.20	34.98	Peak
5	5925.00	35.00	3.77	55.54	33.52	60.79	68.20	7.41	Peak
6	7250.00	36.20	4.15	44.26	33.88	50.73	68.20	17.47	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5738.27	34.00	3.70	93.97	33.55	98.12	-----	-----	Peak
2	5850.00	34.20	3.74	65.05	33.53	69.46	122.20	52.74	Peak
3	5855.00	34.33	3.75	62.42	33.53	66.97	110.80	43.83	Peak
4	5875.00	34.47	3.75	65.11	33.53	69.80	105.20	35.40	Peak
5	5925.00	35.00	3.77	49.02	33.52	54.27	68.20	13.93	Peak
6	5929.09	35.00	3.77	53.44	33.52	58.69	68.20	9.51	Peak
7	7250.00	36.20	4.15	45.70	33.88	52.17	68.20	16.03	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5740.30	34.00	3.70	84.98	33.55	89.13	-----	-----	Average
2	7250.00	36.20	4.15	33.37	33.88	39.84	54.00	14.16	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.11	33.90	3.72	87.71	33.54	91.79	-----	-----	Average
2	7250.00	36.20	4.15	33.41	33.88	39.88	54.00	14.12	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.98	33.61	36.65	54.00	17.35	Average
2	5811.76	34.00	3.73	88.61	33.54	92.80	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	34.13	33.61	36.80	54.00	17.20	Average
2	5740.24	34.00	3.70	85.04	33.55	89.19	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	46.87	33.61	49.54	68.20	18.66	Peak
2	5650.00	33.50	3.66	51.68	33.57	55.27	68.20	12.93	Peak
3	5700.00	33.90	3.68	67.59	33.56	71.61	105.20	33.59	Peak
4	5720.00	33.97	3.69	62.52	33.56	66.62	110.80	44.18	Peak
5	5725.00	33.97	3.69	62.76	33.56	66.86	122.80	55.94	Peak
6	5739.76	34.00	3.70	94.64	33.55	98.79	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.77	33.61	48.44	68.20	19.76	Peak
2	5635.12	33.43	3.66	62.58	33.57	66.10	68.20	2.10	Peak
3	5650.00	33.50	3.66	54.74	33.57	58.33	68.20	9.87	Peak
4	5700.00	33.90	3.68	68.71	33.56	72.73	105.20	32.47	Peak
5	5720.00	33.97	3.69	64.56	33.56	68.66	110.80	42.14	Peak
6	5725.00	33.97	3.69	66.68	33.56	70.78	122.80	52.02	Peak
7	5811.76	34.00	3.73	98.36	33.54	102.55	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	44.44	33.61	47.11	68.20	21.09	Peak
2	5650.00	33.50	3.66	56.52	33.57	60.11	68.20	8.09	Peak
3	5700.00	33.90	3.68	64.11	33.56	68.13	105.20	37.07	Peak
4	5720.00	33.97	3.69	62.80	33.56	66.90	110.80	43.90	Peak
5	5725.00	33.97	3.69	62.94	33.56	67.04	122.80	55.76	Peak
6	5756.08	33.97	3.71	98.09	33.55	102.22	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	45.33	33.61	48.00	68.20	20.20	Peak
2	5650.00	33.50	3.66	50.58	33.57	54.17	68.20	14.03	Peak
3	5700.00	33.90	3.68	60.84	33.56	64.86	105.20	40.34	Peak
4	5720.00	33.97	3.69	56.30	33.56	60.40	110.80	50.40	Peak
5	5725.00	33.97	3.69	56.39	33.56	60.49	122.80	62.31	Peak
6	5747.92	34.00	3.70	95.74	33.55	99.89	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.73	33.61	36.40	54.00	17.60	Average
2	5812.72	34.00	3.73	84.67	33.54	88.86	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.81	33.61	36.48	54.00	17.52	Average
2	5738.80	34.00	3.70	87.88	33.55	92.03	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5744.36	34.00	3.70	87.91	33.55	92.06	-----	-----	Average
2	7250.00	36.20	4.15	33.39	33.88	39.86	54.00	14.14	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5738.27	34.00	3.70	84.34	33.55	88.49	-----	-----	Average
2	7250.00	36.20	4.15	33.64	33.88	40.11	54.00	13.89	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5809.32	34.00	3.73	95.61	33.54	99.80	-----	-----	Peak
2	5850.00	34.20	3.74	63.55	33.53	67.96	122.20	54.24	Peak
3	5855.00	34.33	3.75	62.64	33.53	67.19	110.80	43.61	Peak
4	5875.00	34.47	3.75	63.07	33.53	67.76	105.20	37.44	Peak
5	5925.00	35.00	3.77	52.82	33.52	58.07	68.20	10.13	Peak
6	7250.00	36.20	4.15	44.54	33.88	51.01	68.20	17.19	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5738.27	34.00	3.70	97.44	33.55	101.59	-----	-----	Peak
2	5850.00	34.20	3.74	65.39	33.53	69.80	122.20	52.40	Peak
3	5855.00	34.33	3.75	66.46	33.53	71.01	110.80	39.79	Peak
4	5875.00	34.47	3.75	66.05	33.53	70.74	105.20	34.46	Peak
5	5925.00	35.00	3.77	53.22	33.52	58.47	68.20	9.73	Peak
6	7250.00	36.20	4.15	44.81	33.88	51.28	68.20	16.92	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


Data for metal appearance: U-NII-1 Band:



Site no. : 3m Chamber Data no. : 1
Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
Limit : FCC 15E PK U-NII-1
Env. / Ins. : 23.2°C/52.5% Engineer : nier
Test Mode : 5G 11a 5180MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	56.13	59.12	74.00	14.88	Peak
2	5183.73	33.27	3.47	33.66	104.35	107.43	---	---	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 2
Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
Limit : FCC 15E PK U-NII-1
Env. / Ins. : 23.2°C/52.5% Engineer : nier
Test Mode : 5G 11a 5180MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	51.44	54.43	74.00	19.57	Peak
2	5183.86	33.27	3.47	33.66	97.69	100.77	---	---	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 3
Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
Limit : FCC 15E AV
Env. / Ins. : 23.2°C/52.5% Engineer : nier
Test Mode : 5G 11a 5180MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	37.86	40.85	54.00	13.15	Average
2	5175.92	33.27	3.47	33.66	93.50	96.58	---	---	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 4
Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
Limit : FCC 15E AV
Env. / Ins. : 23.2°C/52.5% Engineer : nier
Test Mode : 5G 11a 5180MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	38.14	41.13	54.00	12.87	Average
2	5176.63	33.27	3.47	33.66	93.61	96.69	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.34	33.17	3.49	33.65	104.62	107.63	-----	-----	Peak
2	5350.00	32.90	3.54	33.63	44.65	47.46	74.00	26.54	Peak
3	5460.00	32.70	3.58	33.61	47.29	49.96	68.20	18.24	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5243.80	33.10	3.50	33.65	95.28	98.23	-----	-----	Peak
2	5350.00	32.90	3.54	33.63	45.83	48.64	74.00	25.36	Peak
3	5460.00	32.70	3.58	33.61	45.23	47.90	68.20	20.30	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5243.28	33.10	3.50	33.65	87.73	90.68	-----	-----	Average
2	5350.00	32.90	3.54	33.63	34.24	37.05	54.00	16.95	Average
3	5460.00	32.70	3.58	33.61	34.39	37.06	54.00	16.94	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5243.02	33.10	3.50	33.65	88.01	90.96	-----	-----	Average
2	5350.00	32.90	3.54	33.63	34.28	37.09	54.00	16.91	Average
3	5460.00	32.70	3.58	33.61	34.52	37.19	54.00	16.81	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 9
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5180MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	55.11	58.10	74.00	15.90	Peak
2	5179.47	33.27	3.47	33.66	101.74	104.82	74.00	30.82	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 10
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5180MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	49.79	52.78	74.00	21.22	Peak
2	5179.47	33.27	3.47	33.66	95.13	98.21	74.00	24.21	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 11
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5180MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	35.47	38.46	54.00	15.54	Average
2	5177.34	33.27	3.47	33.66	85.63	88.71	54.00	34.71	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 12
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5180MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	38.72	41.71	54.00	12.29	Average
2	5183.02	33.27	3.47	33.66	91.96	95.04	54.00	41.04	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2AY4C-GM06



Site no. : 3m Chamber Data no. : 13
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5237.02	33.17	3.49	33.65	100.92	103.93	74.00	26.39	Peak
2	5350.00	32.90	3.54	33.63	44.80	47.61	74.00	26.39	Peak
3	5460.00	32.70	3.58	33.61	45.76	48.43	68.20	19.77	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 14
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.72	33.10	3.50	33.65	86.69	89.64	54.00	17.00	Average
2	5350.00	32.90	3.54	33.63	34.19	37.00	54.00	17.00	Average
3	5460.00	32.70	3.58	33.61	34.46	37.13	54.00	16.87	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 15
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.46	33.17	3.49	33.65	92.57	95.58	54.00	16.93	Average
2	5350.00	32.90	3.54	33.63	34.26	37.07	54.00	16.93	Average
3	5460.00	32.70	3.58	33.61	34.41	37.08	54.00	16.92	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 16
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11n HT20 5240MHz TX


No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.86	33.17	3.49	33.65	94.35	97.36	54.00	25.90	Peak
2	5350.00	32.90	3.54	33.63	45.29	48.10	74.00	25.90	Peak
3	5460.00	32.70	3.58	33.61	45.75	48.42	68.20	19.78	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	57.05	60.04	74.00	13.96	Peak
2	5178.05	33.27	3.47	33.66	103.94	107.02	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	49.24	52.23	74.00	21.77	Peak
2	5187.28	33.27	3.47	33.66	97.68	100.76	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	36.25	39.24	54.00	14.76	Average
2	5178.76	33.27	3.47	33.66	87.48	90.56	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	40.34	43.33	54.00	10.67	Average
2	5178.05	33.27	3.47	33.66	92.81	95.89	---	---	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2AY4C-GM06



Site no. : 3m Chamber Data no. : 21
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ac VHT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5234.18	33.17	3.49	33.65	102.99	106.00	74.00	26.49	Peak
2	5350.00	32.90	3.54	33.63	44.70	47.51	74.00	26.49	Peak
3	5460.00	32.70	3.58	33.61	44.92	47.59	68.20	20.61	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 22
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ac VHT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5235.22	33.17	3.49	33.65	95.42	98.43	74.00	27.15	Peak
2	5350.00	32.90	3.54	33.63	44.04	46.85	74.00	27.15	Peak
3	5460.00	32.70	3.58	33.61	46.02	48.69	68.20	19.51	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 23
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ac VHT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.34	33.17	3.49	33.65	86.82	89.83	74.00	17.30	Average
2	5350.00	32.90	3.54	33.63	33.89	36.70	54.00	17.27	Average
3	5460.00	32.70	3.58	33.61	34.06	36.73	54.00	17.27	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 24
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ac VHT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5245.88	33.10	3.50	33.65	91.95	94.90	74.00	17.20	Average
2	5350.00	32.90	3.54	33.63	33.99	36.80	54.00	17.21	Average
3	5460.00	32.70	3.58	33.61	34.12	36.79	54.00	17.21	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	50.81	53.00	74.00	20.20	Peak
2	5175.21	33.27	3.47	33.66	96.60	99.68	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	59.46	62.45	74.00	11.55	Peak
2	5178.76	33.27	3.47	33.66	102.23	105.31	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	39.95	42.94	54.00	11.06	Average
2	5183.73	33.27	3.47	33.66	90.92	94.00	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	35.30	38.29	54.00	15.71	Average
2	5177.34	33.27	3.47	33.66	84.37	87.45	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5242.50	33.10	3.50	33.65	96.12	99.07	74.00	26.66	Peak
2	5350.00	32.90	3.54	33.63	44.53	47.34	68.20	19.73	Peak
3	5460.00	32.70	3.58	33.61	45.80	48.47	68.20	19.73	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5244.66	33.10	3.50	33.65	103.75	106.70	74.00	26.72	Peak
2	5350.00	32.90	3.54	33.63	44.47	47.28	68.20	20.56	Peak
3	5460.00	32.70	3.58	33.61	44.97	47.64	68.20	20.56	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.08	33.17	3.49	33.65	91.48	94.49	54.00	17.31	Average
2	5350.00	32.90	3.54	33.63	33.88	36.69	54.00	17.31	Average
3	5460.00	32.70	3.58	33.61	34.12	36.79	54.00	17.21	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.08	33.17	3.49	33.65	85.27	88.28	54.00	17.36	Average
2	5350.00	32.90	3.54	33.63	33.83	36.64	54.00	17.36	Average
3	5460.00	32.70	3.58	33.61	33.90	36.57	54.00	17.43	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	50.96	53.95	74.00	20.05	Peak
2	5192.77	33.30	3.48	33.66	92.40	95.52	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	58.39	61.38	74.00	12.62	Peak
2	5194.23	33.30	3.48	33.66	98.84	101.96	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	43.61	46.60	54.00	7.40	Average
2	5194.23	33.30	3.48	33.66	88.81	91.93	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	38.48	41.47	54.00	12.53	Average
2	5182.55	33.27	3.47	33.66	83.44	86.52	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5232.10	33.17	3.49	33.65	98.06	101.07	74.00	25.88	Peak
2	5350.00	32.90	3.54	33.63	45.31	48.12	74.00	25.88	Peak
3	5460.00	32.70	3.58	33.61	44.82	47.49	68.20	20.71	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5232.08	33.17	3.49	33.65	90.72	93.73	74.00	26.35	Peak
2	5350.00	32.90	3.54	33.63	44.84	47.65	74.00	26.35	Peak
3	5460.00	32.70	3.58	33.61	45.37	48.04	68.20	20.16	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5226.12	33.17	3.49	33.65	83.30	86.31	54.00	17.17	Average
2	5350.00	32.90	3.54	33.63	34.02	36.83	54.00	17.17	Average
3	5460.00	32.70	3.58	33.61	34.08	36.75	54.00	17.25	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5225.86	33.17	3.49	33.65	88.42	91.43	54.00	17.19	Average
2	5350.00	32.90	3.54	33.63	34.00	36.81	54.00	17.19	Average
3	5460.00	32.70	3.58	33.61	34.21	36.88	54.00	17.12	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	50.08	53.07	74.00	20.93	Peak
2	5185.47	33.27	3.47	33.66	91.37	94.45	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	60.14	63.13	74.00	10.87	Peak
2	5200.07	33.30	3.48	33.66	97.47	100.59	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	45.21	48.20	54.00	5.80	Average
2	5181.82	33.27	3.47	33.66	87.20	90.28	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	37.51	40.50	54.00	13.50	Average
2	5181.82	33.27	3.47	33.66	81.45	84.53	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5239.56	33.17	3.49	33.65	100.32	100.33	74.00	26.17	Peak
2	5350.00	32.90	3.54	33.63	45.02	47.83	74.00	26.17	Peak
3	5460.00	32.70	3.58	33.61	45.96	48.63	68.20	19.57	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5239.28	33.17	3.49	33.65	91.88	94.89	74.00	26.60	Peak
2	5350.00	32.90	3.54	33.63	44.59	47.40	74.00	26.60	Peak
3	5460.00	32.70	3.58	33.61	46.06	48.73	68.20	19.47	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5239.00	33.17	3.49	33.65	89.83	92.84	74.00	17.06	Average
2	5350.00	32.90	3.54	33.63	34.13	36.94	74.00	16.72	Average
3	5460.00	32.70	3.58	33.61	34.61	37.28	68.20	16.72	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5239.12	33.17	3.49	33.65	83.26	86.27	74.00	16.78	Average
2	5350.00	32.90	3.54	33.63	34.41	37.22	74.00	16.82	Average
3	5460.00	32.70	3.58	33.61	34.51	37.18	68.20	16.82	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2AY4C-GM06



Site no. : 3m Chamber Data no. : 49
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ax HE40 5230MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5237.60	33.17	3.49	33.65	83.38	86.39	54.00	16.80	Average
2	5350.00	32.90	3.54	33.63	34.39	37.20	54.00	16.80	Average
3	5460.00	32.70	3.58	33.61	34.72	37.39	54.00	16.61	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 50
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ax HE40 5230MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.12	33.17	3.49	33.65	89.58	92.59	54.00	16.92	Average
2	5350.00	32.90	3.54	33.63	34.27	37.08	54.00	16.92	Average
3	5460.00	32.70	3.58	33.61	34.90	37.57	54.00	16.43	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 51
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ax HE40 5230MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5218.56	33.23	3.49	33.66	100.55	103.61	74.00	26.23	Peak
2	5350.00	32.90	3.54	33.63	44.96	47.77	68.20	19.76	Peak
3	5460.00	32.70	3.58	33.61	45.77	48.44	68.20	19.76	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 52
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 5G 11ax HE40 5230MHz TX


No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5219.96	33.23	3.49	33.66	91.12	94.18	74.00	26.53	Peak
2	5350.00	32.90	3.54	33.63	44.66	47.47	68.20	20.50	Peak
3	5460.00	32.70	3.58	33.61	45.03	47.70	68.20	20.50	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	52.86	55.85	74.00	18.15	Peak
2	5197.88	33.30	3.48	33.66	93.41	96.53	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	56.99	59.98	74.00	14.02	Peak
2	5194.23	33.30	3.48	33.66	100.42	103.54	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	46.39	49.38	54.00	4.62	Average
2	5195.69	33.30	3.48	33.66	89.13	92.25	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	38.67	41.66	54.00	12.34	Average
2	5183.28	33.27	3.47	33.66	82.62	85.70	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5138.33	33.17	3.45	33.67	64.84	67.79	74.00	6.21	Peak
2	5150.00	33.20	3.46	33.67	63.11	66.10	74.00	7.90	Peak
3	5236.12	33.17	3.49	33.65	97.19	100.20	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5137.56	33.17	3.45	33.67	58.41	61.36	74.00	12.64	Peak
2	5150.00	33.20	3.46	33.67	53.76	56.75	74.00	17.25	Peak
3	5173.75	33.27	3.47	33.66	89.31	92.39	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	40.97	43.96	54.00	10.04	Average
2	5185.30	33.27	3.47	33.66	80.14	83.22	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	47.65	50.64	54.00	3.36	Average
2	5241.51	33.10	3.50	33.65	86.53	89.48	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5244.40	33.10	3.50	33.65	86.65	89.60	54.00	11.65	Average
2	5350.00	32.90	3.54	33.63	39.54	42.35	54.00	16.11	Average
3	5460.00	32.70	3.58	33.61	35.22	37.89	54.00	16.11	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5176.88	33.27	3.47	33.66	77.13	80.21	54.00	16.38	Average
2	5350.00	32.90	3.54	33.63	34.81	37.62	54.00	16.34	Average
3	5460.00	32.70	3.58	33.61	34.99	37.66	54.00	16.34	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5246.64	33.10	3.50	33.65	88.75	91.70	74.00	25.45	Peak
2	5350.00	32.90	3.54	33.63	45.74	48.55	74.00	20.11	Peak
3	5460.00	32.70	3.58	33.61	45.42	48.09	74.00	20.11	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5211.76	33.23	3.49	33.66	94.89	97.95	74.00	23.38	Peak
2	5350.00	32.90	3.54	33.63	47.81	50.62	74.00	20.06	Peak
3	5460.00	32.70	3.58	33.61	45.47	48.14	74.00	20.06	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5222.64	33.23	3.49	33.65	98.48	101.55	74.00	16.56	Peak
2	5350.00	32.90	3.54	33.63	54.63	57.44	74.00	20.86	Peak
3	5460.00	32.70	3.58	33.61	45.58	48.25	68.20	19.95	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5222.72	33.17	3.49	33.65	90.77	93.78	74.00	20.86	Peak
2	5350.00	32.90	3.54	33.63	50.33	53.14	74.00	20.86	Peak
3	5460.00	32.70	3.58	33.61	45.19	47.86	68.20	20.34	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5176.56	33.27	3.47	33.66	81.41	84.49	54.00	13.13	Average
2	5350.00	32.90	3.54	33.63	38.06	40.87	54.00	16.36	Average
3	5460.00	32.70	3.58	33.61	34.97	37.64	54.00	16.36	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5184.24	33.27	3.47	33.66	88.79	91.87	54.00	8.72	Average
2	5350.00	32.90	3.54	33.63	42.47	45.28	54.00	16.29	Average
3	5460.00	32.70	3.58	33.61	35.04	37.71	54.00	16.29	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5132.94	33.17	3.46	33.67	49.87	52.82	54.00	1.18	Average
2	5150.00	33.20	3.46	33.67	47.47	50.46	54.00	3.54	Average
3	5247.67	33.10	3.50	33.65	86.94	89.89	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	44.06	47.05	54.00	6.95	Average
2	5182.22	33.27	3.47	33.66	81.70	84.78	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	55.99	58.98	74.00	15.02	Peak
2	5186.38	33.27	3.47	33.66	91.23	94.31	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	33.20	3.46	33.67	62.60	65.59	74.00	8.41	Peak
2	5245.36	33.10	3.50	33.65	96.55	99.50	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

U-NII-3 Band:




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	44.69	47.36	68.20	20.84	Peak
2	5650.00	33.50	3.66	33.57	44.86	48.45	68.20	19.75	Peak
3	5700.00	33.90	3.68	33.56	49.58	53.60	105.20	51.60	Peak
4	5720.00	33.97	3.69	33.56	63.39	67.49	110.80	43.31	Peak
5	5725.00	33.97	3.69	33.56	66.64	70.74	122.80	52.06	Peak
6	5743.12	34.00	3.70	33.55	106.15	110.30	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	45.77	48.44	68.20	19.76	Peak
2	5650.00	33.50	3.66	33.57	45.09	48.68	68.20	19.52	Peak
3	5700.00	33.90	3.68	33.56	44.29	48.31	105.20	56.89	Peak
4	5720.00	33.97	3.69	33.56	53.02	57.12	110.80	53.68	Peak
5	5725.00	33.97	3.69	33.56	62.22	66.32	122.80	56.48	Peak
6	5743.12	34.00	3.70	33.55	100.88	105.03	---	---	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	33.82	36.49	54.00	17.51	Average
2	5739.76	34.00	3.70	33.55	93.49	97.64	---	---	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Emission Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	33.95	36.62	54.00	17.38	Average
2	5746.90	34.00	3.70	33.55	96.32	100.47	---	---	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2AY4C-GM06



Site no. : 3m Chamber Data no. : 5
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5825MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.30	34.10	3.73	33.54	104.36	108.65	122.20	53.15	Peak
2	5850.00	34.20	3.74	33.53	64.64	69.05	122.20	53.15	Peak
3	5855.00	34.33	3.75	33.53	61.72	66.27	110.80	44.53	Peak
4	5875.00	34.47	3.75	33.53	46.95	51.64	105.20	53.56	Peak
5	5925.00	35.00	3.77	33.52	46.02	51.27	68.20	16.93	Peak
6	7250.00	36.20	4.15	33.88	45.70	52.17	68.20	16.03	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 6
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5825MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5829.25	34.10	3.73	33.54	100.37	104.66	122.20	61.52	Peak
2	5850.00	34.20	3.74	33.53	56.27	60.68	122.20	61.52	Peak
3	5855.00	34.33	3.75	33.53	54.84	59.39	110.80	51.41	Peak
4	5875.00	34.47	3.75	33.53	46.56	51.25	105.20	53.95	Peak
5	5925.00	35.00	3.77	33.52	45.41	50.66	68.20	17.54	Peak
6	7250.00	36.20	4.15	33.88	46.09	52.56	68.20	15.64	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 7
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5825MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5819.50	34.10	3.73	33.54	90.90	95.19	54.00	13.32	Average
2	7250.00	36.20	4.15	33.88	34.21	40.68	54.00	13.32	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 8
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11a 5825MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading Level (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.35	34.10	3.73	33.54	93.93	98.22	54.00	13.38	Average
2	7250.00	36.20	4.15	33.88	34.15	40.62	54.00	13.38	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	45.90	48.57	68.20	19.63	Peak
2	5650.00	33.50	3.66	33.57	45.76	49.35	68.20	18.85	Peak
3	5700.00	33.90	3.68	33.56	53.26	57.28	105.20	47.92	Peak
4	5720.00	33.97	3.69	33.56	66.44	70.54	110.80	40.26	Peak
5	5725.00	33.97	3.69	33.56	72.78	76.88	122.80	45.92	Peak
6	5741.02	34.00	3.70	33.55	106.96	111.11	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	45.21	47.88	68.20	20.32	Peak
2	5650.00	33.50	3.66	33.57	44.32	47.91	68.20	20.29	Peak
3	5700.00	33.90	3.68	33.56	44.50	48.52	105.20	56.68	Peak
4	5720.00	33.97	3.69	33.56	57.26	61.36	110.80	49.44	Peak
5	5725.00	33.97	3.69	33.56	65.63	69.73	122.80	53.07	Peak
6	5741.02	34.00	3.70	33.55	101.26	105.41	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	33.95	36.62	54.00	17.38	Average
2	5743.54	34.00	3.70	33.55	92.79	96.94	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	34.27	36.94	54.00	17.06	Average
2	5743.54	34.00	3.70	33.55	96.19	100.34	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.35	34.10	3.73	33.54	99.46	103.75	122.20	63.78	Peak
2	5850.00	34.20	3.74	33.53	54.01	58.42	122.20	63.78	Peak
3	5855.00	34.33	3.75	33.53	56.47	61.02	110.80	49.78	Peak
4	5875.00	34.47	3.75	33.53	45.36	50.05	105.20	55.15	Peak
5	5925.00	35.00	3.77	33.52	44.75	50.00	68.20	18.20	Peak
6	7250.00	36.20	4.15	33.88	45.98	52.45	68.20	15.75	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.45	34.10	3.73	33.54	103.97	108.26	122.20	56.04	Peak
2	5850.00	34.20	3.74	33.53	61.75	66.16	122.20	56.04	Peak
3	5855.00	34.33	3.75	33.53	57.28	61.83	110.80	48.97	Peak
4	5875.00	34.47	3.75	33.53	46.18	50.87	105.20	54.33	Peak
5	5925.00	35.00	3.77	33.52	44.58	49.83	68.20	18.37	Peak
6	7250.00	36.20	4.15	33.88	44.17	50.64	68.20	17.56	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5817.55	34.00	3.73	33.54	93.53	97.72	122.20	14.10	Average
2	7250.00	36.20	4.15	33.88	33.43	39.90	54.00	14.10	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.45	34.10	3.73	33.54	86.74	91.03	122.20	13.66	Average
2	7250.00	36.20	4.15	33.88	33.87	40.34	54.00	13.66	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	44.63	47.30	68.20	20.90	Peak
2	5650.00	33.50	3.66	33.57	44.84	48.43	68.20	19.77	Peak
3	5700.00	33.90	3.68	33.56	45.52	49.54	105.20	55.66	Peak
4	5720.00	33.97	3.69	33.56	57.83	61.93	110.80	48.87	Peak
5	5725.00	33.97	3.69	33.56	66.11	70.21	122.80	52.59	Peak
6	5743.12	34.00	3.70	33.55	101.50	105.65	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	45.51	48.18	68.20	20.02	Peak
2	5650.00	33.50	3.66	33.57	47.74	51.33	68.20	16.87	Peak
3	5700.00	33.90	3.68	33.56	54.15	58.17	105.20	47.03	Peak
4	5720.00	33.97	3.69	33.56	65.05	69.15	110.80	41.65	Peak
5	5725.00	33.97	3.69	33.56	74.33	78.43	122.80	44.37	Peak
6	5741.44	34.00	3.70	33.55	106.48	110.63	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	34.07	36.74	54.00	17.26	Average
2	5743.54	34.00	3.70	33.55	96.70	100.85	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.00	32.70	3.58	33.61	33.97	36.64	54.00	17.36	Average
2	5748.16	34.00	3.70	33.55	92.52	96.67	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2AY4C-GM06



Site no. : 3m Chamber Data no. : 21
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11ac VHT20 5825MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.40	34.10	3.73	33.54	100.76	105.05	-----	-----	Peak
2	5850.00	34.20	3.74	33.53	59.50	63.91	122.20	58.29	Peak
3	5855.00	34.33	3.75	33.53	56.26	60.81	110.80	49.99	Peak
4	5875.00	34.47	3.75	33.53	47.13	51.82	105.20	53.38	Peak
5	5925.00	35.00	3.77	33.52	46.08	51.33	68.20	16.87	Peak
6	7250.00	36.20	4.15	33.88	45.85	52.32	68.20	15.88	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 22
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11ac VHT20 5825MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5817.55	34.00	3.73	33.54	104.99	109.15	-----	-----	Peak
2	5850.00	34.20	3.74	33.53	65.06	69.47	122.20	52.73	Peak
3	5855.00	34.33	3.75	33.53	59.47	64.02	110.80	46.78	Peak
4	5875.00	34.47	3.75	33.53	48.47	53.16	105.20	52.04	Peak
5	5925.00	35.00	3.77	33.52	45.61	50.86	68.20	17.34	Peak
6	7250.00	36.20	4.15	33.88	46.00	52.47	68.20	15.73	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 23
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11ac VHT20 5825MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.30	34.10	3.73	33.54	94.41	98.70	-----	-----	Average
2	7250.00	36.20	4.15	33.88	34.52	40.99	54.00	13.01	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 24
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : nier
 Test Mode : 11ac VHT20 5825MHz TX
 :

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.45	34.10	3.73	33.54	91.10	95.39	-----	-----	Average
2	7250.00	36.20	4.15	33.88	34.33	40.80	54.00	13.20	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.