

| REVISIONS |                 |              |          |
|-----------|-----------------|--------------|----------|
| REV.      | DESCRIPTION     | DATE         | APPROVED |
| 1.0       | Initial release | May 23, 2022 | AC       |

87.90 ±0.40

ConnexLink™ 4490

FHSS Interface: 

■

 RS232 

■

 RS485

Model: CL4490-1000-232 R3

Type: 

■

 Server 

■

 Client

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-18 VDC

Product Page: <https://www.ezurio.com/cl4490-series>

Quick Start Guide: <https://www.ezurio.com/cl4490-quick-start>

Antenna

■ - 02

■ - 03

■ - 04

TX

RX

LINK

PWR

I/O



50.80 ±0.40

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
- 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) \* L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. White and Pantone485.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD EZURIO INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF EZURIO. EZURIO RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, EZURIO 2024, ALL RIGHTS RESERVED.

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
ANGULAR: ± .5  
X.X ± .2  
X.XX ± .1  
  
INTERPRET GEOMETRIC  
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02317  
  
DATE  
May 23, 2022  
  
SHEET 1 OF 1



TITLE:  
Label, Product Identifier, CL4490 Series,  
87.9mm x 50.8mm

SIZE  
B

DWG. NO.  
160-02317

REV  
1.0

| REVISIONS |                 |              |          |
|-----------|-----------------|--------------|----------|
| REV.      | DESCRIPTION     | DATE         | APPROVED |
| 1.0       | Initial release | May 23, 2022 | AC       |

87.90 ±0.40

ConnexLink™ 4490

FHSS Interface: ☐ RS232 ☐ RS485

Model: CL4490-1000-485 R3

Type: ☐ Server ☐ Client

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-18 VDC

Product Page: <https://www.ezurio.com/cl4490-series>

Quick Start Guide: <https://www.ezurio.com/cl4490-quick-start>

Antenna

☐ - 02

☐ - 03

☐ - 04

TX

RX

LINK

PWR

I/O

50.80 ±0.40

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
- 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) \* L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. White and Pantone485.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD EZURIO INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF EZURIO. EZURIO RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, EZURIO 2024, ALL RIGHTS RESERVED.

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
ANGULAR: ± .5  
X.X ± .2  
X.XX ± .1  
  
INTERPRET GEOMETRIC  
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02317

DATE  
May 23, 2022

SHEET 1 OF 1

TITLE:  
Label, Product Identifier, CL4490 Series,  
87.9mm x 50.8mm

SIZE  
B

DWG. NO.  
160-02317

REV  
1.0

| REVISIONS |                 |              |          |
|-----------|-----------------|--------------|----------|
| REV.      | DESCRIPTION     | DATE         | APPROVED |
| 1.0       | Initial release | May 23, 2022 | AC       |

87.90 ±0.40

I/O

ConnexLink™ 4790

FHSS Interface: ■ RS232 ■ RS485

Model: CL4790-1000-232 R3

Type: Peer-to-Peer

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-18 VDC

Product Page: <https://www.ezurio.com/cl4790-series>

Quick Start Guide: <https://www.ezurio.com/cl4790-quick-start>

Antenna

■ - 02

■ - 03

■ - 04

TX

RX

LINK

PWR

ezurio

50.80 ±0.40

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
- 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) \* L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. White and Pantone485.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD EZURIO INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF EZURIO. EZURIO RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, EZURIO 2024, ALL RIGHTS RESERVED.

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
ANGULAR: ± .5  
X.X ± .2  
X.XX ± .1  
  
INTERPRET GEOMETRIC  
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02328  
  
DATE  
  
SHEET 1 OF 1

ezurio

TITLE:

Label, Product Identifier, CL4790 Series, 87.9mm x 50.8mm

SIZE

B

DWG. NO.

160-02328

REV

1.0

| REVISIONS |                 |              |          |
|-----------|-----------------|--------------|----------|
| REV.      | DESCRIPTION     | DATE         | APPROVED |
| 1.0       | Initial release | May 23, 2022 | AC       |

87.90 ±0.40

I/O

ConnexLink™ 4790

FHSS Interface: ☐ RS232 ☐ RS485

Model: CL4790-1000-485 R3

Type: Peer-to-Peer

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-18 VDC

Product Page: <https://www.ezurio.com/cl4790-series>

Quick Start Guide: <https://www.ezurio.com/cl4790-quick-start>

Antenna

☐ - 02

☐ - 03

☐ - 04

TX

RX

LINK

PWR



50.80 ±0.40

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) \* L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. White and Pantone485.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD EZURIO INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF EZURIO. EZURIO RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, EZURIO 2024, ALL RIGHTS RESERVED.

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
ANGULAR: ± .5  
X.X ± .2  
X.XX ± .1

INTERPRET GEOMETRIC  
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02328

DATE

SHEET 1 OF 1

TITLE:  
**Label, Product Identifier, CL4790 Series,  
87.9mm x 50.8mm**

SIZE  
**B**

DWG. NO.

**160-02328**

REV

**1.0**

| REVISIONS |                 |              |          |
|-----------|-----------------|--------------|----------|
| REV.      | DESCRIPTION     | DATE         | APPROVED |
| 1.0       | Initial release | May 23, 2022 | AC       |

87.90 ±0.40

I/O



900MHz RS-232/485/422

FCC ID: SQG-CL4490

IC: 3147A-CL4490

Antenna

Dip Switch

CL4490-1000-Pro

R3

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-28 VDC

Product pages: <https://www.ezurio.com/cl4490-series>

Quick start guides: <https://www.ezurio.com/cl4490-quick-start>

TX


RX

LINK

PWR

50.80 ±0.40

- Notes:
- 1.Material: PC Film + Adhesive Transfer Tape
  - 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) \* L: 50.8mm(+0.4/-0.4mm)
  - 3.The basis of the color printed on the label. White and Pantone485.
  - 4.Font: Arial



UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD EZURIO INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF EZURIO. EZURIO RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPYRIGHTS AND TRADE SECRETS. COPYRIGHT, EZURIO 2024, ALL RIGHTS RESERVED.

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
ANGULAR: ±.5  
X.X ±.2  
X.XX ±.1

INTERPRET GEOMETRIC  
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02329

DATE  
May 23, 2022

SHEET 1 OF 1




TITLE:  
Label, Product Identifier, CL4490-1000M-PRO, 87.9mm x 50.8mm

SIZE  
B

DWG. NO.  
160-02329

REV  
1.0

Label location



FCC ID : SQG-CL4490

IC: 3147A-CL4490