

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test for UFL Antenna

Ant 5, ECC Mode


Band Edges, 2.31GHz ~ 2.9GHz

Zigbee_250kHz

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.89	55.69	17.77	37.92	74.00	-18.31	156	206 Peak	Horizontal	
2 *	2405.00	109.47	71.52	37.95	74.00	35.47	156	206 Peak	Horizontal	
3	2582.93	55.41	17.05	38.36	74.00	-18.59	156	206 Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.65	54.90	16.98	37.92	74.00	-19.10	400	164 Peak	Vertical	
2 *	2405.00	107.12	69.17	37.95	74.00	33.12	400	164 Peak	Vertical	
3	2870.97	55.28	16.58	38.70	74.00	-18.72	400	164 Peak	Vertical	

Zigbee_250kHz

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	44.79	6.87	37.92	54.00	-9.21	156	206	Average	Horizontal		
2 *	2405.00	106.44	68.49	37.95	54.00	52.44	156	206	Average	Horizontal		
3	2516.85	42.85	4.57	38.28	54.00	-11.15	156	206	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	44.30	6.38	37.92	54.00	-9.70	400	164	Average	Vertical		
2 *	2405.00	104.13	66.18	37.95	54.00	50.13	400	164	Average	Vertical		
3	2896.93	42.24	3.46	38.78	54.00	-11.76	400	164	Average	Vertical		

Zigbee _250kHz

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.82	55.25	17.29	37.96	74.00	-18.75		338	187	Peak	Horizontal	
2 *	2480.00	108.91	70.60	38.31	74.00	34.91		338	187	Peak	Horizontal	
3	2483.70	57.86	19.55	38.31	74.00	-16.14		338	187	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2352.24	53.84	15.88	37.96	74.00	-20.16		375	148	Peak	Vertical	
2 *	2480.00	103.87	65.56	38.31	74.00	29.87		375	148	Peak	Vertical	
3	2624.94	56.08	17.66	38.42	74.00	-17.92		375	148	Peak	Vertical	

Zigbee_250kHz

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.65	43.89	5.93	37.96	54.00	-10.11		338	187	Average	Horizontal	
2 *	2480.00	105.84	67.53	38.31	54.00	51.84		338	187	Average	Horizontal	
3	2495.95	47.81	9.48	38.33	54.00	-6.19		338	187	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.89	42.45	4.49	37.96	54.00	-11.55		375	148	Average	Vertical	
2 *	2480.00	100.87	62.56	38.31	54.00	46.87		375	148	Average	Vertical	
3	2483.46	43.60	5.29	38.31	54.00	-10.40		375	148	Average	Vertical	


Zigbee_1Mbps

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.23	55.35	17.43	37.92	74.00	-18.65	254	327	Peak	Horizontal		
2 *	2405.00	108.69	70.74	37.95	74.00	34.69	254	327	Peak	Horizontal		
3	2638.16	55.74	17.33	38.41	74.00	-18.26	254	327	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	54.42	16.50	37.92	74.00	-19.58	400	165	Peak	Vertical		
2 *	2405.00	106.95	69.00	37.95	74.00	32.95	400	165	Peak	Vertical		
3	2848.67	55.04	16.41	38.63	74.00	-18.96	400	165	Peak	Vertical		

Zigbee_1Mbps

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	45.18	7.26	37.92	54.00	-8.82	254	327	Average	Horizontal		
2 *	2405.00	106.16	68.21	37.95	54.00	52.16	254	327	Average	Horizontal		
3	2891.98	43.11	4.35	38.76	54.00	-10.89	254	327	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	44.78	6.86	37.92	54.00	-9.22	400	165	Average	Vertical		
2 *	2405.00	104.41	66.46	37.95	54.00	50.41	400	165	Average	Vertical		
3	2784.71	43.11	4.67	38.44	54.00	-10.89	400	165	Average	Vertical		


Zigbee_1Mbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2320.03	54.84	17.16	37.68	74.00	-19.16		100	203	Peak	Horizontal	
2 *	2480.00	109.84	71.53	38.31	74.00	35.84	100	203	Peak	Horizontal		
3	2483.46	59.06	20.75	38.31	74.00	-14.94		100	203	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2339.26	53.99	16.14	37.85	74.00	-20.01		100	158	Peak	Vertical	
2 *	2480.00	105.20	66.89	38.31	74.00	31.20	100	158	Peak	Vertical		
3	2483.46	55.60	17.29	38.31	74.00	-18.40		100	158	Peak	Vertical	

Zigbee _1Mbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.65	43.06	5.10	37.96	54.00	-10.94	100	203	Average	Horizontal		
2 *	2480.00	107.21	60.90	38.31	54.00	53.21	100	203	Average	Horizontal		
3 !	2483.46	48.78	10.47	38.31	54.00	-5.22	100	203	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.94	41.95	4.01	37.94	54.00	-12.05	100	158	Average	Vertical		
2 *	2480.00	102.61	64.30	38.31	54.00	48.61	100	158	Average	Vertical		
3	2495.97	45.63	7.30	38.33	54.00	-8.37	100	158	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Zigbee_1Mbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	63.96	35.12	28.84	127.72	-63.76	100	224	QP	Open		
2	0.03	64.56	42.01	22.55	119.18	-54.62	100	34	QP	Open		
3	0.05	38.70	22.68	16.02	113.13	-74.43	100	67	QP	Open		
4	0.06	38.25	23.52	14.73	111.72	-73.47	100	232	QP	Open		
5	0.08	25.35	13.34	12.01	109.27	-83.92	100	197	QP	Open		
6	0.12	25.35	16.83	8.52	105.70	-88.35	100	221	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.93	52.52	58.64	-6.12	68.27	-15.75	100	136	QP	Open		
2	3.70	36.48	47.65	-11.25	69.50	-33.10	100	136	QP	Open		
3	7.43	24.67	35.70	-11.03	69.50	-44.83	100	153	QP	Open		
4	12.39	19.92	30.28	-10.36	69.50	-49.58	100	21	QP	Open		
5	19.28	18.74	29.86	-11.12	69.50	-50.76	100	203	QP	Open		
6	26.63	25.98	33.89	-7.99	69.50	-43.60	100	64	QP	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


Zigbee_1Mbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	46.49	17.12	22.94	-5.82	40.00	-22.88		400	307	QP	Horizontal	
2	166.77	17.80	23.69	-5.89	43.50	-25.70		213	360	QP	Horizontal	
3	573.20	23.54	23.87	-0.33	46.00	-22.46		300	208	QP	Horizontal	
4	710.94	28.38	26.54	1.84	46.00	-17.62		400	1	QP	Horizontal	
5	734.22	29.13	26.06	2.27	46.00	-16.87		100	351	QP	Horizontal	
6	846.74	32.61	28.57	4.04	46.00	-13.39		100	360	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	50.37	18.00	23.92	-5.92	40.00	-22.00		300	127	QP	Vertical	
2	158.04	18.10	23.97	-5.87	43.50	-25.40		400	236	QP	Vertical	
3	516.94	22.21	23.39	-1.18	46.00	-23.79		200	320	QP	Vertical	
4	709.00	28.00	26.98	1.02	46.00	-17.20		200	300	QP	Vertical	
5	729.37	29.14	27.07	2.07	46.00	-16.86		100	242	QP	Vertical	
6	845.77	31.84	27.81	4.03	46.00	-14.16		300	253	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


Zigbee _250kHz

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4810.00	40.40	48.92	-8.52	54.00	-13.60	326	360	Average	Horizontal		
2	4810.00	46.65	55.17	-8.52	74.00	-27.35	326	360	Peak	Horizontal		
3	12025.00	46.61	45.69	0.92	54.00	-7.39	103	360	Average	Horizontal		
4	12025.00	55.93	55.01	0.92	74.00	-18.07	103	360	Peak	Horizontal		




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4810.00	39.03	47.55	-8.52	54.00	-14.97	400	270	Average	Vertical		
2	4810.00	45.92	54.44	-8.52	74.00	-28.08	400	270	Peak	Vertical		
3	12025.00	46.71	45.79	0.92	54.00	-7.29	400	95	Average	Vertical		
4	12025.00	55.11	54.19	0.92	74.00	-18.89	400	95	Peak	Vertical		

Zigbee _250kHz
Middle Channel (Horizontal)

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4880.00	40.31	48.87	-8.56	54.00	-13.69	317	360	Average	Horizontal		
2	4880.00	48.07	56.63	-8.56	74.00	-25.93	317	360	Peak	Horizontal		
3	7320.00	39.90	46.11	-6.21	54.00	-14.10	100	30	Average	Horizontal		
4	7320.00	47.62	53.23	-6.21	74.00	-26.90	100	30	Peak	Horizontal		
5	12200.00	42.93	41.65	1.28	54.00	-11.07	100	10	Average	Horizontal		
6	12200.00	56.56	55.28	1.28	74.00	-17.44	100	10	Peak	Horizontal		

Middle Channel (Vertical)


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4880.00	39.96	48.52	-8.56	54.00	-14.04	400	140	Average	Vertical		
2	4880.00	46.62	55.18	-8.56	74.00	-27.38	400	140	Peak	Vertical		
3	7320.00	39.62	45.83	-6.21	54.00	-14.38	100	100	Average	Vertical		
4	7320.00	49.74	55.95	-6.21	74.00	-24.26	100	100	Peak	Vertical		
5	12200.00	47.39	46.11	1.28	54.00	-6.61	330	360	Average	Vertical		
6	12200.00	55.25	53.97	1.28	74.00	-18.75	330	360	Peak	Vertical		

Zigbee _250kHz
High Channel (Horizontal)
High Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	41.21	49.60	-8.39	54.00	-12.79	291	360	Average	Horizontal		
2	4960.00	49.22	57.61	-8.39	74.00	-24.78	291	360	Peak	Horizontal		
3	7440.00	35.30	41.61	-6.31	54.00	-18.70	400	294	Average	Horizontal		
4	7440.00	43.62	49.33	-6.31	74.00	-30.98	400	294	Peak	Horizontal		
5	12400.00	49.28	47.70	1.58	54.00	-4.72	100	360	Average	Horizontal		
6	12400.00	57.38	55.80	1.58	74.00	-16.62	100	360	Peak	Horizontal		


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	39.43	47.82	-8.39	54.00	-14.57	400	49	Average	Vertical		
2	4960.00	45.62	54.01	-8.39	74.00	-28.38	400	49	Peak	Vertical		
3	7440.00	37.78	44.09	-6.31	54.00	-16.22	366	360	Average	Vertical		
4	7440.00	45.05	51.36	-6.31	74.00	-28.95	366	360	Peak	Vertical		
5	12400.00	49.40	47.82	1.58	54.00	-4.60	100	30	Average	Vertical		
6	12400.00	56.89	55.31	1.58	74.00	-17.11	100	30	Peak	Vertical		

Zigbee _1Mbps


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Zigbee _1Mbps

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	36.13	42.34	-6.21	54.00	-17.87	300	194	Average	Horizontal		
2	7320.00	44.15	50.36	-6.21	74.00	-29.85	300	194	Peak	Horizontal		
3	12200.00	50.12	48.84	1.28	54.00	-3.88	100	68	Average	Horizontal		
4	12200.00	56.88	55.60	1.28	74.00	-17.12	100	68	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	37.50	43.71	-6.21	54.00	-16.50	400	186	Average	Vertical		
2	7320.00	45.71	51.92	-6.21	74.00	-28.29	400	186	Peak	Vertical		
3	12200.00	47.83	46.55	1.28	54.00	-6.17	300	190	Average	Vertical		
4	12200.00	55.88	54.60	1.28	74.00	-18.12	300	190	Peak	Vertical		


Zigbee _1Mbps

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Ant 5, ECC Mode for 2nd Source
Band Edges, 2.31GHz ~ 2.9GHz


Zigbee_1Mbps

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	54.14	16.22	37.92	74.00	-19.86	361	187	Peak	Horizontal		
2 *	2405.00	109.26	71.31	37.95	74.00	35.26	361	187	Peak	Horizontal		
3	2801.12	56.19	17.61	38.58	74.00	-17.81	361	187	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2338.20	53.58	15.73	37.85	74.00	-20.42	370	271	Peak	Vertical		
2 *	2405.00	102.02	64.07	37.95	74.00	28.02	370	271	Peak	Vertical		
3	2492.43	55.39	17.07	38.32	74.00	-18.61	370	271	Peak	Vertical		

Zigbee_1Mbps

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	44.61	6.69	37.92	54.00	-9.39	370	187	Average	Horizontal		
2 *	2405.00	97.76	59.81	37.95	54.00	43.76	370	187	Average	Horizontal		
3	2533.02	44.56	6.32	38.24	54.00	-9.44	370	187	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	41.17	3.25	37.92	54.00	-12.83	370	271	Average	Vertical		
2 *	2405.00	92.48	54.53	37.95	54.00	38.48	370	271	Average	Vertical		
3	2532.78	42.09	3.85	38.24	54.00	-11.91	370	271	Average	Vertical		


Zigbee_1Mbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2335.72	54.19	16.36	37.83	74.00	-19.81	386	193	Peak	Horizontal		
2 *	2480.00	107.91	69.60	38.31	74.00	33.91	386	193	Peak	Horizontal		
3	2483.46	58.94	20.63	38.31	74.00	-15.06	386	193	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.88	53.85	15.93	37.92	74.00	-20.15	376	112	Peak	Vertical		
2 *	2480.00	104.75	66.44	38.31	74.00	30.75	376	112	Peak	Vertical		
3	2483.46	57.06	18.75	38.31	74.00	-16.94	376	112	Peak	Vertical		

Zigbee _1Mbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2352.01	42.38	4.42	37.96	54.00	-11.62	386	193	Average	Horizontal		
2 *	2480.00	97.83	59.52	38.31	54.00	43.83	386	193	Average	Horizontal		
3	2483.46	46.27	7.96	38.31	54.00	-7.73	386	193	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2352.01	41.41	3.45	37.96	54.00	-12.59	376	112	Average	Vertical		
2 *	2480.00	95.01	56.70	38.31	54.00	41.01	376	112	Average	Vertical		
3	2483.46	44.51	6.20	38.31	54.00	-9.49	376	112	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Zigbee_1Mbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	64.31	35.47	28.84	127.72	-63.41	100	361	QP	Open		
2	0.03	64.99	42.44	22.55	119.18	-54.19	100	75	QP	Open		
3	0.05	37.90	21.88	16.02	113.13	-75.23	100	360	QP	Open		
4	0.06	39.25	24.52	14.73	111.72	-72.47	100	172	QP	Open		
5	0.09	23.39	12.51	10.68	106.50	-85.11	100	239	QP	Open		
6	0.12	25.61	17.09	8.52	105.70	-88.09	100	213	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.93	50.59	56.71	-6.12	68.27	-17.68	100	269	QP	Open		
2	3.70	34.98	46.23	-11.25	69.50	-34.52	100	269	QP	Open		
3	7.40	24.36	35.40	-11.04	69.50	-45.14	100	145	QP	Open		
4	13.40	19.80	30.27	-10.47	69.50	-49.70	100	14	QP	Open		
5	18.03	18.59	29.57	-10.98	69.50	-50.91	100	143	QP	Open		
6	26.63	26.15	34.14	-7.99	69.50	-43.35	100	194	QP	Open		