

Page: 1 of 33

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO **FCC PART 15 SUBPART C REQUIREMENT**

Applicant: Opticon Sensors Europe B.V

Opaallaan 35, 2132 XV Hoofddorp, The Netherlands.

Product Name: Mobile computers

Brand Name: Opticon

H-29 Model No.:

Model Difference: N/A

ER/2018/10089 Report Number:

FCC ID Q2QH29

FCC Rule Part Part 15.225

Issue Date: Feb. 02, 2018

Date of Test: Jan. 17, 2018 ~ Feb. 01, 2018

Date of EUT Received: Jan. 17, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.225.

The test results of this report relate only to the tested sample identified in this report.

Prepared By:

Karen Huang / Clerk

Approved By:

Jim Chang / Asst. Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 2 of 33

Revision History

| Report Number | Revision | Description | Issue Date | |
|---------------|----------|------------------------------|---------------|--|
| ER/2018/10089 | Rev.00 | Initial creation of document | Feb. 02, 2018 | |
| | | | | |
| | | | | |
| | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the control of the company is the time of its intervention only and within the limits of the company is the time of its intervention only and within the limits of the company is findings at the time of its intervention only and within the limits of the company is findings at the time of this dependence and expected and the respective and properties and the properties and th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路134號



Page: 3 of 33

Table of Contents

| 1 | GENERAL INFORMATION | 4 |
|----|--------------------------------------|----|
| 2 | SYSTEM TEST CONFIGURATION | 5 |
| 3 | SUMMARY OF TEST RESULTS | 10 |
| 4 | DESCRIPTION OF TEST MODES | 10 |
| 5 | MEASUREMENT UNCERTAINTY | 11 |
| 6 | CONDUCTED EMISSIONS TEST | 12 |
| 7 | RADIATED EMISSION TEST | 15 |
| 8 | FREQUENCY TOLERANCE | 27 |
| 9 | 20 dB OCCUPIED BANDWIDTH MEASUREMENT | 32 |
| 10 | ANTENNA REQUIREMENT | 33 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the control of the company is the time of its intervention only and within the limits of the company is the time of its intervention only and within the limits of the company is findings at the time of its intervention only and within the limits of the company is findings at the time of this dependence and expected and the respective and properties and the properties and th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路134號

f (886-2) 2298-0488 www.tw.sqs.com



Page: 4 of 33

GENERAL INFORMATION

1.1 Product Description

General:

| Product Name: | Mobile computers | | | |
|-------------------|---|--|--|--|
| Brand Name: | Opticon | Opticon | | |
| Model No.: | H-29 | | | |
| Model Difference: | N/A | | | |
| Hardware Version: | ES2 | | | |
| Software Version: | 6.0.1.0.1.0.1 | | | |
| USB Cable | Model No.: A36-A026-V119, Supplier: Conntek information Co.,LTD. | | | |
| | | om Rechargeable Li-polymer Battery n AC/DC Adapter | | |
| Power Supply: | 1. Model No.: BTBAT3, Supplier: Leung's Communication & Electric Products (Gua LTD. 2. Model No.: BTBAT4, Supplier: Leung's Communication & Electric Products (Gua LTD. | | | |
| | Adapter: | Model No.: S018BDU0900200, Supplier: TENPAO INDUSTRIAL CO.,LTD. | | |

NFC:

| Operating Frequency | 13.56MHz |
|---------------------|--------------------|
| Transmit Power | < 123dBuV/m at 3m. |
| Number of Channels | 1 |
| Antenna Type | Loop Antenna |
| Modulation Type | ASK |

This report complies with FCC regulatory radio rule with respect to NFC that operates on 13.56MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 5 of 33

1.2 Test Methodology

FCC Part 15, Supbpart C §15.225

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards...

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Number and Designation number are: 509634 / TW0001

1.4 Special Accessories

There is no special accessory used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The Transmitter was operated in the normal operating mode, the Tx frequency was fixed which was for the purpose of the measurements.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號



Page: 6 of 33

2.3 Test Procedure

2.3.1 Conducted Emissions (Not apply in the report)

The EUT is a placed on as turn table which is 0.8m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m above the reference ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max, emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號



Page: 7 of 33

2.4 Limitation

(1) Conducted Emission

According to section 15.207(a) Conducted Emission Limits is as following.

| Frequency range | Limits dB (uV) | | |
|-----------------|--------------------|----------|--|
| MHz | Quasi-peak Average | | |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 | |
| 0.50 to 5 | 56 | 46 | |
| 5 to 30 | 60 | 50 | |

Note

(2) Radiated Emission

- a. The field strength of any emission within the band 13.553-13.567 MHz shall not exceed 15,848 microvolts/meter at 30 meters.
- b. Within the bands 13.410-13.553 MHz and 13.567-13.710 MHz, the field strength of any emissions shall not exceed 334 microvolts/meter at 30 meters.
- c. Within the bands 13.110-13.410 MHz and 13.710-14.010 MHz the field strength of any emissions shall not exceed 106 microvolts/meter at 30 meters.
- d. The field strength of any emissions appearing outside of the 13.110-14.010 MHz shall not exceed the general radiated emission limits in section 15.209 as below.

| Frequency (MHz) | Field strength μV/m | Distance (m) | Field strength at 3m dBμV/m |
|--------------------|------------------------|--------------|--------------------------------|
| 1.705-30 | 30 | 30 | 69.54 |
| 30-88 | 100 | 3 | 40 |
| 88-216 | 150 | 3 | 43.5 |
| 216-960 | 200 | 3 | 46 |
| Above 960 | 500 | 3 | 54 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Page: 8 of 33

Remark: 1. Emission level in dBuV/m=20 log (uV/m)

- 2. Measurement was performed at an antenna to the closed point of EUT distance of meters.
- 3. Distance extrapolation factor = 40 log (required distance/ test distance)
- 4. The measurement was undertaken in closer distance at 3m, where extrapolation factor is offset to convert the limit of the measurement. Ex.20*log(30)+40*log(30/3) = 69.54dBuV/m
- 5. Only spurious frequency is permitted to locate within the Restricted Bands specified in provision of §15.205.
- 6. The general radiated emission limits in §15.209 apply for the spurious emission generate from UE, except for the fundamental emission where the respective section specifies otherwise.

(3) Frequency Tolerance

The frequency tolerance of the carrier signal shall be maintained within +/- 0.01% of the operating frequency over a temperature variation of -20 degrees to +50 degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C. For battery operated equipment, the equipment tests shall be performed using a new battery.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 9 of 33

2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission test set up configuration



Fig. 2-2 Conduction Emission test set up configuration




Table 2-1 Equipment Used in Tested System

| Ite m | Equipment | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|----------|-------------------|-----------|-------------------|------------|------------|---------------|
| 1. | NFC Test software | N/A | N/A | N/A | N/A | N/A |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 10 of 33

SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result | |
|------------------------|---|-----------|--|
| §15.207 | AC Power Line Conducted Emission | Compliant | |
| §15.225 (a)-(d) | Radiated Emission | Compliant | |
| §15.209 | Radiated Emission Limits, general requirement | Compliant | |
| §15.225 (e) | Frequency Stability | Compliant | |
| §2.1049 §15.215 (c) | 20 dB OCCUPIED BANDWIDTH | Compliant | |
| §15.203 | Antenna Requirement | Compliant | |

DESCRIPTION OF TEST MODES

The EUT stay in continuous transmitting mode. The frequency 13.56MHz is the default channel to test, where it is the only manipulative channel as this application supports.

The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for channel Low, Mid and High the worst case H position was reported.

The data rate as the lowest supported is selected while tests are conducted.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 11 of 33

MEASUREMENT UNCERTAINTY

| Test Items | Uncertainty | |
|-------------------------------------|-------------------------|--|
| AC Power Line Conducted Emission | +/- 2.586 dB | |
| Frequency Stability | +/- 123.36 Hz | |
| 20 dB OCCUPIED BANDWIDTH | +/- 123.36 Hz | |
| Temperature | +/- 0.8 °C | |
| Humidity | +/- 4.7 % | |
| DC / AC Power Source | DC= +/- 1%, AC=+/- 0.2% | |

Radiated Sourious Emission:

| Naulateu Spullous Ellission. | | | |
|---|----------------------------|--|--|
| Measurement uncertainty | 9kHz - 30MHz: +/- 2.3dB | | |
| | | | |
| Magaurament uncertainty | 30MHz - 180MHz: +/- 3.37dB | | |
| Measurement uncertainty (Polarization : Vertical) | 180MHz -417MHz: +/- 3.19dB | | |
| (1 Glaffzation : Vertical) | 0.417GHz-1GHz: +/- 3.19dB | | |
| | | | |
| Measurement uncertainty | 30MHz - 167MHz: +/- 4.22dB | | |
| | | | |

| NA | 30MHz - 167MHz: +/- 4.22dB |
|---|----------------------------|
| Measurement uncertainty (Polarization : Horizontal) | 167MHz -500MHz: +/- 3.44dB |
| (Folanzation : Horizontal) | 0.5GHz-1GHz: +/- 3.39dB |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 12 of 33

CONDUCTED EMISSIONS TEST

6.1 Measurement Procedure:

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Sweep frequency starting from 150 kHz to 30 MHz for phase L1.
- 4. Repeating the measurement as lists above for phase neutral.

6.2 Test SET-UP (Block Diagram of Configuration)



6.3 Measurement Equipment Used:

| Conducted Emission Test Site | | | | | | |
|------------------------------|-----------------|-----------------------------|----------|------------|------------|--|
| EQUIPMENT MFR | | MODEL | SERIAL | LAST | CAL DUE. | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 2017/05/11 | 2018/05/10 | |
| LISN | SCHWARZBEC K | NSLK 8127 | 8127-649 | 2017/05/22 | 2018/05/21 | |
| LISN | MESS TEC | FCC-LISN-50/25 0-25-2-01 | 4034 | 2017/03/19 | 2018/03/18 | |
| Coaxial Cables | N/A | WK CE Cable | N/A | 2017/11/26 | 2018/11/25 | |

6.4 Measurement Result:

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路134號

www.tw.sqs.com



Page: 13 of 33

AC POWER LINE CONDUCTED EMISSION TEST DATA

Site Conduction Room

Limit: FCC Class B Conduction(QP)


Mode: Operation

Note:

Temperature:

Phase: L1 AC 120V/60Hz Humidity: 58 % Power:

Conducted Emission



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | | |
|-----|-----|---------|------------------|-------------------|------------------|-------|--------|----------|---------|--|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment | |
| 1 | | 0.1740 | 45.00 | 0.07 | 45.07 | 64.77 | -19.70 | peak | | |
| 2 | 9 | 0.1980 | 43.77 | 0.07 | 43.84 | 63.69 | -19.85 | peak | | |
| 3 | | 0.2220 | 41.32 | 0.07 | 41.39 | 62.74 | -21.35 | peak | | |
| 4 | * | 0.6060 | 40.78 | 0.08 | 40.86 | 56.00 | -15.14 | peak | | |
| 5 | | 2.6420 | 36.33 | 0.14 | 36.47 | 56.00 | -19.53 | peak | | |
| 6 | 3 | 17.1940 | 30.00 | 0.46 | 30.46 | 60.00 | -29.54 | peak | | |
| | | | | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號

f (886-2) 2298-0488

www.tw.sqs.com




Page: 14 of 33

Site Conduction Room Phase: Temperature: 20 °C AC 120V/60Hz Humidity: Limit: FCC Class B Conduction(QP) Power: 58 %

Mode: Operation

Note:

Conducted Emission



| Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|---------|---|---|--|--|---|---|---|
| MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 0.1580 | 50.06 | 0.07 | 50.13 | 65.57 | -15.44 | peak | |
| 0.1740 | 45.45 | 0.07 | 45.52 | 64.77 | -19.25 | peak | |
| 0.2020 | 42.16 | 0.07 | 42.23 | 63.53 | -21.30 | peak | |
| 0.6100 | 41.40 | 0.08 | 41.48 | 56.00 | -14.52 | QP | |
| 0.6100 | 32.00 | 0.08 | 32.08 | 46.00 | -13.92 | AVG | |
| 1.4980 | 37.90 | 0.10 | 38.00 | 56.00 | -18.00 | peak | |
| 17.8220 | 30.89 | 0.47 | 31.36 | 60.00 | -28.64 | peak | |
| | MHz 0.1580 0.1740 0.2020 0.6100 0.6100 1.4980 | Freq. Level MHz dBuV 0.1580 50.06 0.1740 45.45 0.2020 42.16 0.6100 41.40 0.6100 32.00 1.4980 37.90 | Freq. Level Factor MHz dBuV dB 0.1580 50.06 0.07 0.1740 45.45 0.07 0.2020 42.16 0.07 0.6100 41.40 0.08 0.6100 32.00 0.08 1.4980 37.90 0.10 | Freq. Level Factor ment MHz dBuV dB dBuV 0.1580 50.06 0.07 50.13 0.1740 45.45 0.07 45.52 0.2020 42.16 0.07 42.23 0.6100 41.40 0.08 41.48 0.6100 32.00 0.08 32.08 1.4980 37.90 0.10 38.00 | Freq. Level Factor ment Limit MHz dBuV dB dBuV dBuV 0.1580 50.06 0.07 50.13 65.57 0.1740 45.45 0.07 45.52 64.77 0.2020 42.16 0.07 42.23 63.53 0.6100 41.40 0.08 41.48 56.00 0.6100 32.00 0.08 32.08 46.00 1.4980 37.90 0.10 38.00 56.00 | Freq. Level Factor ment Limit Over MHz dBuV dB dBuV dBuV dB 0.1580 50.06 0.07 50.13 65.57 -15.44 0.1740 45.45 0.07 45.52 64.77 -19.25 0.2020 42.16 0.07 42.23 63.53 -21.30 0.6100 41.40 0.08 41.48 56.00 -14.52 0.6100 32.00 0.08 32.08 46.00 -13.92 1.4980 37.90 0.10 38.00 56.00 -18.00 | Freq. Level Factor ment Limit Over MHz dBuV dB dBuV dBuV dB Detector 0.1580 50.06 0.07 50.13 65.57 -15.44 peak 0.1740 45.45 0.07 45.52 64.77 -19.25 peak 0.2020 42.16 0.07 42.23 63.53 -21.30 peak 0.6100 41.40 0.08 41.48 56.00 -14.52 QP 0.6100 32.00 0.08 32.08 46.00 -13.92 AVG 1.4980 37.90 0.10 38.00 56.00 -18.00 peak |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號



Page: 15 of 33


RADIATED EMISSION TEST

7.1 Measurement Procedure


- The EUT was placed on a turn table which is 0.8m above ground plane.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.

7.2 Test SET-UP (Block Diagram of Configuration)

(A) Radiated Emission Test Set-Up, Frequency Below 30MHz



Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號

f (886-2) 2298-0488

www.tw.sqs.com



Page: 16 of 33

7.3 Measurement Equipment Used:

| | SGS 966 Chamber No.C | | | | | | | | | | | |
|----------------------|----------------------|----------|---------------|---------------------|--------------------|--|--|--|--|--|--|--|
| Name of Equipment | Manufacturer | Model | Serial Number | Calibration Date | Calibration Due | | | | | | | |
| Bi-log Antenna | SCHWAZBECK | VULB9168 | 378 | 2017/12/29 | 2018/12/28 | | | | | | | |
| Loop Antenna | ETS.LINDGREN | 6502 | 148045 | 2017/09/26 | 2018/09/25 | | | | | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 2017/05/10 | 2018/05/09 | | | | | | | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 2017/06/06 | 2018/06/05 | | | | | | | |
| Pre-Amplifier | HP | 8447D | 2944A07676 | 2018/01/02 | 2019/01/01 | | | | | | | |
| Low Loss Cable | Huber Suhner | 966_RX | 9 | 2018/01/02 | 2019/01/01 | | | | | | | |
| Notebook | Lenovo | L430 | R9-X11BG | N/A | N/A | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the control of the company is the time of its intervention only and within the limits of the company is the time of its intervention only and within the limits of the company is findings at the time of its intervention only and within the limits of the company is findings at the time of this dependence and expected and the respective and properties and the properties and th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路134號



Page: 17 of 33

7.4 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | • | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

7.5 Field Strength of Fundamental Emission

7.5.1 Limit

Field strength of fundamental emissions limit:

The field strength of fundamental emissions shall not exceed 15848 micorvolts/meter at 30 meters. The Limit is converted to 123.90dBuV/m by offsetting the distance extrapolation factor as measurement distance is taken place at 3 meters.

Distance extrapolation = 40 * log (30/3) = 40 dB

Limit is re-adjusted in terms of limit taken in 3m = 20 *log (15848 uV/m) + 40 = 124.00dBuV/m

Note:

Actual FS(dB μ V/m) = Spectrum. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Page: 18 of 33

Operation Band :NFC **Test Date** :2018-01-23

Fundamental Frequency :13.56 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :MAIN Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Safe Margin |
|-------|---------|------------------|------------------------|--------|--------------|--------------|----------------|
| MHz | F/H/E/S | PK/QP/AV | dΒμ̈V | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 13.56 | F | Peak | 48.45 | 11.43 | 59.88 | 123.90 | -64.02 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 19 of 33

Operation Band :NFC **Test Date** :2018-01-23

Fundamental Frequency :13.56 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :MAIN Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :HORIZONTAL



| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Safe Margin |
|-------|---------|------------------|---------------------------|--------|--------------|--------------|----------------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| 13.56 | Е | Peak | 49.29 | 11.43 | 60.72 | 123.90 | -63.18 |
| 13.30 | ı ı | reak | 49.29 | 11.43 | 00.72 | 123.90 | -03.10 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 33

7.5.2 Radiated Mask

- (a) 15.848 millivolts/m (84 dBµV/m) at 30 m, within the band 13.553-13.567 MHz.
- (b) 334 microvolts/m (50.5 dBµV/m) at 30 m, within the bands 13.410-13.553 MHz and 13.567-13.710 MHz.
- (c) 106 microvolts/m (40.5 dBµV/m) at 30 m, within the bands 13.110-13.410 MHz and 13.710-14.010 MHz.

Distance extrapolation = 40 *log (30/3) = 40 dB

Limit is re-adjusted in terms of limit taken in 3m for the following frequency segment of the interest:

- a) 20 * log (15848uV/m) + 40dB = 124.00dBuV/m
- b) 20 * log(334uV/m) + 40dB = 90.47dBuV/m
- c) 20*log(106uV/m) + 40dB = 80.50dBuV/m

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號



Page: 21 of 33

Operation Band :NFC **Fundamental Frequency**

Operation Mode EUT Pol.


:13.56 MHz :MASK :H Plane

Test Date :2018-01-23

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :VERTICAL



| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|-------|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 13.52 | S | Peak | 26.51 | 11.43 | 37.94 | 90.47 | -52.53 |
| 13.55 | S | Peak | 45.61 | 11.43 | 57.04 | 90.47 | -33.43 |
| 13.57 | S | Peak | 44.19 | 11.43 | 55.62 | 90.47 | -34.85 |
| 13.59 | S | Peak | 27.47 | 11.43 | 38.90 | 90.47 | -51.57 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 22 of 33

Operation Band :NFC **Fundamental Frequency** :13.56 MHz


Operation Mode :MASK

EUT Pol. :H Plane **Test Date** :2018-01-23

Temp./Humi. :21 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|-------|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμ̈V | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | _ |
| 13.54 | S | Peak | 34.82 | 11.43 | 46.25 | 90.47 | -44.22 |
| 13.55 | S | Peak | 46.34 | 11.43 | 57.77 | 90.47 | -32.70 |
| 13.57 | S | Peak | 45.02 | 11.43 | 56.45 | 90.47 | -34.02 |
| 13.59 | S | Peak | 32.00 | 11.43 | 43.43 | 90.47 | -47.04 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipeilndustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路134號



Page: 23 of 33

7.5.3 Radiated Emission –

Limit: §15.225

> (d) 30 microvolts/m (29.4 dBµV/m) at 30 m, outside the band 13.110-14.010 MHz. Limit is converted by adding the distance extrapolation factor as the measurement distance was taken place at 3m.

§RSS-210 A2.6

(d) The field strength of any emissions appearing outside of the 13.110-14.010 MHz band shall not exceed the general radiated emission limits in § 15.209.


a) $20*\log(30uV/m) + 40dB = 69.54 dBuV/m$

Operation Band :NFC **Test Date** :2018-01-23

Fundamental Frequency :13.56 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|-------|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dΒμV/m | dB |
| 10.94 | S | Peak | 13.81 | 11.36 | 25.17 | 69.54 | -44.37 |
| 15.44 | S | Peak | 20.95 | 11.47 | 32.42 | 69.54 | -37.12 |
| 18.10 | S | Peak | 20.64 | 11.54 | 32.18 | 69.54 | -37.36 |
| 20.54 | S | Peak | 10.11 | 11.41 | 21.52 | 69.54 | -48.02 |
| 22.56 | S | Peak | 13.92 | 10.83 | 24.75 | 69.54 | -44.79 |
| 27.12 | S | Peak | 13.01 | 9.70 | 22.71 | 69.54 | -46.83 |
| 28.64 | S | Peak | 39.62 | 9.37 | 48.99 | 69.54 | -20.55 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipeilndustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路134號




Page: 24 of 33

Operation Band :NFC **Test Date** :2018-01-23

Fundamental Frequency Temp./Humi. :13.56 MHz :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|-------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBµV/m | dB |
| | | | | | | | _ |
| 10.24 | S | Peak | 12.28 | 11.34 | 23.62 | 69.54 | -45.92 |
| 15.34 | S | Peak | 13.39 | 11.47 | 24.86 | 69.54 | -44.68 |
| 18.24 | S | Peak | 13.18 | 11.55 | 24.73 | 69.54 | -44.81 |
| 20.80 | S | Peak | 9.78 | 11.33 | 21.11 | 69.54 | -48.43 |
| 23.84 | S | Peak | 9.78 | 10.48 | 20.26 | 69.54 | -49.28 |
| 27.12 | S | Peak | 9.21 | 9.70 | 18.91 | 69.54 | -50.63 |
| 28.64 | S | Peak | 32.51 | 9.37 | 41.88 | 69.54 | -27.66 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipeilndustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路134號



Page: 25 of 33

Operation Band :NFC **Fundamental Frequency Operation Mode**


EUT Pol.

:13.56 MHz :Tx CH MID :H Plane

Test Date :2018-01-22 Temp./Humi. :21 deg_C / 62 RH

Engineer

:VERTICAL Measurement Antenna Pol.



| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμ̈V | dB | dBμV/m | dΒμV/m | dB |
| | | | | | | | _ |
| 30.00 | S | Peak | 31.02 | -9.19 | 21.83 | 40.00 | -18.17 |
| 219.15 | S | Peak | 29.08 | -9.28 | 19.80 | 46.00 | -26.20 |
| 299.66 | S | Peak | 31.44 | -5.93 | 25.51 | 46.00 | -20.49 |
| 385.99 | S | Peak | 37.13 | -4.31 | 32.82 | 46.00 | -13.18 |
| 463.59 | S | Peak | 29.44 | -2.55 | 26.89 | 46.00 | -19.11 |
| 653.71 | S | Peak | 27.51 | 0.48 | 27.99 | 46.00 | -18.01 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipeilndustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路134號

f (886-2) 2298-0488 www.tw.sqs.com



:2018-01-22


Page: 26 of 33

Operation Band :NFC **Test Date**

Fundamental Frequency Temp./Humi. :13.56 MHz :21 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμ̈V | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | _ |
| 31.94 | S | Peak | 29.63 | -9.11 | 20.52 | 40.00 | -19.48 |
| 219.15 | S | Peak | 29.54 | -9.28 | 20.26 | 46.00 | -25.74 |
| 299.66 | S | Peak | 31.76 | -5.93 | 25.83 | 46.00 | -20.17 |
| 400.54 | S | Peak | 29.40 | -3.94 | 25.46 | 46.00 | -20.54 |
| 521.79 | S | Peak | 27.03 | -1.61 | 25.42 | 46.00 | -20.58 |
| 681.84 | S | Peak | 27.44 | 0.92 | 28.36 | 46.00 | -17.64 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Shifts of the company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipeilndustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路134號




Page: 27 of 33

FREQUENCY TOLERANCE

Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- Set EUT as normal operation
- Set SPA Center Frequency = fundamental frequency, RBW, VBW= 10kHz, Span =100kHz.
- 4. Set SPA Max hold. Mark peak.

8.2 Test SET-UP (Block Diagram of Configuration)



8.3 Measurement Equipment Used:

| Conducted Emission Test Site | | | | | | | |
|--|----------|--------------------|------------|------------|------------|--|--|
| EQUIPMENT MFR MODEL SERIAL LAST CAL DUE. | | | | | | | |
| TYPE | | NUMBER NUMBER CAL. | | | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 2017/05/10 | 2018/05/09 | | |
| Temperature Chamber | TERCHY | MHG-120LF | 911009 | 2017/05/19 | 2018/05/18 | | |
| AC Power Supply | APW-105N | 887592 | All Power | N/A | N/A | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號

www.tw.sqs.com



Page: 28 of 33

Measurement Results

A. Temperature Variation

| Power Supply | Environment | Frequency | Delta (LI=) | Limit (KLL) |
|--------------|------------------|-------------|-------------|-------------|
| Vdc | Temperature (°C) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.7 | -20 | 13.55931246 | 687.53700 | +/- 1.356 |
| 3.7 | -10 | 13.55924432 | 755.68000 | +/- 1.356 |
| 3.7 | 0 | 13.56012984 | -129.84000 | +/- 1.356 |
| 3.7 | 10 | 13.56023374 | -233.74000 | +/- 1.356 |
| 3.7 | 20 | 13.56 | 0.00000 | +/- 1.356 |
| 3.7 | 30 | 13.56028376 | -283.76100 | +/- 1.356 |
| 3.7 | 40 | 13.56099432 | -994.32000 | +/- 1.356 |
| 3.7 | 50 | 13.56017329 | -173.29000 | +/- 1.356 |

B. Supply Voltage Variation

| Power Supply | Environment | Frequency | Dolto (Lla) | Lipsit (I/LI=) |
|--------------|------------------|-------------|-------------|----------------|
| Vdc | Temperature (°ℂ) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.33 | 20 | 13.56015941 | -159.41110 | +/- 1.356 |
| 3.7 | 20 | 13.56 | 0.00000 | +/- 1.356 |
| 4.07 | 20 | 13.56018422 | -184.21584 | +/- 1.356 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the properties and proper

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 29 of 33

2 minutes

A. Temperature Variation

| Power Supply | Environment | Frequency | Dalta (III-) | l insit (IZI I=) |
|--------------|------------------|-------------|--------------|------------------|
| Vdc | Temperature (°ℂ) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.7 | -20 | 13.55934157 | 782.56500 | +/- 1.356 |
| 3.7 | -10 | 13.55935971 | 764.42400 | +/- 1.356 |
| 3.7 | 0 | 13.56013412 | -9.98500 | +/- 1.356 |
| 3.7 | 10 | 13.56022302 | -98.88300 | +/- 1.356 |
| 3.7 | 20 | 13.56012414 | 0.00000 | +/- 1.356 |
| 3.7 | 30 | 13.56013498 | -10.84100 | +/- 1.356 |
| 3.7 | 40 | 13.56094682 | -822.68500 | +/- 1.356 |
| 3.7 | 50 | 13.56013117 | -7.03400 | +/- 1.356 |

B. Supply Voltage Variation

| Power Supply | Environment | Frequency | Dolto (Lla) | Lingit (ICLI=) |
|--------------|------------------|-------------|-------------|----------------|
| Vdc | Temperature (°ℂ) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.33 | 20 | 13.56016053 | -36.39610 | +/- 1.356 |
| 3.7 | 20 | 13.56012414 | 0.00000 | +/- 1.356 |
| 4.07 | 20 | 13.56017152 | -47.38760 | +/- 1.356 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 33

5 minutes

A. Temperature Variation

| Power Supply | Environment | Frequency | Dalta (III-) | l insit (IZI I=) |
|--------------|------------------|-------------|--------------|------------------|
| Vdc | Temperature (°ℂ) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.7 | -20 | 13.55932341 | 676.58700 | +/- 1.356 |
| 3.7 | -10 | 13.55936981 | 630.18800 | +/- 1.356 |
| 3.7 | 0 | 13.56007238 | -72.38100 | +/- 1.356 |
| 3.7 | 10 | 13.56024931 | -249.31100 | +/- 1.356 |
| 3.7 | 20 | 13.56 | 0.00000 | +/- 1.356 |
| 3.7 | 30 | 13.56027359 | -273.59400 | +/- 1.356 |
| 3.7 | 40 | 13.56071279 | -712.79000 | +/- 1.356 |
| 3.7 | 50 | 13.56021097 | -210.97000 | +/- 1.356 |

B. Supply Voltage Variation

| Power Supply | Environment | Frequency | Dolto (Uz) | Limit (KU=) |
|--------------|------------------|-------------|------------|-------------|
| Vdc | Temperature (°ℂ) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.33 | 20 | 13.56015114 | -151.13540 | +/- 1.356 |
| 3.7 | 20 | 13.56 | 0.00000 | +/- 1.356 |
| 4.07 | 20 | 13.56018435 | -184.34697 | +/- 1.356 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 31 of 33

10 minutes

A. Temperature Variation

| Power Supply | Environment | Frequency | Dalta (LI=) | |
|--------------|------------------|-------------|-------------|-------------|
| Vdc | Temperature (°ℂ) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.7 | -20 | 13.55932514 | 706.33200 | +/- 1.356 |
| 3.7 | -10 | 13.55931973 | 711.74100 | +/- 1.356 |
| 3.7 | 0 | 13.56022193 | -190.45900 | +/- 1.356 |
| 3.7 | 10 | 13.56021893 | -187.45900 | +/- 1.356 |
| 3.7 | 20 | 13.56003147 | 0.00000 | +/- 1.356 |
| 3.7 | 30 | 13.56021459 | -183.12000 | +/- 1.356 |
| 3.7 | 40 | 13.56043591 | -404.44000 | +/- 1.356 |
| 3.7 | 50 | 13.56021398 | -182.50900 | +/- 1.356 |

B. Supply Voltage Variation

| Power Supply | Environment | Frequency | Dolto (Uz) | Limit (KU=) |
|--------------|------------------|-------------|------------|-------------|
| Vdc | Temperature (°ℂ) | (MHz) | Delta (Hz) | Limit (KHz) |
| 3.33 | 20 | 13.56015814 | -126.67130 | +/- 1.356 |
| 3.7 | 20 | 13.56003147 | 0.00000 | +/- 1.356 |
| 4.07 | 20 | 13.56018432 | -152.84420 | +/- 1.356 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 32 of 33

20 dB OCCUPIED BANDWIDTH MEASUREMENT

9.1 Standard Applicable:

§2.1049 & §15.215 (c)

9.2 Limit:

None

9.3 Test Set-up

Refer to section 6.2 in this report

9.4 Measurement Procedure

20dB bandwidth

- 1. The transmitter output (antenna port) was connected to the spectrum analyzer in peak mode.
- 2. 20dB Bandwidth the resolution bandwidth of 1 kHz and the video bandwidth of 3 kHz were
- 3. Measured the spectrum width with power higher than 20dB below carrier.


9.5 Measurement Equipment Used:

Refer to section 6.3 in this report

9.6 Measurement Result

20dB Bandwidth (kHz) 2.904

-20dB Bandwidth



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路134號



Page: 33 of 33

10 ANTENNA REQUIREMENT

10.1 Standard Applicable:

According to §15.203, Antenna requirement.

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this Section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of Sections 15.211, 15.213, 15.217, 15.219, or 15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with Section 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this Part are not exceeded.

10.2 Antenna Connected Construction:

An embedded-in antenna design is used. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路134號

f (886-2) 2298-0488 www.tw.sqs.com