


Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5830.8000	88.14	17.97	106.11	122.20	-16.09	Peak	No Limit
2	5850.0000	49.37	18.02	67.39	122.20	-54.81	Peak	
3	5860.0000	40.64	18.05	58.69	109.40	-50.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17479.450	38.41	21.94	60.35	68.30	-7.95	peak	
2		17480.351	28.67	21.94	50.61	68.30	-17.69	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	71.54	17.62	89.16	109.40	-20.24	Peak	
2	5725.0000	73.21	17.65	90.86	122.20	-31.34	Peak	
3 *	5754.0000	97.18	17.74	114.92	122.20	-7.28	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17260.230	40.50	21.20	61.70	68.30	-6.60	peak	
2		17260.229	29.35	21.20	50.55	68.30	-17.75	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	60.35	17.62	77.97	109.40	-31.43	Peak	
2	5725.0000	67.48	17.65	85.13	122.20	-37.07	Peak	
3 *	5748.8000	92.06	17.72	109.78	122.20	-12.42	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17261.120	37.52	21.20	58.72	68.30	-9.58	peak	
2		17261.119	27.18	21.20	48.38	68.30	-19.92	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5800.4000	96.23	17.88	114.11	122.20	-8.09	Peak	No Limit
2	5850.0000	53.24	18.02	71.26	122.20	-50.94	Peak	
3	5860.0000	55.50	18.05	73.55	109.40	-35.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17388.110	40.12	21.63	61.75	68.30	-6.55	peak	
2		17388.110	30.17	21.63	51.80	68.30	-16.50	AVG	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5798.2000	91.99	17.87	109.86	122.20	-12.34	Peak	No Limit
2	5850.0000	53.38	18.02	71.40	122.20	-50.80	Peak	
3	5860.0000	46.35	18.05	64.40	109.40	-45.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17392.220	37.57	21.64	59.21	68.30	-9.09	peak	
2		17392.210	26.25	21.64	47.89	68.30	-20.41	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5650.0000	47.07	17.43	64.50	68.20	-3.70	Peak	
2	5715.0000	65.30	17.62	82.92	109.40	-26.48	Peak	
3	5725.0000	65.34	17.65	82.99	122.20	-39.21	Peak	
4	5753.8000	93.92	17.74	111.66	122.20	-10.54	Peak	No Limit
5	5850.0000	63.77	18.02	81.79	122.20	-40.41	Peak	
6	5860.0000	61.02	18.05	79.07	109.40	-30.33	Peak	
7	5925.0000	42.21	18.25	60.46	68.20	-7.74	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17328.320	40.52	21.42	61.94	68.30	-6.36	peak	
2		17328.319	30.36	21.42	51.78	68.30	-16.52	AVG	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	53.24	17.62	70.86	109.40	-38.54	Peak	
2	5725.0000	49.99	17.65	67.64	122.20	-54.56	Peak	
3 *	5799.8000	87.53	17.88	105.41	122.20	-16.79	Peak	No Limit
4	5850.0000	57.64	18.02	75.66	122.20	-46.54	Peak	
5	5860.0000	52.22	18.05	70.27	109.40	-39.13	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17329.140	37.12	21.42	58.54	68.30	-9.76	peak	
2		17330.000	26.16	21.43	47.59	68.30	-20.71	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	36.55	18.20
40	5200	37.35	22.50
48	5240	35.79	18.20

CH36




Date: 11.AUG.2020 14:42:12

CH40
26 dB Bandwidth




Date: 11.AUG.2020 14:43:51

CH48




Date: 11.AUG.2020 16:40:03


99 % Emission Bandwidth



Date: 11.AUG.2020 14:41:46



Date: 11.AUG.2020 14:43:19




Date: 11.AUG.2020 16:39:28

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	33.90	17.20
40	5200	34.89	17.40
48	5240	36.30	18.20

CH36




Date: 11.AUG.2020 14:51:56

CH40
26 dB Bandwidth




Date: 11.AUG.2020 14:53:34

CH48




Date: 11.AUG.2020 16:58:11


99 % Emission Bandwidth



Date: 11.AUG.2020 14:51:28



Date: 11.AUG.2020 14:52:56




Date: 11.AUG.2020 16:57:44

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	66.40	39.40
46	5230	74.80	39.40

CH38




Date: 11.AUG.2020 15:41:14

CH46
26 dB Bandwidth




Date: 11.AUG.2020 17:01:46

99 % Emission Bandwidth




Date: 11.AUG.2020 15:40:04




Date: 11.AUG.2020 17:01:05

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.05	25.20	500	Complies
157	5785	16.35	24.00	500	Complies
165	5825	16.20	24.40	500	Complies

CH165



Date: 11.AUG.2020 14:50:15




Date: 11.AUG.2020 14:49:25


Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.35	16.80	500	Complies
157	5785	16.40	20.10	500	Complies
165	5825	15.95	19.80	500	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Emission



Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	34.75	17.60
40	5200	36.35	18.30
48	5240	40.95	18.20

CH36




Date: 11.AUG.2020 15:02:46

CH40
26 dB Bandwidth




Date: 11.AUG.2020 15:04:03

CH48




Date: 11.AUG.2020 16:43:58


99 % Emission Bandwidth



Date: 11.AUG.2020 15:02:19



Date: 11.AUG.2020 15:03:38




Date: 11.AUG.2020 16:43:33

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	65.39	37.60
46	5230	73.80	39.00

CH38




Date: 11.AUG.2020 15:47:28

CH46
26 dB Bandwidth




Date: 11.AUG.2020 15:48:56

99 % Emission Bandwidth



Date: 11.AUG.2020 15:46:50




Date: 11.AUG.2020 15:48:27

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	160.79	76.00

CH42 26 dB Bandwidth



Date: 11.AUG.2020 15:53:32

99 % Emission Bandwidth




Date: 11.AUG.2020 15:53:02

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.35	23.60	500	Complies
157	5785	16.11	21.60	500	Complies
165	5825	16.40	22.00	500	Complies

CH149




Date: 11.AUG.2020 15:06:43

CH157
6 dB Bandwidth




Date: 11.AUG.2020 15:08:11

CH165




Date: 11.AUG.2020 15:09:42


99 % Emission Bandwidth



Date: 11.AUG.2020 15:05:53



Date: 11.AUG.2020 15:07:23




Date: 11.AUG.2020 15:08:53

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.00	83.20	500	Complies

CH155 6 dB Bandwidth



Date: 11.AUG.2020 15:55:22

99 % Emission Bandwidth



Date: 11.AUG.2020 15:54:24

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.79	0.75	16.54	30.00	1.00	Complies
40	5200	21.87	0.75	22.62	30.00	1.00	Complies
48	5240	21.63	0.75	22.38	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.27	0.79	16.06	30.00	1.00	Complies
40	5200	17.19	0.79	17.98	30.00	1.00	Complies
48	5240	18.94	0.79	19.73	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.33	0.79	16.12	30.00	1.00	Complies
40	5200	17.25	0.79	18.04	30.00	1.00	Complies
48	5240	19.11	0.79	19.90	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.10	30.00	1.00	Complies
40	5200	21.02	30.00	1.00	Complies
48	5240	22.83	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.27	1.46	13.73	30.00	1.00	Complies
46	5230	14.53	1.46	15.99	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.46	1.46	12.92	30.00	1.00	Complies
46	5230	14.33	1.46	15.79	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.34	30.00	1.00	Complies
46	5230	18.90	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.66	0.75	22.41	30.00	1.00	Complies
157	5785	21.65	0.75	22.40	30.00	1.00	Complies
165	5825	20.85	0.75	21.60	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.58	0.79	20.37	30.00	1.00	Complies
157	5785	19.55	0.79	20.34	30.00	1.00	Complies
165	5825	19.54	0.79	20.33	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.77	0.79	20.56	30.00	1.00	Complies
157	5785	19.95	0.79	20.74	30.00	1.00	Complies
165	5825	19.94	0.79	20.73	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.48	30.00	1.00	Complies
157	5785	23.55	30.00	1.00	Complies
165	5825	23.54	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.76	1.46	20.22	30.00	1.00	Complies
159	5795	18.65	1.46	20.11	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.87	1.46	20.33	30.00	1.00	Complies
159	5795	18.81	1.46	20.27	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.29	30.00	1.00	Complies
159	5795	23.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.18	0.79	13.97	30.00	1.00	Complies
40	5200	16.12	0.79	16.91	30.00	1.00	Complies
48	5240	18.67	0.79	19.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.43	0.79	14.22	30.00	1.00	Complies
40	5200	15.27	0.79	16.06	30.00	1.00	Complies
48	5240	18.55	0.79	19.34	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.11	30.00	1.00	Complies
40	5200	19.51	30.00	1.00	Complies
48	5240	22.41	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.84	1.47	13.31	30.00	1.00	Complies
46	5230	15.02	1.47	16.49	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.79	1.47	13.26	30.00	1.00	Complies
46	5230	14.13	1.47	15.60	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.30	30.00	1.00	Complies
46	5230	19.07	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.13	2.58	12.71	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.25	2.58	12.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.78	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.65	0.79	20.44	30.00	1.00	Complies
157	5785	19.56	0.79	20.35	30.00	1.00	Complies
165	5825	19.57	0.79	20.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.71	0.79	20.50	30.00	1.00	Complies
157	5785	19.76	0.79	20.55	30.00	1.00	Complies
165	5825	19.89	0.79	20.68	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.48	30.00	1.00	Complies
157	5785	23.46	30.00	1.00	Complies
165	5825	23.53	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.87	1.47	20.34	30.00	1.00	Complies
159	5795	18.76	1.47	20.23	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.92	1.47	20.39	30.00	1.00	Complies
159	5795	18.83	1.47	20.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.38	30.00	1.00	Complies
159	5795	23.28	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.47	2.58	15.05	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.23	2.58	14.81	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.94	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.22	0.79	16.01	30.00	1.00	Complies
40	5200	17.19	0.79	17.98	30.00	1.00	Complies
48	5240	18.79	0.79	19.58	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.27	0.79	16.06	30.00	1.00	Complies
40	5200	17.16	0.79	17.95	30.00	1.00	Complies
48	5240	18.94	0.79	19.73	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.05	30.00	1.00	Complies
40	5200	20.98	30.00	1.00	Complies
48	5240	22.67	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.07	1.46	13.53	30.00	1.00	Complies
46	5230	14.47	1.46	15.93	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.46	1.46	12.92	30.00	1.00	Complies
46	5230	14.33	1.46	15.79	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.24	30.00	1.00	Complies
46	5230	18.87	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.55	0.79	20.34	30.00	1.00	Complies
157	5785	19.50	0.79	20.29	30.00	1.00	Complies
165	5825	19.52	0.79	20.31	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.71	0.79	20.50	30.00	1.00	Complies
157	5785	19.92	0.79	20.71	30.00	1.00	Complies
165	5825	19.91	0.79	20.70	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.43	30.00	1.00	Complies
157	5785	23.51	30.00	1.00	Complies
165	5825	23.52	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.72	1.46	20.18	30.00	1.00	Complies
159	5795	18.64	1.46	20.10	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.83	1.46	20.29	30.00	1.00	Complies
159	5795	18.81	1.46	20.27	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.25	30.00	1.00	Complies
159	5795	23.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.18	0.79	13.97	30.00	1.00	Complies
40	5200	16.01	0.79	16.80	30.00	1.00	Complies
48	5240	18.54	0.79	19.33	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.28	0.79	14.07	30.00	1.00	Complies
40	5200	15.27	0.79	16.06	30.00	1.00	Complies
48	5240	18.55	0.79	19.34	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.03	30.00	1.00	Complies
40	5200	19.45	30.00	1.00	Complies
48	5240	22.35	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.62	1.47	13.09	30.00	1.00	Complies
46	5230	14.83	1.47	16.30	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.79	1.47	13.26	30.00	1.00	Complies
46	5230	14.13	1.47	15.60	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.19	30.00	1.00	Complies
46	5230	18.97	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.13	2.58	12.71	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.98	2.58	12.56	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.65	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.63	0.79	20.42	30.00	1.00	Complies
157	5785	19.55	0.79	20.34	30.00	1.00	Complies
165	5825	19.56	0.79	20.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.71	0.79	20.50	30.00	1.00	Complies
157	5785	19.74	0.79	20.53	30.00	1.00	Complies
165	5825	19.87	0.79	20.66	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.47	30.00	1.00	Complies
157	5785	23.45	30.00	1.00	Complies
165	5825	23.52	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.86	1.47	20.33	30.00	1.00	Complies
159	5795	18.75	1.47	20.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.91	1.47	20.38	30.00	1.00	Complies
159	5795	18.82	1.47	20.29	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.37	30.00	1.00	Complies
159	5795	23.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.34	2.58	14.92	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.23	2.58	14.81	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.88	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.83	0.75	10.58	16.99	Complies
40	5200	10.44	0.75	11.19	16.99	Complies
48	5240	10.85	0.75	11.60	16.99	Complies



Date: 11.AUG.2020 14:42:26




Date: 11.AUG.2020 14:44:06




Date: 11.AUG.2020 14:45:35

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.75	0.75	9.50	29.99	Complies
157	5785	8.22	0.75	8.97	29.99	Complies
165	5825	8.21	0.75	8.96	29.99	Complies



Date: 11.AUG.2020 14:47:16




Date: 11.AUG.2020 14:49:04




Date: 11.AUG.2020 14:50:30

Test Mode UNII-1_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.81	0.79	9.60	17.00	Complies
40	5200	8.91	0.79	9.70	17.00	Complies
48	5240	9.33	0.79	10.12	17.00	Complies



Date: 11.AUG.2020 14:52:10




Date: 11.AUG.2020 14:53:49




Date: 11.AUG.2020 14:54:59

Test Mode UNII-1_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.43	0.79	11.22	17.00	Complies
40	5200	9.83	0.79	10.62	17.00	Complies
48	5240	9.67	0.79	10.46	17.00	Complies



Date: 11.AUG.2020 16:02:19



Date: 11.AUG.2020 16:02:54




Date: 11.AUG.2020 16:03:22

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.49	16.99	Complies
40	5200	13.19	16.99	Complies
48	5240	13.30	16.99	Complies


Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.72	1.46	7.18	17.00	Complies
46	5230	6.10	1.46	7.56	17.00	Complies



Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.47	1.46	7.93	17.00	Complies
46	5230	6.41	1.46	7.87	17.00	Complies




Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.58	16.99	Complies
46	5230	10.72	16.99	Complies


Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.57	0.79	6.36	30.00	Complies
157	5785	6.96	0.79	7.75	30.00	Complies
165	5825	6.77	0.79	7.56	30.00	Complies



Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.45	0.79	10.24	30.00	Complies
157	5785	8.64	0.79	9.43	30.00	Complies
165	5825	8.23	0.79	9.02	30.00	Complies




Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.73	29.99	Complies
157	5785	11.68	29.99	Complies
165	5825	11.36	29.99	Complies


Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.39	1.46	5.85	30.00	Complies
159	5795	3.58	1.46	5.04	30.00	Complies



Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.50	1.46	6.96	30.00	Complies
159	5795	5.10	1.46	6.56	30.00	Complies




Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.45	29.99	Complies
159	5795	8.87	29.99	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.06	0.79	9.85	17.00	Complies
40	5200	9.43	0.79	10.22	17.00	Complies
48	5240	9.87	0.79	10.66	17.00	Complies



Date: 11.AUG.2020 15:03:01




Date: 11.AUG.2020 15:04:18




Date: 11.AUG.2020 15:05:25

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.23	0.79	11.02	17.00	Complies
40	5200	9.74	0.79	10.53	17.00	Complies
48	5240	9.97	0.79	10.76	17.00	Complies



Date: 11.AUG.2020 16:05:27



Date: 11.AUG.2020 16:05:56




Date: 11.AUG.2020 16:06:31

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.48	16.99	Complies
40	5200	13.38	16.99	Complies
48	5240	13.72	16.99	Complies


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.09	1.47	6.56	17.00	Complies
46	5230	5.68	1.47	7.15	17.00	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.73	1.47	7.20	17.00	Complies
46	5230	5.78	1.47	7.25	17.00	Complies




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.90	16.99	Complies
46	5230	10.21	16.99	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.79	2.58	3.37	17.00	Complies

CH42




Date: 11.AUG.2020 15:53:53

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.63	2.58	4.21	17.00	Complies

CH42




Date: 11.AUG.2020 16:17:20

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.82	16.99	Complies


Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.98	0.79	8.77	30.00	Complies
157	5785	7.51	0.79	8.30	30.00	Complies
165	5825	7.47	0.79	8.26	30.00	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.45	0.79	10.24	30.00	Complies
157	5785	8.55	0.79	9.34	30.00	Complies
165	5825	8.51	0.79	9.30	30.00	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.57	29.99	Complies
157	5785	11.86	29.99	Complies
165	5825	11.82	29.99	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.52	2.58	1.06	30.00	Complies



Date: 11.AUG.2020 15:55:44

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.72	2.58	3.30	30.00	Complies



Date: 11.AUG.2020 16:17:59

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.33	29.99	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0024
120	5180.0036
108	5180.0028
Maximum Deviation (MHz)	0.0036
Maximum Deviation (ppm)	0.6950

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0024
5	5180.0012
10	5180.0024
20	5180.0028
30	5180.0028
40	5180.0028
Maximum Deviation (MHz)	0.0036
Maximum Deviation (ppm)	0.6950

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9876
120	5744.9888
102	5744.9892
Maximum Deviation (MHz)	0.0124
Maximum Deviation (ppm)	2.1584

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9904
5	5744.9912
10	5744.9904
20	5744.9916
20	5744.9908
40	5744.9904
Maximum Deviation (MHz)	0.0096
Maximum Deviation (ppm)	1.6710

End of Test Report