


NOTES:

- LOCATE THE SERVICE PROVIDER LABEL (ITEM 2) IN THE BOTTOM HOUSING RECESS (ITEM 1) AS SHOWN. ADHERE TO BOTTOM HOUSING ENSURING THE LABEL IS CENTERED IN THE RECESS.
 ALIGN THE INFORMATION LABEL HOLE (ITEM 3) WITH THE HOLE IN THE BOTTOM HOUSING (ITEM 1) AS SHOWN. ADHERE TO BOTTOM HOUSING ENSURING THE LABEL IS CENTERED IN THE RECESS.

	A	ECN-00 XXX	NEW					10-21-99	
	REV	ECN		CHANGES			DFTS	DATE	
DIMENSIONS ARE IN: mm	B	3rd ANGLE PROJECTION		RESEARCH IN M WATERLOO, ONTARIO CANA PH(519) 888-7465, FAX(519) 8			CANADA		
TOLERANCES ARE: LINEAR: ± N/A	APPROVALS	NAME	DATE MM-DD-YR	THE CONTENT OF THIS DOCUMENT IS RIM INTELLECTUAL PROPERTY. IT IS COMPENHAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR USED EXCEPT WITH THE WRITTEN PREMISSION OF REMISSION OF RIM.					
ANGULAR: ± N/A °	DESIGNED BY	PSIMOES	10-21-99	COPYRIGHT 1999	RESEARC	H IN MOTION LIMITED.			
SURFACE FINISH N/A	DRAWN BY	PSIMOES	10-21-99	PROJECT:	Proton				
V	CHECKED BY	PSIMOES	10-21-99	NAME: ASSY-FCC LABELS					
INTERPRET DIMENSIONS	MEG APPRID	XXX	MM-DD-YR	CAD MODEL BLE:		ASSY-FCC LABELS			
AND TOLERANCES AS PER	SUPERSEDES	xxx	MM-DD-YR	SCALE 1:1					
ANSI Y14.5M-1994	SUPSID BY	XXX	MM-DD-YR	SHEET 1 OF	1	I ASY-1000-F	ASY-1000-FCC		
ANSITT4.SW-1994	FILEPATH	/Root Folder/Products/LaunchP	ad			7.01 1000 100		Α	

PART NO.	REV	ECN	DESCRIPTION	ARTWORK NO.
MAT-02258-001	Α	ECN-00XXX	LABEL - INFORMATION, BLACKBERRY 957, GENERIC	ART-02258-001



NOTES:

THERMAL-PRINTABLE POLYESTER FILM 1. MATERIAL: 3M 7816 FILM THICKNESS: 2 m I FACE STOCK (0.051 mm/.002) COLOUR: N/A

2. ADHESIVE: PERMANENT PRESSURE-SENSITIVE ACRYLIC THICKNESS: 0.7-1.0 m ls 0.018-0.025mm/(.0007 -.001) LINER: SILICONE TREATED PAPER

3. ARTWORK: OBTAIN FROM RIM TECHNICAL PUBLICATIONS DEPT. REFERENCE RIM PART NO. ART-02258-XXX, LATEST REVISION

4. PRINTING PROCESS: SILK SCREEN

5. A)PART TO BE DIE CUT WITH LINER AND SUPPLIED IN ROLL FORM

6. PÁCKAGING:

ROLL FORM:

ROLLS TO BE INDIVIDUALLY WRAPPED IN PROTECTIVE PACKAGING ROLLS TO DISPLAY RIM PART NUMBER AND NUMBER OF LABELS/ROLL

ROLL:

CORE SIZE: 76.2mm (3) ROLL SIZE: 203.2mm (8) MAX.

LABELS TO BE OUTSIDE WOUND, TAIL FIRST

7. PART TOOLING (DIE) TO BE MANUFACTURED USING GEOMETRY FROM Pro/ENGINNER


FILE SUPPLIED BY RIM MECHANICAL ENGINEERING DEPT.

8. DIMENSIONS WITH □ DENOTE CRITICAL INSPECTION DIMENSIONS

	A	A ECN-00 XXX			PS	07-07-99		
	REV	ECN	CHANGES		S	DFTS	DATE	
DIMENSIONS ARE IN: mm	В	1	Φ	RESEARCH IN WATERLOO, ONTARIO O PH4(519) 888-7465, FAX(5				
UNLESS OTHERWISE SPECIFIED	DWG SIZE	3rd ANGLE PROJECTION		PH:(519) 888-7465, FAX:(519) 888-690			19) 888-6906	
TOLERANCES ARE: LINEAR: ± 0.15	APPROVALS	NAME	DATE MM-DD-YR	THE CONTENT OF THIS DOCUMENT IS RIM INTELLECTUAL PROPERTY. IT IS CONFIDENTIAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR USED EXCEPT WITH THE WRITTEN PERMISSION OF RIM.				
ANGULAR: ± 1 °	DESIGNED BY	PSIMOES	07-07-99	COPYRIGHT 1999 RESEARCH IN MOTION LIMITED.				
SURFACE FINISH N/A	DRAWN BY	PSIMOES	07-07-99	PROJECT:	Proton			
V	CHECKED BY ENG APPRID	RSIMOES	07-13-99	NAME:	LABEL-	FCC_INFORMATION_PTN		
INTERPRET DIMENSIONS	MFG APPR'D	XXX	MM-DD-YR	CAD MODEL FILE:		LABEL-FCC_INFORMATION_PTN		
AND TOLERANCES AS PER	SUPERSEDES	XXX	MM-DD-YR	SCALE 1:1				REV
ANSI Y14.5M-1994	SUPS'D BY	xxx	MM-DD-YR	SHEET 1 OF	SHEET 1 OF 1 MAT-0225		JUU	Δ
7400117-000177-7	FILEPATH	/Root Folder/Products/LaunchPr	ad			:: 02200 (A

PART NO.	REV	ECN	DESCRIPTION	ARTWORK NO.	
MAT-02257-001	Α	ECN-00XXX	LABEL - SERVICE PROVIDER, BLACKBERRY 957, GENERIC	ART-02257-001	





1. MATERIAL: 8B35 SUB-SURFACE PRINTED POLYCARBONATE (LEXAN) FILM FILM THICKNESS: 10 m I (0.25mm/.010)

COLOUR: TRANSPARENT

2. ADHESIVE: PERMANENT PRESSURE-SENSITIVE ACRYLIC

THICKNESS: 2 m I 0.05mm (.002)

LINER: SILICONE TREATED PAPER OR DENSIFIED KRAFT 3. ARTWORK: OBTAIN FROM RIM TECHNICAL PUBLICATIONS DEPT. REFERENCE RIM PART NO. ART-02257-XXX, LATEST REVISION

4. PART TO BE DIE CUT WITH LINER AND SUPPLIED IN ROLL FORM

5. PACKAGING:

ROLL FORM:


ROLLS TO BE INDIVIDUALLY WRAPPED IN PROTECTIVE PACKAGING ROLLS TO DISPLAY RIM PART NUMBER AND NUMBER OF LABELS/ROLL

6. PART TOOLING (DIE) TO BE MANUFACTURED USING GEOMETRY FROM Pro/ENGINNER

FILE SUPPLIED BY RIM MECHANICAL ENGINEERING DEPT.

7. DIMENSIONS WITH □ DENOTE CRITICAL INSPECTION DIMENSIONS

	A ECN-00 XXX		INITIAL RELEASE					07-12-99	
	REV	ECN	CHANGES		DFTS	DATE			
DIMENSIONS ARE IN: mm	В	3rd ANGLE	RES WA		RESEARCH IN WATERLOO, CNITARIO PH(519) 888-7465, FAX(6		TARIO CANADA		
UNLESS OTHERWISE SPECIFIED	DWG SIZE PROJECTION			PH:(519) 888-7465, FAX:(5			19) 888-6906		
TOLERANCES ARE:	APPROVALS	NAME	DATE MM-DD-YR	THE CONTENT OF T	ONTENT OF THIS DOCUMENT IS RIM INTELLECTUAL PROPERTY. IT IS DENTIAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR USED EXCEPT WITH RITTEN PERMISSION OF RIM.				
ANGULAR: ± 1 °	DESIGNED BY	PSIMOES	07-12-99	COPY	COPYRIGHT 1999 RESEARCH IN MOTION LIMITED.				
SURFACE FINISH N/A	DRAWN BY	PSIMOES	07-12-99	PROJECT:	Proton				
V	CHECKED BY	P.SIMOES	07-13-99						
	ENG APPRD			NAME:	LABEL-S	SERVICE_PROVIDER_PTN	(VICE_PROVIDER_PTN		
INTERPRET DIMENSIONS	MFG APPR'D	XXX	MM-DD-YR	-DD-YR CAD MODEL FILE: LABEL-SERVICE_PROVIDER_PTN					
AND TOLERANCES AS PER	SUPERSEDES	xxx	MM-DD-YR	SCALE 1:1				REV	
ANSI Y14.5M-1994	SUPSID BY	XXX	MM-DD-YR	SHEET 1 OF	1	MAT-02257-0)()()	Α	
AND THE OWN 1774	FILEPATH	/Root Folder/Products/LaunchPr	ad			1711 (1 0220)			



Notes:

- positional tolerance of $\stackrel{+}{\scriptstyle \sim} \frac{1}{64}$ " ($\stackrel{+}{\scriptstyle \sim} 0.4$ mm)
- color quality must be 100% for Pantone SpotColour 433

1	ECN-0	NEW		HD	10/13/	99					
REV	ECN		CHANGES DFTS								
Colours	e: CorelDraw 8.0 Pantone spot coloucess white	ır 433	RESEARCH IN MOTION WATERLOO, ONTARIO, CANADA PH:(519) 888-7465 FAX:(519) 888-6906								
	APPROV	ALS	THE CONTENT OF THIS DOCUMENT IS RIM INTELLECTUAL PROPERTY. IT IS								
	NAME	DATE	CONFIDENT	CONFIDENTIAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR USED							
DRAWN BY	Heather Dwyer	10/13/99		EXCEPT WITH THE WRITTEN PERMISSION OF RIM.							
CHK'D BY			COPYRIGHT	1999	RESEA	ARCH IN M	IOTION LIM	ITED.			
ENG			PROJECT:	Proto	n						
MFG			FROJECI.	FIOLO	III						
MKTG			NAME:	ΛDT	- LABEL, INFORMATION						
LEGAL			INAIVIE:	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	LABLE, INTORNATION	V					
SUPERSED	ES		SCALE 3:1		A D.T. 000.50	~~	a	REV			
SUPSD BY			SHEET 1 OF 1 ART-02258-001								
FILEPATH: F	R:\CAD\ARCHIVE\LEAPFROO	S/			/ 11 1 0 Z Z O O	\mathbf{U}		$\overline{}$			



Notes:

- positional tolerance of $\stackrel{+}{\sim} \frac{1}{64}$ " ($\stackrel{+}{\sim} 0.4$ mm)
- color quality must be 100% for Pantone SpotColours
- font for web site is Humnst777 BT, 5.75 pt.

1	ECN-0	NEW		HD	07/27	7/99			
REV	ECN			DFTS	DAT	ГΕ			
Colours:	e: CoreIDRAW 8.0 Pantone 877, Panto 1815C or 187U, pro		RESEARCH IN MOTIOI WATERLOO, ONTARIO, CANADA PH:(519) 888-7465 FAX:(519) 888-6906						N
	APPROV NAME	DATE	CONFIDENT	IAL AND	HIS DOCUMENT IS IS NOT TO BE DIS	CLOSED, REPR			
DRAWN BY CHK'D BY	Heather Dwyer	07/27/99	COPYRIGHT		VRITTEN PERMISS		RCH IN M	OTION LII	MITED
ENG MFG			PROJECT:	Proto	n				
MKTG LEGAL			NAME:	ART	- LABEL, SEI	RVICE PRO	VIDEF	3	
SUPERSED	ES		SCALE 3:1		ADT (20057		4	REV
SUPSD BY			SHEET 1 OF 1		ART-(12257	-()()	1	Α
FILEPATH: F	R:\CAD\ARCHIVE\LEAPFROG	i\						•	, ,