

5.2G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	97.9	0.09
NVNT	a	5200	Ant1	88.49	0.53
NVNT	a	5240	Ant1	88.54	0.53
NVNT	ac20	5180	Ant1	87.35	0.59
NVNT	ac20	5200	Ant1	87.15	0.6
NVNT	ac20	5240	Ant1	87.3	0.59
NVNT	ac40	5190	Ant1	76.73	1.15
NVNT	ac40	5230	Ant1	76.77	1.15
NVNT	ac80	5210	Ant1	63.62	1.96
NVNT	n20	5180	Ant1	87.22	0.59
NVNT	n20	5200	Ant1	87.09	0.6
NVNT	n20	5240	Ant1	86.83	0.61
NVNT	n40	5190	Ant1	76.51	1.16
NVNT	n40	5230	Ant1	76.53	1.16


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	6.802	0.09	6.892	24	Pass
NVNT	a	5200	Ant1	6.39	0.53	6.92	24	Pass
NVNT	a	5240	Ant1	6.542	0.53	7.072	24	Pass
NVNT	ac20	5180	Ant1	5.618	0.59	6.208	24	Pass
NVNT	ac20	5200	Ant1	5.622	0.6	6.222	24	Pass
NVNT	ac20	5240	Ant1	5.616	0.59	6.206	24	Pass
NVNT	ac40	5190	Ant1	5.515	1.15	6.665	24	Pass
NVNT	ac40	5230	Ant1	5.486	1.15	6.636	24	Pass
NVNT	ac80	5210	Ant1	4.693	1.96	6.653	24	Pass
NVNT	n20	5180	Ant1	5.638	0.59	6.228	24	Pass
NVNT	n20	5200	Ant1	5.533	0.6	6.133	24	Pass
NVNT	n20	5240	Ant1	5.665	0.61	6.275	24	Pass
NVNT	n40	5190	Ant1	5.462	1.16	6.622	24	Pass
NVNT	n40	5230	Ant1	5.5	1.16	6.66	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	24.464	Pass
NVNT	a	5200	Ant1	22.973	Pass
NVNT	a	5240	Ant1	25.73	Pass
NVNT	ac20	5180	Ant1	23.294	Pass
NVNT	ac20	5200	Ant1	24.447	Pass
NVNT	ac20	5240	Ant1	25.272	Pass
NVNT	ac40	5190	Ant1	53.871	Pass
NVNT	ac40	5230	Ant1	53.715	Pass
NVNT	ac80	5210	Ant1	82.322	Pass
NVNT	n20	5180	Ant1	26.335	Pass
NVNT	n20	5200	Ant1	25.907	Pass
NVNT	n20	5240	Ant1	26.292	Pass
NVNT	n40	5190	Ant1	45.893	Pass
NVNT	n40	5230	Ant1	48.257	Pass

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.606
NVNT	a	5200	Ant1	16.575
NVNT	a	5240	Ant1	16.581
NVNT	ac20	5180	Ant1	17.589
NVNT	ac20	5200	Ant1	17.602
NVNT	ac20	5240	Ant1	17.591
NVNT	ac40	5190	Ant1	36.147
NVNT	ac40	5230	Ant1	36.25
NVNT	ac80	5210	Ant1	75.62
NVNT	n20	5180	Ant1	17.601
NVNT	n20	5200	Ant1	17.634
NVNT	n20	5240	Ant1	17.62
NVNT	n40	5190	Ant1	36.141
NVNT	n40	5230	Ant1	36.183


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-3.844	11	Pass
NVNT	a	5200	Ant1	-4.018	11	Pass
NVNT	a	5240	Ant1	-3.9	11	Pass
NVNT	ac20	5180	Ant1	-5.018	11	Pass
NVNT	ac20	5200	Ant1	-5.282	11	Pass

NVNT	ac20	5240	Ant1	-4.932	11	Pass
NVNT	ac40	5190	Ant1	-7.82	11	Pass
NVNT	ac40	5230	Ant1	-8.135	11	Pass
NVNT	ac80	5210	Ant1	-11.943	11	Pass
NVNT	n20	5180	Ant1	-5.068	11	Pass
NVNT	n20	5200	Ant1	-5.062	11	Pass
NVNT	n20	5240	Ant1	-4.936	11	Pass
NVNT	n40	5190	Ant1	-8.664	11	Pass
NVNT	n40	5230	Ant1	-8.697	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1



PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1





PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1






PSD NVNT n20 5200MHz Ant1



PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-42.4	-27	Pass
NVNT	a	5240	Ant1	-49.8	-27	Pass
NVNT	ac20	5180	Ant1	-41.69	-27	Pass
NVNT	ac20	5240	Ant1	-49.29	-27	Pass
NVNT	ac40	5190	Ant1	-33.05	-27	Pass
NVNT	ac40	5230	Ant1	-49.05	-27	Pass
NVNT	ac80	5210	Ant1	-51.44	-27	Pass
NVNT	ac80	5210	Ant1	-38.42	-27	Pass
NVNT	n20	5180	Ant1	-42.24	-27	Pass
NVNT	n20	5240	Ant1	-48.97	-27	Pass
NVNT	n40	5190	Ant1	-36.18	-27	Pass
NVNT	n40	5230	Ant1	-48.77	-27	Pass

Band Edge NVNT a 5180MHz Low Ant1



Band Edge NVNT a 5240MHz High Ant1



Band Edge NVNT ac20 5180MHz Low Ant1



Band Edge NVNT ac20 5240MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1



Band Edge NVNT ac80 5210MHz Low Ant1



Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1



Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-37.9	-27	Pass
NVNT	a	5200	Ant1	-38.82	-27	Pass
NVNT	a	5240	Ant1	-38.47	-27	Pass
NVNT	ac20	5180	Ant1	-37.87	-27	Pass
NVNT	ac20	5200	Ant1	-38.16	-27	Pass

NVNT	ac20	5240	Ant1	-37.79	-27	Pass
NVNT	ac40	5190	Ant1	-38.4	-27	Pass
NVNT	ac40	5230	Ant1	-38.22	-27	Pass
NVNT	ac80	5210	Ant1	-48.45	-27	Pass
NVNT	n20	5180	Ant1	-38.17	-27	Pass
NVNT	n20	5200	Ant1	-38.62	-27	Pass
NVNT	n20	5240	Ant1	-37.55	-27	Pass
NVNT	n40	5190	Ant1	-38.39	-27	Pass
NVNT	n40	5230	Ant1	-38.12	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.8G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	88.63	0.52
NVNT	a	5785	Ant1	88.58	0.53
NVNT	a	5825	Ant1	88.62	0.52
NVNT	ac20	5745	Ant1	87.09	0.6
NVNT	ac20	5785	Ant1	86.98	0.61
NVNT	ac20	5825	Ant1	87.17	0.6
NVNT	ac40	5755	Ant1	76.66	1.15
NVNT	ac40	5795	Ant1	76.9	1.14
NVNT	ac80	5775	Ant1	57.07	2.44
NVNT	n20	5745	Ant1	87.01	0.6
NVNT	n20	5785	Ant1	87.37	0.59
NVNT	n20	5825	Ant1	86.93	0.61
NVNT	n40	5755	Ant1	76.58	1.16
NVNT	n40	5795	Ant1	76.66	1.15


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	7.56	0.52	8.08	30	Pass
NVNT	a	5785	Ant1	7.318	0.53	7.848	30	Pass
NVNT	a	5825	Ant1	6.551	0.52	7.071	30	Pass
NVNT	ac20	5745	Ant1	6.609	0.6	7.209	30	Pass
NVNT	ac20	5785	Ant1	6.353	0.61	6.963	30	Pass
NVNT	ac20	5825	Ant1	5.906	0.6	6.506	30	Pass
NVNT	ac40	5755	Ant1	6.391	1.15	7.541	30	Pass
NVNT	ac40	5795	Ant1	6.056	1.14	7.196	30	Pass
NVNT	ac80	5775	Ant1	5.331	2.44	7.771	30	Pass
NVNT	n20	5745	Ant1	6.552	0.6	7.152	30	Pass
NVNT	n20	5785	Ant1	6.311	0.59	6.901	30	Pass
NVNT	n20	5825	Ant1	5.802	0.61	6.412	30	Pass
NVNT	n40	5755	Ant1	6.345	1.16	7.505	30	Pass
NVNT	n40	5795	Ant1	5.967	1.15	7.117	30	Pass

-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.368	0.5	Pass
NVNT	a	5785	Ant1	16.328	0.5	Pass
NVNT	a	5825	Ant1	16.372	0.5	Pass
NVNT	ac20	5745	Ant1	17.483	0.5	Pass
NVNT	ac20	5785	Ant1	17.511	0.5	Pass
NVNT	ac20	5825	Ant1	17.564	0.5	Pass
NVNT	ac40	5755	Ant1	36.202	0.5	Pass
NVNT	ac40	5795	Ant1	35.964	0.5	Pass
NVNT	ac80	5775	Ant1	75.433	0.5	Pass
NVNT	n20	5745	Ant1	17.596	0.5	Pass
NVNT	n20	5785	Ant1	17.493	0.5	Pass
NVNT	n20	5825	Ant1	17.588	0.5	Pass
NVNT	n40	5755	Ant1	36.105	0.5	Pass
NVNT	n40	5795	Ant1	35.929	0.5	Pass

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.545
NVNT	a	5785	Ant1	16.555
NVNT	a	5825	Ant1	16.574
NVNT	ac20	5745	Ant1	17.585
NVNT	ac20	5785	Ant1	17.593
NVNT	ac20	5825	Ant1	17.618
NVNT	ac40	5755	Ant1	36.181
NVNT	ac40	5795	Ant1	36.174
NVNT	ac80	5775	Ant1	75.538
NVNT	n20	5745	Ant1	17.621
NVNT	n20	5785	Ant1	17.628
NVNT	n20	5825	Ant1	17.615
NVNT	n40	5755	Ant1	36.155
NVNT	n40	5795	Ant1	36.218


OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac80 5775MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1



OBW NVNT n40 5795MHz Ant1



Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-5.981	30	Pass
NVNT	a	5785	Ant1	-6.253	30	Pass
NVNT	a	5825	Ant1	-6.675	30	Pass
NVNT	ac20	5745	Ant1	-7.256	30	Pass
NVNT	ac20	5785	Ant1	-7.281	30	Pass

NVNT	ac20	5825	Ant1	-7.651	30	Pass
NVNT	ac40	5755	Ant1	-10.315	30	Pass
NVNT	ac40	5795	Ant1	-10.684	30	Pass
NVNT	ac80	5775	Ant1	-13.651	30	Pass
NVNT	n20	5745	Ant1	-7.225	30	Pass
NVNT	n20	5785	Ant1	-7.282	30	Pass
NVNT	n20	5825	Ant1	-7.867	30	Pass
NVNT	n40	5755	Ant1	-10.148	30	Pass
NVNT	n40	5795	Ant1	-10.581	30	Pass


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac80 5775MHz Ant1




PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-25.82		Pass
NVNT	a	5825	Ant1	-34.76		Pass
NVNT	ac20	5745	Ant1	-28.78		Pass
NVNT	ac20	5825	Ant1	-37.71		Pass
NVNT	ac40	5755	Ant1	-25.43		Pass
NVNT	ac40	5795	Ant1	-39.1		Pass
NVNT	ac80	5775	Ant1	-40.04		Pass
NVNT	ac80	5775	Ant1	-29.76		Pass
NVNT	n20	5745	Ant1	-29.41		Pass
NVNT	n20	5825	Ant1	-35.61		Pass
NVNT	n40	5755	Ant1	-25.04		Pass
NVNT	n40	5795	Ant1	-39.39		Pass

Band Edge NVNT a 5745MHz Low Ant1



Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant1



Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant1



Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ac80 5775MHz High Ant1



Band Edge NVNT ac80 5775MHz Low Ant1



Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-38.61	-27	Pass
NVNT	a	5785	Ant1	-37.43	-27	Pass
NVNT	a	5825	Ant1	-38.02	-27	Pass
NVNT	ac20	5745	Ant1	-38.55	-27	Pass
NVNT	ac20	5785	Ant1	-38.44	-27	Pass

NVNT	ac20	5825	Ant1	-37.02	-27	Pass
NVNT	ac40	5755	Ant1	-37.99	-27	Pass
NVNT	ac40	5795	Ant1	-37.63	-27	Pass
NVNT	ac80	5775	Ant1	-38.54	-27	Pass
NVNT	n20	5745	Ant1	-37.68	-27	Pass
NVNT	n20	5785	Ant1	-38.03	-27	Pass
NVNT	n20	5825	Ant1	-38.15	-27	Pass
NVNT	n40	5755	Ant1	-38.25	-27	Pass
NVNT	n40	5795	Ant1	-37.82	-27	Pass


Tx. Spurious NVNT a 5745MHz Ant1 Emission




Tx. Spurious NVNT a 5785MHz Ant1 Emission




Tx. Spurious NVNT a 5825MHz Ant1 Emission




Tx. Spurious NVNT ac20 5745MHz Ant1 Emission




Tx. Spurious NVNT ac20 5785MHz Ant1 Emission




Tx. Spurious NVNT ac20 5825MHz Ant1 Emission




Tx. Spurious NVNT ac40 5755MHz Ant1 Emission




Tx. Spurious NVNT ac40 5795MHz Ant1 Emission




Tx. Spurious NVNT ac80 5775MHz Ant1 Emission




Tx. Spurious NVNT n20 5745MHz Ant1 Emission




Tx. Spurious NVNT n20 5785MHz Ant1 Emission



Tx. Spurious NVNT n20 5825MHz Ant1 Emission



Tx. Spurious NVNT n40 5755MHz Ant1 Emission



Tx. Spurious NVNT n40 5795MHz Ant1 Emission

