

WCDMA

Data List							
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.
WCDMA_Band II_5M_CH9400	3813.0000	-50.55	-35.70	14.85	-13.00	22.70	V
	3813.1626	-50.55	-35.70	14.85	-13.00	22.70	V
	5719.0000	-57.70	-39.33	18.37	-13.00	26.33	V
	7626.0000	-63.44	-39.69	23.75	-13.00	26.69	H
	9532.0000	-68.51	-45.30	23.21	-13.00	32.30	H
	11439.0000	-68.54	-43.05	25.49	-13.00	30.05	V
	13345.0000	-68.96	-42.72	26.24	-13.00	29.72	V
	15252.0000	-69.53	-40.55	28.98	-13.00	27.55	V
	17158.0000	-69.18	-36.06	33.12	-13.00	23.06	H
	47.954	-57.32	-66.90	-9.58	-13.00	53.90	V
	95.993	-55.64	-58.57	-2.93	-13.00	45.57	V
	155.6778	-59.09	-68.97	-9.88	-13.00	55.97	V
	234.2871	-53.94	-58.90	-4.96	-13.00	45.90	V
	477.8789	-59.66	-60.32	-0.66	-13.00	47.32	H
	881.1156	-69.31	-60.56	8.75	-13.00	47.56	H
WCDMA_Band IV_5M_CH1413	3508.0000	-52.56	-38.96	13.60	-13.00	25.96	V
	5262.0000	-60.30	-41.89	18.41	-13.00	28.89	V
	7016.0000	-62.18	-40.77	21.41	-13.00	27.77	H
	8770.0000	-66.50	-44.04	22.46	-13.00	31.04	H
	10524.0000	-69.13	-44.02	25.11	-13.00	31.02	V
	12278.0000	-68.96	-43.85	25.11	-13.00	30.85	V
	14032.0000	-69.14	-42.86	26.28	-13.00	29.86	V
	15786.0000	-69.70	-39.07	30.63	-13.00	26.07	V
	17540.0000	-69.48	-34.91	34.57	-13.00	21.91	H
	47.954	-58.65	-68.23	-9.58	-13.00	55.23	V
	95.993	-54.65	-57.58	-2.93	-13.00	44.58	V
	119.7699	-58.62	-61.11	-2.49	-13.00	48.11	V
	236.7134	-53.78	-58.85	-5.07	-13.00	45.85	V

	478.8494	-57.36	-58.14	-0.78	-13.00	45.14	H
	877.7189	-69.62	-60.98	8.64	-13.00	47.98	H
WCDMA_Band V_5M_CH4182	1692.0000	-60.08	-44.38	15.70	-13.00	31.38	V
	2538.0000	-59.13	-37.92	21.21	-13.00	24.92	V
	3384.0000	-60.99	-48.04	12.95	-13.00	35.04	V
	4230.0000	-61.95	-46.32	15.63	-13.00	33.32	V
	5076.0000	-62.42	-44.24	18.18	-13.00	31.24	H
	5922.0000	-61.63	-41.93	19.70	-13.00	28.93	H
	6768.0000	-62.40	-40.43	21.97	-13.00	27.43	H
	7614.0000	-62.87	-39.27	23.60	-13.00	26.27	H
	8460.0000	-67.79	-45.54	22.25	-13.00	32.54	V
	40.6753	-57.56	-58.92	-1.36	-13.00	45.92	H
	47.4687	-57.14	-59.95	-2.81	-13.00	46.95	H
	88.7144	-56.14	-59.19	-3.05	-13.00	46.19	V
	250.3002	-56.66	-54.78	1.88	-13.00	41.78	H
	479.8199	-55.14	-56.03	-0.89	-13.00	43.03	H
	950.5053	-54.56	-47.04	7.52	-13.00	34.04	H

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal

LTE

Data List							
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.
LTE_B2_20M_CH18700	40.6753	-52.82	-54.18	-1.36	-13.00	41.18	H
	95.993	-51.92	-54.85	-2.93	-13.00	41.85	V
	200.3202	-51.91	-56.47	-4.56	-13.00	43.47	H
	390.05	-50.89	-51.68	-0.79	-13.00	38.68	V
	620.055	-50.87	-48.70	2.17	-13.00	35.70	H
	883.5418	-51.00	-42.36	8.64	-13.00	29.36	H
	3702.0000	-53.54	-39.43	14.11	-13.00	26.43	V
	5553.0000	-57.92	-38.76	19.16	-13.00	25.76	V
	7404.0000	-62.31	-38.46	23.85	-13.00	25.46	V
	9255.0000	-67.89	-45.39	22.50	-13.00	32.39	V
	11106.0000	-68.54	-43.61	24.93	-13.00	30.61	V
	12957.0000	-69.72	-43.28	26.44	-13.00	30.28	V
	14808.0000	-68.76	-40.94	27.82	-13.00	27.94	V
	16659.0000	-68.33	-35.93	32.40	-13.00	22.93	V
LTE_B4_20M_CH20300	35.8229	-62.51	-65.99	-3.48	-13.00	52.99	V
	65.908	-60.46	-71.00	-10.54	-13.00	58.00	V
	95.993	-56.26	-59.19	-2.93	-13.00	46.19	V
	234.7724	-52.60	-57.53	-4.93	-13.00	44.53	V
	481.2756	-57.76	-58.58	-0.82	-13.00	45.58	H
	885.968	-75.69	-67.17	8.52	-13.00	54.17	H
	3472.0000	-48.24	-35.13	13.11	-13.00	22.13	V
	5208.0000	-54.76	-36.54	18.22	-13.00	23.54	V
	6944.0000	-61.87	-39.82	22.05	-13.00	26.82	H
	8680.0000	-66.15	-44.02	22.13	-13.00	31.02	H
	10416.0000	-68.54	-43.52	25.02	-13.00	30.52	V
	12152.0000	-67.53	-42.46	25.07	-13.00	29.46	V
	13888.0000	-68.71	-42.39	26.32	-13.00	29.39	H
	15624.0000	-68.81	-39.45	29.36	-13.00	26.45	H

	17360.0000	-69.85	-35.33	34.52	-13.00	22.33	V
LTE_B5_10M_CH20600	41.6458	-52.43	-54.44	-2.01	-13.00	41.44	H
	82.8914	-52.30	-59.17	-6.87	-13.00	46.17	V
	110.5503	-52.89	-50.08	2.81	-13.00	37.08	V
	255.1526	-52.89	-51.86	1.03	-13.00	38.86	H
	567.1636	-51.11	-52.18	-1.07	-13.00	39.18	V
	956.8134	-49.82	-42.20	7.62	-13.00	29.20	V
	1679.0000	-60.59	-44.75	15.84	-13.00	31.75	H
	2518.0000	-59.68	-37.53	22.15	-13.00	24.53	H
	3358.0000	-60.50	-47.57	12.93	-13.00	34.57	H
	4197.0000	-61.41	-45.93	15.48	-13.00	32.93	V
	5037.0000	-59.51	-41.60	17.91	-13.00	28.60	H
	5876.0000	-62.34	-42.91	19.43	-13.00	29.91	H
	6716.0000	-62.48	-41.16	21.32	-13.00	28.16	H
	7555.0000	-63.00	-39.51	23.49	-13.00	26.51	V
	8395.0000	-68.08	-45.32	22.76	-13.00	32.32	H
LTE_B12_10M_CH23130	34.3672	-52.82	-54.18	-1.36	-13.00	41.18	H
	58.1441	-52.67	-56.44	-3.77	-13.00	43.44	H
	110.065	-51.91	-49.25	2.66	-13.00	36.25	V
	251.7559	-52.03	-49.85	2.18	-13.00	36.85	H
	544.3572	-50.63	-51.43	-0.80	-13.00	38.43	H
	880.1451	-50.64	-41.85	8.79	-13.00	28.85	H
	1406.0000	-60.95	-45.94	15.01	-13.00	32.94	H
	2109.0000	-59.44	-39.02	20.42	-13.00	26.02	H
	2812.0000	-58.36	-35.97	22.39	-13.00	22.97	V
	3515.0000	-61.73	-48.40	13.33	-13.00	35.40	V
	4218.0000	-61.36	-45.95	15.41	-13.00	32.95	H
	4921.0000	-61.96	-44.74	17.22	-13.00	31.74	V
	5624.0000	-61.23	-42.35	18.88	-13.00	29.35	V
	6327.0000	-61.61	-41.25	20.36	-13.00	28.25	H
	7030.0000	-63.04	-42.20	20.84	-13.00	29.20	H
LTE_B13_10M_CH23230	40.1901	-52.98	-54.38	-1.40	-13.00	41.38	H

	57.6588	-53.28	-56.90	-3.62	-13.00	43.90	H
	111.5208	-52.93	-49.93	3.00	-13.00	36.93	V
	251.7559	-51.31	-49.13	2.18	-13.00	36.13	H
	556.003	-51.33	-51.95	-0.62	-13.00	38.95	V
	876.7484	-50.06	-41.60	8.46	-13.00	28.60	H
LTE_B13_5M_CH23230	1560.0000	-59.60	-45.58	14.02	-40.00	5.58	V
	2340.0000	-60.02	-39.42	20.60	-13.00	26.42	H
	3120.0000	-59.84	-46.82	13.02	-13.00	33.82	H
	3900.0000	-61.66	-46.65	15.01	-13.00	33.65	H
	4680.0000	-61.85	-45.67	16.18	-13.00	32.67	V
	5460.0000	-61.77	-43.25	18.52	-13.00	30.25	V
	6240.0000	-61.66	-41.52	20.14	-13.00	28.52	H
	7020.0000	-63.34	-41.88	21.46	-13.00	28.88	H
	7800.0000	-63.77	-39.55	24.22	-13.00	26.55	H
LTE_B13_5M_CH23255	1564.6000	-59.88	-45.28	14.60	-40.00	5.28	H
	2346.9000	-59.55	-39.22	20.33	-13.00	26.22	V
	3192.2000	-61.49	-48.51	12.98	-13.00	35.51	H
	3911.5000	-61.77	-46.93	14.84	-13.00	33.93	V
	4693.8000	-61.49	-44.78	16.71	-13.00	31.78	H
	5476.1000	-62.25	-43.48	18.77	-13.00	30.48	H
	6258.4000	-61.02	-40.93	20.09	-13.00	27.93	H
	7040.7000	-63.31	-41.81	21.50	-13.00	28.81	H
	7823.0000	-64.21	-39.42	24.79	-13.00	26.42	H
LTE_B25_20M_CH26590	53.0872	-54.22	-63.95	-9.73	-13.00	50.95	V
	119.972	-58.83	-61.62	-2.79	-13.00	48.62	V
	236.4748	-55.26	-60.31	-5.05	-13.00	47.31	V
	300.2555	-61.55	-63.84	-2.29	-13.00	50.84	V
	478.1139	-57.15	-57.83	-0.68	-13.00	44.83	H
	961.8286	-65.01	-57.18	7.83	-13.00	44.18	V
	3792.0000	-48.42	-33.88	14.54	-13.00	20.88	V
	5688.0000	-55.53	-37.17	18.36	-13.00	24.17	V
	7584.0000	-63.62	-39.68	23.94	-13.00	26.68	H

	9480.0000	-71.58	-48.01	23.57	-13.00	35.01	V
	11376.0000	-72.49	-46.98	25.51	-13.00	33.98	V
	13272.0000	-71.85	-45.97	25.88	-13.00	32.97	H
	15168.0000	-71.91	-43.10	28.81	-13.00	30.10	H
	17064.0000	-75.05	-41.56	33.49	-13.00	28.56	H
LTE_B26_10M_CH26740	34.1227	-52.75	-54.06	-1.31	-13.00	41.06	H
	57.1614	-52.77	-56.48	-3.71	-13.00	43.48	H
	109.9805	-51.88	-49.25	2.63	-13.00	36.25	V
	250.9285	-51.45	-49.38	2.07	-13.00	36.38	H
	476.0283	-50.38	-50.78	-0.40	-13.00	37.78	H
	963.5747	-50.14	-42.38	7.76	-13.00	29.38	V
	1628.0000	-59.33	-44.69	14.64	-13.00	31.69	V
	2442.0000	-59.22	-38.31	20.91	-13.00	25.31	V
	3256.0000	-60.97	-48.01	12.96	-13.00	35.01	V
	4070.0000	-62.11	-46.31	15.80	-13.00	33.31	H
	4884.0000	-62.01	-45.12	16.89	-13.00	32.12	H
	5698.0000	-62.64	-43.43	19.21	-13.00	30.43	H
	6512.0000	-62.87	-41.63	21.24	-13.00	28.63	H
	7326.0000	-61.61	-38.99	22.62	-13.00	25.99	V
	8140.0000	-68.19	-47.29	20.90	-13.00	34.29	V
LTE_B26_15M_CH26965	40.428	-52.22	-53.56	-1.34	-13.00	40.56	H
	51.2926	-52.63	-56.11	-3.48	-13.00	43.11	H
	102.0746	-51.62	-53.08	-1.46	-13.00	40.08	V
	213.5817	-51.29	-54.79	-3.50	-13.00	41.79	H
	467.9769	-51.35	-51.46	-0.11	-13.00	38.46	H
	960.616	-49.82	-42.26	7.56	-13.00	29.26	H
	1668.0000	-60.14	-44.65	15.49	-13.00	31.65	H
	2502.0000	-59.60	-38.11	21.49	-13.00	25.11	V
	3336.0000	-61.14	-48.45	12.69	-13.00	35.45	V
	4170.0000	-61.88	-46.81	15.07	-13.00	33.81	V
	5004.0000	-62.81	-44.92	17.89	-13.00	31.92	V
	5838.0000	-61.69	-41.89	19.80	-13.00	28.89	V

	6672.0000	-62.19	-41.13	21.06	-13.00	28.13	V
	7506.0000	-63.04	-39.33	23.71	-13.00	26.33	V
	8340.0000	-68.39	-46.29	22.10	-13.00	33.29	H

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal