



199.9925	15.71	-16.6	32.31	Vertical	43.5	27.79
436.333	21.55	-10.4	31.95	Vertical	46	24.45
903.485	17.86	-2.5	20.36	Vertical	46	28.14

For 802.11ac(VHT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.6795	13.17	-15.4	28.57	Vertical	40	26.83
57.354	12.41	-15.9	28.31	Vertical	40	27.59
121.9075	11.33	-19.3	30.63	Vertical	43.5	32.17
203.4845	10.94	-17	27.94	Vertical	43.5	32.56
436.333	21.7	-10.4	32.1	Vertical	46	24.3
920.945	18.33	-1.7	20.03	Vertical	46	27.67

For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	16.44	-18.9	35.34	Vertical	40	23.56
58.1785	14.04	-16	30.04	Vertical	40	25.96
99.161	9.22	-17.4	26.62	Vertical	43.5	34.28
199.944	14.33	-16.6	30.93	Vertical	43.5	29.17
436.3815	22.63	-10.4	33.03	Vertical	46	23.37
893.785	17.71	-2.5	20.21	Vertical	46	28.29

For 802.11n(HT40)Channel No.:134

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.94	14.34	-19.3	33.64	Vertical	40	25.66
58.906	13.93	-16.2	30.13	Vertical	40	26.07
122.5865	12.58	-19.4	31.98	Vertical	43.5	30.93
199.9925	16.05	-16.6	32.65	Vertical	43.5	27.45
436.3815	22.56	-10.4	32.96	Vertical	46	23.44
936.0285	19.21	-1.8	21.01	Vertical	46	26.79



For 802.11ac(VHT40)Channel No.:134

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	15.93	-18.9	34.83	Vertical	40	24.07
58.13	14.17	-16	30.17	Vertical	40	25.83
123.5565	11.89	-19.6	31.49	Vertical	43.5	31.61
199.9925	15.79	-16.6	32.39	Vertical	43.5	27.71
436.3815	22.52	-10.4	32.92	Vertical	46	23.48
928.9475	18.2	-1.6	19.8	Vertical	46	27.8

For 802.11ax(HE40)Channel No.:134

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.067	15.42	-19.1	34.52	Vertical	40	24.58
60.9915	13.21	-16.5	29.71	Vertical	40	26.79
99.937	10.31	-17.2	27.51	Vertical	43.5	33.19
199.9925	15.89	-16.6	32.49	Vertical	43.5	27.61
436.3815	22.55	-10.4	32.95	Vertical	46	23.45
931.712	18.57	-1.7	20.27	Vertical	46	27.43

For 802.11ac(VHT80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.1155	15.36	-19.1	34.46	Vertical	40	24.64
54.2985	9.39	-15.6	24.99	Vertical	40	30.61
122.9745	9.86	-19.5	29.36	Vertical	43.5	33.64
199.9925	15.81	-16.6	32.41	Vertical	43.5	27.69
436.3815	22.5	-10.4	32.9	Vertical	46	23.5
801.4895	16.31	-3.9	20.21	Vertical	46	29.69

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------



		(dB)	(dBuV/m)		(dBuV/m)	(dB)
31.0185	15.56	-19.1	34.66	Vertical	40	24.44
59.1485	10.38	-16.2	26.58	Vertical	40	29.62
125.254	10.12	-19.8	29.92	Vertical	43.5	33.38
199.9925	16.01	-16.6	32.61	Vertical	43.5	27.49
436.333	21.92	-10.4	32.32	Vertical	46	24.08
791.9835	20.88	-3.8	24.68	Vertical	46	25.12

For 802.11ac(VHT80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.843	15.2	-19.2	34.4	Vertical	40	24.8
59.488	12.42	-16.3	28.72	Vertical	40	27.58
124.963	11.07	-19.8	30.87	Vertical	43.5	32.43
199.9925	16.04	-16.6	32.64	Vertical	43.5	27.46
436.333	21.52	-10.4	31.92	Vertical	46	24.48
833.063	17.86	-3.4	21.26	Vertical	46	28.14

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.7275	12.02	-19	31.02	Vertical	40	27.98
60.5065	11.77	-16.4	28.17	Vertical	40	28.23
166.576	8.86	-19.7	28.56	Vertical	43.5	34.64
199.9925	15.72	-16.6	32.32	Vertical	43.5	27.78
436.333	21.66	-10.4	32.06	Vertical	46	24.34
931.712	18.53	-1.7	20.23	Vertical	46	27.47

For 802.11ac(VHT80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	15.27	-19.2	34.47	Vertical	40	24.73
58.0815	13.32	-16	29.32	Vertical	40	26.68
132.141	7.74	-20.4	28.14	Vertical	43.5	35.76



199.9925	16.69	-16.6	33.29	Vertical	43.5	26.81
436.333	21.63	-10.4	32.03	Vertical	46	24.37
919.9265	18.38	-1.7	20.08	Vertical	46	27.62

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.0485	13.13	-18.7	31.83	Vertical	40	26.87
62.301	10.13	-16.9	27.03	Vertical	40	29.87
155.8575	10.57	-20.3	30.87	Vertical	43.5	32.93
198.5375	9.58	-16.5	26.08	Vertical	43.5	33.92
436.333	21.56	-10.4	31.96	Vertical	46	24.44
931.9545	18.4	-1.7	20.1	Vertical	46	27.6

For 802.11aChannel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.067	15.13	-19.1	34.23	Vertical	40	24.87
58.809	13	-16.2	29.2	Vertical	40	27
123.411	11.8	-19.6	31.4	Vertical	43.5	31.7
199.9925	16.37	-16.6	32.97	Vertical	43.5	27.13
436.333	21.56	-10.4	31.96	Vertical	46	24.44
860.999	17.49	-2.6	20.09	Vertical	46	28.51

For 802.11n(HT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.31	13.72	-15.4	29.12	Vertical	40	26.28
62.398	10.11	-17	27.11	Vertical	40	29.89
126.515	7.78	-20	27.78	Vertical	43.5	35.72
199.9925	15.9	-16.6	32.5	Vertical	43.5	27.6
436.333	21.59	-10.4	31.99	Vertical	46	24.41
924.9705	18.04	-1.8	19.84	Vertical	46	27.96



For 802.11ac(VHT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	17.05	-18.9	35.95	Vertical	40	22.95
62.2525	9.67	-16.9	26.57	Vertical	40	30.33
124.0415	12.81	-19.6	32.41	Vertical	43.5	30.69
207.413	8.37	-17.2	25.57	Vertical	43.5	35.13
436.3815	22.55	-10.4	32.95	Vertical	46	23.45
792.032	19.68	-3.8	23.48	Vertical	46	26.32

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.3585	12.99	-15.4	28.39	Vertical	40	27.01
58.8575	13.02	-16.2	29.22	Vertical	40	26.98
122.053	9.79	-19.3	29.09	Vertical	43.5	33.71
199.944	13.64	-16.6	30.24	Vertical	43.5	29.86
436.3815	22.18	-10.4	32.58	Vertical	46	23.82
919.8295	18.05	-1.7	19.75	Vertical	46	27.95

For 802.11aChannel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.1155	15.27	-19.1	34.37	Vertical	40	24.73
59.585	12.98	-16.3	29.28	Vertical	40	27.02
125.3025	11.08	-19.8	30.88	Vertical	43.5	32.42
199.944	12.78	-16.6	29.38	Vertical	43.5	30.72
436.333	21.55	-10.4	31.95	Vertical	46	24.45
920.0235	18.33	-1.7	20.03	Vertical	46	27.67

For 802.11n(HT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	--------------	------------------	----------	-------------------	----------------



31.164	15.09	-19.1	34.19	Vertical	40	24.91
58.1785	13.74	-16	29.74	Vertical	40	26.26
150.7165	7.93	-20.6	28.53	Vertical	43.5	35.57
199.9925	15.76	-16.6	32.36	Vertical	43.5	27.74
436.3815	22.71	-10.4	33.11	Vertical	46	23.29
832.772	18.03	-3.3	21.33	Vertical	46	27.97

For 802.11ac(VHT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.485	14.93	-18.9	33.83	Vertical	40	25.07
59.197	11.92	-16.2	28.12	Vertical	40	28.08
121.471	8.81	-19.2	28.01	Vertical	43.5	34.69
199.9925	15.91	-16.6	32.51	Vertical	43.5	27.59
436.333	21.61	-10.4	32.01	Vertical	46	24.39
830.6865	17.93	-3.3	21.23	Vertical	46	28.07

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.0185	15.12	-19.1	34.22	Vertical	40	24.88
58.8575	13.55	-16.2	29.75	Vertical	40	26.45
123.411	11.85	-19.6	31.45	Vertical	43.5	31.65
199.9925	16.49	-16.6	33.09	Vertical	43.5	27.01
436.3815	22.73	-10.4	33.13	Vertical	46	23.27
749.9825	16.95	-4.2	21.15	Vertical	46	29.05

For 802.11aChannel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	15.38	-18.8	34.18	Vertical	40	24.62
58.809	13.06	-16.2	29.26	Vertical	40	26.94
123.3625	12.18	-19.6	31.78	Vertical	43.5	31.32
199.944	12.76	-16.6	29.36	Vertical	43.5	30.74



436.333	21.69	-10.4	32.09	Vertical	46	24.31
888.353	17.74	-2.4	20.14	Vertical	46	28.26

For 802.11n(HT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	14.69	-18.8	33.49	Vertical	40	25.31
58.0815	13.28	-16	29.28	Vertical	40	26.72
99.2095	9.1	-17.4	26.5	Vertical	43.5	34.4
200.1865	8.97	-16.6	25.57	Vertical	43.5	34.53
436.333	21.66	-10.4	32.06	Vertical	46	24.34
872.736	20.87	-2.4	23.27	Vertical	46	25.13

For 802.11ac(VHT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.8915	14.82	-19.2	34.02	Vertical	40	25.18
56.675	10.55	-15.8	26.35	Vertical	40	29.45
136.021	6.9	-20.6	27.5	Vertical	43.5	36.6
199.9925	16.87	-16.6	33.47	Vertical	43.5	26.63
436.3815	22.52	-10.4	32.92	Vertical	46	23.48
914.931	18.18	-2	20.18	Vertical	46	27.82

For 802.11ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.067	15.25	-19.1	34.35	Vertical	40	24.75
59.682	12.79	-16.3	29.09	Vertical	40	27.21
99.84	9.49	-17.3	26.79	Vertical	43.5	34.01
202.0295	9.54	-16.8	26.34	Vertical	43.5	33.96
436.333	21.61	-10.4	32.01	Vertical	46	24.39
881.0295	17.95	-2.3	20.25	Vertical	46	28.05



For 802.11n(HT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.534	12.4	-15.4	27.8	Vertical	40	27.6
58.13	13.66	-16	29.66	Vertical	40	26.34
125.3995	10.29	-19.9	30.19	Vertical	43.5	33.21
199.944	13.83	-16.6	30.43	Vertical	43.5	29.67
436.333	21.57	-10.4	31.97	Vertical	46	24.43
876.422	17.96	-2.3	20.26	Vertical	46	28.04

For 802.11ac(VHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.3395	15.91	-18.8	34.71	Vertical	40	24.09
58.9545	13.02	-16.2	29.22	Vertical	40	26.98
123.896	11.68	-19.6	31.28	Vertical	43.5	31.82
199.9925	16.41	-16.6	33.01	Vertical	43.5	27.09
436.3815	22.55	-10.4	32.95	Vertical	46	23.45
948.0565	17.76	-2.1	19.86	Vertical	46	28.24

For 802.11ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.6795	12.63	-15.4	28.03	Vertical	40	27.37
61.8645	12.07	-16.8	28.87	Vertical	40	27.93
97.9485	8.26	-17.6	25.86	Vertical	43.5	35.24
199.9925	15.8	-16.6	32.4	Vertical	43.5	27.7
436.333	21.57	-10.4	31.97	Vertical	46	24.43
930.6935	18.35	-1.6	19.95	Vertical	46	27.65

For 802.11n(HT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	--------------	------------------	----------	-------------------	----------------



52.989	12.76	-15.4	28.16	Vertical	40	27.24
61.7675	11.98	-16.8	28.78	Vertical	40	28.02
103.6715	9.02	-17	26.02	Vertical	43.5	34.48
199.071	12.08	-16.5	28.58	Vertical	43.5	31.42
436.333	21.62	-10.4	32.02	Vertical	46	24.38
939.7145	18.21	-1.8	20.01	Vertical	46	27.79

For 802.11ac(VHT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	13.23	-18.8	32.03	Vertical	40	26.77
58.906	13.49	-16.2	29.69	Vertical	40	26.51
119.9675	9.31	-19	28.31	Vertical	43.5	34.19
199.4105	9.61	-16.6	26.21	Vertical	43.5	33.89
436.3815	22.45	-10.4	32.85	Vertical	46	23.55
833.839	17.32	-3.4	20.72	Vertical	46	28.68

For 802.11ax(HE40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.3395	15.77	-18.8	34.57	Vertical	40	24.23
56.675	10.54	-15.8	26.34	Vertical	40	29.46
123.993	12.46	-19.6	32.06	Vertical	43.5	31.04
199.9925	15.74	-16.6	32.34	Vertical	43.5	27.76
436.333	21.54	-10.4	31.94	Vertical	46	24.46
920.848	18.41	-1.7	20.11	Vertical	46	27.59

For 802.11ac(VHT80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.261	13.58	-19.1	32.68	Vertical	40	26.42
60.4095	12.59	-16.4	28.99	Vertical	40	27.41
124.478	10.87	-19.7	30.57	Vertical	43.5	32.63
199.9925	15.78	-16.6	32.38	Vertical	43.5	27.72



436.333	21.52	-10.4	31.92	Vertical	46	24.48
872.736	20.86	-2.4	23.26	Vertical	46	25.14

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.437	11.5	-15.4	26.9	Vertical	40	28.5
57.9845	12.01	-16	28.01	Vertical	40	27.99
123.4595	11.8	-19.6	31.4	Vertical	43.5	31.7
199.9925	15.98	-16.6	32.58	Vertical	43.5	27.52
436.3815	22.44	-10.4	32.84	Vertical	46	23.56
828.698	17.07	-3.4	20.47	Vertical	46	28.93

Partial RU (Tone26)

For 802.11ax(HE20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.3395	15.73	-18.8	34.53	Vertical	40	24.27
60.264	12.22	-16.4	28.62	Vertical	40	27.78
99.9855	11.69	-17.2	28.89	Vertical	43.5	31.81
199.9925	15.88	-16.6	32.48	Vertical	43.5	27.62
436.333	21.51	-10.4	31.91	Vertical	46	24.49
831.608	18.06	-3.3	21.36	Vertical	46	27.94

For 802.11ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.94	14.24	-19.3	33.54	Vertical	40	25.76
61.816	12.14	-16.8	28.94	Vertical	40	27.86
97.6575	10.08	-17.7	27.78	Vertical	43.5	33.42
199.9925	16.06	-16.6	32.66	Vertical	43.5	27.44
436.333	21.67	-10.4	32.07	Vertical	46	24.33
750.031	18.31	-4.2	22.51	Vertical	46	27.69

For 802.11ax(HE20)Channel No.:48



Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	15.16	-19.2	34.36	Vertical	40	24.84
62.495	11.8	-17	28.8	Vertical	40	28.2
124.7205	11.22	-19.7	30.92	Vertical	43.5	32.28
199.9925	15.89	-16.6	32.49	Vertical	43.5	27.61
436.3815	22.59	-10.4	32.99	Vertical	46	23.41
946.8925	17.8	-2.1	19.9	Vertical	46	28.2

For 802.11ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.231	10.37	-19.2	29.57	Vertical	40	29.63
58.7605	12.18	-16.2	28.38	Vertical	40	27.82
120.889	7.78	-19.1	26.88	Vertical	43.5	35.72
199.9925	15.87	-16.6	32.47	Vertical	43.5	27.63
436.333	21.58	-10.4	31.98	Vertical	46	24.42
868.6135	17.77	-2.4	20.17	Vertical	46	28.23

For 802.11ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.795	10.54	-15.4	25.94	Vertical	40	29.46
58.9545	12.97	-16.2	29.17	Vertical	40	27.03
97.0755	9.25	-17.7	26.95	Vertical	43.5	34.25
199.9925	15.7	-16.6	32.3	Vertical	43.5	27.8
436.3815	22.49	-10.4	32.89	Vertical	46	23.51
832.8205	17.98	-3.3	21.28	Vertical	46	28.02

For 802.11ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	14.58	-18.8	33.38	Vertical	40	25.42
60.4095	12.65	-16.4	29.05	Vertical	40	27.35
125.157	9.9	-19.8	29.7	Vertical	43.5	33.6
199.9925	15.8	-16.6	32.4	Vertical	43.5	27.7



436.333	21.6	-10.4	32	Vertical	46	24.4
791.9835	20.91	-3.8	24.71	Vertical	46	25.09

For 802.11ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	15.16	-19.2	34.36	Vertical	40	24.84
58.8575	13.39	-16.2	29.59	Vertical	40	26.61
124.478	11.36	-19.7	31.06	Vertical	43.5	32.14
199.9925	15.9	-16.6	32.5	Vertical	43.5	27.6
436.333	21.53	-10.4	31.93	Vertical	46	24.47
872.736	20.85	-2.4	23.25	Vertical	46	25.15

For 802.11ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6975	14.14	-19.2	33.34	Vertical	40	25.86
58.809	13.02	-16.2	29.22	Vertical	40	26.98
99.161	8.73	-17.4	26.13	Vertical	43.5	34.77
199.653	11.82	-16.6	28.42	Vertical	43.5	31.68
436.333	21.52	-10.4	31.92	Vertical	46	24.48
935.6405	18.23	-1.8	20.03	Vertical	46	27.77

For 802.11ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.2615	13.61	-15.4	29.01	Vertical	40	26.39
60.361	13.01	-16.4	29.41	Vertical	40	26.99
123.2655	12.42	-19.5	31.92	Vertical	43.5	31.08
199.9925	15.93	-16.6	32.53	Vertical	43.5	27.57
436.3815	22.57	-10.4	32.97	Vertical	46	23.43
931.324	18.62	-1.6	20.22	Vertical	46	27.38



For 802.11ax(HE40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	15.53	-18.9	34.43	Vertical	40	24.47
57.548	12.45	-15.9	28.35	Vertical	40	27.55
123.411	11.8	-19.6	31.4	Vertical	43.5	31.7
197.9555	11.49	-16.5	27.99	Vertical	43.5	32.01
436.333	21.64	-10.4	32.04	Vertical	46	24.36
932.5365	18.38	-1.7	20.08	Vertical	46	27.62

For 802.11ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	15.55	-18.9	34.45	Vertical	40	24.45
61.8645	12.02	-16.8	28.82	Vertical	40	27.98
123.314	12.5	-19.5	32	Vertical	43.5	31
199.9925	15.74	-16.6	32.34	Vertical	43.5	27.76
436.333	21.63	-10.4	32.03	Vertical	46	24.37
888.0135	19.64	-2.4	22.04	Vertical	46	26.36

For 802.11ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	15.79	-18.9	34.69	Vertical	40	24.21
60.5065	11.56	-16.4	27.96	Vertical	40	28.44
123.9445	12.26	-19.6	31.86	Vertical	43.5	31.24
200.8655	8.56	-16.7	25.26	Vertical	43.5	34.94
436.3815	22.52	-10.4	32.92	Vertical	46	23.48
916.3375	18.17	-1.9	20.07	Vertical	46	27.83

For 802.11ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	--------------	------------------	----------	-------------------	----------------



30.4365	15.56	-18.9	34.46	Vertical	40	24.44
61.04	13.02	-16.5	29.52	Vertical	40	26.98
99.258	11.31	-17.4	28.71	Vertical	43.5	32.19
199.168	9.68	-16.5	26.18	Vertical	43.5	33.82
436.333	21.58	-10.4	31.98	Vertical	46	24.42
952.955	17.64	-2.1	19.74	Vertical	46	28.36

For 802.11ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.0185	14.98	-19.1	34.08	Vertical	40	25.02
60.458	12.22	-16.4	28.62	Vertical	40	27.78
125.0115	9.54	-19.8	29.34	Vertical	43.5	33.96
199.944	12.88	-16.6	29.48	Vertical	43.5	30.62
436.333	21.54	-10.4	31.94	Vertical	46	24.46
830.5895	17.83	-3.3	21.13	Vertical	46	28.17

For 802.11ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.485	15.09	-18.9	33.99	Vertical	40	24.91
58.8575	13.51	-16.2	29.71	Vertical	40	26.49
121.8105	11.6	-19.3	30.9	Vertical	43.5	31.9
199.9925	15.76	-16.6	32.36	Vertical	43.5	27.74
436.333	21.63	-10.4	32.03	Vertical	46	24.37
889.4685	17.71	-2.5	20.21	Vertical	46	28.29

For 802.11ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6005	11.64	-19.2	30.84	Vertical	40	28.36
58.809	13.18	-16.2	29.38	Vertical	40	26.82
122.9745	9.92	-19.5	29.42	Vertical	43.5	33.58
199.944	12.76	-16.6	29.36	Vertical	43.5	30.74
436.333	21.68	-10.4	32.08	Vertical	46	24.32
946.6015	17.8	-2.1	19.9	Vertical	46	28.2



For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.067	15.13	-19.1	34.23	Vertical	40	24.87
60.361	12.86	-16.4	29.26	Vertical	40	27.14
122.538	12.24	-19.4	31.64	Vertical	43.5	31.26
199.9925	15.77	-16.6	32.37	Vertical	43.5	27.73
436.3815	22.54	-10.4	32.94	Vertical	46	23.46
811.335	16.54	-3.9	20.44	Vertical	46	29.46

For 802.11ax(HE40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.0185	15.01	-19.1	34.11	Vertical	40	24.99
59.6335	13.03	-16.3	29.33	Vertical	40	26.97
96.5905	10.64	-17.8	28.44	Vertical	43.5	32.86
199.9925	15.76	-16.6	32.36	Vertical	43.5	27.74
436.3815	22.52	-10.4	32.92	Vertical	46	23.48
830.056	17.72	-3.3	21.02	Vertical	46	28.28

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.9215	13.12	-19.1	32.22	Vertical	40	26.88
61.7675	11.96	-16.8	28.76	Vertical	40	28.04
122.635	11.86	-19.4	31.26	Vertical	43.5	31.64
197.7615	11.44	-16.5	27.94	Vertical	43.5	32.06
436.333	21.54	-10.4	31.94	Vertical	46	24.46
832.287	18.41	-3.3	21.71	Vertical	46	27.59

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6975	14.25	-19.2	33.45	Vertical	40	25.75
58.0815	13.15	-16	29.15	Vertical	40	26.85



123.217	12.04	-19.5	31.54	Vertical	43.5	31.46
199.9925	16.59	-16.6	33.19	Vertical	43.5	26.91
436.333	21.57	-10.4	31.97	Vertical	46	24.43
833.16	17.88	-3.4	21.28	Vertical	46	28.12

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	14.91	-18.8	33.71	Vertical	40	25.09
60.9915	13	-16.5	29.5	Vertical	40	27
99.3065	9.25	-17.4	26.65	Vertical	43.5	34.25
199.9925	15.81	-16.6	32.41	Vertical	43.5	27.69
436.3815	22.52	-10.4	32.92	Vertical	46	23.48
647.987	20.25	-6.1	26.35	Vertical	46	25.75

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.3395	15.91	-18.8	34.71	Vertical	40	24.09
59.0515	11.95	-16.2	28.15	Vertical	40	28.05
149.601	8.18	-20.7	28.88	Vertical	43.5	35.32
199.9925	15.81	-16.6	32.41	Vertical	43.5	27.69
436.333	21.59	-10.4	31.99	Vertical	46	24.41
893.591	17.78	-2.5	20.28	Vertical	46	28.22

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.086	12.42	-15.5	27.92	Vertical	40	27.58
57.451	12.84	-15.9	28.74	Vertical	40	27.16
158.331	7.31	-20.2	27.51	Vertical	43.5	36.19
199.9925	15.81	-16.6	32.41	Vertical	43.5	27.69
436.3815	22.52	-10.4	32.92	Vertical	46	23.48
829.668	18	-3.3	21.3	Vertical	46	28

For 802.11ax(HE20)Channel No.:165



Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.522	13.26	-19.2	32.46	Vertical	40	26.74
60.3125	12.87	-16.4	29.27	Vertical	40	27.13
125.3025	11.31	-19.8	31.11	Vertical	43.5	32.19
199.9925	16.49	-16.6	33.09	Vertical	43.5	27.01
436.3815	22.47	-10.4	32.87	Vertical	46	23.53
909.305	18.11	-2.2	20.31	Vertical	46	27.89

For 802.11ax(HE40)Channel No.:151


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.0185	15.13	-19.1	34.23	Vertical	40	24.87
57.4025	12.5	-15.9	28.4	Vertical	40	27.5
97.124	11.38	-17.7	29.08	Vertical	43.5	32.12
199.9925	16.79	-16.6	33.39	Vertical	43.5	26.71
436.3815	22.47	-10.4	32.87	Vertical	46	23.53
929.481	18.28	-1.6	19.88	Vertical	46	27.72

For 802.11ax(HE40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	15.89	-18.9	34.79	Vertical	40	24.11
59.682	12.72	-16.3	29.02	Vertical	40	27.28
98.4335	8.27	-17.6	25.87	Vertical	43.5	35.23
199.944	12.72	-16.6	29.32	Vertical	43.5	30.78
436.333	21.61	-10.4	32.01	Vertical	46	24.39
912.894	18.06	-2.1	20.16	Vertical	46	27.94

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	15.29	-19.2	34.49	Vertical	40	24.71
63.2225	10.93	-17.2	28.13	Vertical	40	29.07
124.963	10.97	-19.8	30.77	Vertical	43.5	32.53
199.944	15.31	-16.6	31.91	Vertical	43.5	28.19
436.3815	22.5	-10.4	32.9	Vertical	46	23.5
696.002	20.83	-5.6	26.43	Vertical	46	25.17




Frequency Range: 9kHz -30MHz

Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 5180

Channel No.:36




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 18GHz -40GHz


Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5220

Channel No.44

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 18GHz -40GHz


Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5240

Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 18GHz -40GHz


Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5190

Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 18GHz -40GHz


Detector: Av mode and PK mode

Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5230

Channel No.:46

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 18GHz -40GHz


Detector: Av mode and PK mode

Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5210

Channel No.:42

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 18GHz -40GHz


Detector: Av mode and PK mode

Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5260

Channel No.:52

Full Spectrum



Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a