


802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0498G	52.38	88.20	-35.82	37.91	3	Horizontal	317	1.63	-	39.05	8.62	33.20
RMS	13.04952G	40.16	68.20	-28.04	25.69	3	Horizontal	317	1.63	-	39.05	8.62	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57454G	48.17	83.54	-35.37	44.67	1	Vertical	3	1.52	-	37.87	15.33	49.70
AV	19.57514G	36.01	63.54	-27.53	32.51	1	Vertical	3	1.52	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57184G	48.06	83.54	-35.48	44.56	1	Horizontal	59	1.50	-	37.87	15.33	49.70
AV	19.57768G	35.98	63.54	-27.56	32.48	1	Horizontal	59	1.50	-	37.87	15.33	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.577G	99.02	Inf	-Inf	91.35	3	Vertical	27	2.11	-	34.05	5.80	32.18
RMS	6.5698G	86.16	Inf	-Inf	78.50	3	Vertical	27	2.11	-	34.04	5.80	32.18
PK	7.129G	62.70	88.20	-25.50	53.17	3	Vertical	27	2.11	-	35.93	6.10	32.50
RMS	7.1434G	50.63	68.20	-17.57	41.01	3	Vertical	27	2.11	-	36.05	6.10	32.53

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 48
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	103.56	Inf	-Inf	95.91	3	Horizontal	73	1.80	-	34.03	5.80	32.18	
RMS	6.5794G	92.59	Inf	-Inf	84.91	3	Horizontal	73	1.80	-	34.06	5.80	32.18	
PK	7.1602G	62.32	88.20	-25.88	52.66	3	Horizontal	73	1.80	-	36.12	6.10	32.56	
RMS	7.1506G	50.82	68.20	-17.38	41.16	3	Horizontal	73	1.80	-	36.10	6.10	32.54	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13016G	52.50	88.20	-35.70	38.00	3	Vertical	297	1.62	-	39.06	8.67	33.23	
RMS	13.13026G	40.34	68.20	-27.86	25.84	3	Vertical	297	1.62	-	39.06	8.67	33.23	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 48
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.12964G	52.40	88.20	-35.80	37.91	3	Horizontal	11	2.41	-	39.06	8.66	33.23	
RMS	13.1298G	40.22	68.20	-27.98	25.73	3	Horizontal	11	2.41	-	39.06	8.66	33.23	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT X_2TX
Setting 48
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69992G	48.04	83.54	-35.50	44.54	1	Vertical	356	1.50	-	37.82	15.38	49.70
AV	19.69932G	35.59	63.54	-27.95	32.09	1	Vertical	356	1.50	-	37.82	15.38	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TnomVnom




EUT_X_2TX
Setting 48
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.69636G	48.63	83.54	-34.91	45.13	1	Horizontal	39	1.57	-	37.82	15.38	49.70
AV	19.69346G	35.96	63.54	-27.58	32.46	1	Horizontal	39	1.57	-	37.82	15.38	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	98.25	Inf	-Inf	90.16	3	Vertical	288	1.58	-	34.36	5.94	32.21
RMS	6.691G	87.02	Inf	-Inf	78.93	3	Vertical	288	1.58	-	34.36	5.94	32.21
PK	7.179G	62.06	88.20	-26.14	52.39	3	Vertical	288	1.58	-	36.16	6.10	32.59
RMS	7.139G	50.84	68.20	-17.36	41.25	3	Vertical	288	1.58	-	36.01	6.10	32.52

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.681G	105.61	Inf	-Inf	97.57	3	Horizontal	286	1.41	-	34.32	5.92	32.20	
RMS	6.695G	93.28	Inf	-Inf	85.17	3	Horizontal	286	1.41	-	34.38	5.94	32.21	
PK	7.145G	62.49	88.20	-25.71	52.86	3	Horizontal	286	1.41	-	36.06	6.10	32.53	
RMS	7.165G	50.64	68.20	-17.56	40.98	3	Horizontal	286	1.41	-	36.13	6.10	32.57	

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.36978G	53.77	74.00	-20.23	38.55	3	Vertical	196	2.85	-	39.75	8.78	33.31	
AV	13.37013G	41.05	54.00	-12.95	25.82	3	Vertical	196	2.85	-	39.75	8.79	33.31	

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.36954G	53.83	74.00	-20.17	38.61	3	Horizontal	290	1.92	-	39.75	8.78	33.31	
AV	13.37006G	41.14	54.00	-12.86	25.91	3	Horizontal	290	1.92	-	39.75	8.79	33.31	

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.05954G	48.51	83.54	-35.03	45.25	1	Vertical	266	1.51	-	37.45	15.53	49.72
AV	20.05874G	35.90	63.54	-27.64	32.64	1	Vertical	266	1.51	-	37.45	15.53	49.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TnomVnom




EUT X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0533G	48.42	83.54	-35.12	45.18	1	Horizontal	150	1.54	-	37.44	15.52	49.72
AV	20.05362G	36.03	63.54	-27.51	32.79	1	Horizontal	150	1.54	-	37.44	15.52	49.72

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8418G	99.87	Inf	-Inf	91.43	3	Vertical	17	1.57	-	34.58	6.10	32.24	
RMS	6.8418G	87.89	Inf	-Inf	79.45	3	Vertical	17	1.57	-	34.58	6.10	32.24	
PK	7.1474G	62.53	88.20	-25.67	52.89	3	Vertical	17	1.57	-	36.08	6.10	32.54	
RMS	7.1442G	50.63	68.20	-17.57	41.01	3	Vertical	17	1.57	-	36.05	6.10	32.53	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8626G	105.12	Inf	-Inf	96.57	3	Horizontal	71	1.83	-	34.70	6.10	32.25	
RMS	6.8546G	93.79	Inf	-Inf	85.30	3	Horizontal	71	1.83	-	34.64	6.10	32.25	
PK	7.157G	62.40	88.20	-25.80	52.74	3	Horizontal	71	1.83	-	36.11	6.10	32.55	
RMS	7.149G	50.96	68.20	-17.24	41.31	3	Horizontal	71	1.83	-	36.09	6.10	32.54	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69039G	54.69	88.20	-33.51	39.02	3	Vertical	337	2.46	-	40.09	8.95	33.37	
RMS	13.69022G	41.82	68.20	-26.38	26.15	3	Vertical	337	2.46	-	40.09	8.95	33.37	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.68968G	54.51	88.20	-33.69	38.85	3	Horizontal	5	2.14	-	40.09	8.94	33.37	
RMS	13.69G	41.65	68.20	-26.55	25.99	3	Horizontal	5	2.14	-	40.09	8.94	33.37	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53356G	47.94	83.54	-35.60	44.35	1	Vertical	106	1.50	-	37.74	15.74	49.89
AV	20.53092G	35.81	63.54	-27.73	32.22	1	Vertical	106	1.50	-	37.74	15.74	49.89

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TnomVnom




EUT X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53202G	47.92	83.54	-35.62	44.33	1	Horizontal	8	1.52	-	37.74	15.74	49.89
AV	20.53766G	35.73	63.54	-27.81	32.12	1	Horizontal	8	1.52	-	37.75	15.74	49.88

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.899G	100.81	Inf	-Inf	91.98	3	Vertical	18.2	2.03	-	34.99	6.10	32.26	
RMS	6.8808G	88.77	Inf	-Inf	80.07	3	Vertical	18.2	2.03	-	34.85	6.10	32.25	
PK	7.1692G	62.21	88.20	-25.99	52.54	3	Vertical	18.2	2.03	-	36.14	6.10	32.57	
RMS	7.1482G	50.60	68.20	-17.60	40.95	3	Vertical	18.2	2.03	-	36.09	6.10	32.54	

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8962G	106.10	Inf	-Inf	97.29	3	Horizontal	70	1.76	-	34.97	6.10	32.26	
RMS	6.892G	94.56	Inf	-Inf	85.77	3	Horizontal	70	1.76	-	34.94	6.10	32.25	
PK	7.1664G	62.29	88.20	-25.91	52.63	3	Horizontal	70	1.76	-	36.13	6.10	32.57	
RMS	7.1524G	50.53	68.20	-17.67	40.88	3	Horizontal	70	1.76	-	36.10	6.10	32.55	

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76954G	54.23	88.20	-33.97	38.38	3	Vertical	203	2.40	-	40.24	8.98	33.37
RMS	13.77037G	41.61	68.20	-26.59	25.75	3	Vertical	203	2.40	-	40.24	8.99	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 49
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76989G	54.43	88.20	-33.77	38.58	3	Horizontal	189	2.72	-	40.24	8.98	33.37
RMS	13.77018G	41.86	68.20	-26.34	26.00	3	Horizontal	189	2.72	-	40.24	8.99	33.37

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65356G	49.61	83.54	-33.93	45.78	1	Vertical	139	1.56	-	37.88	15.79	49.84
AV	20.6522G	37.00	63.54	-26.54	33.17	1	Vertical	139	1.56	-	37.88	15.79	49.84

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 49
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65094G	49.25	83.54	-34.29	45.42	1	Horizontal	34	1.57	-	37.88	15.79	49.84
AV	20.65896G	36.82	63.54	-26.72	32.97	1	Horizontal	34	1.57	-	37.89	15.80	49.84

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	100.21	Inf	-Inf	91.26	3	Vertical	22	1.68	-	35.11	6.10	32.26	
RMS	6.9226G	89.19	Inf	-Inf	80.26	3	Vertical	22	1.68	-	35.09	6.10	32.26	
PK	7.1554G	62.90	88.20	-25.30	53.24	3	Vertical	22	1.68	-	36.11	6.10	32.55	
RMS	7.1434G	50.76	68.20	-17.44	41.14	3	Vertical	22	1.68	-	36.05	6.10	32.53	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9178G	106.84	Inf	-Inf	97.93	3	Horizontal	71	2.11	-	35.07	6.10	32.26	
RMS	6.9166G	94.83	Inf	-Inf	85.92	3	Horizontal	71	2.11	-	35.07	6.10	32.26	
PK	7.1518G	62.11	88.20	-26.09	52.45	3	Horizontal	71	2.11	-	36.10	6.10	32.54	
RMS	7.1338G	50.64	68.20	-17.56	41.08	3	Horizontal	71	2.11	-	35.97	6.10	32.51	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84989G	54.10	88.20	-34.10	37.95	3	Vertical	0	2.86	-	40.50	9.02	33.37	
RMS	13.84967G	42.32	68.20	-25.88	26.17	3	Vertical	0	2.86	-	40.50	9.02	33.37	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85046G	54.42	88.20	-33.78	38.26	3	Horizontal	322	1.79	-	40.50	9.03	33.37	
RMS	13.85044G	42.39	68.20	-25.81	26.23	3	Horizontal	322	1.79	-	40.50	9.03	33.37	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.77902G	48.37	83.54	-35.17	44.36	1	Vertical	18	1.58	-	37.95	15.85	49.79
AV	20.7755G	36.02	63.54	-27.52	32.00	1	Vertical	18	1.58	-	37.96	15.85	49.79

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 46
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.77822G	48.78	83.54	-34.76	44.77	1	Horizontal	240	1.55	-	37.95	15.85	49.79
AV	20.7785G	36.16	63.54	-27.38	32.15	1	Horizontal	240	1.55	-	37.95	15.85	49.79

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0154G	99.50	Inf	-Inf	90.35	3	Vertical	23.8	1.84	-	35.36	6.10	32.31	
RMS	7.0074G	88.50	Inf	-Inf	79.36	3	Vertical	23.8	1.84	-	35.33	6.10	32.29	
PK	7.137G	63.17	88.20	-25.03	53.59	3	Vertical	23.8	1.84	-	36.00	6.10	32.52	
RMS	7.1306G	50.79	68.20	-17.41	41.26	3	Vertical	23.8	1.84	-	35.94	6.10	32.51	

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 47
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.989G	106.95	Inf	-Inf	97.85	3	Horizontal	76	1.38	-	35.28	6.10	32.28	
RMS	7.0098G	95.24	Inf	-Inf	86.10	3	Horizontal	76	1.38	-	35.34	6.10	32.30	
PK	7.1434G	62.59	88.20	-25.61	52.97	3	Horizontal	76	1.38	-	36.05	6.10	32.53	
RMS	7.165G	51.13	68.20	-17.07	41.47	3	Horizontal	76	1.38	-	36.13	6.10	32.57	

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0099G	57.29	88.20	-30.91	40.64	3	Vertical	130	1.13	-	40.93	9.10	33.38	
RMS	14.00951G	44.24	68.20	-23.96	27.59	3	Vertical	130	1.13	-	40.93	9.10	33.38	

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 47
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00964G	56.35	88.20	-31.85	39.70	3	Horizontal	284	2.38	-	40.93	9.10	33.38
RMS	14.00966G	44.20	68.20	-24.00	27.55	3	Horizontal	284	2.38	-	40.93	9.10	33.38

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01348G	46.84	83.54	-36.70	42.98	1	Vertical	44	1.51	-	37.60	15.96	49.70
AV	21.01724G	34.33	63.54	-29.21	30.47	1	Vertical	44	1.51	-	37.60	15.96	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 47
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01244G	46.65	83.54	-36.89	42.79	1	Horizontal	82	1.57	-	37.60	15.96	49.70
AV	21.01002G	34.75	63.54	-28.79	30.90	1	Horizontal	82	1.57	-	37.60	15.95	49.70

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.088G	110.30	Inf	-Inf	110.30	3	Vertical	24	1.80	-	35.50	6.59	42.09	
RMS	7.0898G	98.73	Inf	-Inf	98.70	3	Vertical	24	1.80	-	35.52	6.59	42.08	
PK	7.1258G	72.73	88.20	-15.47	72.45	3	Vertical	24	1.80	-	35.75	6.60	42.07	
RMS	7.1252G	60.99	68.20	-7.21	60.71	3	Vertical	24	1.80	-	35.75	6.60	42.07	

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0886G	116.78	Inf	-Inf	116.77	3	Horizontal	84	1.65	-	35.51	6.59	42.09	
RMS	7.079G	105.54	Inf	-Inf	105.61	3	Horizontal	84	1.65	-	35.43	6.59	42.09	
PK	7.1276G	79.78	88.20	-8.42	79.48	3	Horizontal	84	1.65	-	35.77	6.60	42.07	
RMS	7.1252G	68.04	68.20	-0.16	67.76	3	Horizontal	84	1.65	-	35.75	6.60	42.07	

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 79
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16998G	55.16	88.20	-33.04	37.85	3	Vertical	294	1.46	-	41.48	9.18	33.35
RMS	14.17022G	41.59	68.20	-26.61	24.28	3	Vertical	294	1.46	-	41.48	9.18	33.35

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 79
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17042G	55.70	88.20	-32.50	38.39	3	Horizontal	89	3.00	-	41.48	9.18	33.35	
RMS	14.16977G	41.61	68.20	-26.59	24.30	3	Horizontal	89	3.00	-	41.48	9.18	33.35	

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 79
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25512G	49.44	83.54	-34.10	45.42	1	Vertical	278	1.51	-	37.61	16.06	49.65
AV	21.25676G	35.38	63.54	-28.16	31.35	1	Vertical	278	1.51	-	37.61	16.07	49.65

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 79
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25054G	49.41	83.54	-34.13	45.40	1	Horizontal	73	1.57	-	37.60	16.06	49.65
AV	21.25436G	35.23	63.54	-28.31	31.21	1	Horizontal	73	1.57	-	37.61	16.06	49.65

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT X_2TX
Setting 85
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	73.99	88.20	-14.21	78.46	3	Vertical	298	1.78	-	32.15	6.03	42.65
RMS	5.923G	62.19	68.20	-6.01	66.66	3	Vertical	298	1.78	-	32.15	6.03	42.65
PK	5.979G	107.25	Inf	-Inf	111.57	3	Vertical	298	1.78	-	32.20	6.09	42.61
RMS	5.999G	97.26	Inf	-Inf	101.55	3	Vertical	298	1.78	-	32.20	6.11	42.60

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT X_2TX
Setting 85
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.916G	81.07	88.20	-7.13	85.57	3	Horizontal	294	1.67	-	32.13	6.02	42.65	
RMS	5.921G	67.97	68.20	-0.33	72.36	3	Horizontal	294	1.67	-	32.14	6.02	42.65	
PK	5.999G	112.24	Inf	-Inf	116.53	3	Horizontal	294	1.67	-	32.20	6.11	42.60	
RMS	5.996G	102.74	Inf	-Inf	107.03	3	Horizontal	294	1.67	-	32.20	6.11	42.60	

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT X_2TX
Setting 85
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97023G	51.97	74.00	-22.03	38.19	3	Vertical	144	2.52	-	39.03	8.09	33.34	
AV	11.96979G	39.66	54.00	-14.34	25.88	3	Vertical	144	2.52	-	39.03	8.09	33.34	
PK	17.95482G	65.60	74.00	-8.40	36.51	3	Vertical	212	1.72	-	51.82	10.98	33.71	
AV	17.95485G	49.33	54.00	-4.67	20.24	3	Vertical	212	1.72	-	51.82	10.98	33.71	

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 85
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.96958G	52.02	74.00	-21.98	38.24	3	Horizontal	283	2.71	-	39.03	8.09	33.34	
AV	11.97039G	39.68	54.00	-14.32	25.90	3	Horizontal	283	2.71	-	39.03	8.09	33.34	
PK	17.955G	65.19	74.00	-8.81	36.09	3	Horizontal	73	2.54	-	51.83	10.98	33.71	
AV	17.9549G	49.14	54.00	-4.86	20.05	3	Horizontal	73	2.54	-	51.82	10.98	33.71	

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8882G	55.30	88.20	-32.90	49.66	3	Vertical	292	1.62	-	32.10	5.69	32.15	
RMS	5.863G	44.90	68.20	-23.30	39.29	3	Vertical	292	1.62	-	32.10	5.66	32.15	
PK	6.1486G	98.18	Inf	-Inf	91.95	3	Vertical	292	1.62	-	32.59	5.80	32.16	
RMS	6.1342G	87.15	Inf	-Inf	80.97	3	Vertical	292	1.62	-	32.54	5.80	32.16	

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	55.92	88.20	-32.28	50.16	3	Horizontal	287	1.84	-	32.20	5.72	32.16	
RMS	5.8942G	45.39	68.20	-22.81	39.75	3	Horizontal	287	1.84	-	32.10	5.69	32.15	
PK	6.1378G	103.56	Inf	-Inf	97.37	3	Horizontal	287	1.84	-	32.55	5.80	32.16	
RMS	6.1282G	93.62	Inf	-Inf	87.47	3	Horizontal	287	1.84	-	32.51	5.80	32.16	

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28986G	52.26	74.00	-21.74	38.60	3	Vertical	213	2.73	-	38.84	8.24	33.42
AV	12.29036G	41.21	54.00	-12.79	27.54	3	Vertical	213	2.73	-	38.84	8.25	33.42

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28996G	52.52	74.00	-21.48	38.86	3	Horizontal	292	1.68	-	38.84	8.24	33.42
AV	12.29042G	40.98	54.00	-13.02	27.31	3	Horizontal	292	1.68	-	38.84	8.25	33.42

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.4318G	47.54	83.54	-36.00	45.08	1	Vertical	15	1.57	-	37.72	14.87	50.13	
AV	18.4306G	36.20	63.54	-27.34	33.74	1	Vertical	15	1.57	-	37.72	14.87	50.13	

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 57
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43338G	47.72	83.54	-35.82	45.26	1	Horizontal	26	1.50	-	37.72	14.87	50.13
AV	18.43328G	36.42	63.54	-27.12	33.96	1	Horizontal	26	1.50	-	37.72	14.87	50.13

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8354G	55.10	88.20	-33.10	49.54	3	Vertical	43.7	1.74	-	32.07	5.64	32.15	
RMS	5.8426G	44.98	68.20	-23.22	39.40	3	Vertical	43.7	1.74	-	32.09	5.64	32.15	
PK	6.373G	98.45	Inf	-Inf	91.47	3	Vertical	43.7	1.74	-	33.34	5.80	32.16	
RMS	6.373G	88.17	Inf	-Inf	81.19	3	Vertical	43.7	1.74	-	33.34	5.80	32.16	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8714G	55.04	88.20	-33.16	49.42	3	Horizontal	73	1.80	-	32.10	5.67	32.15	
RMS	5.9146G	44.99	68.20	-23.21	39.27	3	Horizontal	73	1.80	-	32.16	5.71	32.15	
PK	6.3682G	103.86	Inf	-Inf	96.91	3	Horizontal	73	1.80	-	33.31	5.80	32.16	
RMS	6.373G	93.73	Inf	-Inf	86.75	3	Horizontal	73	1.80	-	33.34	5.80	32.16	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77018G	52.15	88.20	-36.05	38.03	3	Vertical	20	1.62	-	38.94	8.49	33.31	
RMS	12.77003G	41.44	68.20	-26.76	27.32	3	Vertical	20	1.62	-	38.94	8.49	33.31	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7696G	51.97	88.20	-36.23	37.86	3	Horizontal	72	1.81	-	38.94	8.48	33.31
RMS	12.76965G	41.23	68.20	-26.97	27.12	3	Horizontal	72	1.81	-	38.94	8.48	33.31

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15818G	47.53	83.54	-36.01	44.19	1	Vertical	294	1.53	-	37.81	15.16	49.63
AV	19.15812G	36.78	63.54	-26.76	33.44	1	Vertical	294	1.53	-	37.81	15.16	49.63

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.15228G	48.48	83.54	-35.06	45.13	1	Horizontal	25	1.53	-	37.82	15.16	49.63	
AV	19.15502G	36.75	63.54	-26.79	33.41	1	Horizontal	25	1.53	-	37.81	15.16	49.63	

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8878G	54.89	88.20	-33.31	49.25	3	Vertical	311	3.00	-	32.10	5.69	32.15	
RMS	5.854G	45.04	68.20	-23.16	39.44	3	Vertical	311	3.00	-	32.10	5.65	32.15	
PK	6.452G	98.22	Inf	-Inf	90.87	3	Vertical	311	3.00	-	33.71	5.80	32.16	
RMS	6.4546G	87.75	Inf	-Inf	80.38	3	Vertical	311	3.00	-	33.73	5.80	32.16	

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8904G	54.65	88.20	-33.55	49.01	3	Horizontal	74.1	1.90	-	32.10	5.69	32.15	
RMS	5.9034G	45.34	68.20	-22.86	39.68	3	Horizontal	74.1	1.90	-	32.11	5.70	32.15	
PK	6.4364G	103.04	Inf	-Inf	95.75	3	Horizontal	74.1	1.90	-	33.65	5.80	32.16	
RMS	6.4832G	93.69	Inf	-Inf	86.15	3	Horizontal	74.1	1.90	-	33.90	5.80	32.16	

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93024G	53.06	88.20	-35.14	38.68	3	Vertical	200	2.58	-	39.03	8.57	33.22
RMS	12.93033G	42.11	68.20	-26.09	27.73	3	Vertical	200	2.58	-	39.03	8.57	33.22

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93031G	53.03	88.20	-35.17	38.65	3	Horizontal	243	2.35	-	39.03	8.57	33.22	
RMS	12.92988G	41.79	68.20	-26.41	27.42	3	Horizontal	243	2.35	-	39.03	8.56	33.22	

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39962G	47.91	83.54	-35.63	44.51	1	Vertical	138	1.55	-	37.82	15.26	49.68
AV	19.39978G	37.27	63.54	-26.27	33.87	1	Vertical	138	1.55	-	37.82	15.26	49.68

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 60
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.3909G	48.01	83.54	-35.53	44.62	1	Horizontal	105	1.57	-	37.81	15.26	49.68	
AV	19.39958G	36.97	63.54	-26.57	33.57	1	Horizontal	105	1.57	-	37.82	15.26	49.68	

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	54.96	88.20	-33.24	49.20	3	Vertical	309.2	2.73	-	32.20	5.72	32.16
RMS	5.9094G	44.80	68.20	-23.40	39.10	3	Vertical	309.2	2.73	-	32.14	5.71	32.15
PK	6.5534G	95.98	Inf	-Inf	88.34	3	Vertical	309.2	2.73	-	34.01	5.80	32.17
RMS	6.5422G	86.15	Inf	-Inf	78.52	3	Vertical	309.2	2.73	-	34.00	5.80	32.17
PK	7.1442G	61.76	88.20	-26.44	52.14	3	Vertical	309.2	2.73	-	36.05	6.10	32.53
RMS	7.1694G	51.88	68.20	-16.32	42.21	3	Vertical	309.2	2.73	-	36.14	6.10	32.57

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	55.43	88.20	-32.77	49.76	3	Horizontal	282	1.14	-	32.12	5.70	32.15
RMS	5.8814G	45.02	68.20	-23.18	39.39	3	Horizontal	282	1.14	-	32.10	5.68	32.15
PK	6.5506G	103.87	Inf	-Inf	96.24	3	Horizontal	282	1.14	-	34.00	5.80	32.17
RMS	6.5562G	93.49	Inf	-Inf	85.85	3	Horizontal	282	1.14	-	34.01	5.80	32.17
PK	7.1638G	62.02	88.20	-26.18	52.36	3	Horizontal	282	1.14	-	36.13	6.10	32.57
RMS	7.147G	51.78	68.20	-16.42	42.14	3	Horizontal	282	1.14	-	36.08	6.10	32.54

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0904G	52.38	88.20	-35.82	37.93	3	Vertical	297	1.24	-	39.01	8.65	33.21
RMS	13.08987G	42.26	68.20	-25.94	27.82	3	Vertical	297	1.24	-	39.01	8.64	33.21

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09042G	52.09	88.20	-36.11	37.64	3	Horizontal	247	2.97	-	39.01	8.65	33.21
RMS	13.09001G	41.93	68.20	-26.27	27.48	3	Horizontal	247	2.97	-	39.01	8.65	33.21

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63872G	48.24	83.54	-35.30	44.74	1	Vertical	268	1.54	-	37.84	15.36	49.70
AV	19.6343G	37.78	63.54	-25.76	34.28	1	Vertical	268	1.54	-	37.85	15.35	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63044G	47.82	83.54	-35.72	44.32	1	Horizontal	150	1.50	-	37.85	15.35	49.70
AV	19.63754G	37.73	63.54	-25.81	34.23	1	Horizontal	150	1.50	-	37.84	15.36	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5962G	96.89	Inf	-Inf	89.18	3	Vertical	314	3.00	-	34.09	5.80	32.18	
RMS	6.5962G	86.06	Inf	-Inf	78.35	3	Vertical	314	3.00	-	34.09	5.80	32.18	
PK	7.1338G	61.86	88.20	-26.34	52.30	3	Vertical	314	3.00	-	35.97	6.10	32.51	
RMS	7.1602G	52.41	68.20	-15.79	42.75	3	Vertical	314	3.00	-	36.12	6.10	32.56	

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6298G	103.92	Inf	-Inf	96.11	3	Horizontal	288	1.53	-	34.16	5.84	32.19	
RMS	6.637G	94.09	Inf	-Inf	86.25	3	Horizontal	288	1.53	-	34.17	5.86	32.19	
PK	7.1506G	62.42	88.20	-25.78	52.76	3	Horizontal	288	1.53	-	36.10	6.10	32.54	
RMS	7.1482G	52.30	68.20	-15.90	42.65	3	Horizontal	288	1.53	-	36.09	6.10	32.54	

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25097G	53.36	74.00	-20.64	38.60	3	Vertical	46	2.39	-	39.30	8.73	33.27
AV	13.25026G	41.88	54.00	-12.12	27.12	3	Vertical	46	2.39	-	39.30	8.73	33.27

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25037G	52.49	74.00	-21.51	37.73	3	Horizontal	47	1.83	-	39.30	8.73	33.27
AV	13.2504G	41.77	54.00	-12.23	27.01	3	Horizontal	47	1.83	-	39.30	8.73	33.27

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87216G	47.37	83.54	-36.17	44.02	1	Vertical	169	1.56	-	37.60	15.45	49.70
AV	19.8704G	36.82	63.54	-26.72	33.46	1	Vertical	169	1.56	-	37.61	15.45	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87408G	47.75	83.54	-35.79	44.40	1	Horizontal	88	1.53	-	37.60	15.45	49.70
AV	19.87512G	36.92	63.54	-26.62	33.57	1	Horizontal	88	1.53	-	37.60	15.45	49.70

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.727G	97.16	Inf	-Inf	89.03	3	Vertical	314	3.00	-	34.35	5.99	32.21	
RMS	6.723G	87.06	Inf	-Inf	78.94	3	Vertical	314	3.00	-	34.35	5.98	32.21	
PK	7.171G	61.71	88.20	-26.49	52.05	3	Vertical	314	3.00	-	36.14	6.10	32.58	
RMS	7.149G	52.01	68.20	-16.19	42.36	3	Vertical	314	3.00	-	36.09	6.10	32.54	

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.735G	104.52	Inf	-Inf	96.41	3	Horizontal	68	1.80	-	34.33	6.00	32.22	
RMS	6.719G	93.64	Inf	-Inf	85.51	3	Horizontal	68	1.80	-	34.36	5.98	32.21	
PK	7.173G	62.62	88.20	-25.58	52.95	3	Horizontal	68	1.80	-	36.15	6.10	32.58	
RMS	7.129G	51.85	68.20	-16.35	42.32	3	Horizontal	68	1.80	-	35.93	6.10	32.50	

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41046G	53.44	88.20	-34.76	38.05	3	Vertical	152	2.03	-	39.91	8.81	33.33
RMS	13.41009G	42.61	68.20	-25.59	27.22	3	Vertical	152	2.03	-	39.91	8.81	33.33

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 61
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41029G	54.57	88.20	-33.63	39.18	3	Horizontal	68	1.81	-	39.91	8.81	33.33	
RMS	13.40986G	42.86	68.20	-25.34	27.48	3	Horizontal	68	1.81	-	39.91	8.80	33.33	

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11384G	48.46	83.54	-35.08	45.17	1	Vertical	318	1.57	-	37.49	15.55	49.75
AV	20.11624G	38.16	63.54	-25.38	34.87	1	Vertical	318	1.57	-	37.49	15.55	49.75

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 61
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.11052G	48.98	83.54	-34.56	45.68	1	Horizontal	183	1.55	-	37.49	15.55	49.74	
AV	20.11898G	38.27	63.54	-25.27	34.97	1	Horizontal	183	1.55	-	37.50	15.55	49.75	

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8066G	98.01	Inf	-Inf	89.63	3	Vertical	21	1.71	-	34.51	6.10	32.23	
RMS	6.8048G	87.81	Inf	-Inf	79.43	3	Vertical	21	1.71	-	34.51	6.10	32.23	
PK	7.1648G	62.01	88.20	-26.19	52.35	3	Vertical	21	1.71	-	36.13	6.10	32.57	
RMS	7.1432G	52.29	68.20	-15.91	42.67	3	Vertical	21	1.71	-	36.05	6.10	32.53	

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8174G	104.60	Inf	-Inf	96.21	3	Horizontal	72	1.87	-	34.53	6.10	32.24	
RMS	6.8156G	94.36	Inf	-Inf	85.97	3	Horizontal	72	1.87	-	34.53	6.10	32.24	
PK	7.1522G	62.36	88.20	-25.84	52.70	3	Horizontal	72	1.87	-	36.10	6.10	32.54	
RMS	7.1504G	52.18	68.20	-16.02	42.52	3	Horizontal	72	1.87	-	36.10	6.10	32.54	

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57048G	54.27	88.20	-33.93	38.74	3	Vertical	237	2.00	-	40.00	8.89	33.36
RMS	13.56989G	42.86	68.20	-25.34	27.34	3	Vertical	237	2.00	-	40.00	8.88	33.36

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56979G	53.63	88.20	-34.57	38.11	3	Horizontal	31	1.00	-	40.00	8.88	33.36
RMS	13.57041G	42.98	68.20	-25.22	27.45	3	Horizontal	31	1.00	-	40.00	8.89	33.36

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 59
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.35518G	47.78	83.54	-35.76	44.32	1	Vertical	134	1.53	-	37.64	15.66	49.84	
AV	20.35198G	37.14	63.54	-26.40	33.68	1	Vertical	134	1.53	-	37.64	15.66	49.84	

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 59
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35824G	48.69	83.54	-34.85	45.23	1	Horizontal	357	1.58	-	37.64	15.66	49.84
AV	20.35624G	36.96	63.54	-26.58	33.50	1	Horizontal	357	1.58	-	37.64	15.66	49.84

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	99.19	Inf	-Inf	90.71	3	Vertical	18.3	1.89	-	34.62	6.10	32.24
RMS	6.858G	89.01	Inf	-Inf	80.50	3	Vertical	18.3	1.89	-	34.66	6.10	32.25
PK	7.1436G	61.92	88.20	-26.28	52.30	3	Vertical	18.3	1.89	-	36.05	6.10	32.53
RMS	7.1926G	52.67	68.20	-15.53	43.00	3	Vertical	18.3	1.89	-	36.19	6.10	32.62

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8972G	105.73	Inf	-Inf	96.91	3	Horizontal	73	1.91	-	34.98	6.10	32.26	
RMS	6.8958G	95.87	Inf	-Inf	87.05	3	Horizontal	73	1.91	-	34.97	6.10	32.25	
PK	7.1408G	62.03	88.20	-26.17	52.42	3	Horizontal	73	1.91	-	36.03	6.10	32.52	
RMS	7.1632G	52.24	68.20	-15.96	42.57	3	Horizontal	73	1.91	-	36.13	6.10	32.56	

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72996G	54.13	88.20	-34.07	38.38	3	Vertical	247	1.04	-	40.16	8.96	33.37
RMS	13.72972G	43.13	68.20	-25.07	27.38	3	Vertical	247	1.04	-	40.16	8.96	33.37

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 60
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72986G	53.90	88.20	-34.30	38.15	3	Horizontal	285	1.75	-	40.16	8.96	33.37
RMS	13.73012G	43.28	68.20	-24.92	27.52	3	Horizontal	285	1.75	-	40.16	8.97	33.37

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59422G	48.77	83.54	-34.77	45.05	1	Vertical	354	1.54	-	37.81	15.77	49.86
AV	20.59906G	37.81	63.54	-25.73	34.08	1	Vertical	354	1.54	-	37.82	15.77	49.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 60
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59304G	48.73	83.54	-34.81	45.01	1	Horizontal	153	1.52	-	37.81	15.77	49.86
AV	20.59918G	38.12	63.54	-25.42	34.39	1	Horizontal	153	1.52	-	37.82	15.77	49.86

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9306G	100.62	Inf	-Inf	91.66	3	Vertical	21	1.28	-	35.12	6.10	32.26
RMS	6.975G	90.56	Inf	-Inf	81.48	3	Vertical	21	1.28	-	35.25	6.10	32.27
PK	7.1562G	63.09	88.20	-25.11	53.43	3	Vertical	21	1.28	-	36.11	6.10	32.55
RMS	7.149G	52.57	68.20	-15.63	42.92	3	Vertical	21	1.28	-	36.09	6.10	32.54

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9402G	106.45	Inf	-Inf	97.46	3	Horizontal	59.2	2.01	-	35.16	6.10	32.27	
RMS	6.9726G	95.59	Inf	-Inf	86.51	3	Horizontal	59.2	2.01	-	35.25	6.10	32.27	
PK	7.245G	62.72	88.20	-25.48	52.93	3	Horizontal	59.2	2.01	-	36.38	6.12	32.71	
RMS	7.1394G	52.30	68.20	-15.90	42.70	3	Horizontal	59.2	2.01	-	36.02	6.10	32.52	

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8904G	54.64	88.20	-33.56	38.31	3	Vertical	65	1.92	-	40.66	9.05	33.38	
RMS	13.88975G	44.46	68.20	-23.74	28.14	3	Vertical	65	1.92	-	40.66	9.04	33.38	

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 59
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8901G	55.18	88.20	-33.02	38.85	3	Horizontal	17	1.27	-	40.66	9.05	33.38
RMS	13.88961G	44.34	68.20	-23.86	28.02	3	Horizontal	17	1.27	-	40.66	9.04	33.38

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 59
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.8336G	48.20	83.54	-35.34	44.22	1	Vertical	350	1.54	-	37.87	15.88	49.77	
AV	20.83096G	37.34	63.54	-26.20	33.37	1	Vertical	350	1.54	-	37.87	15.87	49.77	

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 59
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83092G	48.21	83.54	-35.33	44.24	1	Horizontal	101	1.53	-	37.87	15.87	49.77
AV	20.83332G	37.45	63.54	-26.09	33.48	1	Horizontal	101	1.53	-	37.87	15.87	49.77

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 90
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0306G	108.52	Inf	-Inf	108.92	3	Vertical	25	1.73	-	35.12	6.58	42.10	
RMS	7.0402G	97.87	Inf	-Inf	98.23	3	Vertical	25	1.73	-	35.16	6.58	42.10	
PK	7.125G	70.49	88.20	-17.71	70.22	3	Vertical	25	1.73	-	35.75	6.60	42.08	
RMS	7.125G	59.17	68.20	-9.03	58.90	3	Vertical	25	1.73	-	35.75	6.60	42.08	

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 90
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0026G	114.19	Inf	-Inf	114.72	3	Horizontal	76	1.79	-	35.01	6.57	42.11	
RMS	7.0138G	104.35	Inf	-Inf	104.83	3	Horizontal	76	1.79	-	35.06	6.57	42.11	
PK	7.1258G	79.32	88.20	-8.88	79.04	3	Horizontal	76	1.79	-	35.75	6.60	42.07	
RMS	7.125G	67.99	68.20	-0.21	67.72	3	Horizontal	76	1.79	-	35.75	6.60	42.08	

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 90
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.05001G	58.30	88.20	-29.90	41.50	3	Vertical	205	2.23	-	41.05	9.12	33.37	
RMS	14.05003G	48.84	68.20	-19.36	32.04	3	Vertical	205	2.23	-	41.05	9.12	33.37	

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 90
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.05011G	58.48	88.20	-29.72	41.68	3	Horizontal	101	1.97	-	41.05	9.12	33.37	
RMS	14.04995G	48.53	68.20	-19.67	31.73	3	Horizontal	101	1.97	-	41.05	9.12	33.37	

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 90
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07114G	46.89	83.54	-36.65	43.00	1	Vertical	214	1.57	-	37.60	15.98	49.69
AV	21.07586G	36.23	63.54	-27.31	32.33	1	Vertical	214	1.57	-	37.60	15.98	49.68

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 90
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.0789G	47.09	83.54	-36.45	43.18	1	Horizontal	288	1.50	-	37.60	15.99	49.68	
AV	21.07812G	36.56	63.54	-26.98	32.65	1	Horizontal	288	1.50	-	37.60	15.99	49.68	

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	62.12	88.20	-26.08	56.37	3	Vertical	22.1	1.32	-	32.19	5.72	32.16
RMS	5.917G	49.29	68.20	-18.91	43.56	3	Vertical	22.1	1.32	-	32.17	5.72	32.16
PK	6.049G	97.29	Inf	-Inf	91.16	3	Vertical	22.1	1.32	-	32.49	5.80	32.16
RMS	6.053G	85.77	Inf	-Inf	79.64	3	Vertical	22.1	1.32	-	32.49	5.80	32.16

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.907G	65.10	88.20	-23.10	59.41	3	Horizontal	284	1.78	-	32.13	5.71	32.15	
RMS	5.911G	53.50	68.20	-14.70	47.80	3	Horizontal	284	1.78	-	32.14	5.71	32.15	
PK	6.057G	102.84	Inf	-Inf	96.71	3	Horizontal	284	1.78	-	32.49	5.80	32.16	
RMS	6.049G	92.72	Inf	-Inf	86.59	3	Horizontal	284	1.78	-	32.49	5.80	32.16	

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.04972G	51.96	74.00	-22.04	38.05	3	Vertical	46	2.76	-	39.15	8.12	33.36	
AV	12.0503G	41.63	54.00	-12.37	27.71	3	Vertical	46	2.76	-	39.15	8.13	33.36	

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04969G	52.37	74.00	-21.63	38.46	3	Horizontal	56	1.37	-	39.15	8.12	33.36
AV	12.05007G	41.15	54.00	-12.85	27.23	3	Horizontal	56	1.37	-	39.15	8.13	33.36

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.07088G	46.60	83.54	-36.94	44.50	1	Vertical	154	1.54	-	37.64	14.73	50.27	
AV	18.07458G	35.73	63.54	-27.81	33.63	1	Vertical	154	1.54	-	37.64	14.73	50.27	

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.0736G	45.92	83.54	-37.62	43.82	1	Horizontal	206	1.50	-	37.64	14.73	50.27	
AV	18.07394G	35.94	63.54	-27.60	33.84	1	Horizontal	206	1.50	-	37.64	14.73	50.27	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9018G	60.28	88.20	-27.92	54.62	3	Vertical	290	1.73	-	32.11	5.70	32.15	
RMS	5.9098G	45.72	68.20	-22.48	40.02	3	Vertical	290	1.73	-	32.14	5.71	32.15	
PK	6.2474G	97.21	Inf	-Inf	90.68	3	Vertical	290	1.73	-	32.89	5.80	32.16	
RMS	6.2074G	87.10	Inf	-Inf	80.73	3	Vertical	290	1.73	-	32.73	5.80	32.16	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9114G	63.21	88.20	-24.99	57.50	3	Horizontal	282	1.87	-	32.15	5.71	32.15	
RMS	5.9066G	46.81	68.20	-21.39	41.12	3	Horizontal	282	1.87	-	32.13	5.71	32.15	
PK	6.2154G	103.38	Inf	-Inf	96.98	3	Horizontal	282	1.87	-	32.76	5.80	32.16	
RMS	6.129G	93.45	Inf	-Inf	87.29	3	Horizontal	282	1.87	-	32.52	5.80	32.16	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.36962G	51.95	74.00	-22.05	38.45	3	Vertical	62	1.78	-	38.66	8.28	33.44	
AV	12.37032G	40.89	54.00	-13.11	27.38	3	Vertical	62	1.78	-	38.66	8.29	33.44	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36975G	52.10	74.00	-21.90	38.60	3	Horizontal	350	1.42	-	38.66	8.28	33.44
AV	12.37024G	41.68	54.00	-12.32	28.17	3	Horizontal	350	1.42	-	38.66	8.29	33.44

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.5584G	47.71	83.54	-35.83	45.05	1	Vertical	337	1.53	-	37.78	14.92	50.04	
AV	18.55494G	36.89	63.54	-26.65	34.24	1	Vertical	337	1.53	-	37.78	14.92	50.05	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.5525G	47.44	83.54	-36.10	44.79	1	Horizontal	59	1.55	-	37.78	14.92	50.05
AV	18.55236G	36.36	63.54	-27.18	33.71	1	Horizontal	59	1.55	-	37.78	14.92	50.05

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9178G	55.45	88.20	-32.75	49.72	3	Vertical	296.6	1.75	-	32.17	5.72	32.16	
RMS	5.9202G	44.99	68.20	-23.21	39.25	3	Vertical	296.6	1.75	-	32.18	5.72	32.16	
PK	6.3234G	97.38	Inf	-Inf	90.65	3	Vertical	296.6	1.75	-	33.09	5.80	32.16	
RMS	6.3714G	87.29	Inf	-Inf	80.32	3	Vertical	296.6	1.75	-	33.33	5.80	32.16	

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	56.48	88.20	-31.72	50.72	3	Horizontal	65	1.80	-	32.20	5.72	32.16	
RMS	5.9034G	45.60	68.20	-22.60	39.94	3	Horizontal	65	1.80	-	32.11	5.70	32.15	
PK	6.3714G	102.95	Inf	-Inf	95.98	3	Horizontal	65	1.80	-	33.33	5.80	32.16	
RMS	6.3738G	93.01	Inf	-Inf	86.03	3	Horizontal	65	1.80	-	33.34	5.80	32.16	

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68995G	51.79	74.00	-22.21	37.94	3	Vertical	265	1.07	-	38.77	8.44	33.36
AV	12.69019G	41.32	54.00	-12.68	27.46	3	Vertical	265	1.07	-	38.77	8.45	33.36

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69002G	51.88	74.00	-22.12	38.02	3	Horizontal	41	2.85	-	38.77	8.45	33.36
AV	12.69012G	41.36	54.00	-12.64	27.50	3	Horizontal	41	2.85	-	38.77	8.45	33.36

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.03022G	48.45	83.54	-35.09	44.99	1	Vertical	106	1.50	-	37.96	15.11	49.61	
AV	19.03354G	37.35	63.54	-26.19	33.89	1	Vertical	106	1.50	-	37.96	15.11	49.61	

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04G	48.39	83.54	-35.15	44.93	1	Horizontal	175	1.54	-	37.95	15.12	49.61
AV	19.03506G	37.28	63.54	-26.26	33.82	1	Horizontal	175	1.54	-	37.96	15.11	49.61

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	55.33	88.20	-32.87	49.61	3	Vertical	290	1.71	-	32.16	5.71	32.15
RMS	5.917G	44.71	68.20	-23.49	38.98	3	Vertical	290	1.71	-	32.17	5.72	32.16
PK	6.4742G	97.53	Inf	-Inf	90.04	3	Vertical	290	1.71	-	33.85	5.80	32.16
RMS	6.4742G	86.95	Inf	-Inf	79.46	3	Vertical	290	1.71	-	33.85	5.80	32.16
PK	7.1658G	62.09	88.20	-26.11	52.43	3	Vertical	290	1.71	-	36.13	6.10	32.57
RMS	7.1462G	52.29	68.20	-15.91	42.65	3	Vertical	290	1.71	-	36.07	6.10	32.53

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
Setting 72
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8526G	55.18	88.20	-33.02	49.58	3	Horizontal	71.4	1.98	-	32.10	5.65	32.15
RMS	5.9114G	45.25	68.20	-22.95	39.54	3	Horizontal	71.4	1.98	-	32.15	5.71	32.15
PK	6.4938G	104.63	Inf	-Inf	97.03	3	Horizontal	71.4	1.98	-	33.96	5.80	32.16
RMS	6.477G	92.96	Inf	-Inf	85.46	3	Horizontal	71.4	1.98	-	33.86	5.80	32.16
PK	7.1602G	62.41	88.20	-25.79	52.75	3	Horizontal	71.4	1.98	-	36.12	6.10	32.56
RMS	7.1294G	51.97	68.20	-16.23	42.44	3	Horizontal	71.4	1.98	-	35.94	6.10	32.51

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01023G	53.24	88.20	-34.96	38.72	3	Vertical	191	2.51	-	39.09	8.61	33.18
RMS	13.01021G	41.91	68.20	-26.29	27.39	3	Vertical	191	2.51	-	39.09	8.61	33.18

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 72
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01014G	52.68	88.20	-35.52	38.16	3	Horizontal	27	1.18	-	39.09	8.61	33.18
RMS	13.01026G	42.09	68.20	-26.11	27.57	3	Horizontal	27	1.18	-	39.09	8.61	33.18

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 72
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51132G	47.95	83.54	-35.59	44.45	1	Vertical	152	1.58	-	37.90	15.30	49.70
AV	19.5168G	37.92	63.54	-25.62	34.42	1	Vertical	152	1.58	-	37.89	15.31	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 72
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51806G	48.40	83.54	-35.14	44.90	1	Horizontal	42	1.54	-	37.89	15.31	49.70
AV	19.51966G	38.07	63.54	-25.47	34.57	1	Horizontal	42	1.54	-	37.89	15.31	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 70
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.687G	96.79	Inf	-Inf	88.71	3	Vertical	290	1.62	-	34.35	5.93	32.20	
RMS	6.6826G	86.91	Inf	-Inf	78.86	3	Vertical	290	1.62	-	34.33	5.92	32.20	
PK	7.1798G	62.26	88.20	-25.94	52.59	3	Vertical	290	1.62	-	36.16	6.10	32.59	
RMS	7.1952G	52.01	68.20	-16.19	42.34	3	Vertical	290	1.62	-	36.19	6.10	32.62	

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 70
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6452G	103.72	Inf	-Inf	95.85	3	Horizontal	72	1.78	-	34.19	5.87	32.19	
RMS	6.6342G	93.33	Inf	-Inf	85.50	3	Horizontal	72	1.78	-	34.17	5.85	32.19	
PK	7.1468G	63.10	88.20	-25.10	53.47	3	Horizontal	72	1.78	-	36.07	6.10	32.54	
RMS	7.1336G	52.32	68.20	-15.88	42.76	3	Horizontal	72	1.78	-	35.97	6.10	32.51	

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 70
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.33013G	53.32	74.00	-20.68	38.30	3	Vertical	267	2.44	-	39.55	8.77	33.30	
AV	13.32961G	42.86	54.00	-11.14	27.85	3	Vertical	267	2.44	-	39.55	8.76	33.30	

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 70
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32954G	53.26	74.00	-20.74	38.25	3	Horizontal	136	2.86	-	39.55	8.76	33.30
AV	13.33043G	42.32	54.00	-11.68	27.30	3	Horizontal	136	2.86	-	39.55	8.77	33.30

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 70
01-A-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99526G	48.71	83.54	-34.83	45.50	1	Vertical	146	1.51	-	37.41	15.50	49.70
AV	19.99466G	37.43	63.54	-26.11	34.22	1	Vertical	146	1.51	-	37.41	15.50	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 70
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99156G	48.67	83.54	-34.87	45.46	1	Horizontal	154	1.57	-	37.41	15.50	49.70
AV	19.99354G	37.50	63.54	-26.04	34.29	1	Horizontal	154	1.57	-	37.41	15.50	49.70

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	98.67	Inf	-Inf	90.16	3	Vertical	21	1.56	-	34.66	6.10	32.25
RMS	6.8506G	88.95	Inf	-Inf	80.49	3	Vertical	21	1.56	-	34.60	6.10	32.24
PK	7.201G	62.55	88.20	-25.65	52.88	3	Vertical	21	1.56	-	36.20	6.10	32.63
RMS	7.1514G	52.40	68.20	-15.80	42.74	3	Vertical	21	1.56	-	36.10	6.10	32.54

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 69
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.857G	106.39	Inf	-Inf	97.88	3	Horizontal	69.4	1.83	-	34.66	6.10	32.25	
RMS	6.8858G	94.98	Inf	-Inf	86.24	3	Horizontal	69.4	1.83	-	34.89	6.10	32.25	
PK	7.153G	63.79	88.20	-24.41	54.13	3	Horizontal	69.4	1.83	-	36.11	6.10	32.55	
RMS	7.1898G	53.20	68.20	-15.00	43.53	3	Horizontal	69.4	1.83	-	36.18	6.10	32.61	

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.64951G	53.16	88.20	-35.04	37.56	3	Vertical	59	2.30	-	40.05	8.92	33.37	
RMS	13.65012G	42.78	68.20	-25.42	27.17	3	Vertical	59	2.30	-	40.05	8.93	33.37	

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 69
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64988G	53.59	88.20	-34.61	37.99	3	Horizontal	247	2.09	-	40.05	8.92	33.37
RMS	13.64969G	42.79	68.20	-25.41	27.19	3	Horizontal	247	2.09	-	40.05	8.92	33.37

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47544G	47.35	83.54	-36.19	43.84	1	Vertical	303	1.51	-	37.69	15.71	49.89
AV	20.473G	37.26	63.54	-26.28	33.75	1	Vertical	303	1.51	-	37.69	15.71	49.89

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
Setting 69
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47338G	47.71	83.54	-35.83	44.20	1	Horizontal	44	1.51	-	37.69	15.71	49.89
AV	20.47286G	36.70	63.54	-26.84	33.19	1	Horizontal	44	1.51	-	37.69	15.71	49.89

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 68
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.013G	100.74	Inf	-Inf	91.59	3	Vertical	21.7	1.64	-	35.35	6.10	32.30	
RMS	7.007G	90.95	Inf	-Inf	81.81	3	Vertical	21.7	1.64	-	35.33	6.10	32.29	
PK	7.129G	65.67	88.20	-22.53	56.14	3	Vertical	21.7	1.64	-	35.93	6.10	32.50	
RMS	7.13G	53.26	68.20	-14.94	43.73	3	Vertical	21.7	1.64	-	35.94	6.10	32.51	

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 68
02-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.007G	107.74	Inf	-Inf	98.60	3	Horizontal	288	1.26	-	35.33	6.10	32.29	
RMS	7.016G	97.30	Inf	-Inf	88.15	3	Horizontal	288	1.26	-	35.36	6.10	32.31	
PK	7.13G	74.22	88.20	-13.98	64.69	3	Horizontal	288	1.26	-	35.94	6.10	32.51	
RMS	7.131G	59.73	68.20	-8.47	50.19	3	Horizontal	288	1.26	-	35.95	6.10	32.51	

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 68
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9701G	56.41	88.20	-31.79	39.86	3	Vertical	275	1.91	-	40.84	9.09	33.38
RMS	13.97004G	46.21	68.20	-21.99	29.66	3	Vertical	275	1.91	-	40.84	9.09	33.38

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 68
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96982G	57.34	88.20	-30.86	40.80	3	Horizontal	179	2.67	-	40.84	9.08	33.38
RMS	13.97012G	45.90	68.20	-22.30	29.35	3	Horizontal	179	2.67	-	40.84	9.09	33.38

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 68
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9545G	46.92	83.54	-36.62	43.04	1	Vertical	208	1.55	-	37.67	15.93	49.72
AV	20.95706G	36.40	63.54	-27.14	32.52	1	Vertical	208	1.55	-	37.67	15.93	49.72

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TnomVnom



EUT X_2TX
Setting 68
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95598G	47.18	83.54	-36.36	43.30	1	Horizontal	278	1.56	-	37.67	15.93	49.72
AV	20.95658G	36.27	63.54	-27.27	32.39	1	Horizontal	278	1.56	-	37.67	15.93	49.72


For Radio 3 / non beamforming mode / 1T1S

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6175MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6435MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6515MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6165MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6445MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6485MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6145MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6465MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

7025MHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

03/01/2022




For non beamforming mode / 2T2S

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6175MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6435MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6475MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6515MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6895MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6995MHz_TnomVnom

03/01/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

7095MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6165MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6445MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6485MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6925MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7005MHz_TnomVnom

03/01/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7085MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6145MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6465MHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

03/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6945MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

7025MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6985MHz_TnomVnom

04/01/2022




For non beamforming mode / 4T1S

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

04/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

04/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67721G	-7.31	6.654G	-38.31	-30.51	-7.80	1
6.6806G	-7.59	6.6526G	-39.97	-31.64	-8.33	2
6.67881G	-7.43	6.6524G	-39.16	-31.06	-8.10	3
6.6884G	-7.83	6.6538G	-38.87	-31.67	-7.20	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

04/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83881G	-7.44	6.8074G	-41.67	-33.57	-8.10	1
6.85259G	-7.81	6.9082G	-56.10	-47.77	-8.33	2
6.8486G	-7.35	6.8778G	-39.82	-31.73	-8.09	3
6.83881G	-8.06	6.8764G	-39.52	-31.65	-7.87	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

04/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

04/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

04/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

04/01/2022




For non beamforming mode / 4T4S

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

5955MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6175MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6415MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6435MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6475MHz_TnomVnom

06/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4762G	-6.03	6.458G	-38.13	-29.79	-8.34	1
6.4737G	-5.86	6.4597G	-36.60	-26.06	-10.54	2
6.4726G	-5.89	6.4585G	-38.13	-29.01	-9.12	3
6.4738G	-6.39	6.4597G	-37.31	-27.68	-9.63	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6515MHz_TnomVnom

06/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5174G	-7.42	6.4997G	-38.11	-29.48	-8.63	1
6.5112G	-7.15	6.4985G	-38.91	-27.19	-11.72	2
6.5163G	-7.05	6.4994G	-37.65	-28.65	-9.00	3
6.5125G	-7.42	6.4999G	-37.77	-29.60	-8.17	4

802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6535MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6695MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6855MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6895MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

6995MHz_TnomVnom

06/01/2022




802.11ax HEW20_Nss4,(MCS0)_4TX

MASK

7095MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

5965MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6165MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6405MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6445MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6485MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6565MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6685MHz_TnomVnom

06/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67361G	-3.73	6.6474G	-37.08	-29.95	-7.13	1
6.68G	-4.13	6.6474G	-38.24	-30.48	-7.76	2
6.67981G	-3.70	6.6556G	-34.12	-26.61	-7.51	3
6.69G	-4.05	6.7226G	-37.55	-30.21	-7.34	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6845MHz_TnomVnom

06/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8488G	-4.55	6.8076G	-37.95	-30.77	-7.18	1
6.85119G	-4.95	6.8772G	-36.92	-28.87	-8.05	2
6.85G	-4.43	6.8086G	-38.16	-30.07	-8.09	3
6.8476G	-5.01	6.8086G	-38.05	-30.35	-7.70	4

802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

6925MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

7005MHz_TnomVnom

06/01/2022




802.11ax HEW40_Nss4,(MCS0)_4TX

MASK

7085MHz_TnomVnom

06/01/2022




802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

5985MHz_TnomVnom

06/01/2022




802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6145MHz_TnomVnom

06/01/2022




802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6385MHz_TnomVnom

06/01/2022



802.11ax HEW80_Nss4,(MCS0)_4TX

MASK

6465MHz_TnomVnom

06/01/2022

