## **UNII Declaration Letter**

We have declared below IC: 30828-A98D	v featured for FCC ed	quipment authorizatio	n, device FCC ID:2B	ABF-A98D,
(1) DFS Device		ent with Radar detecti dar detection capabili		
(2) Active / Passive Sca	nning , adhoc mode a	access point capabilit	ty	
Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz 2422 – 2452 MHz 5745 – 5825 MHz 5755 – 5795 MHz 5180 – 5240 MHz 5190 – 5230 MHz 5260 – 5320 MHz	X Yes,       No         Yes,       No	⋈ Yes,       No         ⋈ Yes,       No	☐ Yes,       ☒ No         ☐ Yes,       ☒ No	☐ Yes,       ☒ No         ☐ Yes,       ☒ No
5270 – 5310 MHz 5500 – 5720 MHz 5510 – 5670 MHz	☐ Yes, ☐ No ☐ Yes, ☐ No ☐ Yes, ☐ No	<ul> <li>         ∑ Yes, □ No</li> <li>         ∑ Yes, □ No</li> <li>         ∑ Yes, □ No</li> </ul>	<ul> <li>☐ Yes,</li></ul>	☐ Yes, ☒ No ☐ Yes, ☒ No ☐ Yes, ☒ No
(3) Country code selection ability - ☐ Yes , ☒ No If no, pls explain how was implemented : Country is selected as US by default and user can not change the country code.  (4) Meet 15.202 requirement - ☒ Yes , ☐ No , pls check below : ☐ A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices ☒ A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network.				
(5) For client devices the scanning in some and p classes or those that op of operations through so how the software and / obe modified by end used  ☐ Apply , ☐ No Appl (If apply , pls help to provide of the device configuration can allow USB connection for use	assive scanning in ot erate on non-DFS fre oftware, the application or hardware is implent or an installer. y, explanation on how it was it not be modified by user as	thers) in different ban equencies) or modula on must provide softw nented to ensure that implement (By hardware of s program is not exposed to	ds (devices with mult r devices which confi- rare and operations d proper operations m r software, and how softw	tiple equipment igure the modes lescription on nodes can not
If you have any question	ns, please feel free to	contact me at the ad	ldress shown below.	
Yours sincerely,				
Signatory	Jeong			

Contact name:Henry Jeong Title:VP