

Page: 148 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B2 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 1907.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
55.220	-55.41	-44.04	-10.42	-0.95	-13.00	-42.41
64.920	-53.68	-44.87	-7.79	-1.02	-13.00	-40.68
84.320	-53.32	-50.47	-1.70	-1.15	-13.00	-40.32
136.700	-60.99	-57.97	-1.54	-1.48	-13.00	-47.99
198.780	-56.44	-58.69	4.03	-1.78	-13.00	-43.44
944.710	-59.90	-59.47	3.39	-3.82	-13.00	-46.90
3815.200	-56.78	-61.28	12.30	-7.80	-13.00	-43.78
5722.800	-55.55	-59.22	13.25	-9.58	-13.00	-42.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 149 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B2 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 1907.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	['] dBm	dBi/dBd	dB	dBm	dB
70.740	-50.21	-43.09	-6.05	-1.07	-13.00	-37.21
86.260	-55.18	-52.92	-1.10	-1.16	-13.00	-42.18
135.730	-52.17	-49.06	-1.64	-1.47	-13.00	-39.17
201.690	-57.32	-59.60	4.07	-1.79	-13.00	-44.32
256.980	-60.12	-62.30	4.20	-2.02	-13.00	-47.12
967.990	-62.81	-62.44	3.50	-3.87	-13.00	-49.81
3815.200	-57.10	-61.60	12.30	-7.80	-13.00	-44.10
5722.800	-53.81	-57.48	13.25	-9.58	-13.00	-40.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 150 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B4 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1712.4 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
53.280	-57.78	-45.87	-10.98	-0.93	-13.00	-44.78
65.890	-52.32	-44.00	-7.29	-1.03	-13.00	-39.32
85.290	-52.11	-49.48	-1.48	-1.15	-13.00	-39.11
135.730	-58.21	-55.10	-1.64	-1.47	-13.00	-45.21
198.780	-59.01	-61.26	4.03	-1.78	-13.00	-46.01
976.720	-60.40	-60.18	3.67	-3.89	-13.00	-47.40
3424.800	-58.08	-63.26	12.55	-7.37	-13.00	-45.08
5137.200	-55.61	-58.86	12.37	-9.12	-13.00	-42.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 151 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B4 Test Date: 2024-06-20

Test Mode :Tx Temp./Humi. :23.8℃/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1712.4 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
70.740	-53.82	-46.70	-6.05	-1.07	-13.00	-40.82
89.170	-55.21	-53.27	-0.75	-1.19	-13.00	-42.21
147.370	-51.24	-47.74	-1.97	-1.53	-13.00	-38.24
202.660	-56.28	-58.60	4.12	-1.80	-13.00	-43.28
264.740	-60.17	-62.25	4.14	-2.06	-13.00	-47.17
974.780	-62.66	-62.42	3.65	-3.89	-13.00	-49.66
3424.800	-57.57	-62.75	12.55	-7.37	-13.00	-44.57
5137.200	-55.56	-58.81	12.37	- 9.12	-13.00	-42.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 152 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B4 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1732.4 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
52.310	-57.75	-45.82	-11.01	-0.92	-13.00	-44.75
65.890	-54.16	-45.84	-7.29	-1.03	-13.00	-41.16
83.350	-52.75	-49.74	-1.87	-1.14	-13.00	-39.75
138.640	-60.36	-57.07	-1.81	-1.48	-13.00	-47.36
198.780	-60.70	-62.95	4.03	-1.78	-13.00	-47.70
999.030	-60.86	-60.89	3.97	-3.94	-13.00	-47.86
3464.800	-57.51	-62.51	12.44	-7.44	-13.00	-44.51
5197.200	-55.33	-58.79	12.68	-9.22	-13.00	-42.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 153 of 180

Report Number :TERF2405001537E2 **Test Site** :SAC C


Operation Mode: WCDMA B4 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1732.4 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
70.740	-52.59	-45.47	-6.05	-1.07	-13.00	-39.59
84.320	-54.22	-51.37	-1.70	-1.15	-13.00	-41.22
129.910	-50.77	-47.80	-1.51	-1.46	-13.00	-37.77
197.810	-54.68	-56.80	3.90	-1.78	-13.00	-41.68
263.770	-60.02	-62.12	4.15	-2.05	-13.00	-47.02
985.450	-62.29	-62.25	3.85	-3.89	-13.00	-49.29
3464.800	-57.96	-62.96	12.44	-7.44	-13.00	-44.96
5197.200	-56.23	-59.69	12.68	-9.22	-13.00	-43.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 154 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B4 Test Date: 2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1752.6 MHz Engineer :Howard Huang

Note :SIM 1



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-57.72	-45.79	-11.01	-0.92	-13.00	-44.72
-53.98	-45.66	-7.29	-1.03	-13.00	-40.98
-53.67	-50.82	-1.70	-1.15	-13.00	-40.67
-60.04	-56.54	-1.98	-1.52	-13.00	-47.04
-59.85	-62.09	4.03	-1.79	-13.00	-46.85
-60.84	-60.80	3.86	-3.90	-13.00	-47.84
-56.97	-61.76	12.30	-7.51	-13.00	-43.97
-56.62	-60.50	13.12	-9.24	-13.00	-43.62
	-57.72 -53.98 -53.67 -60.04 -59.85 -60.84 -56.97	Output Level dBm -57.72 -45.79 -53.98 -45.66 -53.67 -50.82 -60.04 -56.54 -59.85 -62.09 -60.84 -60.80 -56.97 -61.76	dBm Output Level dBm Gain dBi/dBd -57.72 -45.79 -11.01 -53.98 -45.66 -7.29 -53.67 -50.82 -1.70 -60.04 -56.54 -1.98 -59.85 -62.09 4.03 -60.84 -60.80 3.86 -56.97 -61.76 12.30	dBm Output Level dBm Gain dBi/dBd Loss dB -57.72 -45.79 -11.01 -0.92 -53.98 -45.66 -7.29 -1.03 -53.67 -50.82 -1.70 -1.15 -60.04 -56.54 -1.98 -1.52 -59.85 -62.09 4.03 -1.79 -60.84 -60.80 3.86 -3.90 -56.97 -61.76 12.30 -7.51	dBm Output Level dBm Gain dBi/dBd Loss dBm -57.72 -45.79 -11.01 -0.92 -13.00 -53.98 -45.66 -7.29 -1.03 -13.00 -53.67 -50.82 -1.70 -1.15 -13.00 -60.04 -56.54 -1.98 -1.52 -13.00 -59.85 -62.09 4.03 -1.79 -13.00 -60.84 -60.80 3.86 -3.90 -13.00 -56.97 -61.76 12.30 -7.51 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 155 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B4 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1752.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-53.07	-45.72	-6.29	-1.06	-13.00	-40.07
85.290	-55.01	-52.38	-1.48	-1.15	-13.00	-42.01
133.790	-51.06	-48.02	-1.57	-1.47	-13.00	-38.06
197.810	-56.10	-58.22	3.90	-1.78	-13.00	-43.10
263.770	-60.63	-62.73	4.15	-2.05	-13.00	-47.63
985.450	-62.26	-62.22	3.85	-3.89	-13.00	-49.26
3505.200	-58.36	-63.15	12.30	-7.51	-13.00	-45.36
5257.800	-55.74	-59.62	13.12	-9.24	-13.00	-42.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 156 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B5 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :826.4 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-58.23	-46.30	-11.01	-0.92	-13.00	-45.23
66.860	-53.08	-44.93	-7.12	-1.03	-13.00	-40.08
83.350	-51.95	-48.94	-1.87	-1.14	-13.00	-38.95
136.700	-60.78	-57.76	-1.54	-1.48	-13.00	-47.78
196.840	-58.17	-60.25	3.85	-1.77	-13.00	-45.17
949.560	-60.76	-60.26	3.34	-3.84	-13.00	-47.76
1652.800	-60.97	-65.45	9.53	-5.05	-13.00	-47.97
2479.200	-58.71	-62.97	10.50	-6.24	-13.00	-45.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 157 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B5 Test Date: 2024-06-20

Test Mode :Tx Temp./Humi. :23.8℃/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :826.4 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-51.93	-44.58	-6.29	-1.06	-13.00	-38.93
86.260	-54.06	-51.80	-1.10	-1.16	-13.00	-41.06
132.820	-49.44	-46.47	-1.50	-1.47	-13.00	-36.44
214.300	-54.49	-57.33	4.70	-1.86	-13.00	-41.49
262.800	-59.17	-61.28	4.16	-2.05	-13.00	-46.17
935.010	-62.82	-62.51	3.50	-3.81	-13.00	-49.82
1652.800	-60.03	-64.51	9.53	-5.05	-13.00	-47.03
2479.200	-59.26	-63.52	10.50	-6.24	-13.00	-46.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 158 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B5 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 836.6 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Lovel	Antenna	Cable	Limit	Margin
N / L I —	al Duca	Output Level	Gain	Loss	alD.co	٩D
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-57.74	- 45.81	-11.01	-0.92	-13.00	-44.74
65.890	-53.48	-45.16	-7.29	-1.03	-13.00	-40.48
83.350	-52.01	-49.00	-1.87	-1.14	-13.00	-39.01
133.790	-57.65	-54.61	-1.57	-1.47	-13.00	-44.65
200.720	-58.16	-60.40	4.03	-1.79	-13.00	-45.16
944.710	-60.40	-59.97	3.39	-3.82	-13.00	- 47.40
1673.200	-60.54	-65.30	9.83	-5.07	-13.00	-47.54
2509.800	-59.40	-63.72	10.60	-6.28	-13.00	-46.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 159 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B5 Test Date: 2024-06-20

Test Mode :Tx Temp./Humi. :23.8℃/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :836.6 MHz Engineer :Howard Huang

Note :SIM 1



	Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
			Output Level	Gain	Loss			
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	69.770	-52.67	-45.32	-6.29	-1.06	-13.00	-39.67	
	89.170	-53.40	-51.46	-0.75	-1.19	-13.00	-40.40	
	146.400	-52.23	-48.71	-1.99	-1.53	-13.00	-39.23	
	198.780	-57.52	-59.77	4.03	-1.78	-13.00	-44.52	
	262.800	-60.40	-62.51	4.16	-2.05	-13.00	-47.40	
	950.530	-62.89	-62.39	3.34	-3.84	-13.00	-49.89	
	1673.200	-59.10	-63.86	9.83	-5.07	-13.00	-46.10	
	2509.800	-59.51	-63.83	10.60	-6.28	-13.00	-46.51	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 160 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B5 Test Date :2024-06-20

Test Mode :Tx Temp./Humi. :23.8°C/50%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 846.6 MHz :Howard Huang

Note :SIM 1



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-57.77	-45.84	-11.01	-0.92	-13.00	-44.77
-54.14	-45.99	-7.12	-1.03	-13.00	-41.14
-52.23	-49.38	-1.70	-1.15	-13.00	-39.23
-60.17	-56.90	-1.78	-1.49	-13.00	-47.17
-59.50	-61.78	4.07	-1.79	-13.00	-46.50
-60.43	-60.00	3.39	-3.82	-13.00	-47.43
-60.51	-65.35	9.93	-5.09	-13.00	-47.51
-59.48	-63.74	10.60	-6.34	-13.00	-46.48
	-57.77 -54.14 -52.23 -60.17 -59.50 -60.43 -60.51	Output Level dBm -57.77 -45.84 -54.14 -45.99 -52.23 -49.38 -60.17 -56.90 -59.50 -61.78 -60.43 -60.00 -60.51 -65.35	dBm Output Level dBm Gain dBi/dBd -57.77 -45.84 -11.01 -54.14 -45.99 -7.12 -52.23 -49.38 -1.70 -60.17 -56.90 -1.78 -59.50 -61.78 4.07 -60.43 -60.00 3.39 -60.51 -65.35 9.93	dBm Output Level dBm Gain dBi/dBd Loss dB -57.77 -45.84 -11.01 -0.92 -54.14 -45.99 -7.12 -1.03 -52.23 -49.38 -1.70 -1.15 -60.17 -56.90 -1.78 -1.49 -59.50 -61.78 4.07 -1.79 -60.43 -60.00 3.39 -3.82 -60.51 -65.35 9.93 -5.09	dBm Output Level dBm Gain dBi/dBd Loss dB dBm -57.77 -45.84 -11.01 -0.92 -13.00 -54.14 -45.99 -7.12 -1.03 -13.00 -52.23 -49.38 -1.70 -1.15 -13.00 -60.17 -56.90 -1.78 -1.49 -13.00 -59.50 -61.78 4.07 -1.79 -13.00 -60.43 -60.00 3.39 -3.82 -13.00 -60.51 -65.35 9.93 -5.09 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 161 of 180

Report Number :TERF2405001537E2 Test Site :SAC C


Operation Mode: WCDMA B5 Test Date: 2024-06-20

Test Mode :Tx Temp./Humi. :23.8℃/50%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :846.6 MHz Engineer :Howard Huang

Note :SIM 1



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.12	-45.44	-6.63	-1.05	-13.00	-40.12
-54.01	-51.16	-1.70	-1.15	-13.00	-41.01
-48.07	-44.61	-1.93	-1.53	-13.00	-35.07
-55.24	-57.49	4.03	-1.78	-13.00	-42.24
-61.13	-63.21	4.14	-2.06	-13.00	-48.13
-62.55	-62.14	3.41	-3.82	-13.00	-49.55
-60.78	-65.62	9.93	-5.09	-13.00	-47.78
-59.46	-63.72	10.60	-6.34	-13.00	-46.46
	-53.12 -54.01 -48.07 -55.24 -61.13 -62.55 -60.78	Output Level dBm -53.12	Output Level Gain dBm dBi/dBd -53.12 -45.44 -6.63 -54.01 -51.16 -1.70 -48.07 -44.61 -1.93 -55.24 -57.49 4.03 -61.13 -63.21 4.14 -62.55 -62.14 3.41 -60.78 -65.62 9.93	dBm Output Level dBm Gain dBi/dBd Loss dB -53.12 -45.44 -6.63 -1.05 -54.01 -51.16 -1.70 -1.15 -48.07 -44.61 -1.93 -1.53 -55.24 -57.49 4.03 -1.78 -61.13 -63.21 4.14 -2.06 -62.55 -62.14 3.41 -3.82 -60.78 -65.62 9.93 -5.09	dBm Output Level dBm Gain dBi/dBd Loss dB dBm -53.12 -45.44 -6.63 -1.05 -13.00 -54.01 -51.16 -1.70 -1.15 -13.00 -48.07 -44.61 -1.93 -1.53 -13.00 -55.24 -57.49 4.03 -1.78 -13.00 -61.13 -63.21 4.14 -2.06 -13.00 -62.55 -62.14 3.41 -3.82 -13.00 -60.78 -65.62 9.93 -5.09 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 162 of 180


12 FREQUENCY STABILITY MEASUREMENT

12.1 Standard Applicable

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

12.2 **Test Set-up**





Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

12.3 **Measurement Procedure**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 20°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 20°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as

declared by the manufacturer, record the maximum frequency change.

12.4 **Measurement Result**

Note: The DC Power is rated 3.7V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 163 of 180

SIM₁

	GSI	M 850 Mid Channel	836.6000	MHz	
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
	FREQU	ENCY ERROR vs.	VOLTAGE	•	
4.255	20	836.599985	-0.0179		
3.7	20	836.5999874	-0.0151	1/25 nnm	
3.145	20	836.5999928	-0.0086	+/- 2.5 ppm	
2.2 (End point)	20	836.5999861	-0.0166		
FREQUENCY ERROR vs. Temp.					
3.7	50	836.6000024	0.0029		
3.7	40	836.5999836	-0.0196		
3.7	30	836.6000145	0.0173		
3.7	20	836.5999863	-0.0164		
3.7	10	836.5999878	-0.0146	+/- 2.5 ppm	
3.7	0	836.5999835	-0.0197		
3.7	-10	836.6000133	0.0159		
3.7	-20	836.5999895	-0.0126		
3.7	-30	836.600008	0.0096		

	GSM 1900 Mid Channel 1880.0000 M					
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
	FREQUE	NCY ERROR vs. V	OLTAGE			
4.255	20	1880	-0.0002			
3.7	20	1879.999984	-0.0084	./ 25 nnm		
3.145	20	1880.000013	0.0066	+/- 2.5 ppm		
2.2 (End point)	20	1879.999992	-0.0044			
	FREQUENCY ERROR vs. Temp.					
3.7	50	1880.000001	0.0005			
3.7	40	1879.999981	-0.0103			
3.7	30	1880.000008	0.0040			
3.7	20	1880.000003	0.0014			
3.7	10	1880.000013	0.0070	+/- 2.5 ppm		
3.7	0	1880.000007	0.0038			
3.7	-10	1880.000005	0.0026			
3.7	-20	1879.999984	-0.0087			
3.7	-30	1880.000014	0.0073			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 164 of 180

	WCD	MA II Mid Channel	1880.0000	MHz				
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit				
	FREQUENCY ERROR vs. VOLTAGE							
4.255	20	1879.999997	-0.0015					
3.7	20	1880.000013	0.0071	+/- 2.5 ppm				
3.145	20	1879.999991	-0.0051	+/- 2.5 ppm				
2.2 (End point)	20	1880.000017	0.0093					
	FREQUENCY ERROR vs. Temp.							
3.7	50	1879.999991	-0.0050					
3.7	40	1880.000002	0.0009					
3.7	30	1880.000011	0.0058					
3.7	20	1880.000011	0.0059					
3.7	10	1880.000015	0.0078	+/- 2.5 ppm				
3.7	0	1879.999995	-0.0029					
3.7	-10	1880.000006	0.0034					
3.7	-20	1879.999984	-0.0086					
3.7	-30	1880.000005	0.0024					

	WCDMA IV Mid Channel 1732.6000							
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit				
	FREQUENCY ERROR vs. VOLTAGE							
4.255	20	1732.599981	-0.0111					
3.7	20	1732.600002	0.0010	+/- 2.5 ppm				
3.145	20	1732.600007	0.0038	+/- 2.5 ppiii				
2.2 (End point)	20	1732.599982	-0.0102					
	FREQUENCY ERROR vs. Temp.							
3.7	50	1732.599991	-0.0054					
3.7	40	1732.600015	0.0084					
3.7	30	1732.600015	0.0084					
3.7	20	1732.600016	0.0095					
3.7	10	1732.600006	0.0036	+/- 2.5 ppm				
3.7	0	1732.599982	-0.0106					
3.7	-10	1732.599998	-0.0012					
3.7	-20	1732.599984	-0.0094					
3.7	-30	1732.599981	-0.0112					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 165 of 180

	WCD	MA V Mid Channel	836.6000	MHz		
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
	FREQU	IENCY ERROR vs.	VOLTAGE			
4.255	20	836.5999825	-0.0209			
3.7	20	836.6000033	0.0039	+/- 2.5 ppm		
3.145	20	836.6000002	0.0002	+/- 2.3 ppm		
2.2 (End point)	20	836.6	0.0000			
	FREQUENCY ERROR vs. Temp.					
3.7	50	836.6000133	0.0159			
3.7	40	836.6000069	0.0082			
3.7	30	836.5999828	-0.0206			
3.7	20	836.5999805	-0.0233			
3.7	10	836.5999987	-0.0016	+/- 2.5 ppm		
3.7	0	836.6000114	0.0136			
3.7	-10	836.6000182	0.0218			
3.7	-20	836.6000148	0.0177			
3.7	-30	836.600008	0.0096			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 166 of 180

SIM₂

	GSI	M 850 Mid Channel	836.6000	MHz		
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
	FREQU	ENCY ERROR vs.	,			
4.255	20	836.599985	-0.0179			
3.7	20	836.5999874	-0.0151	./ 25 nnm		
3.145	20	836.5999928	-0.0086	+/- 2.5 ppm		
2.2 (End point)	20	836.5999861	-0.0166			
	FREQUENCY ERROR vs. Temp.					
3.7	50	836.6000024	0.0029			
3.7	40	836.5999836	-0.0196			
3.7	30	836.6000145	0.0173			
3.7	20	836.5999863	-0.0164			
3.7	10	836.5999878	-0.0146	+/- 2.5 ppm		
3.7	0	836.5999835	-0.0197			
3.7	-10	836.6000133	0.0159			
3.7	-20	836.5999895	-0.0126			
3.7	-30	836.600008	0.0096			

	GSM 1900 Mid Channel 1880.0000 M					
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
	FREQUE	NCY ERROR vs. V	OLTAGE			
4.255	20	1880	-0.0002			
3.7	20	1879.999984	-0.0084	./ 25 nnm		
3.145	20	1880.000013	0.0066	+/- 2.5 ppm		
2.2 (End point)	20	1879.999992	-0.0044			
	FREQUENCY ERROR vs. Temp.					
3.7	50	1880.000001	0.0005			
3.7	40	1879.999981	-0.0103			
3.7	30	1880.000008	0.0040			
3.7	20	1880.000003	0.0014			
3.7	10	1880.000013	0.0070	+/- 2.5 ppm		
3.7	0	1880.000007	0.0038			
3.7	-10	1880.000005	0.0026			
3.7	-20	1879.999984	-0.0087			
3.7	-30	1880.000014	0.0073			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 167 of 180

13 PEAK TO AVERAGE RATIO

13.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

13.2 Test SET-UP



13.3 **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- Set the number of counts to a value that stabilizes the measured CCDF curve.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 168 of 180

Measurement Result

SIM₁

Ī	Eroa		Peak-to-	-Average Ra	atio (dB)
	Freq. (MHz)	СН	GSM	GPRS	EDGE
	(1411 12)		850	850	850
	824.2	128	9.25	9.66	9.64
	836.6	190	9.98	10.32	9.47
ĺ	848.8	251	10.01	9.66	8.3

Eron		Peak-to-	-Average Ra	atio (dB)
Freq. (MHz)	СН	GSM	GPRS	EDGE
(IVITIZ)		1900	1900	1900
1850.2	512	9.81	9.61	10.83
1880	661	9.18	9.69	9.88
1909.8	810	9.3	8.35	9.92

Eroa	Eroa		Peak-to-Average Ratio (dB)		
Freq.	СН	WCDMA	HSDPA	HSUPA	
(MHz)		II	II	II	
1852.4	9262	2.82	3.94	4.13	
1880	9400	2.93	4.01	3.74	
1907.6	9538	2.88	3.80	3.44	

Eroa		Peak-to-Average Ratio (dB)		
Freq. (MHz)	СН	WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	3.30	3.79	4.02
1732.6	1413	3.08	4.21	4.32
1752.6	1513	3.22	3.90	3.67

Erog		Peak-to-Average Ratio (dB)		
Freq. (MHz)	СН	WCDMA	HSDPA	HSUPA
(141112)		V	V	V
826.4	4132	2.96	4.01	4.03
836.6	4183	2.93	3.69	3.73
846.6	4233	2.92	4.36	4.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 169 of 180

Eroa		Peak-to-Average Ratio (dB)		
Freq. (MHz)	СН	GSM	GPRS	EDGE
(IVITZ)		850	850	850
824.2	128	9.85	9.32	9.96
836.6	190	9.53	8.85	9.26
848.8	251	10.03	9.92	9.07

Eroa		Peak-to-Average Ratio (dB)		
Freq. (MHz)	СН	GSM	GPRS	EDGE
(1411.12)		1900	1900	1900
1850.2	512	9.43	8.6	10.05
1880	661	9.68	9.79	10.02
1909.8	810	9.29	9.28	11.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 170 of 180

SIM₁


GSM 850MHz_LowCH128-824.2




GSM 850MHz MidCH190-836.6




GSM 850MHz HighCH251-848.8




GPRS 850MHz LowCH128-824.2



GPRS 850MHz MidCH190-836.6



GPRS 850MHz HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be


SGS Taiwan Ltd.

prosecuted to the fullest extent of the law.




Page: 171 of 180


EDGE 850MHz LowCH128-824.2




EDGE 850MHz MidCH190-836.6




EDGE_850MHz__HighCH251-848.8




GSM 1900MHz LowCH512-1850.2



GSM 1900MHz MidCH661-1880



GSM 1900MHz HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 172 of 180


GPRS 1900MHz LowCH512-1850.2




GPRS 1900MHz MidCH661-1880




GPRS 1900MHz HighCH810-1909.8




EDGE 1900MHz_LowCH512-1850.2



EDGE 1900MHz MidCH661-1880



EDGE 1900MHz HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 173 of 180


WCDMA B2 LowCH9262-1852.4




WCDMA B2 MidCH9400-1880




WCDMA B2 HighCH9538-1907.6




HSDPA B2 LowCH9262-1852.4



HSDPA B2 MidCH9400-1880



HSDPA B2 HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 174 of 180


HSUPA B2 LowCH9262-1852.4




HSUPA B2 MidCH9400-1880




HSUPA B2 HighCH9538-1907.6




WCDMA B4 LowCH1312-1712.4



WCDMA B4 MidCH1413-1732.6



WCDMA B4 HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 175 of 180


HSDPA B4 LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6




HSDPA B4 HighCH1513-1752.6




HSUPA B4 LowCH1312-1712.4



B4 MidCH1413-1732.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 176 of 180


WCDMA B5 LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




WCDMA B5 HighCH4233-846.6




HSDPA B5 LowCH4132-826.4



HSDPA B5 MidCH4183-836.6



HSDPA B5 HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 177 of 180


HSUPA B5 LowCH4132-826.4



HSUPA B5 MidCH4183-836.6



HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 178 of 180

SIM₂


GSM 850MHz_LowCH128-824.2




GSM 850MHz MidCH190-836.6




GSM 850MHz HighCH251-848.8




GPRS 850MHz LowCH128-824.2



GPRS 850MHz MidCH190-836.6



GPRS 850MHz HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 179 of 180


EDGE 850MHz LowCH128-824.2




EDGE 850MHz MidCH190-836.6




EDGE 850MHz HighCH251-848.8




GSM 1900MHz LowCH512-1850.2



GSM 1900MHz MidCH661-1880



GSM 1900MHz HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 180 of 180


GPRS 1900MHz LowCH512-1850.2




GPRS 1900MHz MidCH661-1880




GPRS 1900MHz HighCH810-1909.8




EDGE 1900MHz_LowCH512-1850.2



EDGE 1900MHz MidCH661-1880



EDGE 1900MHz HighCH810-1909.8



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.