


ANT A


1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	73.15	1.36	0.73
NVNT	a	5580	Ant1	73.15	1.36	0.73
NVNT	a	5700	Ant1	73.15	1.36	0.73
NVNT	a	5500	Ant2	73.15	1.36	0.73
NVNT	a	5580	Ant2	73.15	1.36	0.73
NVNT	a	5700	Ant2	73.15	1.36	0.73
NVNT	n20	5500	Sum	71.83	1.44	0.78
NVNT	n20	5580	Sum	71.87	1.43	0.78
NVNT	n20	5700	Sum	71.82	1.44	0.78
NVNT	n40	5510	Sum	55.93	2.52	1.58
NVNT	n40	5550	Sum	55.91	2.53	1.58
NVNT	n40	5670	Sum	55.91	2.53	1.58

Duty Cycle NVNT a 5580MHz Ant2



Duty Cycle NVNT a 5700MHz Ant2






2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	9.07	1.36	10.43	<=23.7	Pass
NVNT	a	5580	Ant1	10.19	1.36	11.55	<=23.7	Pass
NVNT	a	5700	Ant1	9.05	1.36	10.41	<=23.71	Pass
NVNT	a	5500	Ant2	8.24	1.36	9.6	<=23.73	Pass
NVNT	a	5580	Ant2	9.82	1.36	11.18	<=23.7	Pass
NVNT	a	5700	Ant2	9.34	1.36	10.7	<=23.69	Pass
NVNT	n20	5500	Ant1	8.49	1.44	9.93	<=23.91	Pass
NVNT	n20	5500	Ant2	7.53	1.44	8.97	<=23.91	Pass
NVNT	n20	5500	Sum	11.05	1.44	12.49	<=23.91	Pass
NVNT	n20	5580	Ant1	9.27	1.43	10.7	<=23.91	Pass
NVNT	n20	5580	Ant2	8.78	1.43	10.21	<=23.91	Pass
NVNT	n20	5580	Sum	12.04	1.43	13.47	<=23.91	Pass
NVNT	n20	5700	Ant1	8.25	1.44	9.69	<=23.9	Pass
NVNT	n20	5700	Ant2	8.37	1.44	9.81	<=23.9	Pass
NVNT	n20	5700	Sum	11.32	1.44	12.76	<=23.9	Pass
NVNT	n40	5510	Ant1	7.89	2.52	10.41	<=24	Pass
NVNT	n40	5510	Ant2	6.49	2.52	9.01	<=24	Pass
NVNT	n40	5510	Sum	10.26	2.52	12.78	<=24	Pass
NVNT	n40	5550	Ant1	8.04	2.53	10.57	<=24	Pass
NVNT	n40	5550	Ant2	8.13	2.53	10.66	<=24	Pass
NVNT	n40	5550	Sum	11.1	2.53	13.63	<=24	Pass
NVNT	n40	5670	Ant1	7.73	2.53	10.26	<=24	Pass
NVNT	n40	5670	Ant2	7.81	2.53	10.34	<=24	Pass
NVNT	n40	5670	Sum	10.78	2.53	13.31	<=24	Pass

Test Graphs


Power NVNT a 5500MHz Ant1




Power NVNT a 5580MHz Ant1




Power NVNT a 5700MHz Ant1




Power NVNT a 5500MHz Ant2




Power NVNT a 5580MHz Ant2




Power NVNT a 5700MHz Ant2




Power NVNT n20 5500MHz Ant1




Power NVNT n20 5500MHz Ant2




Power NVNT n20 5580MHz Ant1




Power NVNT n20 5580MHz Ant2




Power NVNT n20 5700MHz Ant1




Power NVNT n20 5700MHz Ant2




Power NVNT n40 5510MHz Ant1




Power NVNT n40 5510MHz Ant2




Power NVNT n40 5550MHz Ant1




Power NVNT n40 5550MHz Ant2



Power NVNT n40 5670MHz Ant1



Power NVNT n40 5670MHz Ant2



3. -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	18.6399	Pass
NVNT	a	5580	Ant1	18.6053	Pass
NVNT	a	5700	Ant1	18.6727	Pass
NVNT	a	5500	Ant2	18.7316	Pass
NVNT	a	5580	Ant2	18.6123	Pass
NVNT	a	5700	Ant2	18.5586	Pass
NVNT	n20	5500	Ant1	19.4403	Pass
NVNT	n20	5500	Ant2	19.5618	Pass
NVNT	n20	5580	Ant1	19.5384	Pass
NVNT	n20	5580	Ant2	19.5329	Pass
NVNT	n20	5700	Ant1	19.4339	Pass
NVNT	n20	5700	Ant2	19.4764	Pass
NVNT	n40	5510	Ant1	39.5589	Pass
NVNT	n40	5510	Ant2	40.1955	Pass
NVNT	n40	5550	Ant1	39.9965	Pass
NVNT	n40	5550	Ant2	40.2258	Pass
NVNT	n40	5670	Ant1	39.6486	Pass
NVNT	n40	5670	Ant2	40.1564	Pass

Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1



-26dB Bandwidth NVNT a 5700MHz Ant1



-26dB Bandwidth NVNT a 5500MHz Ant2




-26dB Bandwidth NVNT a 5580MHz Ant2




-26dB Bandwidth NVNT a 5700MHz Ant2



-26dB Bandwidth NVNT n20 5500MHz Ant1**-26dB Bandwidth NVNT n20 5500MHz Ant2**


-26dB Bandwidth NVNT n20 5580MHz Ant1



-26dB Bandwidth NVNT n20 5580MHz Ant2



-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant2



-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant2



-26dB Bandwidth NVNT n40 5550MHz Ant1



-26dB Bandwidth NVNT n40 5550MHz Ant2



-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT n40 5670MHz Ant2




4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.3542
NVNT	a	5580	Ant1	16.341
NVNT	a	5700	Ant1	16.3246
NVNT	a	5500	Ant2	16.3381
NVNT	a	5580	Ant2	16.3494
NVNT	a	5700	Ant2	16.3461
NVNT	n20	5500	Ant1	17.5307
NVNT	n20	5500	Ant2	17.5439
NVNT	n20	5580	Ant1	17.5272
NVNT	n20	5580	Ant2	17.5253
NVNT	n20	5700	Ant1	17.5159
NVNT	n20	5700	Ant2	17.5108
NVNT	n40	5510	Ant1	36.0299
NVNT	n40	5510	Ant2	36.0418
NVNT	n40	5550	Ant1	36.0177
NVNT	n40	5550	Ant2	36.0251
NVNT	n40	5670	Ant1	36.0833
NVNT	n40	5670	Ant2	36.0708

Test Graphs

OBW NVNT a 5500MHz Ant1




OBW NVNT a 5580MHz Ant1




OBW NVNT a 5700MHz Ant1




OBW NVNT a 5500MHz Ant2




OBW NVNT a 5580MHz Ant2




OBW NVNT a 5700MHz Ant2



OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5500MHz Ant2



OBW NVNT n20 5580MHz Ant1




OBW NVNT n20 5580MHz Ant2



OBW NVNT n20 5700MHz Ant1




OBW NVNT n20 5700MHz Ant2



OBW NVNT n40 5510MHz Ant1




OBW NVNT n40 5510MHz Ant2




OBW NVNT n40 5550MHz Ant1




OBW NVNT n40 5550MHz Ant2



OBW NVNT n40 5670MHz Ant1



OBW NVNT n40 5670MHz Ant2



5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-1.377	1.36	-0.017	<=11	Pass
NVNT	a	5580	Ant1	0.087	1.36	1.447	<=11	Pass
NVNT	a	5700	Ant1	-1.196	1.36	0.164	<=11	Pass
NVNT	a	5500	Ant2	-1.902	1.36	-0.542	<=11	Pass
NVNT	a	5580	Ant2	-0.717	1.36	0.643	<=11	Pass
NVNT	a	5700	Ant2	-0.567	1.36	0.793	<=11	Pass
NVNT	n20	5500	Ant1	-2.114	1.44	-0.674	<=11	Pass
NVNT	n20	5500	Ant2	-2.991	1.44	-1.551	<=11	Pass
NVNT	n20	5500	Sum	0.48	1.44	1.92	<=11	Pass
NVNT	n20	5580	Ant1	-1.722	1.43	-0.292	<=11	Pass
NVNT	n20	5580	Ant2	-1.973	1.43	-0.543	<=11	Pass
NVNT	n20	5580	Sum	1.165	1.43	2.595	<=11	Pass
NVNT	n20	5700	Ant1	-2.433	1.44	-0.993	<=11	Pass
NVNT	n20	5700	Ant2	-2.167	1.44	-0.727	<=11	Pass
NVNT	n20	5700	Sum	0.712	1.44	2.152	<=11	Pass
NVNT	n40	5510	Ant1	-5.462	2.52	-2.942	<=11	Pass
NVNT	n40	5510	Ant2	-6.215	2.52	-3.695	<=11	Pass
NVNT	n40	5510	Sum	-2.812	2.52	-0.292	<=11	Pass
NVNT	n40	5550	Ant1	-4.76	2.53	-2.23	<=11	Pass
NVNT	n40	5550	Ant2	-5.64	2.53	-3.11	<=11	Pass
NVNT	n40	5550	Sum	-2.167	2.53	0.363	<=11	Pass
NVNT	n40	5670	Ant1	-5.353	2.53	-2.823	<=11	Pass
NVNT	n40	5670	Ant2	-5.331	2.53	-2.801	<=11	Pass
NVNT	n40	5670	Sum	-2.332	2.53	0.198	<=11	Pass

Test Graphs

PSD NVNT a 5500MHz Ant1



PSD NVNT a 5580MHz Ant1




PSD NVNT a 5700MHz Ant1



PSD NVNT a 5500MHz Ant2



PSD NVNT a 5580MHz Ant2



PSD NVNT a 5700MHz Ant2



PSD NVNT n20 5500MHz Ant1



PSD NVNT n20 5500MHz Ant2



PSD NVNT n20 5580MHz Ant1



PSD NVNT n20 5580MHz Ant2



PSD NVNT n20 5700MHz Ant1



PSD NVNT n20 5700MHz Ant2



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5510MHz Ant2



PSD NVNT n40 5550MHz Ant1



PSD NVNT n40 5550MHz Ant2



PSD NVNT n40 5670MHz Ant1



PSD NVNT n40 5670MHz Ant2




ANT B

1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	73.15	1.36	0.73
NVNT	a	5580	Ant1	73.15	1.36	0.73
NVNT	a	5700	Ant1	73.15	1.36	0.73
NVNT	a	5500	Ant2	73.15	1.36	0.73
NVNT	a	5580	Ant2	73.15	1.36	0.73
NVNT	a	5700	Ant2	73.15	1.36	0.73
NVNT	n20	5500	Sum	71.83	1.44	0.78
NVNT	n20	5580	Sum	71.87	1.43	0.78
NVNT	n20	5700	Sum	71.82	1.44	0.78
NVNT	n40	5510	Sum	55.93	2.52	1.58
NVNT	n40	5550	Sum	55.91	2.53	1.58
NVNT	n40	5670	Sum	55.91	2.53	1.58

Duty Cycle NVNT a 5700MHz Ant1

Duty Cycle NVNT n20 5700MHz Sum



Duty Cycle NVNT n40 5510MHz Sum




Duty Cycle NVNT n40 5550MHz Sum

2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	9.07	1.36	10.43	<=23.7	Pass
NVNT	a	5580	Ant1	10.19	1.36	11.55	<=23.7	Pass
NVNT	a	5700	Ant1	9.05	1.36	10.41	<=23.71	Pass
NVNT	a	5500	Ant2	8.24	1.36	9.6	<=23.73	Pass
NVNT	a	5580	Ant2	9.82	1.36	11.18	<=23.7	Pass
NVNT	a	5700	Ant2	9.34	1.36	10.7	<=23.69	Pass
NVNT	n20	5500	Ant1	8.49	1.44	9.93	<=23.91	Pass
NVNT	n20	5500	Ant2	7.53	1.44	8.97	<=23.91	Pass
NVNT	n20	5500	Sum	11.05	1.44	12.49	<=23.87	Pass
NVNT	n20	5580	Ant1	9.27	1.43	10.7	<=23.91	Pass
NVNT	n20	5580	Ant2	8.78	1.43	10.21	<=23.91	Pass
NVNT	n20	5580	Sum	12.04	1.43	13.47	<=23.87	Pass
NVNT	n20	5700	Ant1	8.25	1.44	9.69	<=23.9	Pass
NVNT	n20	5700	Ant2	8.37	1.44	9.81	<=23.9	Pass
NVNT	n20	5700	Sum	11.32	1.44	12.76	<=23.86	Pass
NVNT	n40	5510	Ant1	7.89	2.52	10.41	<=24	Pass
NVNT	n40	5510	Ant2	6.49	2.52	9.01	<=24	Pass
NVNT	n40	5510	Sum	10.26	2.52	12.78	<=23.96	Pass
NVNT	n40	5550	Ant1	8.04	2.53	10.57	<=24	Pass
NVNT	n40	5550	Ant2	8.13	2.53	10.66	<=24	Pass
NVNT	n40	5550	Sum	11.1	2.53	13.63	<=23.96	Pass
NVNT	n40	5670	Ant1	7.73	2.53	10.26	<=24	Pass
NVNT	n40	5670	Ant2	7.81	2.53	10.34	<=24	Pass
NVNT	n40	5670	Sum	10.78	2.53	13.31	<=23.96	Pass

Test Graphs


Power NVNT a 5500MHz Ant1




Power NVNT a 5580MHz Ant1




Power NVNT a 5700MHz Ant1




Power NVNT a 5500MHz Ant2




Power NVNT a 5580MHz Ant2




Power NVNT a 5700MHz Ant2




Power NVNT n20 5500MHz Ant1




Power NVNT n20 5500MHz Ant2




Power NVNT n20 5580MHz Ant1




Power NVNT n20 5580MHz Ant2




Power NVNT n20 5700MHz Ant1




Power NVNT n20 5700MHz Ant2




Power NVNT n40 5510MHz Ant1




Power NVNT n40 5510MHz Ant2




Power NVNT n40 5550MHz Ant1




Power NVNT n40 5550MHz Ant2



Power NVNT n40 5670MHz Ant1



Power NVNT n40 5670MHz Ant2



3. -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	18.6399	Pass
NVNT	a	5580	Ant1	18.6053	Pass
NVNT	a	5700	Ant1	18.6727	Pass
NVNT	a	5500	Ant2	18.7316	Pass
NVNT	a	5580	Ant2	18.6123	Pass
NVNT	a	5700	Ant2	18.5586	Pass
NVNT	n20	5500	Ant1	19.4403	Pass
NVNT	n20	5500	Ant2	19.5618	Pass
NVNT	n20	5580	Ant1	19.5384	Pass
NVNT	n20	5580	Ant2	19.5329	Pass
NVNT	n20	5700	Ant1	19.4339	Pass
NVNT	n20	5700	Ant2	19.4764	Pass
NVNT	n40	5510	Ant1	39.5589	Pass
NVNT	n40	5510	Ant2	40.1955	Pass
NVNT	n40	5550	Ant1	39.9965	Pass
NVNT	n40	5550	Ant2	40.2258	Pass
NVNT	n40	5670	Ant1	39.6486	Pass
NVNT	n40	5670	Ant2	40.1564	Pass

Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1



-26dB Bandwidth NVNT a 5700MHz Ant1



-26dB Bandwidth NVNT a 5500MHz Ant2



-26dB Bandwidth NVNT a 5580MHz Ant2




-26dB Bandwidth NVNT a 5700MHz Ant2




-26dB Bandwidth NVNT n20 5500MHz Ant1



-26dB Bandwidth NVNT n20 5500MHz Ant2



-26dB Bandwidth NVNT n20 5580MHz Ant1



-26dB Bandwidth NVNT n20 5580MHz Ant2



-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant2



-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant2



-26dB Bandwidth NVNT n40 5550MHz Ant1



-26dB Bandwidth NVNT n40 5550MHz Ant2



-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT n40 5670MHz Ant2




4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.3542
NVNT	a	5580	Ant1	16.341
NVNT	a	5700	Ant1	16.3246
NVNT	a	5500	Ant2	16.3381
NVNT	a	5580	Ant2	16.3494
NVNT	a	5700	Ant2	16.3461
NVNT	n20	5500	Ant1	17.5307
NVNT	n20	5500	Ant2	17.5439
NVNT	n20	5580	Ant1	17.5272
NVNT	n20	5580	Ant2	17.5253
NVNT	n20	5700	Ant1	17.5159
NVNT	n20	5700	Ant2	17.5108
NVNT	n40	5510	Ant1	36.0299
NVNT	n40	5510	Ant2	36.0418
NVNT	n40	5550	Ant1	36.0177
NVNT	n40	5550	Ant2	36.0251
NVNT	n40	5670	Ant1	36.0833
NVNT	n40	5670	Ant2	36.0708

Test Graphs

OBW NVNT a 5500MHz Ant1




OBW NVNT a 5580MHz Ant1




OBW NVNT a 5700MHz Ant1




OBW NVNT a 5500MHz Ant2




OBW NVNT a 5580MHz Ant2




OBW NVNT a 5700MHz Ant2



OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5500MHz Ant2



OBW NVNT n20 5580MHz Ant1




OBW NVNT n20 5580MHz Ant2



OBW NVNT n20 5700MHz Ant1




OBW NVNT n20 5700MHz Ant2



OBW NVNT n40 5510MHz Ant1




OBW NVNT n40 5510MHz Ant2




OBW NVNT n40 5550MHz Ant1




OBW NVNT n40 5550MHz Ant2



OBW NVNT n40 5670MHz Ant1



OBW NVNT n40 5670MHz Ant2



5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-1.377	1.36	-0.017	<=11	Pass
NVNT	a	5580	Ant1	0.087	1.36	1.447	<=11	Pass
NVNT	a	5700	Ant1	-1.196	1.36	0.164	<=11	Pass
NVNT	a	5500	Ant2	-1.902	1.36	-0.542	<=11	Pass
NVNT	a	5580	Ant2	-0.717	1.36	0.643	<=11	Pass
NVNT	a	5700	Ant2	-0.567	1.36	0.793	<=11	Pass
NVNT	n20	5500	Ant1	-2.114	1.44	-0.674	<=11	Pass
NVNT	n20	5500	Ant2	-2.991	1.44	-1.551	<=11	Pass
NVNT	n20	5500	Sum	0.48	1.44	1.92	<=10.96	Pass
NVNT	n20	5580	Ant1	-1.722	1.43	-0.292	<=11	Pass
NVNT	n20	5580	Ant2	-1.973	1.43	-0.543	<=11	Pass
NVNT	n20	5580	Sum	1.165	1.43	2.595	<=10.96	Pass
NVNT	n20	5700	Ant1	-2.433	1.44	-0.993	<=11	Pass
NVNT	n20	5700	Ant2	-2.167	1.44	-0.727	<=11	Pass
NVNT	n20	5700	Sum	0.712	1.44	2.152	<=10.96	Pass
NVNT	n40	5510	Ant1	-5.462	2.52	-2.942	<=11	Pass
NVNT	n40	5510	Ant2	-6.215	2.52	-3.695	<=11	Pass
NVNT	n40	5510	Sum	-2.812	2.52	-0.292	<=10.96	Pass
NVNT	n40	5550	Ant1	-4.76	2.53	-2.23	<=11	Pass
NVNT	n40	5550	Ant2	-5.64	2.53	-3.11	<=11	Pass
NVNT	n40	5550	Sum	-2.167	2.53	0.363	<=10.96	Pass
NVNT	n40	5670	Ant1	-5.353	2.53	-2.823	<=11	Pass
NVNT	n40	5670	Ant2	-5.331	2.53	-2.801	<=11	Pass
NVNT	n40	5670	Sum	-2.332	2.53	0.198	<=10.96	Pass

Test Graphs

PSD NVNT a 5500MHz Ant1



PSD NVNT a 5580MHz Ant1




PSD NVNT a 5700MHz Ant1



PSD NVNT a 5500MHz Ant2



PSD NVNT a 5580MHz Ant2



PSD NVNT a 5700MHz Ant2



PSD NVNT n20 5500MHz Ant1



PSD NVNT n20 5500MHz Ant2



PSD NVNT n20 5580MHz Ant1



PSD NVNT n20 5580MHz Ant2



PSD NVNT n20 5700MHz Ant1



PSD NVNT n20 5700MHz Ant2



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5510MHz Ant2



PSD NVNT n40 5550MHz Ant1



PSD NVNT n40 5550MHz Ant2



PSD NVNT n40 5670MHz Ant1



PSD NVNT n40 5670MHz Ant2

