




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5320

Channel No.:64

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5270

Channel No.:54

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5310

Channel No.:62

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)



Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5290

Channel No.:58

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT80)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT80)



Carrier frequency (MHz): 5500

Channel No.:100

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5600

Channel No.:120

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5700

Channel No.:140

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11a



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT20)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT20)



Carrier frequency (MHz): 5510

Channel No.:102

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5590

Channel No.:118

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5670

Channel No.:134

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Modulation type: 802.11n(HT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT40)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT40)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5530

Channel No.:106

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT80)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT80)



Carrier frequency (MHz): 5610

Channel No.:122

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT80)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)




BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Carrier frequency (MHz): 5690

Channel No.:138

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT80)



BUREAU  
VERITAS

Test Report No.: PSU-NQN2412200117RF03

Full Spectrum




Frequency Range: 6GHz -18GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 18GHz -40GHz

Detector: Av mode and PK mode

Test Mode: 802.11ac(VHT80)