Report No.: AR/2020/C000607

## **Appendix D**


#### **Photographs**

- 1. SAR measurement System
- 2. Photographs of Tissue Simulate Liquid
- 3. Photographs of EUT test position
- 4. EUT Constructional Details

Report No.: AR/2020/C000607

#### 1. SAR measurement System







Report No.: AR/2020/C000607

2. Photographs of Tissue Simulate Liquid

Photo 1: Tissue Simulant Liquid for HBBL600-10000MHz	NA
	NA



Report No.: AR/2020/C000607

Photo 3: Left tilted

3. Photographs of EUT test position

Photo 2: Left cheek

Photo 4: Right cheek

Photo 5: Right tilted






Photo 6: Front side 15mm

Photo 7: Back side 15mm







Report No.: AR/2020/C000607

Photo 8: Front side 10mm Photo 9: Back side 10mm Photo 10: Left side 10mm Photo 11: Right side 10mm Photo 12: Top side 10mm Photo 13: Bottom side 10mm




Report No.: AR/2020/C000607

Photo 14: Front side 0mm	Photo 15: Back side 0mm
Filoto 14.1 Tolit Side Ollilli	Filoto 13. Dack side offiliti
Photo 16: Right side 0mm	Photo 17: Top side 0mm
Photo 18: Back side 17mm	Photo 19: Bottom side 15mm



Report No.: AR/2020/C000607

#### 4. EUT Constructional Details



- 1) Main Ant: Ant1; DIV Ant: Ant2
- 2) SAR Proximity sensor location is same as main Ant(Ant1)
- 3) The test device is a smart phone. The overall diagonal dimension of this device is 174 mm. Per KDB 648474 D04, because the diagonal distance of this device is ≥160mm, so it is a phablet.