



The Photos of SAR test

No. I18Z60848-SEM05

For

Shenzhen Tinno Mobile Technology Corp.

smart phone

Model Name: W-C210AE

With

Hardware Version: V0.3

Software Version: C210AE-V02

FCC ID: 2AM86WC210



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 51, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn



Picture - 1 Constituents of the sample




Picture - 2 Left Hand Touch Cheek Position



Picture - 3 Left Hand Tilt 15° Position




Picture - 4 Right Hand Touch Cheek Position



Picture - 5 Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 8 test positions all with the distance =10/15mm between the EUT and the phantom bottom:



Picture - 6 Front 10mm



Picture - 7 Rear 10mm



Picture - 8 Left edge 10mm



Picture - 9 Right edge 10mm



Picture - 10 Bottom edge 10mm



Picture - 11 Top edge 10mm



Picture - 12 Front 15mm



Picture - 13 Rear 15mm