


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37244G	58.75	74.00	-15.25	42.49	3	Vertical	136	1.72	-	40.00	10.29	34.03
AV	13.37078G	45.47	54.00	-8.53	29.21	3	Vertical	136	1.72	-	40.00	10.29	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3745G	59.38	74.00	-14.62	43.12	3	Horizontal	98	1.49	-	40.00	10.29	34.03
AV	13.37128G	45.54	54.00	-8.46	29.28	3	Horizontal	98	1.49	-	40.00	10.29	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05402G	55.53	83.54	-28.01	53.59	1	Vertical	350	1.51	-	37.43	14.42	49.91
AV	20.05256G	42.03	63.54	-21.51	40.09	1	Vertical	350	1.51	-	37.43	14.42	49.91

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0533G	55.86	83.54	-27.68	53.92	1	Horizontal	301	1.57	-	37.43	14.42	49.91
AV	20.05532G	41.96	63.54	-21.58	40.02	1	Horizontal	301	1.57	-	37.43	14.42	49.91

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.853G	107.11	Inf	-Inf	97.13	3	Vertical	-0	2.46	-	36.50	6.55	33.07	
RMS	6.8498G	97.72	Inf	-Inf	87.74	3	Vertical	-0	2.46	-	36.50	6.55	33.07	
PK	7.2386G	63.09	88.20	-25.11	52.35	3	Vertical	-0	2.46	-	37.20	6.82	33.28	
RMS	7.245G	52.17	68.20	-16.03	41.44	3	Vertical	-0	2.46	-	37.20	6.82	33.29	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8434G	100.25	Inf	-Inf	90.28	3	Horizontal	239	1.10	-	36.50	6.54	33.07	
RMS	6.8418G	90.25	Inf	-Inf	80.28	3	Horizontal	239	1.10	-	36.50	6.54	33.07	
PK	7.2418G	63.27	88.20	-24.93	52.53	3	Horizontal	239	1.10	-	37.20	6.82	33.28	
RMS	7.237G	52.13	68.20	-16.07	41.39	3	Horizontal	239	1.10	-	37.20	6.82	33.28	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.689G	61.26	88.20	-26.94	44.70	3	Vertical	265	2.48	-	40.29	10.44	34.17
RMS	13.68788G	47.35	68.20	-20.85	30.79	3	Vertical	265	2.48	-	40.29	10.44	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69374G	60.88	88.20	-27.32	44.32	3	Horizontal	243	2.31	-	40.29	10.45	34.18
RMS	13.69048G	47.41	68.20	-20.79	30.85	3	Horizontal	243	2.31	-	40.29	10.45	34.18

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5303G	55.85	83.54	-27.69	53.47	1	Vertical	230	1.51	-	37.73	14.64	49.99
AV	20.53148G	42.43	63.54	-21.11	40.05	1	Vertical	230	1.51	-	37.73	14.64	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5329G	56.14	83.54	-27.40	53.76	1	Horizontal	164	1.52	-	37.73	14.64	49.99
AV	20.5304G	42.47	63.54	-21.07	40.09	1	Horizontal	164	1.52	-	37.73	14.64	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8906G	109.15	Inf	-Inf	99.14	3	Vertical	324.2	2.31	-	36.50	6.59	33.08
RMS	6.8892G	99.14	Inf	-Inf	89.13	3	Vertical	324.2	2.31	-	36.50	6.59	33.08
PK	7.2336G	62.46	88.20	-25.74	51.72	3	Vertical	324.2	2.31	-	37.20	6.82	33.28
RMS	7.235G	52.14	68.20	-16.06	41.40	3	Vertical	324.2	2.31	-	37.20	6.82	33.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9004G	101.87	Inf	-Inf	91.85	3	Horizontal	77	1.03	-	36.50	6.60	33.08	
RMS	6.9004G	90.87	Inf	-Inf	80.85	3	Horizontal	77	1.03	-	36.50	6.60	33.08	
PK	7.214G	62.87	88.20	-25.33	52.12	3	Horizontal	77	1.03	-	37.20	6.81	33.26	
RMS	7.2322G	52.05	68.20	-16.15	41.31	3	Horizontal	77	1.03	-	37.20	6.82	33.28	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76702G	60.85	88.20	-27.35	44.18	3	Vertical	132	1.18	-	40.43	10.48	34.24
RMS	13.77164G	47.37	68.20	-20.83	30.68	3	Vertical	132	1.18	-	40.44	10.49	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76812G	60.89	88.20	-27.31	44.21	3	Horizontal	350	1.13	-	40.44	10.48	34.24
RMS	13.77322G	47.30	68.20	-20.90	30.60	3	Horizontal	350	1.13	-	40.45	10.49	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65766G	57.13	83.54	-26.41	54.54	1	Vertical	62	1.50	-	37.86	14.70	49.97
AV	20.65276G	43.24	63.54	-20.30	40.67	1	Vertical	62	1.50	-	37.85	14.69	49.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65882G	57.20	83.54	-26.34	54.61	1	Horizontal	272	1.50	-	37.86	14.70	49.97
AV	20.65884G	43.20	63.54	-20.34	40.61	1	Horizontal	272	1.50	-	37.86	14.70	49.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	108.16	Inf	-Inf	98.06	3	Vertical	-0	2.29	-	36.56	6.63	33.09
RMS	6.9298G	98.34	Inf	-Inf	88.24	3	Vertical	-0	2.29	-	36.56	6.63	33.09
PK	7.2214G	62.79	88.20	-25.41	52.05	3	Vertical	-0	2.29	-	37.20	6.81	33.27
RMS	7.2238G	51.99	68.20	-16.21	41.25	3	Vertical	-0	2.29	-	37.20	6.81	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9358G	99.10	Inf	-Inf	88.98	3	Horizontal	234	1.00	-	36.57	6.64	33.09
RMS	6.9406G	89.35	Inf	-Inf	79.22	3	Horizontal	234	1.00	-	36.58	6.64	33.09
PK	7.1542G	62.60	88.20	-25.60	52.02	3	Horizontal	234	1.00	-	37.02	6.78	33.22
RMS	7.2202G	51.93	68.20	-16.27	41.19	3	Horizontal	234	1.00	-	37.20	6.81	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85142G	60.86	88.20	-27.34	44.09	3	Vertical	44	2.03	-	40.55	10.53	34.31	
RMS	13.8498G	47.37	68.20	-20.83	30.61	3	Vertical	44	2.03	-	40.55	10.52	34.31	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85238G	60.95	88.20	-27.25	44.18	3	Horizontal	182	2.45	-	40.55	10.53	34.31
RMS	13.85366G	47.31	68.20	-20.89	30.54	3	Horizontal	182	2.45	-	40.55	10.53	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77374G	56.25	83.54	-27.29	53.48	1	Vertical	138	1.56	-	37.97	14.75	49.95
AV	20.77528G	43.02	63.54	-20.52	40.23	1	Vertical	138	1.56	-	37.98	14.75	49.94

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77484G	56.81	83.54	-26.73	54.04	1	Horizontal	47	1.53	-	37.97	14.75	49.95
AV	20.7714G	42.89	63.54	-20.65	40.12	1	Horizontal	47	1.53	-	37.97	14.75	49.95

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	109.26	Inf	-Inf	99.06	3	Vertical	321	2.17	-	36.60	6.70	33.10
RMS	6.9994G	98.96	Inf	-Inf	88.76	3	Vertical	321	2.17	-	36.60	6.70	33.10
PK	7.1706G	63.07	88.20	-25.13	52.43	3	Vertical	321	2.17	-	37.08	6.79	33.23
RMS	7.2034G	51.86	68.20	-16.34	41.11	3	Vertical	321	2.17	-	37.20	6.80	33.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9906G	100.96	Inf	-Inf	90.77	3	Horizontal	233	1.00	-	36.60	6.69	33.10
RMS	6.9914G	90.59	Inf	-Inf	80.40	3	Horizontal	233	1.00	-	36.60	6.69	33.10
PK	7.153G	63.27	88.20	-24.93	52.70	3	Horizontal	233	1.00	-	37.01	6.78	33.22
RMS	7.2034G	51.77	68.20	-16.43	41.02	3	Horizontal	233	1.00	-	37.20	6.80	33.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00736G	61.81	88.20	-26.39	44.83	3	Vertical	3	1.38	-	40.80	10.61	34.43
RMS	14.00902G	48.33	68.20	-19.87	31.35	3	Vertical	3	1.38	-	40.80	10.61	34.43

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.01128G	62.09	88.20	-26.11	45.10	3	Horizontal	296	1.72	-	40.80	10.61	34.42	
RMS	14.0058G	48.27	68.20	-19.93	31.30	3	Horizontal	296	1.72	-	40.80	10.60	34.43	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01184G	53.91	83.54	-29.63	50.75	1	Vertical	206	1.50	-	38.20	14.86	49.90
AV	21.01138G	40.54	63.54	-23.00	37.38	1	Vertical	206	1.50	-	38.20	14.86	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01812G	53.71	83.54	-29.83	50.56	1	Horizontal	158	1.53	-	38.19	14.86	49.90
AV	21.0146G	40.83	63.54	-22.71	37.68	1	Horizontal	158	1.53	-	38.19	14.86	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.099G	109.84	Inf	-Inf	99.47	3	Vertical	178	2.32	-	36.80	6.75	33.18	
RMS	7.0926G	99.21	Inf	-Inf	88.86	3	Vertical	178	2.32	-	36.77	6.75	33.17	
PK	7.1314G	69.77	88.20	-18.43	59.27	3	Vertical	178	2.32	-	36.93	6.77	33.20	
RMS	7.125G	53.11	68.20	-15.09	42.65	3	Vertical	178	2.32	-	36.90	6.76	33.20	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	101.20	Inf	-Inf	90.88	3	Horizontal	164	2.46	-	36.75	6.74	33.17
RMS	7.0822G	89.83	Inf	-Inf	79.52	3	Horizontal	164	2.46	-	36.73	6.74	33.16
PK	7.1386G	62.94	88.20	-25.26	52.43	3	Horizontal	164	2.46	-	36.95	6.77	33.21
RMS	7.1806G	51.80	68.20	-16.40	41.13	3	Horizontal	164	2.46	-	37.12	6.79	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1687G	62.31	88.20	-25.89	45.27	3	Vertical	105	1.79	-	40.66	10.73	34.35
RMS	14.16628G	48.07	68.20	-20.13	31.03	3	Vertical	105	1.79	-	40.67	10.72	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.169G	62.00	88.20	-26.20	44.96	3	Horizontal	148	1.14	-	40.66	10.73	34.35
RMS	14.17104G	48.18	68.20	-20.02	31.13	3	Horizontal	148	1.14	-	40.66	10.73	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25648G	55.40	83.54	-28.14	52.23	1	Vertical	160	1.51	-	38.10	14.97	49.90
AV	21.25674G	41.86	63.54	-21.68	38.69	1	Vertical	160	1.51	-	38.10	14.97	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25846G	55.27	83.54	-28.27	52.10	1	Horizontal	227	1.55	-	38.10	14.97	49.90
AV	21.2563G	41.84	63.54	-21.70	38.67	1	Horizontal	227	1.55	-	38.10	14.97	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	66.14	88.20	-22.06	57.94	3	Vertical	326.2	2.39	-	34.88	6.12	32.80	
RMS	5.923G	54.19	68.20	-14.01	45.99	3	Vertical	326.2	2.39	-	34.89	6.12	32.81	
PK	5.987G	109.29	Inf	-Inf	100.78	3	Vertical	326.2	2.39	-	35.15	6.19	32.83	
RMS	5.975G	98.15	Inf	-Inf	89.70	3	Vertical	326.2	2.39	-	35.10	6.17	32.82	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.889G	62.34	88.20	-25.86	54.31	3	Horizontal	243	1.08	-	34.73	6.09	32.79	
RMS	5.92G	51.78	68.20	-16.42	43.58	3	Horizontal	243	1.08	-	34.88	6.12	32.80	
PK	5.978G	102.88	Inf	-Inf	94.41	3	Horizontal	243	1.08	-	35.11	6.18	32.82	
RMS	5.977G	91.79	Inf	-Inf	83.32	3	Horizontal	243	1.08	-	35.11	6.18	32.82	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97338G	56.77	74.00	-17.23	42.71	3	Vertical	347	2.40	-	38.83	9.59	34.36	
AV	11.96634G	43.30	54.00	-10.70	29.25	3	Vertical	347	2.40	-	38.83	9.58	34.36	
PK	17.95746G	65.62	74.00	-8.38	44.70	3	Vertical	44	1.38	-	41.76	13.67	34.51	
AV	17.95712G	51.93	54.00	-2.07	31.01	3	Vertical	44	1.38	-	41.76	13.67	34.51	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97042G	57.32	74.00	-16.68	43.26	3	Horizontal	34	1.63	-	38.83	9.59	34.36
AV	11.96748G	43.28	54.00	-10.72	29.23	3	Horizontal	34	1.63	-	38.83	9.58	34.36
PK	17.95308G	67.29	74.00	-6.71	46.39	3	Horizontal	159	1.58	-	41.75	13.66	34.51
AV	17.95984G	51.96	54.00	-2.04	31.04	3	Horizontal	159	1.58	-	41.76	13.67	34.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	62.43	88.20	-25.77	54.68	3	Vertical	255	2.58	-	34.48	6.05	32.78
RMS	5.921G	51.48	68.20	-16.72	43.28	3	Vertical	255	2.58	-	34.88	6.12	32.80
PK	6.173G	104.47	Inf	-Inf	95.77	3	Vertical	255	2.58	-	35.39	6.20	32.89
RMS	6.147G	94.51	Inf	-Inf	85.88	3	Vertical	255	2.58	-	35.31	6.20	32.88

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.825G	62.74	88.20	-25.46	55.13	3	Horizontal	249	1.00	-	34.35	6.03	32.77	
RMS	5.909G	51.44	68.20	-16.76	43.29	3	Horizontal	249	1.00	-	34.84	6.11	32.80	
PK	6.119G	103.21	Inf	-Inf	94.52	3	Horizontal	249	1.00	-	35.36	6.20	32.87	
RMS	6.117G	89.78	Inf	-Inf	81.08	3	Horizontal	249	1.00	-	35.37	6.20	32.87	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2891G	57.45	74.00	-16.55	43.27	3	Vertical	56	1.48	-	38.68	9.74	34.24
AV	12.2926G	43.13	54.00	-10.87	28.92	3	Vertical	56	1.48	-	38.69	9.75	34.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29332G	56.55	74.00	-17.45	42.34	3	Horizontal	311	2.56	-	38.69	9.75	34.23
AV	12.29158G	43.10	54.00	-10.90	28.90	3	Horizontal	311	2.56	-	38.68	9.75	34.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43658G	56.70	83.54	-26.84	55.10	1	Vertical	94	1.51	-	37.65	14.24	50.29
AV	18.4372G	42.77	63.54	-20.77	41.17	1	Vertical	94	1.51	-	37.65	14.24	50.29

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43988G	56.79	83.54	-26.75	55.19	1	Horizontal	274	1.51	-	37.65	14.24	50.29
AV	18.43014G	42.77	63.54	-20.77	41.18	1	Horizontal	274	1.51	-	37.64	14.24	50.29

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.77	88.20	-26.43	53.56	3	Vertical	141	2.32	-	34.90	6.12	32.81	
RMS	5.9208G	51.46	68.20	-16.74	43.26	3	Vertical	141	2.32	-	34.88	6.12	32.80	
PK	6.396G	109.46	Inf	-Inf	100.63	3	Vertical	141	2.32	-	35.40	6.40	32.97	
RMS	6.4004G	98.61	Inf	-Inf	89.78	3	Vertical	141	2.32	-	35.40	6.40	32.97	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9098G	61.95	88.20	-26.25	53.80	3	Horizontal	16	2.52	-	34.84	6.11	32.80	
RMS	5.9054G	51.41	68.20	-16.79	43.28	3	Horizontal	16	2.52	-	34.82	6.11	32.80	
PK	6.4136G	98.68	Inf	-Inf	89.83	3	Horizontal	16	2.52	-	35.43	6.40	32.98	
RMS	6.3476G	87.77	Inf	-Inf	78.98	3	Horizontal	16	2.52	-	35.40	6.35	32.96	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77354G	57.31	88.20	-30.89	42.26	3	Vertical	38	2.91	-	39.15	9.99	34.09	
RMS	12.77236G	44.02	68.20	-24.18	28.98	3	Vertical	38	2.91	-	39.14	9.99	34.09	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77418G	57.35	88.20	-30.85	42.30	3	Horizontal	252	2.97	-	39.15	9.99	34.09
RMS	12.76876G	44.28	68.20	-23.92	29.25	3	Horizontal	252	2.97	-	39.14	9.98	34.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15348G	55.24	83.54	-28.30	52.87	1	Vertical	344	1.57	-	38.22	14.32	50.17
AV	19.15768G	41.26	63.54	-22.28	38.90	1	Vertical	344	1.57	-	38.21	14.32	50.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15292G	54.62	83.54	-28.92	52.25	1	Horizontal	196	1.50	-	38.22	14.32	50.17
AV	19.15468G	41.27	63.54	-22.27	38.91	1	Horizontal	196	1.50	-	38.21	14.32	50.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	62.65	88.20	-25.55	54.44	3	Vertical	144	2.19	-	34.90	6.12	32.81	
RMS	5.9154G	51.43	68.20	-16.77	43.25	3	Vertical	144	2.19	-	34.86	6.12	32.80	
PK	6.4698G	110.98	Inf	-Inf	102.04	3	Vertical	144	2.19	-	35.54	6.40	33.00	
RMS	6.4746G	99.70	Inf	-Inf	90.75	3	Vertical	144	2.19	-	35.55	6.40	33.00	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	61.88	88.20	-26.32	54.00	3	Horizontal	246	2.18	-	34.60	6.07	32.79
RMS	5.913G	51.38	68.20	-16.82	43.22	3	Horizontal	246	2.18	-	34.85	6.11	32.80
PK	6.4842G	101.64	Inf	-Inf	92.67	3	Horizontal	246	2.18	-	35.57	6.40	33.00
RMS	6.4842G	90.07	Inf	-Inf	81.10	3	Horizontal	246	2.18	-	35.57	6.40	33.00

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9339G	59.70	88.20	-28.50	44.22	3	Vertical	347	2.63	-	39.47	10.07	34.06	
RMS	12.93114G	45.61	68.20	-22.59	30.14	3	Vertical	347	2.63	-	39.46	10.07	34.06	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92564G	59.79	88.20	-28.41	44.34	3	Horizontal	140	2.94	-	39.45	10.06	34.06
RMS	12.9271G	45.44	68.20	-22.76	29.99	3	Horizontal	140	2.94	-	39.45	10.06	34.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39554G	53.98	83.54	-29.56	51.83	1	Vertical	79	1.50	-	37.93	14.34	50.12
AV	19.3962G	40.34	63.54	-23.20	38.20	1	Vertical	79	1.50	-	37.92	14.34	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39298G	54.05	83.54	-29.49	51.90	1	Horizontal	31	1.57	-	37.93	14.34	50.12
AV	19.39548G	40.19	63.54	-23.35	38.04	1	Horizontal	31	1.57	-	37.93	14.34	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	61.50	88.20	-26.70	53.30	3	Vertical	136	2.52	-	34.88	6.12	32.80
RMS	5.9132G	51.43	68.20	-16.77	43.27	3	Vertical	136	2.52	-	34.85	6.11	32.80
PK	6.5372G	110.69	Inf	-Inf	101.41	3	Vertical	136	2.52	-	35.90	6.40	33.02
RMS	6.5372G	99.50	Inf	-Inf	90.22	3	Vertical	136	2.52	-	35.90	6.40	33.02
PK	7.169G	62.33	88.20	-25.87	51.70	3	Vertical	136	2.52	-	37.08	6.78	33.23
RMS	7.1924G	51.70	68.20	-16.50	40.98	3	Vertical	136	2.52	-	37.17	6.80	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9028G	61.37	88.20	-26.83	53.26	3	Horizontal	360	2.86	-	34.81	6.10	32.80
RMS	5.908G	51.38	68.20	-16.82	43.24	3	Horizontal	360	2.86	-	34.83	6.11	32.80
PK	6.5346G	100.61	Inf	-Inf	91.35	3	Horizontal	360	2.86	-	35.88	6.40	33.02
RMS	6.5346G	89.83	Inf	-Inf	80.57	3	Horizontal	360	2.86	-	35.88	6.40	33.02
PK	7.156G	61.57	88.20	-26.63	50.99	3	Horizontal	360	2.86	-	37.02	6.78	33.22
RMS	7.1924G	51.72	68.20	-16.48	41.00	3	Horizontal	360	2.86	-	37.17	6.80	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08622G	60.63	88.20	-27.57	44.93	3	Vertical	205	1.63	-	39.60	10.14	34.04
RMS	13.0926G	45.99	68.20	-22.21	30.28	3	Vertical	205	1.63	-	39.60	10.15	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08546G	59.23	88.20	-28.97	43.53	3	Horizontal	333	2.97	-	39.60	10.14	34.04
RMS	13.09204G	46.02	68.20	-22.18	30.31	3	Horizontal	333	2.97	-	39.60	10.15	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63482G	55.91	83.54	-27.63	53.91	1	Vertical	27	1.50	-	37.69	14.36	50.05
AV	19.63988G	42.64	63.54	-20.90	40.63	1	Vertical	27	1.50	-	37.69	14.36	50.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63184G	56.33	83.54	-27.21	54.33	1	Horizontal	58	1.50	-	37.69	14.36	50.05
AV	19.63832G	42.65	63.54	-20.89	40.64	1	Horizontal	58	1.50	-	37.69	14.36	50.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6274G	109.61	Inf	-Inf	100.18	3	Vertical	360	2.30	-	36.05	6.41	33.03	
RMS	6.637G	99.50	Inf	-Inf	90.08	3	Vertical	360	2.30	-	36.03	6.42	33.03	
PK	7.1842G	62.98	88.20	-25.22	52.29	3	Vertical	360	2.30	-	37.14	6.79	33.24	
RMS	7.225G	52.06	68.20	-16.14	41.32	3	Vertical	360	2.30	-	37.20	6.81	33.27	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5962G	101.22	Inf	-Inf	91.76	3	Horizontal	5	2.94	-	36.09	6.40	33.03
RMS	6.6154G	91.42	Inf	-Inf	81.97	3	Horizontal	5	2.94	-	36.07	6.41	33.03
PK	7.177G	62.71	88.20	-25.49	52.04	3	Horizontal	5	2.94	-	37.11	6.79	33.23
RMS	7.225G	51.98	68.20	-16.22	41.24	3	Horizontal	5	2.94	-	37.20	6.81	33.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2521G	59.12	74.00	-14.88	43.02	3	Vertical	52	1.39	-	39.90	10.23	34.03
AV	13.25236G	45.68	54.00	-8.32	29.58	3	Vertical	52	1.39	-	39.90	10.23	34.03

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25388G	59.27	74.00	-14.73	43.16	3	Horizontal	331	1.47	-	39.91	10.23	34.03
AV	13.25338G	45.65	54.00	-8.35	29.54	3	Horizontal	331	1.47	-	39.91	10.23	34.03

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8724G	55.48	83.54	-28.06	53.54	1	Vertical	80	1.52	-	37.50	14.39	49.95
AV	19.87858G	42.06	63.54	-21.48	40.12	1	Vertical	80	1.52	-	37.50	14.39	49.95

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87998G	55.49	83.54	-28.05	53.55	1	Horizontal	218	1.54	-	37.50	14.39	49.95
AV	19.87574G	42.15	63.54	-21.39	40.21	1	Horizontal	218	1.54	-	37.50	14.39	49.95

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.681G	112.15	Inf	-Inf	102.69	3	Vertical	-0	2.56	-	36.06	6.44	33.04	
RMS	6.691G	98.46	Inf	-Inf	88.97	3	Vertical	-0	2.56	-	36.08	6.45	33.04	
PK	7.155G	62.17	88.20	-26.03	51.59	3	Vertical	-0	2.56	-	37.02	6.78	33.22	
RMS	7.203G	51.91	68.20	-16.29	41.16	3	Vertical	-0	2.56	-	37.20	6.80	33.25	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.697G	101.13	Inf	-Inf	91.64	3	Horizontal	9	2.95	-	36.09	6.45	33.05	
RMS	6.695G	91.31	Inf	-Inf	81.82	3	Horizontal	9	2.95	-	36.09	6.45	33.05	
PK	7.195G	63.25	88.20	-24.95	52.52	3	Horizontal	9	2.95	-	37.18	6.80	33.25	
RMS	7.197G	51.84	68.20	-16.36	41.10	3	Horizontal	9	2.95	-	37.19	6.80	33.25	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41446G	59.20	88.20	-29.00	42.89	3	Vertical	48	2.14	-	40.03	10.31	34.03	
RMS	13.41224G	45.99	68.20	-22.21	29.69	3	Vertical	48	2.14	-	40.02	10.31	34.03	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40586G	59.85	88.20	-28.35	43.57	3	Horizontal	231	2.00	-	40.01	10.30	34.03
RMS	13.41322G	45.91	68.20	-22.29	29.60	3	Horizontal	231	2.00	-	40.03	10.31	34.03

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1166G	57.32	83.54	-26.22	55.32	1	Vertical	338	1.53	-	37.47	14.45	49.92
AV	20.11768G	43.13	63.54	-20.41	41.13	1	Vertical	338	1.53	-	37.47	14.45	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.11922G	56.60	83.54	-26.94	54.60	1	Horizontal	12	1.53	-	37.47	14.45	49.92	
AV	20.11536G	43.25	63.54	-20.29	41.25	1	Horizontal	12	1.53	-	37.47	14.45	49.92	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8048G	109.02	Inf	-Inf	99.08	3	Vertical	-0	2.55	-	36.50	6.50	33.06
RMS	6.7994G	98.68	Inf	-Inf	88.74	3	Vertical	-0	2.55	-	36.50	6.50	33.06
PK	7.2332G	63.17	88.20	-25.03	52.43	3	Vertical	-0	2.55	-	37.20	6.82	33.28
RMS	7.235G	52.21	68.20	-15.99	41.47	3	Vertical	-0	2.55	-	37.20	6.82	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7472G	101.38	Inf	-Inf	91.67	3	Horizontal	204	2.88	-	36.29	6.47	33.05	
RMS	6.7472G	92.70	Inf	-Inf	82.99	3	Horizontal	204	2.88	-	36.29	6.47	33.05	
PK	7.208G	62.98	88.20	-25.22	52.24	3	Horizontal	204	2.88	-	37.20	6.80	33.26	
RMS	7.235G	52.17	68.20	-16.03	41.43	3	Horizontal	204	2.88	-	37.20	6.82	33.28	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5658G	60.38	88.20	-27.82	43.87	3	Vertical	306	2.99	-	40.20	10.38	34.07
RMS	13.5661G	46.54	68.20	-21.66	30.03	3	Vertical	306	2.99	-	40.20	10.38	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57194G	60.56	88.20	-27.64	44.05	3	Horizontal	102	1.46	-	40.20	10.39	34.08	
RMS	13.57206G	46.56	68.20	-21.64	30.05	3	Horizontal	102	1.46	-	40.20	10.39	34.08	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35454G	57.53	83.54	-26.01	55.33	1	Vertical	266	1.50	-	37.61	14.56	49.97
AV	20.35126G	43.75	63.54	-19.79	41.55	1	Vertical	266	1.50	-	37.61	14.56	49.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35376G	57.21	83.54	-26.33	55.01	1	Horizontal	203	1.52	-	37.61	14.56	49.97
AV	20.35114G	43.82	63.54	-19.72	41.62	1	Horizontal	203	1.52	-	37.61	14.56	49.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8524G	110.24	Inf	-Inf	100.26	3	Vertical	360	2.31	-	36.50	6.55	33.07	
RMS	6.851G	99.56	Inf	-Inf	89.58	3	Vertical	360	2.31	-	36.50	6.55	33.07	
PK	7.1814G	62.90	88.20	-25.30	52.22	3	Vertical	360	2.31	-	37.13	6.79	33.24	
RMS	7.2122G	52.02	68.20	-16.18	41.27	3	Vertical	360	2.31	-	37.20	6.81	33.26	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	102.16	Inf	-Inf	92.18	3	Horizontal	189	2.95	-	36.50	6.55	33.07
RMS	6.8538G	91.23	Inf	-Inf	81.25	3	Horizontal	189	2.95	-	36.50	6.55	33.07
PK	7.2108G	63.09	88.20	-25.11	52.34	3	Horizontal	189	2.95	-	37.20	6.81	33.26
RMS	7.2122G	51.96	68.20	-16.24	41.21	3	Horizontal	189	2.95	-	37.20	6.81	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7324G	61.34	88.20	-26.86	44.72	3	Vertical	323	1.11	-	40.36	10.47	34.21
RMS	13.72578G	47.57	68.20	-20.63	30.97	3	Vertical	323	1.11	-	40.35	10.46	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72926G	60.47	88.20	-27.73	43.86	3	Horizontal	359	2.42	-	40.36	10.46	34.21
RMS	13.72614G	47.44	68.20	-20.76	30.84	3	Horizontal	359	2.42	-	40.35	10.46	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59562G	56.91	83.54	-26.63	54.42	1	Vertical	262	1.55	-	37.80	14.67	49.98
AV	20.59718G	42.63	63.54	-20.91	40.14	1	Vertical	262	1.55	-	37.80	14.67	49.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59952G	57.36	83.54	-26.18	54.87	1	Horizontal	175	1.50	-	37.80	14.67	49.98
AV	20.59798G	42.55	63.54	-20.99	40.06	1	Horizontal	175	1.50	-	37.80	14.67	49.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9258G	109.74	Inf	-Inf	99.65	3	Vertical	360	2.27	-	36.55	6.63	33.09
RMS	6.9294G	99.71	Inf	-Inf	89.61	3	Vertical	360	2.27	-	36.56	6.63	33.09
PK	7.2438G	63.24	88.20	-24.96	52.51	3	Vertical	360	2.27	-	37.20	6.82	33.29
RMS	7.2366G	52.26	68.20	-15.94	41.52	3	Vertical	360	2.27	-	37.20	6.82	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	102.28	Inf	-Inf	92.12	3	Horizontal	245	1.01	-	36.60	6.65	33.09
RMS	6.9438G	91.23	Inf	-Inf	81.09	3	Horizontal	245	1.01	-	36.59	6.64	33.09
PK	7.1694G	62.91	88.20	-25.29	52.28	3	Horizontal	245	1.01	-	37.08	6.78	33.23
RMS	7.2426G	52.24	68.20	-15.96	41.50	3	Horizontal	245	1.01	-	37.20	6.82	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89154G	62.11	88.20	-26.09	45.31	3	Vertical	340	1.71	-	40.59	10.55	34.34
RMS	13.8901G	47.69	68.20	-20.51	30.89	3	Vertical	340	1.71	-	40.59	10.55	34.34

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88784G	61.17	88.20	-27.03	44.38	3	Horizontal	341	2.20	-	40.59	10.54	34.34
RMS	13.88578G	47.76	68.20	-20.44	30.97	3	Horizontal	341	2.20	-	40.59	10.54	34.34

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83538G	56.25	83.54	-27.29	53.36	1	Vertical	248	1.53	-	38.04	14.78	49.93
AV	20.83514G	42.58	63.54	-20.96	39.69	1	Vertical	248	1.53	-	38.04	14.78	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.83626G	56.33	83.54	-27.21	53.44	1	Horizontal	123	1.50	-	38.04	14.78	49.93	
AV	20.83214G	42.51	63.54	-21.03	39.64	1	Horizontal	123	1.50	-	38.03	14.77	49.93	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	111.97	Inf	-Inf	101.77	3	Vertical	319	2.09	-	36.60	6.70	33.10
RMS	6.9914G	99.65	Inf	-Inf	89.46	3	Vertical	319	2.09	-	36.60	6.69	33.10
PK	7.1314G	69.66	88.20	-18.54	59.16	3	Vertical	319	2.09	-	36.93	6.77	33.20
RMS	7.125G	58.29	68.20	-9.91	47.83	3	Vertical	319	2.09	-	36.90	6.76	33.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.009G	100.71	Inf	-Inf	90.52	3	Horizontal	118	1.01	-	36.60	6.70	33.11	
RMS	7.0098G	90.33	Inf	-Inf	80.14	3	Horizontal	118	1.01	-	36.60	6.70	33.11	
PK	7.1282G	63.31	88.20	-24.89	52.84	3	Horizontal	118	1.01	-	36.91	6.76	33.20	
RMS	7.125G	52.58	68.20	-15.62	42.12	3	Horizontal	118	1.01	-	36.90	6.76	33.20	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04992G	62.25	88.20	-25.95	45.22	3	Vertical	347	1.76	-	40.80	10.64	34.41
RMS	14.05034G	48.49	68.20	-19.71	31.45	3	Vertical	347	1.76	-	40.80	10.64	34.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0549G	62.65	88.20	-25.55	45.61	3	Horizontal	97	2.05	-	40.80	10.64	34.40
RMS	14.04782G	48.45	68.20	-19.75	31.42	3	Horizontal	97	2.05	-	40.80	10.64	34.41

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07024G	53.77	83.54	-29.77	50.62	1	Vertical	0	1.58	-	38.17	14.88	49.90
AV	21.07064G	40.13	63.54	-23.41	36.98	1	Vertical	0	1.58	-	38.17	14.88	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07268G	53.93	83.54	-29.61	50.78	1	Horizontal	11	1.56	-	38.17	14.88	49.90
AV	21.07168G	40.22	63.54	-23.32	37.07	1	Horizontal	11	1.56	-	38.17	14.88	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	78.31	88.20	-9.89	70.10	3	Vertical	326	2.34	-	34.90	6.12	32.81
RMS	5.9242G	65.50	68.20	-2.70	57.29	3	Vertical	326	2.34	-	34.90	6.12	32.81
PK	6.0282G	109.82	Inf	-Inf	101.15	3	Vertical	326	2.34	-	35.31	6.20	32.84
RMS	6.033G	99.31	Inf	-Inf	90.62	3	Vertical	326	2.34	-	35.33	6.20	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9018G	71.12	88.20	-17.08	63.01	3	Horizontal	246	1.12	-	34.81	6.10	32.80	
RMS	5.9242G	55.47	68.20	-12.73	47.26	3	Horizontal	246	1.12	-	34.90	6.12	32.81	
PK	6.0154G	104.63	Inf	-Inf	96.01	3	Horizontal	246	1.12	-	35.26	6.20	32.84	
RMS	6.0154G	93.87	Inf	-Inf	85.25	3	Horizontal	246	1.12	-	35.26	6.20	32.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0459G	56.85	74.00	-17.15	42.79	3	Vertical	296	1.06	-	38.80	9.62	34.36
AV	12.05094G	43.06	54.00	-10.94	28.98	3	Vertical	296	1.06	-	38.80	9.63	34.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05372G	57.19	74.00	-16.81	43.11	3	Horizontal	6	2.73	-	38.80	9.63	34.35
AV	12.05096G	43.06	54.00	-10.94	28.98	3	Horizontal	6	2.73	-	38.80	9.63	34.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0744G	58.40	83.54	-25.14	57.04	1	Vertical	118	1.58	-	37.36	14.21	50.21
AV	18.07352G	43.44	63.54	-20.10	42.08	1	Vertical	118	1.58	-	37.36	14.21	50.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07458G	57.79	83.54	-25.75	56.43	1	Horizontal	216	1.50	-	37.36	14.21	50.21
AV	18.0736G	43.43	63.54	-20.11	42.07	1	Horizontal	216	1.50	-	37.36	14.21	50.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	63.96	88.20	-24.24	55.77	3	Vertical	314	2.27	-	34.87	6.12	32.80
RMS	5.925G	52.42	68.20	-15.78	44.21	3	Vertical	314	2.27	-	34.90	6.12	32.81
PK	6.193G	108.69	Inf	-Inf	99.92	3	Vertical	314	2.27	-	35.47	6.20	32.90
RMS	6.167G	98.68	Inf	-Inf	90.00	3	Vertical	314	2.27	-	35.37	6.20	32.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.919G	55.90	88.20	-32.30	47.70	3	Horizontal	251	1.80	-	34.88	6.12	32.80	
RMS	5.925G	43.77	68.20	-24.43	35.56	3	Horizontal	251	1.80	-	34.90	6.12	32.81	
PK	6.209G	100.70	Inf	-Inf	91.92	3	Horizontal	251	1.80	-	35.48	6.21	32.91	
RMS	6.205G	90.11	Inf	-Inf	81.31	3	Horizontal	251	1.80	-	35.49	6.21	32.90	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37352G	57.40	74.00	-16.60	43.10	3	Vertical	145	2.12	-	38.70	9.79	34.19
AV	12.37094G	43.74	54.00	-10.26	29.44	3	Vertical	145	2.12	-	38.70	9.79	34.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37076G	57.93	74.00	-16.07	43.63	3	Horizontal	141	2.06	-	38.70	9.79	34.19
AV	12.37108G	43.72	54.00	-10.28	29.42	3	Horizontal	141	2.06	-	38.70	9.79	34.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5507G	56.63	83.54	-26.91	54.89	1	Vertical	277	1.52	-	37.77	14.26	50.29
AV	18.5544G	42.53	63.54	-21.01	40.78	1	Vertical	277	1.52	-	37.78	14.26	50.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55766G	56.49	83.54	-27.05	54.74	1	Horizontal	28	1.57	-	37.78	14.26	50.29
AV	18.55574G	42.54	63.54	-21.00	40.79	1	Horizontal	28	1.57	-	37.78	14.26	50.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	56.34	88.20	-31.86	48.13	3	Vertical	319	2.34	-	34.90	6.12	32.81	
RMS	5.925G	44.47	68.20	-23.73	36.26	3	Vertical	319	2.34	-	34.90	6.12	32.81	
PK	6.2802G	112.96	Inf	-Inf	104.21	3	Vertical	319	2.34	-	35.40	6.28	32.93	
RMS	6.3642G	100.56	Inf	-Inf	91.76	3	Vertical	319	2.34	-	35.40	6.36	32.96	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9034G	50.12	88.20	-38.08	42.01	3	Horizontal	69	1.46	-	34.81	6.10	32.80	
RMS	5.9226G	39.98	68.20	-28.22	31.78	3	Horizontal	69	1.46	-	34.89	6.12	32.81	
PK	6.3666G	101.08	Inf	-Inf	92.27	3	Horizontal	69	1.46	-	35.40	6.37	32.96	
RMS	6.369G	91.62	Inf	-Inf	82.81	3	Horizontal	69	1.46	-	35.40	6.37	32.96	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69386G	58.36	74.00	-15.64	43.52	3	Vertical	265	2.11	-	38.99	9.95	34.10	
AV	12.6854G	43.72	54.00	-10.28	28.89	3	Vertical	265	2.11	-	38.99	9.94	34.10	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6878G	57.78	74.00	-16.22	42.95	3	Horizontal	283	1.33	-	38.99	9.94	34.10
AV	12.6854G	43.71	54.00	-10.29	28.88	3	Horizontal	283	1.33	-	38.99	9.94	34.10

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03974G	54.44	83.54	-29.10	51.98	1	Vertical	0	1.58	-	38.35	14.30	50.19
AV	19.03964G	40.19	63.54	-23.35	37.73	1	Vertical	0	1.58	-	38.35	14.30	50.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03482G	54.37	83.54	-29.17	51.90	1	Horizontal	32	1.56	-	38.36	14.30	50.19
AV	19.03652G	40.17	63.54	-23.37	37.70	1	Horizontal	32	1.56	-	38.36	14.30	50.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	51.33	88.20	-36.87	43.13	3	Vertical	360	2.06	-	34.88	6.12	32.80
RMS	5.925G	41.44	68.20	-26.76	33.23	3	Vertical	360	2.06	-	34.90	6.12	32.81
PK	6.4882G	107.65	Inf	-Inf	98.68	3	Vertical	360	2.06	-	35.58	6.40	33.01
RMS	6.4854G	98.29	Inf	-Inf	89.32	3	Vertical	360	2.06	-	35.57	6.40	33.00
PK	7.205G	55.06	88.20	-33.14	44.32	3	Vertical	360	2.06	-	37.20	6.80	33.26
RMS	7.205G	42.98	68.20	-25.22	32.24	3	Vertical	360	2.06	-	37.20	6.80	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	50.59	88.20	-37.61	42.53	3	Horizontal	168	2.59	-	34.77	6.09	32.80
RMS	5.9198G	39.79	68.20	-28.41	31.59	3	Horizontal	168	2.59	-	34.88	6.12	32.80
PK	6.4826G	101.46	Inf	-Inf	92.49	3	Horizontal	168	2.59	-	35.57	6.40	33.00
RMS	6.4798G	91.89	Inf	-Inf	82.93	3	Horizontal	168	2.59	-	35.56	6.40	33.00
PK	7.1798G	53.36	88.20	-34.84	42.69	3	Horizontal	168	2.59	-	37.12	6.79	33.24
RMS	7.205G	42.96	68.20	-25.24	32.22	3	Horizontal	168	2.59	-	37.20	6.80	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01464G	60.55	88.20	-27.65	44.89	3	Vertical	49	1.31	-	39.60	10.11	34.05
RMS	13.00542G	45.55	68.20	-22.65	29.90	3	Vertical	49	1.31	-	39.60	10.10	34.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01134G	59.51	88.20	-28.69	43.85	3	Horizontal	43	2.30	-	39.60	10.11	34.05
RMS	13.01462G	45.54	68.20	-22.66	29.88	3	Horizontal	43	2.30	-	39.60	10.11	34.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51556G	54.16	83.54	-29.38	52.11	1	Vertical	77	1.56	-	37.79	14.35	50.09
AV	19.5197G	40.49	63.54	-23.05	38.45	1	Vertical	77	1.56	-	37.78	14.35	50.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51256G	55.10	83.54	-28.44	53.05	1	Horizontal	64	1.52	-	37.79	14.35	50.09
AV	19.51978G	40.51	63.54	-23.03	38.47	1	Horizontal	64	1.52	-	37.78	14.35	50.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.679G	108.46	Inf	-Inf	99.00	3	Vertical	321	2.27	-	36.06	6.44	33.04	
RMS	6.637G	97.53	Inf	-Inf	88.11	3	Vertical	321	2.27	-	36.03	6.42	33.03	
PK	7.1858G	53.24	88.20	-34.96	42.55	3	Vertical	321	2.27	-	37.14	6.79	33.24	
RMS	7.2026G	43.34	68.20	-24.86	32.59	3	Vertical	321	2.27	-	37.20	6.80	33.25	
PK	7.3258G	53.04	74.00	-20.96	42.13	3	Vertical	321	2.27	-	37.40	6.86	33.35	
AV	7.3146G	43.17	54.00	-10.83	32.25	3	Vertical	321	2.27	-	37.40	6.86	33.34	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6342G	100.56	Inf	-Inf	91.14	3	Horizontal	251	1.05	-	36.03	6.42	33.03
RMS	6.6286G	90.35	Inf	-Inf	80.93	3	Horizontal	251	1.05	-	36.04	6.41	33.03
PK	7.2278G	52.92	88.20	-35.28	42.18	3	Horizontal	251	1.05	-	37.20	6.81	33.27
RMS	7.2138G	42.67	68.20	-25.53	31.92	3	Horizontal	251	1.05	-	37.20	6.81	33.26
PK	7.3286G	53.33	74.00	-20.67	42.42	3	Horizontal	251	1.05	-	37.40	6.86	33.35
AV	7.309G	42.90	54.00	-11.10	31.98	3	Horizontal	251	1.05	-	37.40	6.85	33.33

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32712G	58.46	74.00	-15.54	42.23	3	Vertical	8	2.46	-	40.00	10.26	34.03
AV	13.32934G	44.97	54.00	-9.03	28.74	3	Vertical	8	2.46	-	40.00	10.26	34.03

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3284G	59.25	74.00	-14.75	43.02	3	Horizontal	234	2.89	-	40.00	10.26	34.03
AV	13.33298G	44.98	54.00	-9.02	28.74	3	Horizontal	234	2.89	-	40.00	10.27	34.03

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99656G	55.12	83.54	-28.42	53.22	1	Vertical	132	1.57	-	37.40	14.40	49.90	
AV	19.99796G	41.14	63.54	-22.40	39.24	1	Vertical	132	1.57	-	37.40	14.40	49.90	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99636G	54.83	83.54	-28.71	52.93	1	Horizontal	209	1.53	-	37.40	14.40	49.90
AV	19.9979G	41.13	63.54	-22.41	39.23	1	Horizontal	209	1.53	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.761G	112.54	Inf	-Inf	102.78	3	Vertical	320	2.19	-	36.34	6.48	33.06
RMS	6.843G	99.76	Inf	-Inf	89.79	3	Vertical	320	2.19	-	36.50	6.54	33.07
PK	7.129G	64.30	88.20	-23.90	53.82	3	Vertical	320	2.19	-	36.92	6.76	33.20
RMS	7.125G	51.91	68.20	-16.29	41.45	3	Vertical	320	2.19	-	36.90	6.76	33.20
PK	7.253G	61.81	74.00	-12.19	51.06	3	Vertical	320	2.19	-	37.21	6.83	33.29
AV	7.25G	46.63	54.00	-7.37	35.89	3	Vertical	320	2.19	-	37.20	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.759G	101.34	Inf	-Inf	91.58	3	Horizontal	246	1.08	-	36.34	6.48	33.06
RMS	6.751G	91.12	Inf	-Inf	81.40	3	Horizontal	246	1.08	-	36.30	6.48	33.06
PK	7.133G	57.13	88.20	-31.07	46.63	3	Horizontal	246	1.08	-	36.93	6.77	33.20
RMS	7.125G	45.63	68.20	-22.57	35.17	3	Horizontal	246	1.08	-	36.90	6.76	33.20
PK	7.253G	54.60	74.00	-19.40	43.85	3	Horizontal	246	1.08	-	37.21	6.83	33.29
AV	7.251G	43.04	54.00	-10.96	32.30	3	Horizontal	246	1.08	-	37.20	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65122G	60.89	88.20	-27.31	44.35	3	Vertical	252	1.66	-	40.25	10.43	34.14
RMS	13.65072G	47.03	68.20	-21.17	30.49	3	Vertical	252	1.66	-	40.25	10.43	34.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6519G	60.72	88.20	-27.48	44.18	3	Horizontal	243	2.74	-	40.25	10.43	34.14
RMS	13.64792G	47.04	68.20	-21.16	30.51	3	Horizontal	243	2.74	-	40.25	10.42	34.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47458G	55.64	83.54	-27.90	53.34	1	Vertical	226	1.55	-	37.68	14.61	49.99
AV	20.47922G	42.29	63.54	-21.25	39.98	1	Vertical	226	1.55	-	37.69	14.62	50.00

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4716G	57.14	83.54	-26.40	54.84	1	Horizontal	170	1.53	-	37.68	14.61	49.99
AV	20.47918G	42.31	63.54	-21.23	40.00	1	Horizontal	170	1.53	-	37.69	14.62	50.00

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9562G	109.49	Inf	-Inf	99.32	3	Vertical	132	2.36	-	36.60	6.66	33.09
RMS	6.9562G	98.46	Inf	-Inf	88.29	3	Vertical	132	2.36	-	36.60	6.66	33.09
PK	7.1258G	78.99	88.20	-9.21	68.53	3	Vertical	132	2.36	-	36.90	6.76	33.20
RMS	7.1258G	67.90	68.20	-0.30	57.44	3	Vertical	132	2.36	-	36.90	6.76	33.20
PK	7.2794G	65.89	74.00	-8.11	55.04	3	Vertical	132	2.36	-	37.32	6.84	33.31
AV	7.25G	52.17	54.00	-1.83	41.43	3	Vertical	132	2.36	-	37.20	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0314G	99.76	Inf	-Inf	89.56	3	Horizontal	194	3.00	-	36.60	6.72	33.12
RMS	7.0186G	88.79	Inf	-Inf	78.59	3	Horizontal	194	3.00	-	36.60	6.71	33.11
PK	7.129G	74.14	88.20	-14.06	63.66	3	Horizontal	194	3.00	-	36.92	6.76	33.20
RMS	7.1258G	59.41	68.20	-8.79	48.95	3	Horizontal	194	3.00	-	36.90	6.76	33.20
PK	7.2682G	57.67	74.00	-16.33	46.87	3	Horizontal	194	3.00	-	37.27	6.83	33.30
AV	7.2522G	46.50	54.00	-7.50	35.75	3	Horizontal	194	3.00	-	37.21	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96974G	62.51	88.20	-25.69	45.60	3	Vertical	338	1.91	-	40.74	10.58	34.41
RMS	13.97188G	47.77	68.20	-20.43	30.85	3	Vertical	338	1.91	-	40.74	10.59	34.41

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96776G	61.47	88.20	-26.73	44.55	3	Horizontal	61	1.06	-	40.74	10.58	34.40
RMS	13.9746G	47.77	68.20	-20.43	30.84	3	Horizontal	61	1.06	-	40.75	10.59	34.41

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95414G	54.56	83.54	-28.98	51.49	1	Vertical	313	1.55	-	38.15	14.83	49.91
AV	20.9514G	40.76	63.54	-22.78	37.69	1	Vertical	313	1.55	-	38.15	14.83	49.91

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT_Z_2TX
Setting 81
04-C-G-2


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9505G	54.52	83.54	-29.02	51.45	1	Horizontal	31	1.58	-	38.15	14.83	49.91
AV	20.95132G	40.75	63.54	-22.79	37.68	1	Horizontal	31	1.58	-	38.15	14.83	49.91

**For 2T2S
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	RMS	5.9194G	67.98	68.20	-0.22	3	Horizontal	68	2.96	-

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8598G	62.57	88.20	-25.63	54.74	3	Vertical	335	2.21	-	34.56	6.06	32.79
RMS	5.923G	51.54	68.20	-16.66	43.34	3	Vertical	335	2.21	-	34.89	6.12	32.81
PK	5.9638G	106.45	Inf	-Inf	98.05	3	Vertical	335	2.21	-	35.06	6.16	32.82
RMS	5.9574G	95.87	Inf	-Inf	87.50	3	Vertical	335	2.21	-	35.03	6.16	32.82

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	62.41	88.20	-25.79	54.37	3	Horizontal	60	2.90	-	34.75	6.09	32.80
RMS	5.925G	51.80	68.20	-16.40	43.59	3	Horizontal	60	2.90	-	34.90	6.12	32.81
PK	5.9574G	110.10	Inf	-Inf	101.73	3	Horizontal	60	2.90	-	35.03	6.16	32.82
RMS	5.9566G	99.51	Inf	-Inf	91.14	3	Horizontal	60	2.90	-	35.03	6.16	32.82

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91456G	57.35	74.00	-16.65	43.23	3	Vertical	142	2.57	-	38.89	9.56	34.33
AV	11.91968G	44.24	54.00	-9.76	30.13	3	Vertical	142	2.57	-	38.88	9.56	34.33
PK	17.854G	65.44	74.00	-8.56	44.74	3	Vertical	271	2.51	-	41.61	13.58	34.49
AV	17.8392G	51.91	54.00	-2.09	31.25	3	Vertical	271	2.51	-	41.58	13.57	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.91872G	57.18	74.00	-16.82	43.07	3	Horizontal	360	1.80	-	38.88	9.56	34.33	
AV	11.90432G	44.79	54.00	-9.21	30.66	3	Horizontal	360	1.80	-	38.90	9.55	34.32	
PK	17.8322G	65.22	74.00	-8.78	44.58	3	Horizontal	342	2.62	-	41.56	13.57	34.49	
AV	17.8464G	51.94	54.00	-2.06	31.26	3	Horizontal	342	2.62	-	41.59	13.58	34.49	

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.875G	62.08	88.20	-26.12	54.14	3	Vertical	334	2.15	-	34.65	6.08	32.79	
RMS	5.9074G	51.35	68.20	-16.85	43.21	3	Vertical	334	2.15	-	34.83	6.11	32.80	
PK	6.1774G	105.29	Inf	-Inf	96.57	3	Vertical	334	2.15	-	35.41	6.20	32.89	
RMS	6.1774G	95.72	Inf	-Inf	87.00	3	Vertical	334	2.15	-	35.41	6.20	32.89	

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9062G	62.11	88.20	-26.09	53.98	3	Horizontal	280	2.94	-	34.82	6.11	32.80	
RMS	5.9038G	51.36	68.20	-16.84	43.24	3	Horizontal	280	2.94	-	34.82	6.10	32.80	
PK	6.1834G	110.61	Inf	-Inf	101.88	3	Horizontal	280	2.94	-	35.43	6.20	32.90	
RMS	6.1774G	99.63	Inf	-Inf	90.91	3	Horizontal	280	2.94	-	35.41	6.20	32.89	

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35832G	57.06	74.00	-16.94	42.78	3	Vertical	125	1.80	-	38.70	9.78	34.20
AV	12.3444G	44.95	54.00	-9.05	30.69	3	Vertical	125	1.80	-	38.70	9.77	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34688G	57.24	74.00	-16.76	42.98	3	Horizontal	267	1.80	-	38.70	9.77	34.21
AV	12.34596G	45.06	54.00	-8.94	30.80	3	Horizontal	267	1.80	-	38.70	9.77	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.52513G	58.37	83.54	-25.17	56.67	1	Vertical	359	1.65	-	37.74	14.25	50.29	
AV	18.52498G	46.52	63.54	-17.02	44.84	1	Vertical	359	1.65	-	37.73	14.25	50.30	

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52467G	57.64	83.54	-25.90	55.96	1	Horizontal	328	1.57	-	37.73	14.25	50.30
AV	18.52509G	46.49	63.54	-17.05	44.79	1	Horizontal	328	1.57	-	37.74	14.25	50.29

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9086G	62.26	88.20	-25.94	54.12	3	Vertical	337	1.70	-	34.83	6.11	32.80	
RMS	5.9086G	51.34	68.20	-16.86	43.20	3	Vertical	337	1.70	-	34.83	6.11	32.80	
PK	6.4078G	105.28	Inf	-Inf	96.44	3	Vertical	337	1.70	-	35.42	6.40	32.98	
RMS	6.4126G	95.85	Inf	-Inf	87.00	3	Vertical	337	1.70	-	35.43	6.40	32.98	

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8414G	62.12	88.20	-26.08	54.41	3	Horizontal	58	2.74	-	34.45	6.04	32.78
RMS	5.9086G	51.33	68.20	-16.87	43.19	3	Horizontal	58	2.74	-	34.83	6.11	32.80
PK	6.415G	109.22	Inf	-Inf	100.37	3	Horizontal	58	2.74	-	35.43	6.40	32.98
RMS	6.4174G	98.99	Inf	-Inf	90.14	3	Horizontal	58	2.74	-	35.43	6.40	32.98

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82988G	57.77	88.20	-30.43	42.58	3	Vertical	249	1.95	-	39.26	10.01	34.08
RMS	12.8352G	45.45	68.20	-22.75	30.24	3	Vertical	249	1.95	-	39.27	10.02	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83512G	57.63	88.20	-30.57	42.42	3	Horizontal	146	2.33	-	39.27	10.02	34.08
RMS	12.82344G	45.56	68.20	-22.64	30.38	3	Horizontal	146	2.33	-	39.25	10.01	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24516G	58.42	83.54	-25.12	56.14	1	Vertical	331	1.58	-	38.11	14.32	50.15
AV	19.24499G	47.94	63.54	-15.60	45.66	1	Vertical	331	1.58	-	38.11	14.32	50.15

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24522G	58.47	83.54	-25.07	56.19	1	Horizontal	292	1.78	-	38.11	14.32	50.15
AV	19.24504G	46.04	63.54	-17.50	43.76	1	Horizontal	292	1.78	-	38.11	14.32	50.15

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8474G	61.98	88.20	-26.22	54.23	3	Vertical	336	1.70	-	34.48	6.05	32.78	
RMS	5.9046G	51.28	68.20	-16.92	43.16	3	Vertical	336	1.70	-	34.82	6.10	32.80	
PK	6.4298G	105.70	Inf	-Inf	96.82	3	Vertical	336	1.70	-	35.46	6.40	32.98	
RMS	6.4324G	95.72	Inf	-Inf	86.85	3	Vertical	336	1.70	-	35.46	6.40	32.99	

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9124G	62.40	88.20	-25.80	54.24	3	Horizontal	66	2.85	-	34.85	6.11	32.80
RMS	5.8994G	51.33	68.20	-16.87	43.23	3	Horizontal	66	2.85	-	34.80	6.10	32.80
PK	6.4298G	108.76	Inf	-Inf	99.88	3	Horizontal	66	2.85	-	35.46	6.40	32.98
RMS	6.4376G	99.27	Inf	-Inf	90.38	3	Horizontal	66	2.85	-	35.48	6.40	32.99

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8716G	58.26	88.20	-29.94	42.95	3	Vertical	343	2.51	-	39.34	10.04	34.07
RMS	12.87656G	45.71	68.20	-22.49	30.39	3	Vertical	343	2.51	-	39.35	10.04	34.07

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87716G	57.94	88.20	-30.26	42.62	3	Horizontal	341	1.17	-	39.35	10.04	34.07
RMS	12.87872G	45.66	68.20	-22.54	30.33	3	Horizontal	341	1.17	-	39.36	10.04	34.07

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30507G	58.00	83.54	-25.54	55.78	1	Vertical	350	1.59	-	38.03	14.33	50.14
AV	19.30507G	47.41	63.54	-16.13	45.19	1	Vertical	350	1.59	-	38.03	14.33	50.14

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.30514G	58.26	83.54	-25.28	56.04	1	Horizontal	325	1.56	-	38.03	14.33	50.14	
AV	19.30494G	46.24	63.54	-17.30	44.02	1	Horizontal	325	1.56	-	38.03	14.33	50.14	

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	62.04	88.20	-26.16	53.89	3	Vertical	337	1.71	-	34.84	6.11	32.80
RMS	5.9094G	51.28	68.20	-16.92	43.13	3	Vertical	337	1.71	-	34.84	6.11	32.80
PK	6.475G	105.39	Inf	-Inf	96.44	3	Vertical	337	1.71	-	35.55	6.40	33.00
RMS	6.4722G	96.40	Inf	-Inf	87.46	3	Vertical	337	1.71	-	35.54	6.40	33.00
PK	7.175G	62.62	88.20	-25.58	51.96	3	Vertical	337	1.71	-	37.10	6.79	33.23
RMS	7.175G	51.49	68.20	-16.71	40.83	3	Vertical	337	1.71	-	37.10	6.79	33.23

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	62.35	88.20	-25.85	54.33	3	Horizontal	45	2.40	-	34.72	6.09	32.79
RMS	5.9066G	51.34	68.20	-16.86	43.20	3	Horizontal	45	2.40	-	34.83	6.11	32.80
PK	6.475G	109.20	Inf	-Inf	100.25	3	Horizontal	45	2.40	-	35.55	6.40	33.00
RMS	6.4722G	99.52	Inf	-Inf	90.58	3	Horizontal	45	2.40	-	35.54	6.40	33.00
PK	7.1638G	62.00	88.20	-26.20	51.38	3	Horizontal	45	2.40	-	37.06	6.78	33.22
RMS	7.175G	51.47	68.20	-16.73	40.81	3	Horizontal	45	2.40	-	37.10	6.79	33.23

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94G	57.78	88.20	-30.42	42.29	3	Vertical	109	1.02	-	39.48	10.07	34.06
RMS	12.95624G	45.61	68.20	-22.59	30.08	3	Vertical	109	1.02	-	39.51	10.08	34.06

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95876G	58.05	88.20	-30.15	42.51	3	Horizontal	303	1.44	-	39.52	10.08	34.06
RMS	12.95916G	45.76	68.20	-22.44	30.22	3	Horizontal	303	1.44	-	39.52	10.08	34.06

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42489G	56.66	83.54	-26.88	54.55	1	Vertical	327	1.57	-	37.89	14.34	50.12
AV	19.42509G	45.58	63.54	-17.96	43.46	1	Vertical	327	1.57	-	37.89	14.34	50.11

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42293G	57.23	83.54	-26.31	55.12	1	Horizontal	31	1.60	-	37.89	14.34	50.12
AV	19.42504G	44.83	63.54	-18.71	42.71	1	Horizontal	31	1.60	-	37.89	14.34	50.11

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	62.01	88.20	-26.19	54.01	3	Vertical	338	1.59	-	34.71	6.08	32.79
RMS	5.9158G	51.29	68.20	-16.91	43.11	3	Vertical	338	1.59	-	34.86	6.12	32.80
PK	6.5094G	105.46	Inf	-Inf	96.39	3	Vertical	338	1.59	-	35.68	6.40	33.01
RMS	6.5122G	95.90	Inf	-Inf	86.81	3	Vertical	338	1.59	-	35.70	6.40	33.01
PK	7.2066G	62.05	88.20	-26.15	51.31	3	Vertical	338	1.59	-	37.20	6.80	33.26
RMS	7.215G	51.87	68.20	-16.33	41.12	3	Vertical	338	1.59	-	37.20	6.81	33.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	61.73	88.20	-26.47	53.96	3	Horizontal	50	2.37	-	34.50	6.05	32.78
RMS	5.9074G	51.29	68.20	-16.91	43.15	3	Horizontal	50	2.37	-	34.83	6.11	32.80
PK	6.5178G	109.24	Inf	-Inf	100.11	3	Horizontal	50	2.37	-	35.74	6.40	33.01
RMS	6.5122G	99.21	Inf	-Inf	90.12	3	Horizontal	50	2.37	-	35.70	6.40	33.01
PK	7.2122G	62.60	88.20	-25.60	51.85	3	Horizontal	50	2.37	-	37.20	6.81	33.26
RMS	7.215G	51.84	68.20	-16.36	41.09	3	Horizontal	50	2.37	-	37.20	6.81	33.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03596G	58.84	88.20	-29.36	43.17	3	Vertical	216	1.21	-	39.60	10.12	34.05
RMS	13.03972G	46.62	68.20	-21.58	30.95	3	Vertical	216	1.21	-	39.60	10.12	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03656G	59.37	88.20	-28.83	43.70	3	Horizontal	218	2.61	-	39.60	10.12	34.05
RMS	13.03788G	46.53	68.20	-21.67	30.86	3	Horizontal	218	2.61	-	39.60	10.12	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54539G	57.43	83.54	-26.11	55.40	1	Vertical	39	1.80	-	37.76	14.35	50.08
AV	19.54515G	45.42	63.54	-18.12	43.39	1	Vertical	39	1.80	-	37.76	14.35	50.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.54273G	58.13	83.54	-25.41	56.09	1	Horizontal	51	1.56	-	37.77	14.35	50.08	
AV	19.5451G	45.90	63.54	-17.64	43.87	1	Horizontal	51	1.56	-	37.76	14.35	50.08	

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8714G	62.72	88.20	-25.48	54.81	3	Vertical	338	1.68	-	34.63	6.07	32.79
RMS	5.905G	51.32	68.20	-16.88	43.20	3	Vertical	338	1.68	-	34.82	6.10	32.80
PK	6.5294G	104.68	Inf	-Inf	95.46	3	Vertical	338	1.68	-	35.84	6.40	33.02
RMS	6.5322G	95.33	Inf	-Inf	86.09	3	Vertical	338	1.68	-	35.86	6.40	33.02
PK	7.193G	62.59	88.20	-25.61	51.87	3	Vertical	338	1.68	-	37.17	6.80	33.25
RMS	7.2294G	52.00	68.20	-16.20	41.26	3	Vertical	338	1.68	-	37.20	6.81	33.27

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	62.38	88.20	-25.82	54.27	3	Horizontal	46	2.76	-	34.81	6.10	32.80
RMS	5.8994G	51.28	68.20	-16.92	43.18	3	Horizontal	46	2.76	-	34.80	6.10	32.80
PK	6.5378G	108.88	Inf	-Inf	99.60	3	Horizontal	46	2.76	-	35.90	6.40	33.02
RMS	6.5378G	99.33	Inf	-Inf	90.05	3	Horizontal	46	2.76	-	35.90	6.40	33.02
PK	7.1454G	63.22	88.20	-24.98	52.68	3	Horizontal	46	2.76	-	36.98	6.77	33.21
RMS	7.235G	51.99	68.20	-16.21	41.25	3	Horizontal	46	2.76	-	37.20	6.82	33.28

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06952G	58.50	88.20	-29.70	42.82	3	Vertical	307	2.87	-	39.60	10.13	34.05
RMS	13.0698G	46.60	68.20	-21.60	30.92	3	Vertical	307	2.87	-	39.60	10.13	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07056G	58.29	88.20	-29.91	42.60	3	Horizontal	300	1.11	-	39.60	10.14	34.05
RMS	13.06672G	46.73	68.20	-21.47	31.05	3	Horizontal	300	1.11	-	39.60	10.13	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60523G	58.27	83.54	-25.27	56.25	1	Vertical	38	1.51	-	37.72	14.36	50.06
AV	19.60493G	46.21	63.54	-17.33	44.19	1	Vertical	38	1.51	-	37.72	14.36	50.06

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60483G	58.61	83.54	-24.93	56.59	1	Horizontal	324	1.56	-	37.72	14.36	50.06
AV	19.60499G	47.44	63.54	-16.10	45.42	1	Horizontal	324	1.56	-	37.72	14.36	50.06

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	106.41	Inf	-Inf	96.92	3	Vertical	338	1.85	-	36.09	6.45	33.05	
RMS	6.6972G	95.53	Inf	-Inf	86.04	3	Vertical	338	1.85	-	36.09	6.45	33.05	
PK	7.245G	62.99	88.20	-25.21	52.26	3	Vertical	338	1.85	-	37.20	6.82	33.29	
RMS	7.2318G	52.05	68.20	-16.15	41.31	3	Vertical	338	1.85	-	37.20	6.82	33.28	

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	110.43	Inf	-Inf	100.94	3	Horizontal	45	2.66	-	36.09	6.45	33.05	
RMS	6.6972G	99.68	Inf	-Inf	90.19	3	Horizontal	45	2.66	-	36.09	6.45	33.05	
PK	7.2384G	63.34	88.20	-24.86	52.60	3	Horizontal	45	2.66	-	37.20	6.82	33.28	
RMS	7.2406G	52.09	68.20	-16.11	41.35	3	Horizontal	45	2.66	-	37.20	6.82	33.28	

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39308G	59.41	74.00	-14.59	43.14	3	Vertical	26	1.33	-	40.00	10.30	34.03
AV	13.38744G	47.29	54.00	-6.71	31.03	3	Vertical	26	1.33	-	40.00	10.29	34.03

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39924G	59.80	74.00	-14.20	43.53	3	Horizontal	124	2.90	-	40.00	10.30	34.03
AV	13.38992G	47.69	54.00	-6.31	31.43	3	Horizontal	124	2.90	-	40.00	10.29	34.03

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08744G	56.97	83.54	-26.57	55.00	1	Vertical	2	1.46	-	37.45	14.44	49.92
AV	20.08494G	44.94	63.54	-18.60	42.97	1	Vertical	2	1.46	-	37.45	14.44	49.92

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08512G	57.92	83.54	-25.62	55.95	1	Horizontal	48	1.52	-	37.45	14.44	49.92
AV	20.085G	46.96	63.54	-16.58	44.99	1	Horizontal	48	1.52	-	37.45	14.44	49.92

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8578G	104.58	Inf	-Inf	94.59	3	Vertical	344	1.62	-	36.50	6.56	33.07	
RMS	6.8536G	94.69	Inf	-Inf	84.71	3	Vertical	344	1.62	-	36.50	6.55	33.07	
PK	7.1742G	62.62	88.20	-25.58	51.96	3	Vertical	344	1.62	-	37.10	6.79	33.23	
RMS	7.205G	51.73	68.20	-16.47	40.99	3	Vertical	344	1.62	-	37.20	6.80	33.26	

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8578G	110.33	Inf	-Inf	100.34	3	Horizontal	45	2.65	-	36.50	6.56	33.07	
RMS	6.8578G	99.61	Inf	-Inf	89.62	3	Horizontal	45	2.65	-	36.50	6.56	33.07	
PK	7.1784G	62.52	88.20	-25.68	51.86	3	Horizontal	45	2.65	-	37.11	6.79	33.24	
RMS	7.205G	51.81	68.20	-16.39	41.07	3	Horizontal	45	2.65	-	37.20	6.80	33.26	

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71136G	61.47	88.20	-26.73	44.88	3	Vertical	45	1.98	-	40.32	10.46	34.19
RMS	13.70884G	49.07	68.20	-19.13	32.49	3	Vertical	45	1.98	-	40.32	10.45	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71856G	61.99	88.20	-26.21	45.39	3	Horizontal	312	2.49	-	40.34	10.46	34.20
RMS	13.7022G	49.03	68.20	-19.17	32.47	3	Horizontal	312	2.49	-	40.30	10.45	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56586G	57.27	83.54	-26.27	54.84	1	Vertical	41	1.50	-	37.77	14.65	49.99
AV	20.56521G	44.67	63.54	-18.87	42.24	1	Vertical	41	1.50	-	37.77	14.65	49.99

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56432G	57.54	83.54	-26.00	55.12	1	Horizontal	61	1.76	-	37.76	14.65	49.99
AV	20.56498G	46.71	63.54	-16.83	44.29	1	Horizontal	61	1.76	-	37.76	14.65	49.99

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8774G	105.66	Inf	-Inf	95.66	3	Vertical	341	1.75	-	36.50	6.58	33.08
RMS	6.8726G	94.91	Inf	-Inf	84.92	3	Vertical	341	1.75	-	36.50	6.57	33.08
PK	7.1438G	61.58	88.20	-26.62	51.04	3	Vertical	341	1.75	-	36.98	6.77	33.21
RMS	7.1726G	51.58	68.20	-16.62	40.93	3	Vertical	341	1.75	-	37.09	6.79	33.23

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8762G	110.59	Inf	-Inf	100.59	3	Horizontal	62	2.75	-	36.50	6.58	33.08	
RMS	6.8738G	99.87	Inf	-Inf	89.88	3	Horizontal	62	2.75	-	36.50	6.57	33.08	
PK	7.1702G	62.08	88.20	-26.12	51.44	3	Horizontal	62	2.75	-	37.08	6.79	33.23	
RMS	7.1726G	51.62	68.20	-16.58	40.97	3	Horizontal	62	2.75	-	37.09	6.79	33.23	

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74504G	60.50	88.20	-27.70	43.86	3	Vertical	350	2.82	-	40.39	10.47	34.22
RMS	13.741G	48.96	68.20	-19.24	32.33	3	Vertical	350	2.82	-	40.38	10.47	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74524G	61.01	88.20	-27.19	44.37	3	Horizontal	68	1.37	-	40.39	10.47	34.22
RMS	13.74112G	48.84	68.20	-19.36	32.21	3	Horizontal	68	1.37	-	40.38	10.47	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62627G	58.22	83.54	-25.32	55.68	1	Vertical	2	1.50	-	37.83	14.68	49.97
AV	20.62486G	45.40	63.54	-18.14	42.88	1	Vertical	2	1.50	-	37.82	14.68	49.98

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62478G	57.75	83.54	-25.79	55.23	1	Horizontal	321	1.65	-	37.82	14.68	49.98
AV	20.62502G	46.52	63.54	-17.02	43.98	1	Horizontal	321	1.65	-	37.83	14.68	49.97

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8974G	105.64	Inf	-Inf	95.62	3	Vertical	341	1.68	-	36.50	6.60	33.08	
RMS	6.8986G	94.80	Inf	-Inf	84.78	3	Vertical	341	1.68	-	36.50	6.60	33.08	
PK	7.135G	62.79	88.20	-25.41	52.28	3	Vertical	341	1.68	-	36.94	6.77	33.20	
RMS	7.1866G	51.65	68.20	-16.55	40.95	3	Vertical	341	1.68	-	37.15	6.79	33.24	

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8974G	110.41	Inf	-Inf	100.39	3	Horizontal	43	2.74	-	36.50	6.60	33.08	
RMS	6.8974G	100.12	Inf	-Inf	90.10	3	Horizontal	43	2.74	-	36.50	6.60	33.08	
PK	7.1782G	62.56	88.20	-25.64	51.90	3	Horizontal	43	2.74	-	37.11	6.79	33.24	
RMS	7.1926G	51.77	68.20	-16.43	41.05	3	Horizontal	43	2.74	-	37.17	6.80	33.25	

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78488G	61.04	88.20	-27.16	44.33	3	Vertical	124	1.61	-	40.47	10.49	34.25
RMS	13.7932G	48.47	68.20	-19.73	31.74	3	Vertical	124	1.61	-	40.49	10.50	34.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78596G	61.64	88.20	-26.56	44.93	3	Horizontal	62	2.52	-	40.47	10.49	34.25
RMS	13.78348G	48.31	68.20	-19.89	31.60	3	Horizontal	62	2.52	-	40.47	10.49	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68314G	58.23	83.54	-25.31	55.60	1	Vertical	2	1.50	-	37.88	14.71	49.96
AV	20.68506G	45.83	63.54	-17.71	43.19	1	Vertical	2	1.50	-	37.89	14.71	49.96

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6847G	58.45	83.54	-25.09	55.82	1	Horizontal	335	1.52	-	37.88	14.71	49.96
AV	20.685G	48.35	63.54	-15.19	45.71	1	Horizontal	335	1.52	-	37.89	14.71	49.96

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.998G	105.98	Inf	-Inf	95.78	3	Vertical	341	1.71	-	36.60	6.70	33.10	
RMS	6.997G	95.33	Inf	-Inf	85.13	3	Vertical	341	1.71	-	36.60	6.70	33.10	
PK	7.213G	62.45	88.20	-25.75	51.70	3	Vertical	341	1.71	-	37.20	6.81	33.26	
RMS	7.237G	52.03	68.20	-16.17	41.29	3	Vertical	341	1.71	-	37.20	6.82	33.28	

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.99G	110.99	Inf	-Inf	100.80	3	Horizontal	73	2.67	-	36.60	6.69	33.10
RMS	6.99G	100.00	Inf	-Inf	89.81	3	Horizontal	73	2.67	-	36.60	6.69	33.10
PK	7.22G	63.35	88.20	-24.85	52.61	3	Horizontal	73	2.67	-	37.20	6.81	33.27
RMS	7.238G	52.13	68.20	-16.07	41.39	3	Horizontal	73	2.67	-	37.20	6.82	33.28

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9928G	62.45	88.20	-25.75	45.48	3	Vertical	51	2.37	-	40.79	10.60	34.42	
RMS	13.99356G	49.90	68.20	-18.30	32.93	3	Vertical	51	2.37	-	40.79	10.60	34.42	

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.998G	62.11	88.20	-26.09	45.14	3	Horizontal	199	1.70	-	40.80	10.60	34.43
RMS	13.99184G	49.99	68.20	-18.21	33.03	3	Horizontal	199	1.70	-	40.78	10.60	34.42

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98485G	59.37	83.54	-24.17	56.25	1	Vertical	95	1.50	-	38.18	14.84	49.90
AV	20.98505G	47.20	63.54	-16.34	44.07	1	Vertical	95	1.50	-	38.19	14.84	49.90

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98732G	60.75	83.54	-22.79	57.62	1	Horizontal	292	1.50	-	38.19	14.84	49.90
AV	20.98505G	48.04	63.54	-15.50	44.91	1	Horizontal	292	1.50	-	38.19	14.84	49.90

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1038G	106.50	Inf	-Inf	96.11	3	Vertical	322	2.03	-	36.82	6.75	33.18
RMS	7.0934G	96.41	Inf	-Inf	86.06	3	Vertical	322	2.03	-	36.77	6.75	33.17
PK	7.1726G	63.56	88.20	-24.64	52.91	3	Vertical	322	2.03	-	37.09	6.79	33.23
RMS	7.1942G	51.80	68.20	-16.40	41.07	3	Vertical	322	2.03	-	37.18	6.80	33.25

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0978G	110.85	Inf	-Inf	100.48	3	Horizontal	67	2.92	-	36.79	6.75	33.17
RMS	7.0934G	99.87	Inf	-Inf	89.52	3	Horizontal	67	2.92	-	36.77	6.75	33.17
PK	7.125G	65.21	88.20	-22.99	54.75	3	Horizontal	67	2.92	-	36.90	6.76	33.20
RMS	7.125G	52.67	68.20	-15.53	42.21	3	Horizontal	67	2.92	-	36.90	6.76	33.20

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18936G	62.22	88.20	-25.98	45.20	3	Vertical	36	1.49	-	40.62	10.74	34.34
RMS	14.18304G	50.14	68.20	-18.06	33.11	3	Vertical	36	1.49	-	40.63	10.74	34.34

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18612G	62.99	88.20	-25.21	45.96	3	Horizontal	290	1.45	-	40.63	10.74	34.34
RMS	14.19312G	50.02	68.20	-18.18	33.00	3	Horizontal	290	1.45	-	40.61	10.74	34.33

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2911G	67.53	83.54	-16.01	64.37	1	Vertical	108	1.54	-	38.08	14.98	49.90
AV	21.2866G	54.93	63.54	-8.61	51.76	1	Vertical	108	1.54	-	38.09	14.98	49.90

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.282G	67.00	83.54	-16.54	63.83	1	Horizontal	85	1.53	-	38.09	14.98	49.90
AV	21.2867G	54.09	63.54	-9.45	50.92	1	Horizontal	85	1.53	-	38.09	14.98	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	66.75	88.20	-21.45	58.55	3	Vertical	332	2.22	-	34.88	6.12	32.80
RMS	5.925G	53.66	68.20	-14.54	45.45	3	Vertical	332	2.22	-	34.90	6.12	32.81
PK	5.9614G	106.23	Inf	-Inf	97.84	3	Vertical	332	2.22	-	35.05	6.16	32.82
RMS	5.971G	95.80	Inf	-Inf	87.37	3	Vertical	332	2.22	-	35.08	6.17	32.82

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9238G	70.27	88.20	-17.93	62.06	3	Horizontal	57	2.87	-	34.90	6.12	32.81	
RMS	5.925G	57.01	68.20	-11.19	48.80	3	Horizontal	57	2.87	-	34.90	6.12	32.81	
PK	5.9622G	109.60	Inf	-Inf	101.21	3	Horizontal	57	2.87	-	35.05	6.16	32.82	
RMS	5.9586G	99.21	Inf	-Inf	90.84	3	Horizontal	57	2.87	-	35.03	6.16	32.82	

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92436G	57.01	74.00	-16.99	42.90	3	Vertical	176	1.33	-	38.88	9.56	34.33	
AV	11.9362G	44.48	54.00	-9.52	30.39	3	Vertical	176	1.33	-	38.86	9.57	34.34	
PK	17.8958G	58.89	74.00	-15.11	38.08	3	Vertical	188	2.49	-	41.69	13.62	34.50	
AV	17.89316G	46.92	54.00	-7.08	26.12	3	Vertical	188	2.49	-	41.69	13.61	34.50	

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92624G	56.85	74.00	-17.15	42.75	3	Horizontal	214	2.44	-	38.87	9.56	34.33	
AV	11.9378G	44.51	54.00	-9.49	30.42	3	Horizontal	214	2.44	-	38.86	9.57	34.34	
PK	17.89697G	59.85	74.00	-14.15	39.04	3	Horizontal	110	1.51	-	41.69	13.62	34.50	
AV	17.89428G	47.00	54.00	-7.00	26.19	3	Horizontal	110	1.51	-	41.69	13.62	34.50	

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8842G	62.28	88.20	-25.92	54.28	3	Vertical	334	1.87	-	34.71	6.08	32.79	
RMS	5.919G	51.43	68.20	-16.77	43.23	3	Vertical	334	1.87	-	34.88	6.12	32.80	
PK	6.1614G	104.82	Inf	-Inf	96.16	3	Vertical	334	1.87	-	35.35	6.20	32.89	
RMS	6.171G	94.88	Inf	-Inf	86.19	3	Vertical	334	1.87	-	35.38	6.20	32.89	

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9082G	62.16	88.20	-26.04	54.02	3	Horizontal	64	2.94	-	34.83	6.11	32.80	
RMS	5.9178G	51.56	68.20	-16.64	43.37	3	Horizontal	64	2.94	-	34.87	6.12	32.80	
PK	6.1674G	110.01	Inf	-Inf	101.33	3	Horizontal	64	2.94	-	35.37	6.20	32.89	
RMS	6.1686G	99.98	Inf	-Inf	91.30	3	Horizontal	64	2.94	-	35.37	6.20	32.89	

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33064G	56.94	74.00	-17.06	42.68	3	Vertical	318	2.47	-	38.70	9.77	34.21
AV	12.33144G	44.61	54.00	-9.39	30.35	3	Vertical	318	2.47	-	38.70	9.77	34.21

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33884G	57.09	74.00	-16.91	42.83	3	Horizontal	167	2.08	-	38.70	9.77	34.21
AV	12.32776G	44.95	54.00	-9.05	30.71	3	Horizontal	167	2.08	-	38.70	9.76	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49483G	58.89	83.54	-24.65	57.24	1	Vertical	326	1.61	-	37.70	14.25	50.30
AV	18.495G	47.22	63.54	-16.32	45.57	1	Vertical	326	1.61	-	37.70	14.25	50.30

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4953G	58.10	83.54	-25.44	56.45	1	Horizontal	331	1.53	-	37.70	14.25	50.30
AV	18.49498G	47.65	63.54	-15.89	46.00	1	Horizontal	331	1.53	-	37.70	14.25	50.30

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.853G	61.74	88.20	-26.46	53.95	3	Vertical	336	1.69	-	34.52	6.05	32.78	
RMS	5.9082G	51.42	68.20	-16.78	43.28	3	Vertical	336	1.69	-	34.83	6.11	32.80	
PK	6.4002G	105.36	Inf	-Inf	96.53	3	Vertical	336	1.69	-	35.40	6.40	32.97	
RMS	6.4122G	95.58	Inf	-Inf	86.74	3	Vertical	336	1.69	-	35.42	6.40	32.98	

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.865G	62.12	88.20	-26.08	54.26	3	Horizontal	65	2.77	-	34.59	6.06	32.79	
RMS	5.913G	51.43	68.20	-16.77	43.27	3	Horizontal	65	2.77	-	34.85	6.11	32.80	
PK	6.4074G	109.22	Inf	-Inf	100.39	3	Horizontal	65	2.77	-	35.41	6.40	32.98	
RMS	6.4002G	99.00	Inf	-Inf	90.17	3	Horizontal	65	2.77	-	35.40	6.40	32.97	

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8188G	57.76	88.20	-30.44	42.59	3	Vertical	286	1.34	-	39.24	10.01	34.08
RMS	12.80688G	45.21	68.20	-22.99	30.08	3	Vertical	286	1.34	-	39.21	10.00	34.08

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81648G	57.31	88.20	-30.89	42.15	3	Horizontal	5	1.62	-	39.23	10.01	34.08
RMS	12.81212G	45.29	68.20	-22.91	30.14	3	Horizontal	5	1.62	-	39.22	10.01	34.08

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21726G	58.61	83.54	-24.93	56.31	1	Vertical	323	1.65	-	38.14	14.32	50.16
AV	19.21502G	46.64	63.54	-16.90	44.34	1	Vertical	323	1.65	-	38.14	14.32	50.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21492G	58.32	83.54	-25.22	56.02	1	Horizontal	316	1.78	-	38.14	14.32	50.16
AV	19.21503G	45.86	63.54	-17.68	43.56	1	Horizontal	316	1.78	-	38.14	14.32	50.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8548G	62.49	88.20	-25.71	54.69	3	Vertical	338	1.80	-	34.53	6.05	32.78	
RMS	5.9068G	51.38	68.20	-16.82	43.24	3	Vertical	338	1.80	-	34.83	6.11	32.80	
PK	6.4424G	107.43	Inf	-Inf	98.54	3	Vertical	338	1.80	-	35.48	6.40	32.99	
RMS	6.4424G	96.19	Inf	-Inf	87.30	3	Vertical	338	1.80	-	35.48	6.40	32.99	

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	62.43	88.20	-25.77	54.44	3	Horizontal	49	2.39	-	34.70	6.08	32.79
RMS	5.9068G	51.42	68.20	-16.78	43.28	3	Horizontal	49	2.39	-	34.83	6.11	32.80
PK	6.4476G	109.84	Inf	-Inf	100.93	3	Horizontal	49	2.39	-	35.50	6.40	32.99
RMS	6.4528G	99.23	Inf	-Inf	90.31	3	Horizontal	49	2.39	-	35.51	6.40	32.99

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88888G	57.95	88.20	-30.25	42.60	3	Vertical	60	2.99	-	39.38	10.04	34.07
RMS	12.89228G	45.56	68.20	-22.64	30.20	3	Vertical	60	2.99	-	39.38	10.05	34.07

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88224G	57.88	88.20	-30.32	42.55	3	Horizontal	256	1.27	-	39.36	10.04	34.07	
RMS	12.8854G	45.61	68.20	-22.59	30.27	3	Horizontal	256	1.27	-	39.37	10.04	34.07	

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33479G	58.49	83.54	-25.05	56.29	1	Vertical	351	1.57	-	38.00	14.33	50.13
AV	19.33496G	47.28	63.54	-16.26	45.08	1	Vertical	351	1.57	-	38.00	14.33	50.13

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33661G	58.51	83.54	-25.03	56.31	1	Horizontal	314	1.54	-	38.00	14.33	50.13
AV	19.33508G	46.36	63.54	-17.18	44.16	1	Horizontal	314	1.54	-	38.00	14.33	50.13

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	62.08	88.20	-26.12	54.13	3	Vertical	336	1.72	-	34.66	6.08	32.79
RMS	5.911G	51.39	68.20	-16.81	43.24	3	Vertical	336	1.72	-	34.84	6.11	32.80
PK	6.4822G	107.81	Inf	-Inf	98.85	3	Vertical	336	1.72	-	35.56	6.40	33.00
RMS	6.4766G	96.47	Inf	-Inf	87.52	3	Vertical	336	1.72	-	35.55	6.40	33.00
PK	7.1738G	62.00	88.20	-26.20	51.34	3	Vertical	336	1.72	-	37.10	6.79	33.23
RMS	7.185G	51.70	68.20	-16.50	41.01	3	Vertical	336	1.72	-	37.14	6.79	33.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	61.45	88.20	-26.75	53.87	3	Horizontal	45	2.40	-	34.33	6.02	32.77
RMS	5.911G	51.44	68.20	-16.76	43.29	3	Horizontal	45	2.40	-	34.84	6.11	32.80
PK	6.4766G	109.29	Inf	-Inf	100.34	3	Horizontal	45	2.40	-	35.55	6.40	33.00
RMS	6.4822G	99.37	Inf	-Inf	90.41	3	Horizontal	45	2.40	-	35.56	6.40	33.00
PK	7.1458G	62.19	88.20	-26.01	51.65	3	Horizontal	45	2.40	-	36.98	6.77	33.21
RMS	7.1822G	51.63	68.20	-16.57	40.95	3	Horizontal	45	2.40	-	37.13	6.79	33.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9788G	57.75	88.20	-30.45	42.15	3	Vertical	15	2.05	-	39.56	10.09	34.05
RMS	12.9628G	45.58	68.20	-22.62	30.03	3	Vertical	15	2.05	-	39.53	10.08	34.06

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97276G	58.63	88.20	-29.57	43.04	3	Horizontal	145	2.14	-	39.55	10.09	34.05
RMS	12.97752G	45.59	68.20	-22.61	29.99	3	Horizontal	145	2.14	-	39.56	10.09	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45487G	58.26	83.54	-25.28	56.17	1	Vertical	321	1.46	-	37.85	14.35	50.11
AV	19.45507G	45.72	63.54	-17.82	43.63	1	Vertical	321	1.46	-	37.85	14.35	50.11

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45257G	57.82	83.54	-25.72	55.72	1	Horizontal	58	1.80	-	37.86	14.35	50.11
AV	19.45487G	46.19	63.54	-17.35	44.10	1	Horizontal	58	1.80	-	37.85	14.35	50.11

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8278G	61.76	88.20	-26.44	54.13	3	Vertical	336	1.60	-	34.37	6.03	32.77
RMS	5.9174G	51.36	68.20	-16.84	43.17	3	Vertical	336	1.60	-	34.87	6.12	32.80
PK	6.5222G	106.59	Inf	-Inf	97.42	3	Vertical	336	1.60	-	35.78	6.40	33.01
RMS	6.5222G	95.64	Inf	-Inf	86.47	3	Vertical	336	1.60	-	35.78	6.40	33.01
PK	7.2222G	62.17	88.20	-26.03	51.43	3	Vertical	336	1.60	-	37.20	6.81	33.27
RMS	7.2222G	52.04	68.20	-16.16	41.30	3	Vertical	336	1.60	-	37.20	6.81	33.27

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.63	88.20	-26.57	53.42	3	Horizontal	46	2.76	-	34.90	6.12	32.81
RMS	5.9146G	51.39	68.20	-16.81	43.22	3	Horizontal	46	2.76	-	34.86	6.11	32.80
PK	6.539G	110.04	Inf	-Inf	100.75	3	Horizontal	46	2.76	-	35.91	6.40	33.02
RMS	6.5278G	99.51	Inf	-Inf	90.31	3	Horizontal	46	2.76	-	35.82	6.40	33.02
PK	7.197G	62.43	88.20	-25.77	51.69	3	Horizontal	46	2.76	-	37.19	6.80	33.25
RMS	7.225G	52.11	68.20	-16.09	41.37	3	Horizontal	46	2.76	-	37.20	6.81	33.27

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05052G	58.43	88.20	-29.77	42.75	3	Vertical	101	2.91	-	39.60	10.13	34.05
RMS	13.05308G	46.50	68.20	-21.70	30.82	3	Vertical	101	2.91	-	39.60	10.13	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.056G	59.02	88.20	-29.18	43.34	3	Horizontal	348	1.71	-	39.60	10.13	34.05
RMS	13.04312G	46.51	68.20	-21.69	30.84	3	Horizontal	348	1.71	-	39.60	10.12	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57562G	58.02	83.54	-25.52	55.99	1	Vertical	42	1.70	-	37.74	14.36	50.07
AV	19.57507G	45.96	63.54	-17.58	43.93	1	Vertical	42	1.70	-	37.74	14.36	50.07

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57412G	57.87	83.54	-25.67	55.84	1	Horizontal	50	1.58	-	37.74	14.36	50.07
AV	19.57495G	46.80	63.54	-16.74	44.77	1	Horizontal	50	1.58	-	37.74	14.36	50.07

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	107.23	Inf	-Inf	97.82	3	Vertical	337	1.73	-	36.03	6.40	33.02
RMS	6.5626G	95.90	Inf	-Inf	86.49	3	Vertical	337	1.73	-	36.03	6.40	33.02
PK	7.153G	62.17	88.20	-26.03	51.60	3	Vertical	337	1.73	-	37.01	6.78	33.22
RMS	7.1602G	51.46	68.20	-16.74	40.86	3	Vertical	337	1.73	-	37.04	6.78	33.22

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	109.39	Inf	-Inf	99.98	3	Horizontal	53	2.35	-	36.03	6.40	33.02	
RMS	6.5602G	99.54	Inf	-Inf	90.14	3	Horizontal	53	2.35	-	36.02	6.40	33.02	
PK	7.1554G	62.13	88.20	-26.07	51.55	3	Horizontal	53	2.35	-	37.02	6.78	33.22	
RMS	7.1602G	51.55	68.20	-16.65	40.95	3	Horizontal	53	2.35	-	37.04	6.78	33.22	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12836G	59.61	88.20	-28.59	43.83	3	Vertical	53	2.34	-	39.66	10.16	34.04
RMS	13.13148G	46.92	68.20	-21.28	31.13	3	Vertical	53	2.34	-	39.66	10.17	34.04

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13084G	59.11	88.20	-29.09	43.32	3	Horizontal	25	1.48	-	39.66	10.17	34.04
RMS	13.13624G	46.96	68.20	-21.24	31.16	3	Horizontal	25	1.48	-	39.67	10.17	34.04

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69515G	59.43	83.54	-24.11	57.44	1	Vertical	13	1.57	-	37.64	14.37	50.02
AV	19.69492G	46.75	63.54	-16.79	44.76	1	Vertical	13	1.57	-	37.64	14.37	50.02

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69504G	59.20	83.54	-24.34	57.21	1	Horizontal	324	1.54	-	37.64	14.37	50.02
AV	19.69499G	48.01	63.54	-15.53	46.02	1	Horizontal	324	1.54	-	37.64	14.37	50.02

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	106.13	Inf	-Inf	96.67	3	Vertical	340	1.67	-	36.06	6.44	33.04
RMS	6.691G	95.53	Inf	-Inf	86.04	3	Vertical	340	1.67	-	36.08	6.45	33.04
PK	7.181G	62.19	88.20	-26.01	51.52	3	Vertical	340	1.67	-	37.12	6.79	33.24
RMS	7.183G	51.72	68.20	-16.48	41.04	3	Vertical	340	1.67	-	37.13	6.79	33.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.691G	109.34	Inf	-Inf	99.85	3	Horizontal	48	2.39	-	36.08	6.45	33.04	
RMS	6.679G	99.58	Inf	-Inf	90.12	3	Horizontal	48	2.39	-	36.06	6.44	33.04	
PK	7.177G	61.82	88.20	-26.38	51.15	3	Horizontal	48	2.39	-	37.11	6.79	33.23	
RMS	7.185G	51.78	68.20	-16.42	41.09	3	Horizontal	48	2.39	-	37.14	6.79	33.24	

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37492G	59.07	74.00	-14.93	42.81	3	Vertical	31	1.94	-	40.00	10.29	34.03
AV	13.3634G	47.32	54.00	-6.68	31.07	3	Vertical	31	1.94	-	40.00	10.28	34.03

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36992G	59.75	74.00	-14.25	43.50	3	Horizontal	187	2.17	-	40.00	10.28	34.03
AV	13.3688G	47.57	54.00	-6.43	31.32	3	Horizontal	187	2.17	-	40.00	10.28	34.03

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05502G	57.65	83.54	-25.89	55.71	1	Vertical	327	1.59	-	37.43	14.42	49.91
AV	20.05502G	47.88	63.54	-15.66	45.94	1	Vertical	327	1.59	-	37.43	14.42	49.91

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.05479G	58.09	83.54	-25.45	56.15	1	Horizontal	48	1.52	-	37.43	14.42	49.91	
AV	20.05493G	47.37	63.54	-16.17	45.43	1	Horizontal	48	1.52	-	37.43	14.42	49.91	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	105.44	Inf	-Inf	95.46	3	Vertical	340	1.77	-	36.50	6.55	33.07	
RMS	6.8386G	94.77	Inf	-Inf	84.80	3	Vertical	340	1.77	-	36.50	6.54	33.07	
PK	7.2114G	62.44	88.20	-25.76	51.69	3	Vertical	340	1.77	-	37.20	6.81	33.26	
RMS	7.2338G	52.16	68.20	-16.04	41.42	3	Vertical	340	1.77	-	37.20	6.82	33.28	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	109.84	Inf	-Inf	99.86	3	Horizontal	39	2.67	-	36.50	6.55	33.07	
RMS	6.8386G	99.69	Inf	-Inf	89.72	3	Horizontal	39	2.67	-	36.50	6.54	33.07	
PK	7.2146G	62.74	88.20	-25.46	51.99	3	Horizontal	39	2.67	-	37.20	6.81	33.26	
RMS	7.2402G	52.23	68.20	-15.97	41.49	3	Horizontal	39	2.67	-	37.20	6.82	33.28	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6942G	60.66	88.20	-27.54	44.10	3	Vertical	215	2.16	-	40.29	10.45	34.18
RMS	13.69368G	49.07	68.20	-19.13	32.51	3	Vertical	215	2.16	-	40.29	10.45	34.18

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.68376G	61.98	88.20	-26.22	45.43	3	Horizontal	262	2.26	-	40.28	10.44	34.17	
RMS	13.69336G	49.09	68.20	-19.11	32.53	3	Horizontal	262	2.26	-	40.29	10.45	34.18	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53476G	58.47	83.54	-25.07	56.09	1	Vertical	33	1.50	-	37.73	14.64	49.99
AV	20.5349G	46.62	63.54	-16.92	44.24	1	Vertical	33	1.50	-	37.73	14.64	49.99

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53478G	58.92	83.54	-24.62	56.54	1	Horizontal	48	1.50	-	37.73	14.64	49.99
AV	20.53502G	47.58	63.54	-15.96	45.19	1	Horizontal	48	1.50	-	37.74	14.64	49.99

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8864G	105.03	Inf	-Inf	95.02	3	Vertical	343	1.70	-	36.50	6.59	33.08
RMS	6.878G	94.64	Inf	-Inf	84.64	3	Vertical	343	1.70	-	36.50	6.58	33.08
PK	7.2G	62.99	88.20	-25.21	52.24	3	Vertical	343	1.70	-	37.20	6.80	33.25
RMS	7.235G	52.13	68.20	-16.07	41.39	3	Vertical	343	1.70	-	37.20	6.82	33.28

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	110.26	Inf	-Inf	100.26	3	Horizontal	43	2.64	-	36.50	6.58	33.08
RMS	6.892G	99.89	Inf	-Inf	89.88	3	Horizontal	43	2.64	-	36.50	6.59	33.08
PK	7.2224G	62.42	88.20	-25.78	51.68	3	Horizontal	43	2.64	-	37.20	6.81	33.27
RMS	7.2308G	52.23	68.20	-15.97	41.49	3	Horizontal	43	2.64	-	37.20	6.82	33.28

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76132G	62.05	88.20	-26.15	45.38	3	Vertical	219	2.26	-	40.42	10.48	34.23
RMS	13.7676G	48.52	68.20	-19.68	31.84	3	Vertical	219	2.26	-	40.44	10.48	34.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76264G	60.55	88.20	-27.65	43.88	3	Horizontal	153	1.66	-	40.43	10.48	34.24
RMS	13.7774G	48.51	68.20	-19.69	31.82	3	Horizontal	153	1.66	-	40.45	10.49	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65714G	58.96	83.54	-24.58	56.37	1	Vertical	22	1.52	-	37.86	14.70	49.97
AV	20.65285G	47.08	63.54	-16.46	44.51	1	Vertical	22	1.52	-	37.85	14.69	49.97

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65355G	58.06	83.54	-25.48	55.49	1	Horizontal	37	1.51	-	37.85	14.69	49.97
AV	20.65513G	46.73	63.54	-16.81	44.15	1	Horizontal	37	1.51	-	37.86	14.69	49.97

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9178G	105.77	Inf	-Inf	95.70	3	Vertical	43	2.32	-	36.54	6.62	33.09	
RMS	6.9214G	95.60	Inf	-Inf	85.53	3	Vertical	43	2.32	-	36.54	6.62	33.09	
PK	7.1602G	62.74	88.20	-25.46	52.14	3	Vertical	43	2.32	-	37.04	6.78	33.22	
RMS	7.225G	52.06	68.20	-16.14	41.32	3	Vertical	43	2.32	-	37.20	6.81	33.27	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9262G	109.17	Inf	-Inf	99.08	3	Horizontal	43	2.32	-	36.55	6.63	33.09	
RMS	6.931G	99.23	Inf	-Inf	89.13	3	Horizontal	43	2.32	-	36.56	6.63	33.09	
PK	7.2142G	62.86	88.20	-25.34	52.11	3	Horizontal	43	2.32	-	37.20	6.81	33.26	
RMS	7.2226G	52.12	68.20	-16.08	41.38	3	Horizontal	43	2.32	-	37.20	6.81	33.27	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84324G	60.87	88.20	-27.33	44.11	3	Vertical	160	1.63	-	40.54	10.52	34.30
RMS	13.8486G	48.58	68.20	-19.62	31.82	3	Vertical	160	1.63	-	40.55	10.52	34.31

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84668G	60.87	88.20	-27.33	44.10	3	Horizontal	170	2.09	-	40.55	10.52	34.30
RMS	13.84252G	48.74	68.20	-19.46	31.98	3	Horizontal	170	2.09	-	40.54	10.52	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77465G	58.06	83.54	-25.48	55.29	1	Vertical	56	1.53	-	37.97	14.75	49.95
AV	20.77584G	46.77	63.54	-16.77	43.98	1	Vertical	56	1.53	-	37.98	14.75	49.94

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77644G	58.07	83.54	-25.47	55.28	1	Horizontal	30	1.54	-	37.98	14.75	49.94
AV	20.77507G	46.74	63.54	-16.80	43.95	1	Horizontal	30	1.54	-	37.98	14.75	49.94

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	105.62	Inf	-Inf	95.42	3	Vertical	0	2.03	-	36.60	6.70	33.10
RMS	6.9986G	95.90	Inf	-Inf	85.70	3	Vertical	0	2.03	-	36.60	6.70	33.10
PK	7.1658G	62.96	88.20	-25.24	52.35	3	Vertical	0	2.03	-	37.06	6.78	33.23
RMS	7.2034G	51.86	68.20	-16.34	41.11	3	Vertical	0	2.03	-	37.20	6.80	33.25

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	109.94	Inf	-Inf	99.75	3	Horizontal	43	2.32	-	36.60	6.69	33.10
RMS	6.9978G	100.50	Inf	-Inf	90.30	3	Horizontal	43	2.32	-	36.60	6.70	33.10
PK	7.2026G	62.93	88.20	-25.27	52.18	3	Horizontal	43	2.32	-	37.20	6.80	33.25
RMS	7.1994G	52.01	68.20	-16.19	41.26	3	Horizontal	43	2.32	-	37.20	6.80	33.25

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0104G	62.21	88.20	-25.99	45.22	3	Vertical	324	2.99	-	40.80	10.61	34.42
RMS	14.00116G	49.97	68.20	-18.23	33.00	3	Vertical	324	2.99	-	40.80	10.60	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00368G	62.38	88.20	-25.82	45.41	3	Horizontal	272	1.29	-	40.80	10.60	34.43	
RMS	14.00572G	50.02	68.20	-18.18	33.05	3	Horizontal	272	1.29	-	40.80	10.60	34.43	

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01279G	58.30	83.54	-25.24	55.15	1	Vertical	61	1.50	-	38.19	14.86	49.90
AV	21.01335G	46.06	63.54	-17.48	42.91	1	Vertical	61	1.50	-	38.19	14.86	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01336G	64.37	83.54	-19.17	61.22	1	Horizontal	54	1.55	-	38.19	14.86	49.90
AV	21.01718G	53.96	63.54	-9.58	50.81	1	Horizontal	54	1.55	-	38.19	14.86	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0742G	105.53	Inf	-Inf	95.25	3	Vertical	338	1.76	-	36.70	6.74	33.16
RMS	7.0786G	95.56	Inf	-Inf	85.27	3	Vertical	338	1.76	-	36.71	6.74	33.16
PK	7.1318G	69.88	88.20	-18.32	59.38	3	Vertical	338	1.76	-	36.93	6.77	33.20
RMS	7.125G	57.08	68.20	-11.12	46.62	3	Vertical	338	1.76	-	36.90	6.76	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0874G	109.40	Inf	-Inf	99.08	3	Horizontal	64	2.71	-	36.75	6.74	33.17
RMS	7.0814G	99.84	Inf	-Inf	89.53	3	Horizontal	64	2.71	-	36.73	6.74	33.16
PK	7.1254G	76.49	88.20	-11.71	66.03	3	Horizontal	64	2.71	-	36.90	6.76	33.20
RMS	7.125G	63.36	68.20	-4.84	52.90	3	Horizontal	64	2.71	-	36.90	6.76	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17012G	62.80	88.20	-25.40	45.75	3	Vertical	291	2.51	-	40.66	10.73	34.34
RMS	14.16484G	50.36	68.20	-17.84	33.32	3	Vertical	291	2.51	-	40.67	10.72	34.35

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16208G	62.26	88.20	-25.94	45.21	3	Horizontal	116	2.93	-	40.68	10.72	34.35
RMS	14.16888G	50.23	68.20	-17.97	33.19	3	Horizontal	116	2.93	-	40.66	10.73	34.35

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2498G	65.43	83.54	-18.11	62.27	1	Vertical	84	1.52	-	38.10	14.96	49.90
AV	21.26G	53.41	63.54	-10.13	50.24	1	Vertical	84	1.52	-	38.10	14.97	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2574G	64.90	83.54	-18.64	61.73	1	Horizontal	83	1.51	-	38.10	14.97	49.90
AV	21.2626G	53.28	63.54	-10.26	50.12	1	Horizontal	83	1.51	-	38.09	14.97	49.90

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	69.09	88.20	-19.11	60.89	3	Vertical	5	2.96	-	34.89	6.12	32.81
RMS	5.924G	57.25	68.20	-10.95	49.04	3	Vertical	5	2.96	-	34.90	6.12	32.81
PK	5.986G	104.14	Inf	-Inf	95.64	3	Vertical	5	2.96	-	35.14	6.19	32.83
RMS	5.977G	94.44	Inf	-Inf	85.97	3	Vertical	5	2.96	-	35.11	6.18	32.82

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	78.42	88.20	-9.78	70.26	3	Horizontal	64	2.96	-	34.85	6.11	32.80
RMS	5.924G	66.83	68.20	-1.37	58.62	3	Horizontal	64	2.96	-	34.90	6.12	32.81
PK	5.972G	109.17	Inf	-Inf	100.73	3	Horizontal	64	2.96	-	35.09	6.17	32.82
RMS	5.994G	99.67	Inf	-Inf	91.13	3	Horizontal	64	2.96	-	35.18	6.19	32.83

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97592G	57.05	74.00	-16.95	43.01	3	Vertical	103	2.55	-	38.82	9.59	34.37	
AV	11.976G	45.92	54.00	-8.08	31.88	3	Vertical	103	2.55	-	38.82	9.59	34.37	
PK	17.95542G	59.58	74.00	-14.42	38.67	3	Vertical	124	1.99	-	41.76	13.66	34.51	
AV	17.95452G	49.04	54.00	-4.96	28.14	3	Vertical	124	1.99	-	41.75	13.66	34.51	

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96804G	57.04	74.00	-16.96	42.99	3	Horizontal	1	1.31	-	38.83	9.58	34.36
AV	11.97424G	45.80	54.00	-8.20	31.74	3	Horizontal	1	1.31	-	38.83	9.59	34.36
PK	17.95329G	59.41	74.00	-14.59	38.51	3	Horizontal	353	1.02	-	41.75	13.66	34.51
AV	17.95601G	49.20	54.00	-4.80	28.29	3	Horizontal	353	1.02	-	41.76	13.66	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	62.09	88.20	-26.11	54.06	3	Vertical	334	1.71	-	34.73	6.09	32.79
RMS	5.917G	51.70	68.20	-16.50	43.51	3	Vertical	334	1.71	-	34.87	6.12	32.80
PK	6.161G	103.96	Inf	-Inf	95.31	3	Vertical	334	1.71	-	35.34	6.20	32.89
RMS	6.161G	94.21	Inf	-Inf	85.56	3	Vertical	334	1.71	-	35.34	6.20	32.89

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.99	97.74	-35.75	53.78	3	Horizontal	64	2.83	-	34.90	6.12	32.81
RMS	5.917G	51.96	68.20	-16.24	43.77	3	Horizontal	64	2.83	-	34.87	6.12	32.80
PK	6.155G	109.75	Inf	-Inf	101.12	3	Horizontal	64	2.83	-	35.32	6.20	32.89
RMS	6.153G	99.92	Inf	-Inf	91.30	3	Horizontal	64	2.83	-	35.31	6.20	32.89

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29676G	56.95	74.00	-17.05	42.74	3	Vertical	159	2.39	-	38.69	9.75	34.23
AV	12.29776G	47.05	54.00	-6.95	32.83	3	Vertical	159	2.39	-	38.70	9.75	34.23

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28464G	56.46	74.00	-17.54	42.29	3	Horizontal	189	1.71	-	38.67	9.74	34.24
AV	12.28024G	46.29	54.00	-7.71	32.13	3	Horizontal	189	1.71	-	38.66	9.74	34.24

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 78
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43294G	58.28	83.54	-25.26	56.68	1	Vertical	53	1.50	-	37.65	14.24	50.29
AV	18.43329G	46.68	63.54	-16.86	45.08	1	Vertical	53	1.50	-	37.65	14.24	50.29

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 78
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43353G	58.85	83.54	-24.69	57.25	1	Horizontal	61	1.55	-	37.65	14.24	50.29
AV	18.43387G	46.78	63.54	-16.76	45.18	1	Horizontal	61	1.55	-	37.65	14.24	50.29

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9186G	61.74	88.20	-26.46	53.55	3	Vertical	338	1.80	-	34.87	6.12	32.80	
RMS	5.9164G	51.63	68.20	-16.57	43.44	3	Vertical	338	1.80	-	34.87	6.12	32.80	
PK	6.3982G	104.86	Inf	-Inf	96.03	3	Vertical	338	1.80	-	35.40	6.40	32.97	
RMS	6.3982G	95.63	Inf	-Inf	86.80	3	Vertical	338	1.80	-	35.40	6.40	32.97	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8856G	62.02	88.20	-26.18	54.01	3	Horizontal	59	2.76	-	34.71	6.09	32.79	
RMS	5.9208G	51.72	68.20	-16.48	43.52	3	Horizontal	59	2.76	-	34.88	6.12	32.80	
PK	6.363G	108.92	Inf	-Inf	100.12	3	Horizontal	59	2.76	-	35.40	6.36	32.96	
RMS	6.3982G	99.30	Inf	-Inf	90.47	3	Horizontal	59	2.76	-	35.40	6.40	32.97	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76852G	57.51	88.20	-30.69	42.48	3	Vertical	229	2.19	-	39.14	9.98	34.09	
RMS	12.774G	46.65	68.20	-21.55	31.60	3	Vertical	229	2.19	-	39.15	9.99	34.09	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX



EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77156G	57.35	88.20	-30.85	42.31	3	Horizontal	96	2.51	-	39.14	9.99	34.09	
RMS	12.77568G	46.75	68.20	-21.45	31.70	3	Horizontal	96	2.51	-	39.15	9.99	34.09	