



| Project Information |                    |           |             |
|---------------------|--------------------|-----------|-------------|
| Mode:               | 802.11ax80 484t-65 | Band:     | U-UNII-2C&3 |
| Bandwidth           | 80MHz              | Channel   | 138         |
| SN:                 | D1A24J40A000043    | Engineer: | Shen Zhuang |
| Remark:             |                    |           |             |

**Test Graph**


| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5655.72     | 66.43          | 14.99       | 81.42          | -              | -           | Horizontal | NA      |
| 2         | 8115.80     | 37.78          | 0.61        | 38.39          | 54.00          | 15.61       | Horizontal | PASS    |
| 3         | 9613.54     | 36.92          | 3.01        | 39.93          | -              | -           | Horizontal | NA      |
| 4         | 11601.95    | 35.42          | 5.69        | 41.11          | 54.00          | 12.89       | Horizontal | PASS    |
| 5         | 17982.37    | 32.31          | 13.54       | 45.85          | 54.00          | 8.15        | Horizontal | PASS    |
| 6         | 5655.54     | 74.53          | 14.98       | 89.51          | -              | -           | Horizontal | NA      |
| 7         | 6470.48     | 35.00          | 17.08       | 52.08          | 68.20          | 16.12       | Horizontal | PASS    |
| 8         | 13687.74    | 40.84          | 9.33        | 50.17          | 68.20          | 18.03       | Horizontal | PASS    |
| 9         | 17822.51    | 39.99          | 12.82       | 52.81          | 74.00          | 21.19       | Horizontal | PASS    |

| Project Information |                    |           |             |
|---------------------|--------------------|-----------|-------------|
| Mode:               | 802.11ax80 484t-65 | Band:     | U-UNII-2C&3 |
| Bandwidth           | 80MHz              | Channel   | 138         |
| SN:                 | D1A24J40A000043    | Engineer: | Shen Zhuang |
| Remark:             |                    |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5659.02     | 71.60          | 15.05       | 86.65          | -              | -           | Vertical | NA      |
| 2   | 9169.24     | 35.73          | 3.17        | 38.90          | 54.00          | 15.10       | Vertical | PASS    |
| 3   | 12039.35    | 35.51          | 5.39        | 40.90          | 54.00          | 13.10       | Vertical | PASS    |
| 4   | 17851.65    | 32.47          | 13.97       | 46.44          | 54.00          | 7.56        | Vertical | PASS    |
| 5   | 5659.21     | 79.83          | 15.05       | 94.88          | -              | -           | Vertical | NA      |
| 6   | 6320.14     | 35.36          | 16.76       | 52.12          | 68.20          | 16.08       | Vertical | PASS    |
| 7   | 13683.14    | 41.09          | 9.30        | 50.39          | 68.20          | 17.81       | Vertical | PASS    |
| 8   | 17863.53    | 39.34          | 13.82       | 53.16          | 74.00          | 20.84       | Vertical | PASS    |

| Project Information |                     |           |             |
|---------------------|---------------------|-----------|-------------|
| Mode:               | 802.11ax160 996t-67 | Band:     | U-UNII-1&2A |
| Bandwidth           | 160MHz              | Channel   | 50          |
| SN:                 | D1A24J40A000043     | Engineer: | Shen Zhuang |
| Remark:             |                     |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5300.41     | 64.64          | 12.21       | 76.85          | -              | -           | Horizontal | NA      |
| 2   | 9126.69     | 36.35          | 2.77        | 39.12          | 54.00          | 14.88       | Horizontal | PASS    |
| 3   | 12099.15    | 35.51          | 5.19        | 40.70          | 54.00          | 13.30       | Horizontal | PASS    |
| 4   | 17989.65    | 32.29          | 13.64       | 45.93          | 54.00          | 8.07        | Horizontal | PASS    |
| 5   | 5297.29     | 71.86          | 12.22       | 84.08          | -              | -           | Horizontal | NA      |
| 6   | 6357.18     | 35.45          | 15.32       | 50.77          | 68.20          | 17.43       | Horizontal | PASS    |
| 7   | 15234.54    | 40.89          | 9.44        | 50.33          | 68.20          | 17.87       | Horizontal | PASS    |
| 8   | 17845.13    | 38.98          | 13.78       | 52.76          | 74.00          | 21.24       | Horizontal | PASS    |

| Project Information |                     |           |             |
|---------------------|---------------------|-----------|-------------|
| Mode:               | 802.11ax160 996t-67 | Band:     | U-UNII-1&2A |
| Bandwidth           | 160MHz              | Channel   | 50          |
| SN:                 | D1A24J40A000043     | Engineer: | Shen Zhuang |
| Remark:             |                     |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5296.74     | 73.98          | 12.22       | 86.20          | -              | -           | Vertical | NA      |
| 2   | 8097.02     | 37.24          | 0.51        | 37.75          | 54.00          | 16.25       | Vertical | PASS    |
| 3   | 12031.68    | 36.38          | 5.36        | 41.74          | 54.00          | 12.26       | Vertical | PASS    |
| 4   | 17993.87    | 32.86          | 13.71       | 46.57          | 54.00          | 7.43        | Vertical | PASS    |
| 5   | 5322.59     | 82.13          | 12.42       | 94.55          | -              | -           | Vertical | NA      |
| 6   | 6319.96     | 34.80          | 15.01       | 49.81          | 68.20          | 18.39       | Vertical | PASS    |
| 7   | 13683.52    | 42.21          | 9.30        | 51.51          | 68.20          | 16.69       | Vertical | PASS    |
| 8   | 17859.70    | 38.85          | 13.86       | 52.71          | 74.00          | 21.29       | Vertical | PASS    |

| Project Information |                     |           |             |
|---------------------|---------------------|-----------|-------------|
| Mode:               | 802.11ax160 996t-67 | Band:     | U-UNII-2C   |
| Bandwidth           | 160MHz              | Channel   | 114         |
| SN:                 | D1A24J40A000043     | Engineer: | Shen Zhuang |
| Remark:             |                     |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5593.57     | 66.11          | 13.23       | 79.34          | -              | -           | Horizontal | NA      |
| 2   | 8092.80     | 38.01          | 0.50        | 38.51          | 54.00          | 15.49       | Horizontal | PASS    |
| 3   | 11387.66    | 35.38          | 5.30        | 40.68          | 54.00          | 13.32       | Horizontal | PASS    |
| 4   | 17853.56    | 32.14          | 13.95       | 46.09          | 54.00          | 7.91        | Horizontal | PASS    |
| 5   | 5589.17     | 74.18          | 13.22       | 87.40          | -              | -           | Horizontal | NA      |
| 6   | 6303.46     | 35.52          | 14.79       | 50.31          | 68.20          | 17.89       | Horizontal | PASS    |
| 7   | 13641.35    | 41.56          | 8.75        | 50.31          | 68.20          | 17.89       | Horizontal | PASS    |
| 8   | 17888.06    | 39.69          | 13.50       | 53.19          | 74.00          | 20.81       | Horizontal | PASS    |

| Project Information |                     |           |             |
|---------------------|---------------------|-----------|-------------|
| Mode:               | 802.11ax160 996t-67 | Band:     | U-UNII-2C   |
| Bandwidth           | 160MHz              | Channel   | 114         |
| SN:                 | D1A24J40A000043     | Engineer: | Shen Zhuang |
| Remark:             |                     |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5595.59     | 72.46          | 13.24       | 85.70          | -              | -           | Vertical | NA      |
| 2   | 8097.79     | 37.71          | 0.51        | 38.22          | 54.00          | 15.78       | Vertical | PASS    |
| 3   | 12127.52    | 36.06          | 4.95        | 41.01          | 54.00          | 12.99       | Vertical | PASS    |
| 4   | 17847.43    | 32.13          | 13.88       | 46.01          | 54.00          | 7.99        | Vertical | PASS    |
| 5   | 5596.87     | 80.00          | 13.24       | 93.24          | -              | -           | Vertical | NA      |
| 6   | 6469.38     | 34.34          | 15.22       | 49.56          | 68.20          | 18.64       | Vertical | PASS    |
| 7   | 15247.19    | 40.23          | 9.85        | 50.08          | 68.20          | 18.12       | Vertical | PASS    |
| 8   | 17349.46    | 41.33          | 12.22       | 53.55          | 68.20          | 14.65       | Vertical | PASS    |

## Radiated Band Edge

## Test Result

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-1     |
| Bandwidth           | 20MHz                   | Channel   | 36          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5128.09     | 31.51          | 12.32       | 43.83          | 54.00          | 10.17       | Horizontal | PASS    |
| 2   | 5140.74     | 31.72          | 12.41       | 44.13          | 54.00          | 9.87        | Horizontal | PASS    |
| 3   | 5149.19     | 31.93          | 12.48       | 44.41          | 54.00          | 9.59        | Horizontal | PASS    |
| 4   | 5127.89     | 42.77          | 12.32       | 55.09          | 74.00          | 18.91       | Horizontal | PASS    |
| 5   | 5140.58     | 42.65          | 12.41       | 55.06          | 74.00          | 18.94       | Horizontal | PASS    |
| 6   | 5148.96     | 42.91          | 12.48       | 55.39          | 74.00          | 18.61       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-1     |
| Bandwidth           | 20MHz                   | Channel   | 36          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5133.23     | 32.14          | 12.36       | 44.50          | 54.00          | 9.50        | Vertical | PASS    |
| 2   | 5146.46     | 33.54          | 12.46       | 46.00          | 54.00          | 8.00        | Vertical | PASS    |
| 3   | 5149.81     | 34.14          | 12.48       | 46.62          | 54.00          | 7.38        | Vertical | PASS    |
| 4   | 5133.03     | 43.82          | 12.36       | 56.18          | 74.00          | 17.82       | Vertical | PASS    |
| 5   | 5146.72     | 44.71          | 12.46       | 57.17          | 74.00          | 16.83       | Vertical | PASS    |
| 6   | 5149.87     | 45.94          | 12.48       | 58.42          | 74.00          | 15.58       | Vertical | PASS    |



| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2A    |
| Bandwidth           | 20MHz                   | Channel   | 64          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.78     | 28.23          | 12.69       | 40.92          | 54.00          | 13.08       | Horizontal | PASS    |
| 2   | 5360.27     | 28.14          | 12.74       | 40.88          | 54.00          | 13.12       | Horizontal | PASS    |
| 3   | 5372.92     | 27.95          | 12.81       | 40.76          | 54.00          | 13.24       | Horizontal | PASS    |
| 4   | 5351.17     | 39.01          | 12.69       | 51.70          | 74.00          | 22.30       | Horizontal | PASS    |
| 5   | 5360.53     | 39.48          | 12.74       | 52.22          | 74.00          | 21.78       | Horizontal | PASS    |
| 6   | 5372.56     | 38.52          | 12.81       | 51.33          | 74.00          | 22.67       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2A    |
| Bandwidth           | 20MHz                   | Channel   | 64          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5350.42     | 33.64          | 12.68       | 46.32          | 54.00          | 7.68        | Vertical | PASS    |
| 2   | 5355.46     | 31.47          | 12.71       | 44.18          | 54.00          | 9.82        | Vertical | PASS    |
| 3   | 5367.52     | 29.59          | 12.78       | 42.37          | 54.00          | 11.63       | Vertical | PASS    |
| 4   | 5350.09     | 46.28          | 12.68       | 58.96          | 74.00          | 15.04       | Vertical | PASS    |
| 5   | 5355.95     | 44.14          | 12.72       | 56.86          | 74.00          | 17.14       | Vertical | PASS    |
| 6   | 5366.48     | 40.72          | 12.78       | 53.50          | 74.00          | 20.50       | Vertical | PASS    |


| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 100         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5454.65     | 27.93          | 12.72       | 40.65          | 54.00          | 13.35       | Horizontal | PASS    |
| 2   | 5457.08     | 27.79          | 12.75       | 40.54          | 54.00          | 13.46       | Horizontal | PASS    |
| 3   | 5459.69     | 27.93          | 12.80       | 40.73          | 54.00          | 13.27       | Horizontal | PASS    |
| 4   | 5467.08     | 41.23          | 12.91       | 54.14          | 68.20          | 14.06       | Horizontal | PASS    |
| 5   | 5468.79     | 42.45          | 12.94       | 55.39          | 68.20          | 12.81       | Horizontal | PASS    |
| 6   | 5469.87     | 43.56          | 12.96       | 56.52          | 68.20          | 11.68       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 100         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5453.12     | 29.70          | 12.69       | 42.39          | 54.00          | 11.61       | Vertical | PASS    |
| 2   | 5456.39     | 30.42          | 12.75       | 43.17          | 54.00          | 10.83       | Vertical | PASS    |
| 3   | 5459.69     | 31.00          | 12.80       | 43.80          | 54.00          | 10.20       | Vertical | PASS    |
| 4   | 5467.02     | 49.49          | 12.91       | 62.40          | 68.20          | 5.80        | Vertical | PASS    |
| 5   | 5468.46     | 52.20          | 12.94       | 65.14          | 68.20          | 3.06        | Vertical | PASS    |
| 6   | 5469.60     | 52.11          | 12.96       | 65.07          | 68.20          | 3.13        | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 140         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5727.43     | 38.72          | 13.33       | 52.05          | 68.20          | 16.15       | Horizontal | PASS    |
| 2   | 5734.33     | 38.81          | 13.22       | 52.03          | 68.20          | 16.17       | Horizontal | PASS    |
| 3   | 5743.94     | 38.50          | 13.06       | 51.56          | 68.20          | 16.64       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 140         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5725.24     | 42.12          | 13.37       | 55.49          | 68.20          | 12.71       | Vertical | PASS    |
| 2   | 5726.23     | 40.66          | 13.35       | 54.01          | 68.20          | 14.19       | Vertical | PASS    |
| 3   | 5739.64     | 40.34          | 13.13       | 53.47          | 68.20          | 14.73       | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 144         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5864.66     | 38.89          | 13.38       | 52.27          | 68.20          | 15.93       | Horizontal | PASS    |
| 2   | 5916.80     | 39.00          | 13.85       | 52.85          | 68.20          | 15.35       | Horizontal | PASS    |
| 3   | 5993.52     | 39.16          | 13.63       | 52.79          | 68.20          | 15.41       | Horizontal | PASS    |


| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 144         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5856.29     | 39.17          | 13.30       | 52.47          | 68.20          | 15.73       | Vertical | PASS    |
| 2   | 5890.06     | 39.48          | 13.63       | 53.11          | 68.20          | 15.09       | Vertical | PASS    |
| 3   | 5915.18     | 38.13          | 13.84       | 51.97          | 68.20          | 16.23       | Vertical | PASS    |




| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-3     |
| Bandwidth           | 20MHz                   | Channel   | 149         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph**


| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-3     |
| Bandwidth           | 20MHz                   | Channel   | 149         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph**


| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-3     |
| Bandwidth           | 20MHz                   | Channel   | 165         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph**

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11a                 | Band:     | U-NII-3     |
| Bandwidth           | 20MHz                   | Channel   | 165         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph**

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-1     |
| Bandwidth           | 20MHz                   | Channel   | 36          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5135.67     | 31.72          | 12.38       | 44.10          | 54.00          | 9.90        | Horizontal | PASS    |
| 2   | 5143.01     | 31.86          | 12.43       | 44.29          | 54.00          | 9.71        | Horizontal | PASS    |
| 3   | 5149.81     | 32.08          | 12.48       | 44.56          | 54.00          | 9.44        | Horizontal | PASS    |
| 4   | 5136.87     | 43.15          | 12.39       | 55.54          | 74.00          | 18.46       | Horizontal | PASS    |
| 5   | 5144.93     | 42.87          | 12.44       | 55.31          | 74.00          | 18.69       | Horizontal | PASS    |
| 6   | 5149.78     | 42.97          | 12.48       | 55.45          | 74.00          | 18.55       | Horizontal | PASS    |

## Project Information

|           |                         |           |             |
|-----------|-------------------------|-----------|-------------|
| Mode:     | 802.11ax20              | Band:     | U-NII-1     |
| Bandwidth | 20MHz                   | Channel   | 36          |
| SN:       | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:   | Polarity: X Power: 12.5 |           |             |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5145.29     | 34.87          | 12.45       | 47.32          | 54.00          | 6.68        | Vertical | PASS    |
| 2   | 5147.53     | 35.10          | 12.46       | 47.56          | 54.00          | 6.44        | Vertical | PASS    |
| 3   | 5149.97     | 35.76          | 12.48       | 48.24          | 54.00          | 5.76        | Vertical | PASS    |
| 4   | 5145.78     | 47.98          | 12.45       | 60.43          | 74.00          | 13.57       | Vertical | PASS    |
| 5   | 5147.60     | 49.93          | 12.46       | 62.39          | 74.00          | 11.61       | Vertical | PASS    |
| 6   | 5149.91     | 50.06          | 12.48       | 62.54          | 74.00          | 11.46       | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2A    |
| Bandwidth           | 20MHz                   | Channel   | 64          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.65     | 29.00          | 12.69       | 41.69          | 54.00          | 12.31       | Horizontal | PASS    |
| 2   | 5354.55     | 28.06          | 12.71       | 40.77          | 54.00          | 13.23       | Horizontal | PASS    |
| 3   | 5371.94     | 27.90          | 12.81       | 40.71          | 54.00          | 13.29       | Horizontal | PASS    |
| 4   | 5350.74     | 41.96          | 12.69       | 54.65          | 74.00          | 19.35       | Horizontal | PASS    |
| 5   | 5354.77     | 39.08          | 12.71       | 51.79          | 74.00          | 22.21       | Horizontal | PASS    |
| 6   | 5372.50     | 39.42          | 12.82       | 52.24          | 74.00          | 21.76       | Horizontal | PASS    |


| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2A    |
| Bandwidth           | 20MHz                   | Channel   | 64          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5350.06     | 37.10          | 12.68       | 49.78          | 54.00          | 4.22        | Vertical | PASS    |
| 2   | 5354.51     | 32.30          | 12.71       | 45.01          | 54.00          | 8.99        | Vertical | PASS    |
| 3   | 5360.43     | 31.16          | 12.74       | 43.90          | 54.00          | 10.10       | Vertical | PASS    |
| 4   | 5350.71     | 51.14          | 12.69       | 63.83          | 74.00          | 10.17       | Vertical | PASS    |
| 5   | 5355.04     | 45.26          | 12.71       | 57.97          | 74.00          | 16.03       | Vertical | PASS    |
| 6   | 5360.60     | 43.33          | 12.74       | 56.07          | 74.00          | 17.93       | Vertical | PASS    |




| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 100         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5452.97     | 27.76          | 12.69       | 40.45          | 54.00          | 13.55       | Horizontal | PASS    |
| 2   | 5455.46     | 27.98          | 12.73       | 40.71          | 54.00          | 13.29       | Horizontal | PASS    |
| 3   | 5459.45     | 28.14          | 12.80       | 40.94          | 54.00          | 13.06       | Horizontal | PASS    |
| 4   | 5466.18     | 40.93          | 12.91       | 53.84          | 68.20          | 14.36       | Horizontal | PASS    |
| 5   | 5468.01     | 43.79          | 12.93       | 56.72          | 68.20          | 11.48       | Horizontal | PASS    |
| 6   | 5469.36     | 45.08          | 12.96       | 58.04          | 68.20          | 10.16       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 100         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5453.09     | 29.32          | 12.69       | 42.01          | 54.00          | 11.99       | Vertical | PASS    |
| 2   | 5456.60     | 30.41          | 12.75       | 43.16          | 54.00          | 10.84       | Vertical | PASS    |
| 3   | 5458.70     | 30.71          | 12.78       | 43.49          | 54.00          | 10.51       | Vertical | PASS    |
| 4   | 5462.25     | 47.05          | 12.83       | 59.88          | 68.20          | 8.32        | Vertical | PASS    |
| 5   | 5468.46     | 52.32          | 12.94       | 65.26          | 68.20          | 2.94        | Vertical | PASS    |
| 6   | 5469.54     | 52.88          | 12.96       | 65.84          | 68.20          | 2.36        | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 140         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5725.42     | 40.15          | 13.36       | 53.51          | 68.20          | 14.69       | Horizontal | PASS    |
| 2   | 5730.79     | 38.78          | 13.28       | 52.06          | 68.20          | 16.14       | Horizontal | PASS    |
| 3   | 5735.50     | 39.35          | 13.20       | 52.55          | 68.20          | 15.65       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 140         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5726.14     | 46.46          | 13.35       | 59.81          | 68.20          | 8.39        | Vertical | PASS    |
| 2   | 5727.55     | 44.09          | 13.33       | 57.42          | 68.20          | 10.78       | Vertical | PASS    |
| 3   | 5729.32     | 40.94          | 13.30       | 54.24          | 68.20          | 13.96       | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 144         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5860.07     | 38.72          | 13.34       | 52.06          | 68.20          | 16.14       | Horizontal | PASS    |
| 2   | 5908.69     | 38.73          | 13.80       | 52.53          | 68.20          | 15.67       | Horizontal | PASS    |
| 3   | 5947.32     | 37.76          | 14.07       | 51.83          | 68.20          | 16.37       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 144         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5853.32     | 39.53          | 13.27       | 52.80          | 68.20          | 15.40       | Vertical | PASS    |
| 2   | 5936.79     | 37.80          | 13.99       | 51.79          | 68.20          | 16.41       | Vertical | PASS    |
| 3   | 5993.52     | 38.67          | 13.63       | 52.30          | 68.20          | 15.90       | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 149         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph**


| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 149         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph**




| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 165         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |


### Test Graph



| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax20              | Band:     | U-NII-2C    |
| Bandwidth           | 20MHz                   | Channel   | 165         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12.5 |           |             |

**Test Graph**

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax40            | Band:     | U-NII-1     |
| Bandwidth           | 40MHz                 | Channel   | 38          |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12 |           |             |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5135.38     | 27.45          | 12.38       | 39.83          | 54.00          | 14.17       | Horizontal | PASS    |
| 2   | 5143.11     | 28.22          | 12.43       | 40.65          | 54.00          | 13.35       | Horizontal | PASS    |
| 3   | 5149.07     | 28.47          | 12.48       | 40.95          | 54.00          | 13.05       | Horizontal | PASS    |
| 4   | 5133.97     | 38.36          | 12.37       | 50.73          | 74.00          | 23.27       | Horizontal | PASS    |
| 5   | 5145.20     | 40.37          | 12.45       | 52.82          | 74.00          | 21.18       | Horizontal | PASS    |
| 6   | 5148.09     | 39.73          | 12.46       | 52.19          | 74.00          | 21.81       | Horizontal | PASS    |

## Project Information

|           |                       |           |             |
|-----------|-----------------------|-----------|-------------|
| Mode:     | 802.11ax40            | Band:     | U-NII-1     |
| Bandwidth | 40MHz                 | Channel   | 38          |
| SN:       | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:   | Polarity: X Power: 12 |           |             |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5140.56     | 36.19          | 12.41       | 48.60          | 54.00          | 5.40        | Vertical | PASS    |
| 2   | 5148.56     | 38.24          | 12.47       | 50.71          | 54.00          | 3.29        | Vertical | PASS    |
| 3   | 5149.92     | 38.56          | 12.48       | 51.04          | 54.00          | 2.96        | Vertical | PASS    |
| 4   | 5143.58     | 50.52          | 12.43       | 62.95          | 74.00          | 11.05       | Vertical | PASS    |
| 5   | 5148.68     | 51.06          | 12.47       | 63.53          | 74.00          | 10.47       | Vertical | PASS    |
| 6   | 5149.92     | 52.47          | 12.48       | 64.95          | 74.00          | 9.05        | Vertical | PASS    |


| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax40            | Band:     | U-NII-2A    |
| Bandwidth           | 40MHz                 | Channel   | 62          |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.30     | 30.05          | 12.68       | 42.73          | 54.00          | 11.27       | Horizontal | PASS    |
| 2   | 5354.80     | 29.04          | 12.71       | 41.75          | 54.00          | 12.25       | Horizontal | PASS    |
| 3   | 5369.77     | 27.88          | 12.79       | 40.67          | 54.00          | 13.33       | Horizontal | PASS    |
| 4   | 5350.21     | 40.62          | 12.68       | 53.30          | 74.00          | 20.70       | Horizontal | PASS    |
| 5   | 5354.76     | 40.68          | 12.71       | 53.39          | 74.00          | 20.61       | Horizontal | PASS    |
| 6   | 5369.94     | 39.04          | 12.80       | 51.84          | 74.00          | 22.16       | Horizontal | PASS    |

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax40            | Band:     | U-NII-2A    |
| Bandwidth           | 40MHz                 | Channel   | 62          |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11 |           |             |


### Test Graph



### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5350.38     | 37.76          | 12.68       | 50.44          | 54.00          | 3.56        | Vertical | PASS    |
| 2   | 5355.74     | 33.35          | 12.71       | 46.06          | 54.00          | 7.94        | Vertical | PASS    |
| 3   | 5360.84     | 32.68          | 12.74       | 45.42          | 54.00          | 8.58        | Vertical | PASS    |
| 4   | 5350.72     | 52.83          | 12.69       | 65.52          | 74.00          | 8.48        | Vertical | PASS    |
| 5   | 5354.67     | 46.21          | 12.71       | 58.92          | 74.00          | 15.08       | Vertical | PASS    |
| 6   | 5359.86     | 43.54          | 12.74       | 56.28          | 74.00          | 17.72       | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax40              | Band:     | U-NII-2C    |
| Bandwidth           | 40MHz                   | Channel   | 102         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10.5 |           |             |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5452.44     | 27.80          | 12.67       | 40.47          | 54.00          | 13.53       | Horizontal | PASS    |
| 2   | 5457.76     | 28.12          | 12.77       | 40.89          | 54.00          | 13.11       | Horizontal | PASS    |
| 3   | 5459.96     | 28.83          | 12.80       | 41.63          | 54.00          | 12.37       | Horizontal | PASS    |
| 4   | 5456.96     | 39.85          | 12.75       | 52.60          | 74.00          | 21.40       | Horizontal | PASS    |
| 5   | 5467.01     | 42.59          | 12.91       | 55.50          | 68.20          | 12.70       | Horizontal | PASS    |
| 6   | 5469.81     | 41.65          | 12.96       | 54.61          | 68.20          | 13.59       | Horizontal | PASS    |

## Project Information

|           |                         |           |             |
|-----------|-------------------------|-----------|-------------|
| Mode:     | 802.11ax40              | Band:     | U-NII-2C    |
| Bandwidth | 40MHz                   | Channel   | 102         |
| SN:       | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:   | Polarity: X Power: 10.5 |           |             |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5454.96     | 30.33          | 12.72       | 43.05          | 54.00          | 10.95       | Vertical | PASS    |
| 2   | 5457.60     | 31.76          | 12.77       | 44.53          | 54.00          | 9.47        | Vertical | PASS    |
| 3   | 5459.88     | 32.65          | 12.80       | 45.45          | 54.00          | 8.55        | Vertical | PASS    |
| 4   | 5459.56     | 46.05          | 12.80       | 58.85          | 74.00          | 15.15       | Vertical | PASS    |
| 5   | 5467.21     | 49.51          | 12.92       | 62.43          | 68.20          | 5.77        | Vertical | PASS    |
| 6   | 5469.49     | 51.98          | 12.96       | 64.94          | 68.20          | 3.26        | Vertical | PASS    |




| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax40              | Band:     | U-NII-2C    |
| Bandwidth           | 40MHz                   | Channel   | 134         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5726.24     | 38.43          | 13.35       | 51.78          | 68.20          | 16.42       | Horizontal | PASS    |
| 2   | 5727.49     | 39.26          | 13.33       | 52.59          | 68.20          | 15.61       | Horizontal | PASS    |
| 3   | 5742.10     | 38.67          | 13.09       | 51.76          | 68.20          | 16.44       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax40              | Band:     | U-NII-2C    |
| Bandwidth           | 40MHz                   | Channel   | 134         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5726.04     | 39.30          | 13.35       | 52.65          | 68.20          | 15.55       | Vertical | PASS    |
| 2   | 5730.64     | 39.00          | 13.28       | 52.28          | 68.20          | 15.92       | Vertical | PASS    |
| 3   | 5739.19     | 39.24          | 13.14       | 52.38          | 68.20          | 15.82       | Vertical | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax40              | Band:     | U-NII-2C&3  |
| Bandwidth           | 40MHz                   | Channel   | 142         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5861.69     | 38.65          | 13.35       | 52.00          | 68.20          | 16.20       | Horizontal | PASS    |
| 2   | 5903.83     | 38.70          | 13.76       | 52.46          | 68.20          | 15.74       | Horizontal | PASS    |
| 3   | 5928.95     | 38.53          | 13.94       | 52.47          | 68.20          | 15.73       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax40              | Band:     | U-NII-2C&3  |
| Bandwidth           | 40MHz                   | Channel   | 142         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10.5 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5859.53     | 39.13          | 13.33       | 52.46          | 68.20          | 15.74       | Vertical | PASS    |
| 2   | 5916.53     | 38.69          | 13.85       | 52.54          | 68.20          | 15.66       | Vertical | PASS    |
| 3   | 5951.65     | 38.89          | 14.07       | 52.96          | 68.20          | 15.24       | Vertical | PASS    |


| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax40            | Band:     | U-NII-3     |
| Bandwidth           | 40MHz                 | Channel   | 151         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12 |           |             |

**Test Graph**


| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax40            | Band:     | U-NII-3     |
| Bandwidth           | 40MHz                 | Channel   | 151         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12 |           |             |

**Test Graph**

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax40            | Band:     | U-NII-3     |
| Bandwidth           | 40MHz                 | Channel   | 159         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12 |           |             |


**Test Graph**

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax40            | Band:     | U-NII-3     |
| Bandwidth           | 40MHz                 | Channel   | 159         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 12 |           |             |

**Test Graph**




| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax80              | Band:     | U-NII-1     |
| Bandwidth           | 80MHz                   | Channel   | 42          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5139.19     | 28.71          | 12.41       | 41.12          | 54.00          | 12.88       | Horizontal | PASS    |
| 2   | 5147.51     | 29.14          | 12.46       | 41.60          | 54.00          | 12.40       | Horizontal | PASS    |
| 3   | 5149.95     | 28.96          | 12.48       | 41.44          | 54.00          | 12.56       | Horizontal | PASS    |
| 4   | 5139.63     | 39.28          | 12.41       | 51.69          | 74.00          | 22.31       | Horizontal | PASS    |
| 5   | 5147.20     | 40.06          | 12.46       | 52.52          | 74.00          | 21.48       | Horizontal | PASS    |
| 6   | 5149.76     | 39.10          | 12.48       | 51.58          | 74.00          | 22.42       | Horizontal | PASS    |

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax80              | Band:     | U-NII-1     |
| Bandwidth           | 80MHz                   | Channel   | 42          |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5131.50     | 37.96          | 12.35       | 50.31          | 54.00          | 3.69        | Vertical | PASS    |
| 2   | 5140.45     | 39.10          | 12.41       | 51.51          | 54.00          | 2.49        | Vertical | PASS    |
| 3   | 5149.89     | 40.07          | 12.48       | 52.55          | 54.00          | 1.45        | Vertical | PASS    |
| 4   | 5131.69     | 50.34          | 12.36       | 62.70          | 74.00          | 11.30       | Vertical | PASS    |
| 5   | 5141.38     | 49.81          | 12.42       | 62.23          | 74.00          | 11.77       | Vertical | PASS    |
| 6   | 5149.51     | 51.82          | 12.48       | 64.30          | 74.00          | 9.70        | Vertical | PASS    |

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax80            | Band:     | U-NII-1     |
| Bandwidth           | 80MHz                 | Channel   | 58          |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.11     | 30.02          | 12.68       | 42.70          | 54.00          | 11.30       | Horizontal | PASS    |
| 2   | 5359.49     | 29.35          | 12.73       | 42.08          | 54.00          | 11.92       | Horizontal | PASS    |
| 3   | 5365.68     | 29.32          | 12.77       | 42.09          | 54.00          | 11.91       | Horizontal | PASS    |
| 4   | 5350.05     | 41.50          | 12.68       | 54.18          | 74.00          | 19.82       | Horizontal | PASS    |
| 5   | 5358.99     | 39.77          | 12.73       | 52.50          | 74.00          | 21.50       | Horizontal | PASS    |
| 6   | 5365.75     | 39.71          | 12.77       | 52.48          | 74.00          | 21.52       | Horizontal | PASS    |

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax80            | Band:     | U-NII-1     |
| Bandwidth           | 80MHz                 | Channel   | 58          |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5352.36     | 38.30          | 12.70       | 51.00          | 54.00          | 3.00        | Vertical | PASS    |
| 2   | 5362.49     | 37.72          | 12.76       | 50.48          | 54.00          | 3.52        | Vertical | PASS    |
| 3   | 5372.44     | 36.46          | 12.82       | 49.28          | 54.00          | 4.72        | Vertical | PASS    |
| 4   | 5350.55     | 50.78          | 12.68       | 63.46          | 74.00          | 10.54       | Vertical | PASS    |
| 5   | 5361.74     | 50.25          | 12.75       | 63.00          | 74.00          | 11.00       | Vertical | PASS    |
| 6   | 5371.19     | 49.69          | 12.81       | 62.50          | 74.00          | 11.50       | Vertical | PASS    |


| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax80            | Band:     | U-NII-2C    |
| Bandwidth           | 80MHz                 | Channel   | 106         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5452.52     | 29.14          | 12.69       | 41.83          | 54.00          | 12.17       | Horizontal | PASS    |
| 2   | 5455.94     | 29.62          | 12.74       | 42.36          | 54.00          | 11.64       | Horizontal | PASS    |
| 3   | 5458.76     | 30.61          | 12.78       | 43.39          | 54.00          | 10.61       | Horizontal | PASS    |
| 4   | 5458.70     | 44.83          | 12.78       | 57.61          | 74.00          | 16.39       | Horizontal | PASS    |
| 5   | 5464.95     | 45.20          | 12.88       | 58.08          | 68.20          | 10.12       | Horizontal | PASS    |
| 6   | 5469.75     | 45.30          | 12.96       | 58.26          | 68.20          | 9.94        | Horizontal | PASS    |

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax80            | Band:     | U-NII-2C    |
| Bandwidth           | 80MHz                 | Channel   | 106         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10 |           |             |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5453.54     | 35.31          | 12.70       | 48.01          | 54.00          | 5.99        | Vertical | PASS    |
| 2   | 5456.54     | 34.94          | 12.75       | 47.69          | 54.00          | 6.31        | Vertical | PASS    |
| 3   | 5459.84     | 36.83          | 12.80       | 49.63          | 54.00          | 4.37        | Vertical | PASS    |
| 4   | 5453.42     | 49.92          | 12.69       | 62.61          | 74.00          | 11.39       | Vertical | PASS    |
| 5   | 5463.63     | 50.39          | 12.86       | 63.25          | 68.20          | 4.95        | Vertical | PASS    |
| 6   | 5469.75     | 51.45          | 12.96       | 64.41          | 68.20          | 3.79        | Vertical | PASS    |

## Project Information

|           |                       |           |             |
|-----------|-----------------------|-----------|-------------|
| Mode:     | 802.11ax80            | Band:     | U-NII-2C    |
| Bandwidth | 80MHz                 | Channel   | 122         |
| SN:       | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:   | Polarity: X Power: 10 |           |             |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5729.74     | 38.37          | 13.29       | 51.66          | 68.20          | 16.54       | Horizontal | PASS    |
| 2   | 5741.18     | 39.04          | 13.10       | 52.14          | 68.20          | 16.06       | Horizontal | PASS    |
| 3   | 5745.95     | 38.60          | 13.03       | 51.63          | 68.20          | 16.57       | Horizontal | PASS    |


| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax80            | Band:     | U-NII-2C    |
| Bandwidth           | 80MHz                 | Channel   | 122         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5725.42     | 38.77          | 13.36       | 52.13          | 68.20          | 16.07       | Vertical | PASS    |
| 2   | 5734.33     | 38.75          | 13.22       | 51.97          | 68.20          | 16.23       | Vertical | PASS    |
| 3   | 5743.16     | 38.91          | 13.07       | 51.98          | 68.20          | 16.22       | Vertical | PASS    |




| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax80            | Band:     | U-NII-2C&3  |
| Bandwidth           | 80MHz                 | Channel   | 138         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10 |           |             |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5850.89     | 38.74          | 13.25       | 51.99          | 68.20          | 16.21       | Horizontal | PASS    |
| 2   | 5938.41     | 39.24          | 14.01       | 53.25          | 68.20          | 14.95       | Horizontal | PASS    |
| 3   | 5968.93     | 38.40          | 13.89       | 52.29          | 68.20          | 15.91       | Horizontal | PASS    |

| Project Information |                       |           |             |
|---------------------|-----------------------|-----------|-------------|
| Mode:               | 802.11ax80            | Band:     | U-NII-2C&3  |
| Bandwidth           | 80MHz                 | Channel   | 138         |
| SN:                 | D1A24K70R000097       | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 10 |           |             |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5861.42     | 38.91          | 13.35       | 52.26          | 68.20          | 15.94       | Vertical | PASS    |
| 2   | 5913.02     | 38.98          | 13.83       | 52.81          | 68.20          | 15.39       | Vertical | PASS    |
| 3   | 5981.09     | 38.60          | 13.76       | 52.36          | 68.20          | 15.84       | Vertical | PASS    |


| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax80              | Band:     | U-NII-3     |
| Bandwidth           | 80MHz                   | Channel   | 155         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph**

| Project Information |                         |           |             |
|---------------------|-------------------------|-----------|-------------|
| Mode:               | 802.11ax80              | Band:     | U-NII-3     |
| Bandwidth           | 80MHz                   | Channel   | 155         |
| SN:                 | D1A24K70R000097         | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 11.5 |           |             |

**Test Graph**

| Project Information |                      |           |             |
|---------------------|----------------------|-----------|-------------|
| Mode:               | 802.11ax160          | Band:     | U-NII-1&2A  |
| Bandwidth           | 160MHz               | Channel   | 50          |
| SN:                 | D1A24K70R000097      | Engineer: | Shen Zhuang |
| Remark:             | Polarity: X Power: 9 |           |             |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5134.63     | 28.14          | 12.37       | 40.51          | 54.00          | 13.49       | Horizontal | PASS    |
| 2   | 5142.76     | 28.22          | 12.43       | 40.65          | 54.00          | 13.35       | Horizontal | PASS    |
| 3   | 5149.01     | 28.36          | 12.48       | 40.84          | 54.00          | 13.16       | Horizontal | PASS    |
| 4   | 5129.75     | 39.48          | 12.34       | 51.82          | 74.00          | 22.18       | Horizontal | PASS    |
| 5   | 5132.75     | 39.45          | 12.36       | 51.81          | 74.00          | 22.19       | Horizontal | PASS    |
| 6   | 5142.63     | 39.17          | 12.43       | 51.60          | 74.00          | 22.40       | Horizontal | PASS    |