


Appendix-F Field Strength of Spurious Radiation-NR

For SA:

Project Information			
Mode:	SA	Band:	n2
Bandwidth:	30MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1865.80	99.33	-84.97	14.36	-	-	Horizontal	NA
2	4797.00	39.02	-102.82	-63.80	-13.00	50.80	Horizontal	PASS
3	13814.00	34.76	-87.11	-52.35	-13.00	39.35	Horizontal	PASS
4	17359.50	32.79	-82.77	-49.98	-13.00	36.98	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n2
Bandwidth:	30MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1865.60	95.68	-84.97	10.71	-	-	Vertical	NA
2	9078.00	37.36	-93.20	-55.84	-13.00	42.84	Vertical	PASS
3	14358.00	33.12	-86.08	-52.96	-13.00	39.96	Vertical	PASS
4	17345.00	32.53	-82.62	-50.09	-13.00	37.09	Vertical	PASS

Project Information			
Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2450.80	48.47	-111.12	-62.65	-13.00	49.65	Horizontal	PASS
2	6301.60	37.80	-98.86	-61.06	-13.00	48.06	Horizontal	PASS
3	8874.40	36.39	-93.02	-56.63	-13.00	43.63	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2452.00	52.12	-111.12	-59.00	-13.00	46.00	Vertical	PASS
2	5278.40	43.83	-101.75	-57.92	-13.00	44.92	Vertical	PASS
3	8395.60	37.34	-95.06	-57.72	-13.00	44.72	Vertical	PASS

Project Information			
Mode:	SA	Band:	n7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.50	104.37	-93.36	11.01	-	-	Horizontal	NA
2	7359.00	38.28	-96.71	-58.43	-25.00	33.43	Horizontal	PASS
3	15071.50	37.29	-86.30	-49.01	-25.00	24.01	Horizontal	PASS
4	17339.50	38.02	-82.88	-44.86	-25.00	19.86	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.60	117.78	-93.36	24.42	-	-	Vertical	NA
2	2660.70	42.44	-92.37	-49.93	-	-	Vertical	NA
3	6294.50	38.89	-98.88	-59.99	-25.00	34.99	Vertical	PASS
4	12815.00	38.11	-89.34	-51.23	-25.00	26.23	Vertical	PASS
5	17850.50	38.14	-82.47	-44.33	-25.00	19.33	Vertical	PASS

Project Information			
Mode:	SA	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1236.25	44.68	-114.32	-69.64	-13.00	56.64	Horizontal	PASS
2	3395.40	41.86	-107.59	-65.73	-13.00	52.73	Horizontal	PASS
3	6192.25	44.10	-99.46	-55.36	-13.00	42.36	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1205.80	44.02	-114.23	-70.21	-13.00	57.21	Vertical	PASS
2	3433.20	41.64	-107.46	-65.82	-13.00	52.82	Vertical	PASS
3	6194.70	47.98	-99.42	-51.44	-13.00	38.44	Vertical	PASS

Project Information			
Mode:	SA	Band:	n14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1588.00	43.10	-114.24	-71.14	-40.00	31.14	Horizontal	PASS
2	5044.80	38.60	-102.27	-63.67	-13.00	50.67	Horizontal	PASS
3	6197.60	44.28	-99.38	-55.10	-13.00	42.10	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1586.40	42.97	-114.23	-71.26	-40.00	31.26	Vertical	PASS
2	2849.20	42.27	-109.46	-67.19	-13.00	54.19	Vertical	PASS
3	6198.40	47.61	-99.37	-51.76	-13.00	38.76	Vertical	PASS

Project Information			
Mode:	SA	Band:	n25
Bandwidth:	40MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.60	99.62	-84.97	14.65	-	-	Horizontal	NA
2	5138.00	39.50	-102.14	-62.64	-13.00	49.64	Horizontal	PASS
3	8908.50	37.40	-93.53	-56.13	-13.00	43.13	Horizontal	PASS
4	17350.50	32.39	-82.42	-50.03	-13.00	37.03	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n25
Bandwidth:	40MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.60	94.67	-84.97	9.70	-	-	Vertical	NA
2	6868.00	37.98	-97.51	-59.53	-13.00	46.53	Vertical	PASS
3	10091.00	36.19	-91.97	-55.78	-13.00	42.78	Vertical	PASS
4	17346.50	32.64	-82.56	-49.92	-13.00	36.92	Vertical	PASS

Project Information			
Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	欧树炎
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2574.10	98.61	-93.36	5.25	-	-	Horizontal	NA
2	7381.50	39.07	-96.47	-57.40	-25.00	32.40	Horizontal	PASS
3	13408.00	37.84	-88.18	-50.34	-25.00	25.34	Horizontal	PASS
4	17841.50	38.57	-82.59	-44.02	-25.00	19.02	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	欧树炎
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2574.00	116.70	-93.36	23.34	-	-	Vertical	NA
2	6331.00	38.63	-98.77	-60.14	-25.00	35.14	Vertical	PASS
3	8870.00	37.44	-92.91	-55.47	-25.00	30.47	Vertical	PASS
4	17349.50	38.07	-82.42	-44.35	-25.00	19.35	Vertical	PASS

Project Information			
Mode:	SA	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	97.96	-93.46	4.50	-	-	Horizontal	NA
2	9508.00	37.80	-92.61	-54.81	-25.00	29.81	Horizontal	PASS
3	15080.00	37.42	-86.27	-48.85	-25.00	23.85	Horizontal	PASS
4	17377.00	38.83	-83.46	-44.63	-25.00	19.63	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	116.49	-93.46	23.03	-	-	Vertical	NA
2	7213.00	38.74	-96.65	-57.91	-25.00	32.91	Vertical	PASS
3	15118.00	37.36	-86.45	-49.09	-25.00	24.09	Vertical	PASS
4	17352.50	37.49	-82.50	-45.01	-25.00	20.01	Vertical	PASS

Project Information			
Mode:	SA	Band:	n48
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3575.93	103.58	-88.79	14.79	-	-	Horizontal	NA
2	7151.69	45.77	-98.11	-52.34	-40.00	12.34	Horizontal	PASS
3	10727.92	37.58	-91.27	-53.69	-40.00	13.69	Horizontal	PASS
4	17894.96	32.29	-81.85	-49.56	-40.00	9.56	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n48
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3575.93	99.23	-88.79	10.44	-	-	Vertical	NA
2	7152.46	51.60	-98.08	-46.48	-40.00	6.48	Vertical	PASS
3	10728.31	44.09	-91.26	-47.17	-40.00	7.17	Vertical	PASS
4	17850.50	32.27	-81.28	-49.01	-40.00	9.01	Vertical	PASS

Project Information			
Mode:	SA	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	106.09	-85.27	20.82	-	-	Horizontal	NA
2	6511.00	39.57	-98.55	-58.98	-13.00	45.98	Horizontal	PASS
3	10040.00	36.51	-91.55	-55.04	-13.00	42.04	Horizontal	PASS
4	17346.00	38.06	-82.58	-44.52	-13.00	31.52	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	102.74	-85.27	17.47	-	-	Vertical	NA
2	9501.00	37.62	-92.59	-54.97	-13.00	41.97	Vertical	PASS
3	15113.00	37.52	-86.38	-48.86	-13.00	35.86	Vertical	PASS
4	17853.00	37.88	-82.49	-44.61	-13.00	31.61	Vertical	PASS

Project Information			
Mode:	SA	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1656.95	43.93	-114.09	-70.16	-13.00	57.16	Horizontal	PASS
2	5298.00	44.40	-101.67	-57.27	-13.00	44.27	Horizontal	PASS
3	7414.45	39.20	-96.65	-57.45	-13.00	44.45	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1903.70	49.94	-113.58	-63.64	-13.00	50.64	Vertical	PASS
2	5298.35	47.74	-101.67	-53.93	-13.00	40.93	Vertical	PASS
3	7382.95	39.35	-96.60	-57.25	-13.00	44.25	Vertical	PASS

Project Information			
Mode:	SA	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	99.88	-88.97	10.91	-	-	Horizontal	NA
2	4075.05	34.93	-87.58	-52.65	-40.00	12.65	Horizontal	PASS
3	6901.75	41.96	-96.97	-55.01	-40.00	15.01	Horizontal	PASS
4	17864.30	31.69	-81.45	-49.76	-40.00	9.76	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	102.41	-88.97	13.44	-	-	Vertical	NA
2	6902.13	47.26	-96.98	-49.72	-40.00	9.72	Vertical	PASS
3	13693.49	33.61	-85.89	-52.28	-40.00	12.28	Vertical	PASS
4	17859.31	32.03	-81.39	-49.36	-40.00	9.36	Vertical	PASS

Project Information			
Mode:	SA	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	99.23	-88.23	11.00	-	-	Horizontal	NA
2	7581.80	48.66	-96.15	-47.49	-40.00	7.49	Horizontal	PASS
3	13710.74	33.74	-86.39	-52.65	-40.00	12.65	Horizontal	PASS
4	17364.41	32.84	-83.07	-50.23	-40.00	10.23	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	95.86	-88.23	7.63	-	-	Vertical	NA
2	7581.80	49.03	-96.15	-47.12	-40.00	7.12	Vertical	PASS
3	11373.48	37.02	-90.06	-53.04	-40.00	13.04	Vertical	PASS
4	17809.48	33.98	-83.00	-49.02	-40.00	9.02	Vertical	PASS

For NSA:

Project Information			
Mode:	NSA	Band:	DC_66A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	101.22	-79.78	21.44	-	-	Horizontal	NA
2	3450.98	101.58	-88.75	12.83	-	-	Horizontal	NA
3	6902.12	42.04	-96.98	-54.94	-13.00	41.94	Horizontal	PASS
4	13705.90	33.22	-86.14	-52.92	-13.00	39.92	Horizontal	PASS
5	17834.40	32.81	-81.93	-49.12	-13.00	36.12	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_66A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	96.97	-79.78	17.19	-	-	Vertical	NA
2	3450.98	100.95	-88.75	12.20	-	-	Vertical	NA
3	6902.12	47.38	-96.98	-49.60	-13.00	36.60	Vertical	PASS
4	10353.27	38.16	-91.48	-53.32	-13.00	40.32	Vertical	PASS
5	17361.75	33.54	-83.06	-49.52	-13.00	36.52	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_66A_n77A(3700-3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	99.86	-79.78	20.08	-	-	Horizontal	NA
2	3791.00	97.99	-88.11	9.88	-	-	Horizontal	NA
3	7582.15	48.14	-96.15	-48.01	-13.00	35.01	Horizontal	PASS
4	13690.18	33.29	-85.91	-52.62	-13.00	39.62	Horizontal	PASS
5	17982.37	31.97	-81.72	-49.75	-13.00	36.75	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_66A_n77A(3700-3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	95.69	-79.78	15.91	-	-	Vertical	NA
2	3791.18	95.66	-88.11	7.55	-	-	Vertical	NA
3	7582.15	48.95	-96.15	-47.20	-13.00	34.20	Vertical	PASS
4	11372.93	38.88	-90.06	-51.18	-13.00	38.18	Vertical	PASS
5	17849.73	32.73	-81.28	-48.55	-13.00	35.55	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_2A_n78A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	92.92	-79.70	13.22	-	-	Horizontal	NA
2	3450.98	100.58	-88.75	11.83	-	-	Horizontal	NA
3	6902.12	41.69	-96.98	-55.29	-13.00	42.29	Horizontal	PASS
4	13708.58	34.38	-86.28	-51.90	-13.00	38.90	Horizontal	PASS
5	17877.33	31.86	-81.63	-49.77	-13.00	36.77	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_2A_n78A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	89.35	-79.70	9.65	-	-	Vertical	NA
2	3450.98	100.58	-88.75	11.83	-	-	Vertical	NA
3	6901.73	47.37	-96.97	-49.60	-13.00	36.60	Vertical	PASS
4	13501.20	35.17	-88.06	-52.89	-13.00	39.89	Vertical	PASS
5	17856.25	32.20	-81.35	-49.15	-13.00	36.15	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_2A_n78A(3700-3800MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	93.95	-79.70	14.25	-	-	Horizontal	NA
2	3701.05	101.11	-88.13	12.98	-	-	Horizontal	NA
3	7401.98	47.29	-95.59	-48.30	-13.00	35.30	Horizontal	PASS
4	13699.38	32.90	-85.84	-52.94	-13.00	39.94	Horizontal	PASS
5	17858.55	31.84	-81.38	-49.54	-13.00	36.54	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_2A_n78A(3700-3800MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	90.82	-79.70	11.12	-	-	Vertical	NA
2	3701.05	93.24	-88.13	5.11	-	-	Vertical	NA
3	7402.37	50.98	-95.60	-44.62	-13.00	31.62	Vertical	PASS
4	13676.77	33.31	-86.00	-52.69	-13.00	39.69	Vertical	PASS
5	17835.17	31.95	-81.90	-49.95	-13.00	36.95	Vertical	PASS

~The End~