

EXHIBIT 1**IDENTIFICATION LABEL**

(Pursuant to FCC Part 2.1033(c)(11), 2.1033(b)(7) and RSP 100 Annex C and Sec 3)

LOCATION

| | |
|---------------|---|
| <u> </u> | See the Attached Photograph or Sketch |
| <u> </u> | Bottom of the device |
| <u> </u> | Front of the device |
| <u> X </u> | Back of the device |
| <u> </u> | Back of the device under Belt Clip |
| <u> </u> | In the Battery Compartment |
| <u> </u> | Electronic labeling: In the user manual (Section: XX) |

TYPE

| | |
|---------------|--|
| <u> X </u> | The label is a poly carbonate film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with the minimum peel strength of 40 oz/inch. |
| <u> </u> | The label is an electronic print accessible in the device. |

MARKINGS (TEXT)

| | |
|---------------|--|
| <u> X </u> | See the Attached Photograph and Exhibit 3 for the actual location of the FCC/IC label on the device. |
| <u> X </u> | Label Attached Below |
| <u> </u> | See Attached Drawing. |



Figure 1: FCC/IC Label for APX 4500



Figure 2: FCC/IC Label for APX 6500



RF Exposure Label (Close View)

*** END ***