

APPENDIX REPORT

Project No.	SHT2202009001EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT22020090019	Model No.	Z3
Start test date	2022-04-20	Finish date	2022-04-20
Temperature	24.4℃	Humidity	35%
Test Engineer	Xiaoqin Li	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	13.24	11.04	≤ 30.00	Pass
	06	13.78	11.63		
	11	13.38	11.15		
802.11g	01	16.38	13.02	≤ 30.00	Pass
	06	16.84	13.44		
	11	16.35	13.06		
802.11n (HT20)	01	16.13	12.76	≤ 30.00	Pass
	06	16.57	13.12		
	11	16.13	12.84		
802.11n(HT40)	03	16.69	13.30	≤ 30.00	Pass
	06	16.82	13.50		
	09	16.47	13.16		




Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-1.34	≤8.00	Pass
	06	-0.43		
	11	-2.19		
802.11g	01	-7.29	≤8.00	Pass
	06	-6.01		
	11	-6.48		
802.11n(HT20)	01	-7.45	≤8.00	Pass
	06	-5.89		
	11	-6.68		
802.11n(HT40)	03	-9.25	≤8.00	Pass
	06	-8.94		
	09	-10.00		

Appendix report page: 4 of 35


Type:	802.11 g
CH01	 Spectrum plot for CH01. The plot shows a signal at 2.4138810 GHz with a peak level of -7.29 dBm. The plot includes a grid, a blue line representing the signal, and various measurement parameters like Ref Level, Att, Offset, and Span.
CH06	 Spectrum plot for CH06. The plot shows a signal at 2.4363850 GHz with a peak level of -6.01 dBm. The plot includes a grid, a blue line representing the signal, and various measurement parameters like Ref Level, Att, Offset, and Span.
CH11	 Spectrum plot for CH11. The plot shows a signal at 2.4613850 GHz with a peak level of -6.48 dBm. The plot includes a grid, a blue line representing the signal, and various measurement parameters like Ref Level, Att, Offset, and Span.

Type:	802.11n(HT20)
CH01	 Spectrum plot for CH01. The plot shows a signal at 2.4107340 GHz with a peak level of -7.45 dBm. The plot includes a grid, a blue line for the signal, and various parameters like Ref Level, Att, Offset, SWT, RBW, VBW, and Mode.
CH06	 Spectrum plot for CH06. The plot shows a signal at 2.4357340 GHz with a peak level of -5.89 dBm. The plot includes a grid, a blue line for the signal, and various parameters like Ref Level, Att, Offset, SWT, RBW, VBW, and Mode.
CH11	 Spectrum plot for CH11. The plot shows a signal at 2.4607340 GHz with a peak level of -6.68 dBm. The plot includes a grid, a blue line for the signal, and various parameters like Ref Level, Att, Offset, SWT, RBW, VBW, and Mode.

Type:	802.11n(HT40)
CH03	 Spectrum Ref Level 20.00 dBm Att 30 dB Count 100/100 Offset 1.00 dB SWT 442.4 μs RBW 30 kHz VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] -9.25 dBm 2.4226370 GHz CF 2.422 GHz 691 pts Span 55.0 MHz Date: 20 APR. 2022 09:28:38
CH06	 Spectrum Ref Level 20.00 dBm Att 30 dB Count 100/100 Offset 1.00 dB SWT 442.4 μs RBW 30 kHz VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] -8.94 dBm 2.4363630 GHz CF 2.437 GHz 691 pts Span 55.0 MHz Date: 20 APR. 2022 09:32:01
CH09	 Spectrum Ref Level 20.00 dBm Att 30 dB Count 100/100 Offset 1.00 dB SWT 442.4 μs RBW 30 kHz VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] -10.00 dBm 2.4457120 GHz CF 2.452 GHz 691 pts Span 55.0 MHz Date: 20 APR. 2022 09:26:52

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	8.10	≥0.5	Pass
	06	8.10		
	11	8.10		
802.11g	01	15.75	≥0.5	Pass
	06	15.09		
	11	15.15		
802.11n(HT20)	01	15.69	≥0.5	Pass
	06	14.28		
	11	15.69		
802.11n(HT40)	03	29.04	≥0.5	Pass
	06	35.16		
	09	35.64		




Type:		802.11 g																												
CH01	Spectrum Ref Level 20.50 dBm Att 30 dB Count 500/500 Offset 1.00 dB SWT 75.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1 M2 D3 -8.75 dBm -2.58 dBm -2.58 dBm 2.4044400 GHz 2.4107400 GHz 2.4107400 GHz CF 2.412 GHz 1001 pts Span 30.0 MHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.40444 GHz</td><td>-8.75 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.41074 GHz</td><td>-2.58 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>15.75 MHz</td><td>-1.05 dB</td><td></td><td></td></tr></table> Date: 20 APR. 2022 09:06:37		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40444 GHz	-8.75 dBm			M2		1	2.41074 GHz	-2.58 dBm			D3	M1	1	15.75 MHz	-1.05 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.40444 GHz	-8.75 dBm																										
M2		1	2.41074 GHz	-2.58 dBm																										
D3	M1	1	15.75 MHz	-1.05 dB																										
CH06	Spectrum Ref Level 20.50 dBm Att 30 dB Count 500/500 Offset 1.00 dB SWT 75.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1 M2 D3 -8.07 dBm -2.05 dBm -2.05 dBm 2.4294400 GHz 2.4357400 GHz 2.4357400 GHz CF 2.437 GHz 1001 pts Span 30.0 MHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.42944 GHz</td><td>-8.07 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.43574 GHz</td><td>-2.05 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>15.09 MHz</td><td>-0.40 dB</td><td></td><td></td></tr></table> Date: 20 APR. 2022 09:09:15		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42944 GHz	-8.07 dBm			M2		1	2.43574 GHz	-2.05 dBm			D3	M1	1	15.09 MHz	-0.40 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.42944 GHz	-8.07 dBm																										
M2		1	2.43574 GHz	-2.05 dBm																										
D3	M1	1	15.09 MHz	-0.40 dB																										
CH11	Spectrum Ref Level 20.50 dBm Att 30 dB Count 500/500 Offset 1.00 dB SWT 75.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1 M2 D3 -9.78 dBm -2.29 dBm -2.29 dBm 2.4544100 GHz 2.4644900 GHz 2.4644900 GHz CF 2.462 GHz 1001 pts Span 30.0 MHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td>1</td><td>2.45441 GHz</td><td>-9.78 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td>1</td><td>2.46449 GHz</td><td>-2.29 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>15.15 MHz</td><td>0.31 dB</td><td></td><td></td></tr></table> Date: 20 APR. 2022 09:04:34		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45441 GHz	-9.78 dBm			M2		1	2.46449 GHz	-2.29 dBm			D3	M1	1	15.15 MHz	0.31 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.45441 GHz	-9.78 dBm																										
M2		1	2.46449 GHz	-2.29 dBm																										
D3	M1	1	15.15 MHz	0.31 dB																										

Type:


802.11n(HT20)

CH01




Date: 20 APR. 2022 09:19:26

CH06



Date: 20 APR. 2022 09:22:16

CH11




Date: 20 APR. 2022 09:13:09

Type:


802.11n(HT40)

CH03




Date: 20 APR. 2022 09:28:25

CH06



Date: 20 APR. 2022 09:31:48


CH09







Date: 20 APR. 2022 09:26:39


Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	12.80	-	Pass
	06	12.65		
	11	12.86		
802.11g	01	16.69	-	Pass
	06	16.72		
	11	16.54		
802.11n(HT20)	01	17.89	-	Pass
	06	17.56		
	11	17.77		
802.11n(HT40)	03	35.90	-	Pass
	06	35.84		
	09	36.38		






Type:	802.11n(HT20)
CH01	 Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1Pk View M1[1] -0.64 dBm 2.4128690 GHz Occ Bw 17.892107892 MHz CF 2.412 GHz 1001 pts Span 30.0 MHz Date: 20 APR. 2022 09:19:33
CH06	 Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1Pk View M1[1] -0.01 dBm 2.4360110 GHz Occ Bw 17.562437562 MHz CF 2.437 GHz 1001 pts Span 30.0 MHz Date: 20 APR. 2022 09:22:23
CH11	 Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1Pk View M1[1] 0.27 dBm 2.4598720 GHz Occ Bw 17.772227772 MHz CF 2.462 GHz 1001 pts Span 30.0 MHz Date: 20 APR. 2022 09:13:16




Appendix E: Duty Cycle


Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	8.36	8.40	99.5%	0.1
11g	2437	1.38	1.43	96.5%	0.7
11n20	2437	1.29	1.34	96.3%	0.8
11n40	2437	0.64	0.69	92.8%	1.6





11n20




11n40






Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max  M1[1] 1.80 dBm 2.412520 GHz M2[1] -48.93 dBm 2.4018900 GHz Start 2.31 GHz 691 pts Stop 2.422 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41252 GHz</td><td>1.80 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-48.93 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-58.50 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-59.70 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.398139 GHz</td><td>-50.85 dBm</td><td></td><td></td></tr></table> Date: 20 APR 2022 08:57:20			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41252 GHz	1.80 dBm			M2	1		2.4 GHz	-48.93 dBm			M3	1		2.39 GHz	-58.50 dBm			M4	1		2.31 GHz	-59.70 dBm			M5	1		2.398139 GHz	-50.85 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41252 GHz	1.80 dBm																																									
M2	1		2.4 GHz	-48.93 dBm																																									
M3	1		2.39 GHz	-58.50 dBm																																									
M4	1		2.31 GHz	-59.70 dBm																																									
M5	1		2.398139 GHz	-50.85 dBm																																									
CH11	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max  M1[1] 1.97 dBm 2.4614820 GHz M2[1] -58.71 dBm 2.4835000 GHz Start 2.452 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.461482 GHz</td><td>1.97 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-58.71 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.41 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4850435 GHz</td><td>-56.43 dBm</td><td></td><td></td></tr></table> Date: 20 APR 2022 08:55:48			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.461482 GHz	1.97 dBm			M2	1		2.4835 GHz	-58.71 dBm			M3	1		2.5 GHz	-58.41 dBm			M4	1		2.4850435 GHz	-56.43 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.461482 GHz	1.97 dBm																																									
M2	1		2.4835 GHz	-58.71 dBm																																									
M3	1		2.5 GHz	-58.41 dBm																																									
M4	1		2.4850435 GHz	-56.43 dBm																																									


Test Item:	Bandedge	Type:	802.11 g
CH01	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1PK Max		




Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 261/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3[1] M4[1] M5[1] -4.26 dBm 2.427000 GHz -48.15 dBm 2.440000 GHz -57.83 dBm 2.398191 GHz D1 -24.260 dBm Start 2.31 GHz 691 pts Stop 2.442 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.427 GHz</td><td>-4.26 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-48.15 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-54.34 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-57.83 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.398191 GHz</td><td>-47.40 dBm</td><td></td><td></td></tr></table> Date: 20 APR. 2022 09:28:47			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.427 GHz	-4.26 dBm			M2	1		2.4 GHz	-48.15 dBm			M3	1		2.39 GHz	-54.34 dBm			M4	1		2.31 GHz	-57.83 dBm			M5	1		2.398191 GHz	-47.40 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.427 GHz	-4.26 dBm																																									
M2	1		2.4 GHz	-48.15 dBm																																									
M3	1		2.39 GHz	-54.34 dBm																																									
M4	1		2.31 GHz	-57.83 dBm																																									
M5	1		2.398191 GHz	-47.40 dBm																																									
CH09	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3[1] M4[1] M5[1] -4.71 dBm 2.4494670 GHz -51.77 dBm 2.4835000 GHz -53.33 dBm 2.5 GHz D1 -24.710 dBm Start 2.432 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.449467 GHz</td><td>-4.71 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-51.77 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-53.33 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4837391 GHz</td><td>-48.59 dBm</td><td></td><td></td></tr></table> Date: 20 APR. 2022 09:27:01			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.449467 GHz	-4.71 dBm			M2	1		2.4835 GHz	-51.77 dBm			M3	1		2.5 GHz	-53.33 dBm			M4	1		2.4837391 GHz	-48.59 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.449467 GHz	-4.71 dBm																																									
M2	1		2.4835 GHz	-51.77 dBm																																									
M3	1		2.5 GHz	-53.33 dBm																																									
M4	1		2.4837391 GHz	-48.59 dBm																																									

Test Item:	SE	Type:	802.11b
CH01 Reference level		 Date: 20 APR. 2022 08:57:26	
CH01 30MHz~1000MHz		 Date: 20 APR. 2022 08:57:41	
CH01 1GHz~26GHz		 Date: 20 APR. 2022 08:57:56	


CH06
Reference level









CH06
30MHz~1000MHz






CH06
1GHz~26GHz




CH11
Reference levelCH11
30MHz~1000MHzCH11
1GHz~26GHz


Test Item:	SE	Type:	802.11g
CH01 Reference level		 Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] -2.87 dBm 2.4107410 GHz CF 2.412 GHz 691 pts Span 30.0 MHz Date: 20 APR 2022 09:08:01	
CH01 30MHz~1000MHz		 Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -50.95 dBm 846.4380 MHz D1 -22.870 dBm M1 Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 20 APR 2022 09:08:16	
CH01 1GHz~26GHz		 Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -43.19 dBm 17.740000 GHz D1 -22.870 dBm M1 Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 20 APR 2022 09:08:31	

CH06
Reference levelCH06
30MHz~1000MHzCH06
1GHz~26GHz


CH11
Reference level








CH11
30MHz~1000MHz



CH11
1GHz~26GHz



Test Item:	SE	Type:	802.11n(HT20)
CH01 Reference level			
CH01 30MHz~1000MHz			
CH01 1GHz~26GHz			

CH06
Reference levelCH06
30MHz~1000MHzCH06
1GHz~26GHz