Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.250	19.300
60	5300	22.850	19.200
64	5320	23.650	19.200

CH52



Date: 26.DEC.2024 10:07:50

CH60

26 dB Bandwidth



Date: 26.DEC.2024 10:10:22

CH64



Date: 26.DEC.2024 10:14:35



Date: 26.DEC.2024 10:07:26

99 % Occupied Bandwidth



Date: 26.DEC.2024 10:09:57



Date: 26.DEC.2024 10:14:10

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	23.150	19.200
116	5580	22.789	19.200
140	5700	23.000	19.300
144	5720	23.390	19.300

CH100



Date: 26.DEC.2024 10:17:00

CH116

26 dB Bandwidth



Date: 26.DEC.2024 10:23:31

CH140



Date: 26.DEC.2024 10:26:54



Date: 26.DEC.2024 10:16:34

99 % Occupied Bandwidth



Date: 26.DEC.2024 10:23:06



Date: 26.DEC.2024 10:26:30

CH144

26 dB Bandwidth



Date: 26.DEC.2024 15:16:52

99 % Occupied Bandwidth



Date: 26.DEC.2024 15:16:26

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.890	19.400	0.5	Complies
157	5785	19.050	19.400	0.5	Complies
165	5825	18.700	19.400	0.5	Complies

CH149



Date: 26.DEC.2024 10:29:07

CH157

6 dB Bandwidth



Date: 26.DEC.2024 10:31:49

CH165



Date: 26.DEC.2024 10:33:57



Date: 26.DEC.2024 10:28:40

99 % Occupied Bandwidth



Date: 26.DEC.2024 10:31:23



Date: 26.DEC.2024 10:33:30

Test Mode	IEEE 802.11be (EHT40)_Ant.1

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	44.200	38.800
46	5230	43.608	38.600

CH38



Date: 26.DEC.2024 10:43:02

CH46

26 dB Bandwidth



Date: 26.DEC.2024 10:45:03



Date: 26.DEC.2024 10:42:29

99 % Occupied Bandwidth



Date: 26.DEC.2024 10:44:28

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	43.600	38.800
62	5310	43.700	38.600

CH54



Date: 26.DEC.2024 10:47:16

CH62

26 dB Bandwidth



Date: 26.DEC.2024 10:49:42



Date: 26.DEC.2024 10:46:42

99 % Occupied Bandwidth



Date: 26.DEC.2024 10:49:06

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	43.198	38.800
110	5550	43.900	38.600
134	5670	43.190	38.800
142	5710	43.200	38.600

CH102



Date: 26.DEC.2024 11:07:38

CH110

26 dB Bandwidth



Date: 26.DEC.2024 11:09:07

CH134



Date: 26.DEC.2024 11:10:38

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:06:58



Date: 26.DEC.2024 11:09:33



Date: 26.DEC.2024 11:10:03

CH142

26 dB Bandwidth



Date: 26.DEC.2024 15:23:21

99 % Occupied Bandwidth



Date: 26.DEC.2024 15:22:45

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.208	38.800	0.5	Complies
159	5795	38.209	38.600	0.5	Complies

CH151

6 dB Bandwidth



Date: 26.DEC.2024 11:13:20

CH159

6 dB Bandwidth



Date: 26.DEC.2024 11:18:05

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:12:44

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:17:27

Test Mode	IEEE 802.11be (EHT80)_Ant.1

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	87.400	78.000

CH42

26 dB Bandwidth



Date: 26.DEC.2024 11:24:08

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:23:36

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	89.800	78.400

CH58

26 dB Bandwidth



Date: 26.DEC.2024 11:26:32

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:25:59

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	89.000	78.400
122	5610	88.400	78.000
138	5690	88.200	78.000

CH106



Date: 26.DEC.2024 11:28:43

CH122

26 dB Bandwidth



Date: 26.DEC.2024 11:30:53

CH138



Date: 26.DEC.2024 15:26:32

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:28:11



Date: 26.DEC.2024 11:30:21



Date: 26.DEC.2024 15:25:58

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	69.186	78.000	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	IEEE 802.11be (EHT160)_Ant.1

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	174.400	158.400

CH50

26 dB Bandwidth



Date: 26.DEC.2024 11:42:50

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:42:19

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	172.400	158.400

CH114

26 dB Bandwidth



Date: 26.DEC.2024 11:50:30

99 % Occupied Bandwidth



Date: 26.DEC.2024 11:50:01

APPENDIX E OUTPUT POWER

Test Mode	IEEE 802.11a_Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	22.91	0.1954	28.38	0.6887	PASS
5200	24.49	0.2812	28.38	0.6887	PASS
5240	24.59	0.2877	28.38	0.6887	PASS
5260	18.18	0.0658	22.36	0.1722	PASS
5300	17.97	0.0627	22.36	0.1722	PASS
5320	18.03	0.0635	22.36	0.1722	PASS
5500	18.04	0.0637	22.36	0.1722	PASS
5580	18.07	0.0641	22.36	0.1722	PASS
5700	18.33	0.0681	22.36	0.1722	PASS
5720	17.36	0.0545	22.36	0.1722	PASS
5745	26.99	0.5000	28.38	0.6887	PASS
5785	26.88	0.4875	28.38	0.6887	PASS
5825	26.93	0.4932	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT20) _Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	19.66	0.0925	28.38	0.6887	PASS
5200	23.53	0.2254	28.38	0.6887	PASS
5240	23.57	0.2275	28.38	0.6887	PASS
5260	18.16	0.0655	22.36	0.1722	PASS
5300	18.07	0.0641	22.36	0.1722	PASS
5320	18.05	0.0638	22.36	0.1722	PASS
5500	18.10	0.0646	22.36	0.1722	PASS
5580	18.17	0.0656	22.36	0.1722	PASS
5700	17.89	0.0615	22.36	0.1722	PASS
5720	16.36	0.0433	22.36	0.1722	PASS
5745	23.67	0.2328	28.38	0.6887	PASS
5785	23.87	0.2438	28.38	0.6887	PASS
5825	23.64	0.2312	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT20)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	19.41	0.0873	28.38	0.6887	PASS
5200	23.66	0.2323	28.38	0.6887	PASS
5240	23.67	0.2328	28.38	0.6887	PASS
5260	18.08	0.0643	22.36	0.1722	PASS
5300	17.79	0.0601	22.36	0.1722	PASS
5320	17.82	0.0605	22.36	0.1722	PASS
5500	17.89	0.0615	22.36	0.1722	PASS
5580	18.13	0.0650	22.36	0.1722	PASS
5700	18.11	0.0647	22.36	0.1722	PASS
5720	17.22	0.0527	22.36	0.1722	PASS
5745	24.17	0.2612	28.38	0.6887	PASS
5785	23.98	0.2500	28.38	0.6887	PASS
5825	24.18	0.2618	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT20)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	22.55	0.1799	28.38	0.6887	PASS
5200	26.61	0.4581	28.38	0.6887	PASS
5240	26.63	0.4603	28.38	0.6887	PASS
5260	21.13	0.1297	22.36	0.1722	PASS
5300	20.94	0.1242	22.36	0.1722	PASS
5320	20.95	0.1245	22.36	0.1722	PASS
5500	21.01	0.1262	22.36	0.1722	PASS
5580	21.16	0.1306	22.36	0.1722	PASS
5700	21.01	0.1262	22.36	0.1722	PASS
5720	19.82	0.0959	22.36	0.1722	PASS
5745	26.94	0.4943	28.38	0.6887	PASS
5785	26.94	0.4943	28.38	0.6887	PASS
5825	26.93	0.4932	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT40)_Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	16.98	0.0499	28.38	0.6887	PASS
5230	23.40	0.2188	28.38	0.6887	PASS
5270	19.37	0.0865	22.36	0.1722	PASS
5310	13.27	0.0212	22.36	0.1722	PASS
5510	19.41	0.0873	22.36	0.1722	PASS
5550	19.38	0.0867	22.36	0.1722	PASS
5670	18.96	0.0787	22.36	0.1722	PASS
5710	18.58	0.0721	22.36	0.1722	PASS
5755	20.65	0.1161	28.38	0.6887	PASS
5795	20.56	0.1138	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT40)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	16.69	0.0467	28.38	0.6887	PASS
5230	23.52	0.2249	28.38	0.6887	PASS
5270	19.29	0.0849	22.36	0.1722	PASS
5310	13.25	0.0211	22.36	0.1722	PASS
5510	19.16	0.0824	22.36	0.1722	PASS
5550	19.27	0.0845	22.36	0.1722	PASS
5670	19.04	0.0802	22.36	0.1722	PASS
5710	18.98	0.0791	22.36	0.1722	PASS
5755	20.80	0.1202	28.38	0.6887	PASS
5795	20.85	0.1216	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT40)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	19.84	0.0964	28.38	0.6887	PASS
5230	26.47	0.4436	28.38	0.6887	PASS
5270	22.34	0.1714	22.36	0.1722	PASS
5310	16.27	0.0424	22.36	0.1722	PASS
5510	22.29	0.1694	22.36	0.1722	PASS
5550	22.33	0.1710	22.36	0.1722	PASS
5670	22.01	0.1589	22.36	0.1722	PASS
5710	21.79	0.1510	22.36	0.1722	PASS
5755	23.73	0.2360	28.38	0.6887	PASS
5795	23.71	0.2350	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	14.06	0.0255	28.38	0.6887	PASS
5290	13.67	0.0233	22.36	0.1722	PASS
5530	16.19	0.0416	22.36	0.1722	PASS
5610	19.36	0.0863	22.36	0.1722	PASS
5690	18.35	0.0684	22.36	0.1722	PASS
5775	23.29	0.2133	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	13.73	0.0236	28.38	0.6887	PASS
5290	13.56	0.0227	22.36	0.1722	PASS
5530	16.31	0.0428	22.36	0.1722	PASS
5610	19.26	0.0843	22.36	0.1722	PASS
5690	18.89	0.0774	22.36	0.1722	PASS
5775	23.51	0.2244	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT80)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	16.91	0.0491	28.38	0.6887	PASS
5290	16.63	0.0460	22.36	0.1722	PASS
5530	19.26	0.0843	22.36	0.1722	PASS
5610	22.32	0.1706	22.36	0.1722	PASS
5690	21.64	0.1459	22.36	0.1722	PASS
5775	26.41	0.4375	28.38	0.6887	PASS

Test Mode	IEEE 802.11ac (VHT160) _Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	13.91	0.0246	22.36	0.1722	PASS
5570	14.08	0.0256	22.36	0.1722	PASS

Test Mode	IEEE 802.11ac (VHT160)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	13.74	0.0237	22.36	0.1722	PASS
5570	13.31	0.0214	22.36	0.1722	PASS

Test Mode	IEEE 802.11ac (VHT160)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	16.84	0.0483	22.36	0.1722	PASS
5570	16.72	0.0470	22.36	0.1722	PASS

Test Mode	IEEE 802.11ax (HE20) _Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	18.98	0.0791	28.38	0.6887	PASS
5200	23.73	0.2360	28.38	0.6887	PASS
5240	23.84	0.2421	28.38	0.6887	PASS
5260	18.46	0.0701	22.36	0.1722	PASS
5300	18.83	0.0764	22.36	0.1722	PASS
5320	18.86	0.0769	22.36	0.1722	PASS
5500	18.81	0.0760	22.36	0.1722	PASS
5580	18.94	0.0783	22.36	0.1722	PASS
5700	18.64	0.0731	22.36	0.1722	PASS
5720	16.04	0.0402	22.36	0.1722	PASS
5745	23.73	0.2360	28.38	0.6887	PASS
5785	23.77	0.2382	28.38	0.6887	PASS
5825	23.42	0.2198	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE20)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	18.74	0.0748	28.38	0.6887	PASS
5200	23.53	0.2254	28.38	0.6887	PASS
5240	23.87	0.2438	28.38	0.6887	PASS
5260	18.34	0.0682	22.36	0.1722	PASS
5300	18.62	0.0728	22.36	0.1722	PASS
5320	18.58	0.0721	22.36	0.1722	PASS
5500	18.73	0.0746	22.36	0.1722	PASS
5580	18.77	0.0753	22.36	0.1722	PASS
5700	18.68	0.0738	22.36	0.1722	PASS
5720	17.42	0.0552	22.36	0.1722	PASS
5745	24.16	0.2606	28.38	0.6887	PASS
5785	24.19	0.2624	28.38	0.6887	PASS
5825	24.03	0.2529	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE20)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	21.87	0.1538	28.38	0.6887	PASS
5200	26.64	0.4613	28.38	0.6887	PASS
5240	26.86	0.4853	28.38	0.6887	PASS
5260	21.41	0.1384	22.36	0.1722	PASS
5300	21.73	0.1489	22.36	0.1722	PASS
5320	21.73	0.1489	22.36	0.1722	PASS
5500	21.78	0.1507	22.36	0.1722	PASS
5580	21.86	0.1535	22.36	0.1722	PASS
5700	21.67	0.1469	22.36	0.1722	PASS
5720	19.79	0.0953	22.36	0.1722	PASS
5745	26.96	0.4966	28.38	0.6887	PASS
5785	26.99	0.5000	28.38	0.6887	PASS
5825	26.74	0.4721	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE40) _Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	16.97	0.0498	28.38	0.6887	PASS
5230	23.95	0.2547	28.38	0.6887	PASS
5270	19.25	0.0841	22.36	0.1722	PASS
5310	13.27	0.0212	22.36	0.1722	PASS
5510	19.35	0.0861	22.36	0.1722	PASS
5550	19.17	0.0826	22.36	0.1722	PASS
5670	19.09	0.0811	22.36	0.1722	PASS
5710	18.64	0.0731	22.36	0.1722	PASS
5755	20.74	0.1186	28.38	0.6887	PASS
5795	20.61	0.1151	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE40)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	16.67	0.0465	28.38	0.6887	PASS
5230	23.99	0.2506	28.38	0.6887	PASS
5270	19.32	0.0855	22.36	0.1722	PASS
5310	13.23	0.0210	22.36	0.1722	PASS
5510	19.29	0.0849	22.36	0.1722	PASS
5550	19.09	0.0811	22.36	0.1722	PASS
5670	19.22	0.0836	22.36	0.1722	PASS
5710	18.62	0.0728	22.36	0.1722	PASS
5755	21.11	0.1291	28.38	0.6887	PASS
5795	21.01	0.1262	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE40)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	19.83	0.0962	28.38	0.6887	PASS
5230	26.98	0.4989	28.38	0.6887	PASS
5270	22.30	0.1698	22.36	0.1722	PASS
5310	16.26	0.0423	22.36	0.1722	PASS
5510	22.33	0.1710	22.36	0.1722	PASS
5550	22.14	0.1637	22.36	0.1722	PASS
5670	22.17	0.1648	22.36	0.1722	PASS
5710	21.64	0.1459	22.36	0.1722	PASS
5755	23.94	0.2477	28.38	0.6887	PASS
5795	23.82	0.2410	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE80) _Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	13.96	0.0249	28.38	0.6887	PASS
5290	14.20	0.0263	22.36	0.1722	PASS
5530	15.59	0.0362	22.36	0.1722	PASS
5610	19.30	0.0851	22.36	0.1722	PASS
5690	18.86	0.0769	22.36	0.1722	PASS
5775	23.13	0.2056	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE80)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	13.72	0.0236	28.38	0.6887	PASS
5290	14.04	0.0254	22.36	0.1722	PASS
5530	15.75	0.0376	22.36	0.1722	PASS
5610	19.24	0.0839	22.36	0.1722	PASS
5690	18.80	0.0759	22.36	0.1722	PASS
5775	23.37	0.2173	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE80)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	16.85	0.0484	28.38	0.6887	PASS
5290	17.13	0.0516	22.36	0.1722	PASS
5530	18.68	0.0738	22.36	0.1722	PASS
5610	22.28	0.1690	22.36	0.1722	PASS
5690	21.84	0.1528	28.38	0.6887	PASS
5775	26.26	0.4227	28.38	0.6887	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	12.37	0.0173	22.36	0.1722	PASS
5570	11.18	0.0131	22.36	0.1722	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	12.25	0.0168	22.36	0.1722	PASS
5570	11.00	0.0126	22.36	0.1722	PASS

Test Mode	IEEE 802.11ax (HE160)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	15.33	0.0341	22.36	0.1722	PASS
5570	14.11	0.0258	22.36	0.1722	PASS

Test Mode	IEEE 802.11be (EHT20) _Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	18.86	0.0769	28.38	0.6887	PASS
5200	23.69	0.2339	28.38	0.6887	PASS
5240	23.41	0.2193	28.38	0.6887	PASS
5260	18.26	0.0670	22.36	0.1722	PASS
5300	18.68	0.0738	22.36	0.1722	PASS
5320	18.70	0.0741	22.36	0.1722	PASS
5500	18.77	0.0753	22.36	0.1722	PASS
5580	18.84	0.0766	22.36	0.1722	PASS
5700	18.52	0.0711	22.36	0.1722	PASS
5720	16.79	0.0478	22.36	0.1722	PASS
5745	23.49	0.2234	28.38	0.6887	PASS
5785	23.65	0.2317	28.38	0.6887	PASS
5825	23.52	0.2249	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT20)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	18.68	0.0738	28.38	0.6887	PASS
5200	23.76	0.2377	28.38	0.6887	PASS
5240	23.61	0.2296	28.38	0.6887	PASS
5260	18.23	0.0665	22.36	0.1722	PASS
5300	18.49	0.0706	22.36	0.1722	PASS
5320	18.47	0.0703	22.36	0.1722	PASS
5500	18.57	0.0719	22.36	0.1722	PASS
5580	18.63	0.0729	22.36	0.1722	PASS
5700	18.61	0.0726	22.36	0.1722	PASS
5720	16.93	0.0493	22.36	0.1722	PASS
5745	23.65	0.2317	28.38	0.6887	PASS
5785	23.78	0.2388	28.38	0.6887	PASS
5825	23.91	0.2460	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT20)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5180	21.78	0.1507	28.38	0.6887	PASS
5200	26.74	0.4721	28.38	0.6887	PASS
5240	26.52	0.4487	28.38	0.6887	PASS
5260	21.26	0.1337	22.36	0.1722	PASS
5300	21.60	0.1445	22.36	0.1722	PASS
5320	21.60	0.1445	22.36	0.1722	PASS
5500	21.68	0.1472	22.36	0.1722	PASS
5580	21.75	0.1496	22.36	0.1722	PASS
5700	21.58	0.1439	22.36	0.1722	PASS
5720	19.87	0.0971	22.36	0.1722	PASS
5745	26.58	0.4550	28.38	0.6887	PASS
5785	26.73	0.4710	28.38	0.6887	PASS
5825	26.73	0.4710	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT40) _Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	17.02	0.0504	28.38	0.6887	PASS
5230	23.43	0.2203	28.38	0.6887	PASS
5270	19.27	0.0845	22.36	0.1722	PASS
5310	13.33	0.0215	22.36	0.1722	PASS
5510	19.37	0.0865	22.36	0.1722	PASS
5550	19.10	0.0813	22.36	0.1722	PASS
5670	19.18	0.0828	22.36	0.1722	PASS
5710	19.16	0.0824	22.36	0.1722	PASS
5755	20.65	0.1161	28.38	0.6887	PASS
5795	20.58	0.1143	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT40)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	16.81	0.0480	28.38	0.6887	PASS
5230	23.47	0.2223	28.38	0.6887	PASS
5270	19.29	0.0849	22.36	0.1722	PASS
5310	13.47	0.0222	22.36	0.1722	PASS
5510	19.30	0.0851	22.36	0.1722	PASS
5550	19.00	0.0794	22.36	0.1722	PASS
5670	19.22	0.0836	22.36	0.1722	PASS
5710	19.13	0.0818	22.36	0.1722	PASS
5755	21.10	0.1288	28.38	0.6887	PASS
5795	20.96	0.1247	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT40)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5190	19.92	0.0982	28.38	0.6887	PASS
5230	26.46	0.4426	28.38	0.6887	PASS
5270	22.29	0.1694	22.36	0.1722	PASS
5310	16.41	0.0438	22.36	0.1722	PASS
5510	22.34	0.1714	22.36	0.1722	PASS
5550	22.06	0.1607	22.36	0.1722	PASS
5670	22.21	0.1663	22.36	0.1722	PASS
5710	22.16	0.1644	22.36	0.1722	PASS
5755	23.89	0.2449	28.38	0.6887	PASS
5795	23.78	0.2388	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.1	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	13.99	0.0251	28.38	0.6887	PASS
5290	14.26	0.0267	22.36	0.1722	PASS
5530	16.14	0.0411	22.36	0.1722	PASS
5610	19.25	0.0841	22.36	0.1722	PASS
5690	19.21	0.0834	22.36	0.1722	PASS
5775	23.25	0.2113	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.2	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	14.28	0.0268	28.38	0.6887	PASS
5290	14.05	0.0254	22.36	0.1722	PASS
5530	16.29	0.0426	22.36	0.1722	PASS
5610	19.24	0.0839	22.36	0.1722	PASS
5690	19.18	0.0828	22.36	0.1722	PASS
5775	23.32	0.2148	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT80)_Total	Test Date	2024/12/11 ~ 2025/1/15

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5210	17.14	0.0518	28.38	0.6887	PASS
5290	17.16	0.0520	22.36	0.1722	PASS
5530	19.22	0.0836	22.36	0.1722	PASS
5610	22.25	0.1679	22.36	0.1722	PASS
5690	22.21	0.1663	22.36	0.1722	PASS
5775	26.29	0.4256	28.38	0.6887	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.1	Test Date	2024/12/26

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	12.29	0.0169	22.36	0.1722	PASS
5570	11.19	0.0132	22.36	0.1722	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.2	Test Date	2024/12/26

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	12.07	0.0161	22.36	0.1722	PASS
5570	10.67	0.0117	22.36	0.1722	PASS

Test Mode	IEEE 802.11be (EHT160)_Total	Test Date	2024/12/26

Frequency	Conducted Output Power		Conducted Output Power Limit		Result
(MHz)	(dBm)	(W)	(dBm)	(W)	
5250	15.19	0.0330	22.36	0.1722	PASS
5570	13.95	0.0248	22.36	0.1722	PASS

APPENDIX F POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.40	0.55	8.95	12.37	Complies
40	5200	7.26	0.55	7.81	12.37	Complies
48	5240	8.05	0.55	8.60	12.37	Complies

CH36



Date: 24.DEC.2024 17:10:06

CH40



Date: 24.DEC.2024 17:12:03

CH48



Date: 24.DEC.2024 17:13:07

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.28	0.55	2.83	6.37	Complies
60	5300	1.02	0.55	1.57	6.37	Complies
64	5320	1.13	0.55	1.68	6.37	Complies

CH52



Date: 24.DEC.2024 17:14:13

CH60



Date: 24.DEC.2024 17:16:15

CH64



Date: 24.DEC.2024 17:17:17

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.71	0.55	3.26	6.37	Complies
116	5580	4.88	0.55	5.43	6.37	Complies
140	5700	2.31	0.55	2.86	6.37	Complies
144	5720	2.67	0.55	3.67	6.37	Complies

CH100



Date: 24.DEC.2024 17:18:42

CH116



Date: 24.DEC.2024 17:19:46

CH140



Date: 26.DEC.2024 14:17:34

CH144



Date: 26.DEC.2024 14:20:45

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.22	0.55	7.77	25.37	Complies
157	5785	6.82	0.55	7.37	25.37	Complies
165	5825	6.64	0.55	7.19	25.37	Complies

CH149



Date: 24.DEC.2024 17:22:49

CH157



Date: 24.DEC.2024 17:24:06

CH165



Date: 24.DEC.2024 17:25:57

Test Mode	IEEE 802.11ac (VHT20)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.52	0.00	7.52	12.37	Complies
40	5200	9.05	0.00	9.05	12.37	Complies
48	5240	9.09	0.00	9.09	12.37	Complies

CH36



CH40



CH48



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.92	0.00	2.92	6.37	Complies
60	5300	3.12	0.00	3.12	6.37	Complies
64	5320	3.06	0.00	3.06	6.37	Complies

CH52



CH60



CH64



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.95	0.00	2.95	6.37	Complies
116	5580	3.01	0.00	3.01	6.37	Complies
140	5700	2.94	0.00	2.94	6.37	Complies
144	5720	3.05	0.00	3.05	6.37	Complies

CH100



CH116



CH140



CH144



Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.85	0.00	7.85	25.37	Complies
157	5785	7.75	0.00	7.75	25.37	Complies
165	5825	7.08	0.00	7.08	25.37	Complies

CH149



CH157



CH165



Test Mode	IEEE 802.11ac (VHT20)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.41	0.00	7.41	12.37	Complies
40	5200	9.03	0.00	9.03	12.37	Complies
48	5240	9.34	0.00	9.34	12.37	Complies

CH36



Date: 26.DEC.2024 16:34:34

CH40



Date: 26.DEC.2024 16:38:09

CH48



Date: 26.DEC.2024 16:41:21

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.78	0.00	2.78	6.37	Complies
60	5300	2.67	0.00	2.67	6.37	Complies
64	5320	2.86	0.00	2.86	6.37	Complies

CH52



Date: 26.DEC.2024 16:43:04

CH60



Date: 26.DEC.2024 16:43:42

CH64



Date: 26.DEC.2024 16:44:16

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.28	0.00	3.28	6.37	Complies
116	5580	3.24	0.00	3.24	6.37	Complies
140	5700	3.32	0.00	3.32	6.37	Complies
144	5720	3.34	0.00	3.34	6.37	Complies

CH100



CH116



CH140



CH144



Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.12	0.00	10.12	25.37	Complies
157	5785	9.05	0.00	9.05	25.37	Complies
165	5825	9.74	0.00	9.74	25.37	Complies

CH149



CH157



CH165



Test Mode	IEEE 802.11ac (VHT20)_Total

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	10.48	12.37	Pass
5200	12.05	12.37	Pass
5240	12.23	12.37	Pass
5260	5.86	6.37	Pass
5300	5.91	6.37	Pass
5320	5.97	6.37	Pass
5500	6.13	6.37	Pass
5580	6.14	6.37	Pass
5700	6.14	6.37	Pass
5720	6.21	6.37	Pass

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.14	25.37	Pass
157	5785	11.46	25.37	Pass
165	5825	11.62	25.37	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.63	0.12	1.75	12.37	Complies
46	5230	5.69	0.12	5.81	12.37	Complies

CH38



CH46



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.92	0.12	2.04	6.37	Complies
62	5310	-0.73	0.12	-0.61	6.37	Complies

CH54



CH62



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.60	0.12	2.72	6.37	Complies
110	5550	2.94	0.12	3.06	6.37	Complies
134	5670	2.36	0.12	2.48	6.37	Complies
142	5710	2.86	0.12	2.98	6.37	Complies

CH102



CH110



CH134



CH142



Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.28	0.12	5.40	25.37	Complies
159	5795	4.92	0.12	5.04	25.37	Complies

CH151



CH159



Test Mode	IEEE 802.11ac (VHT40)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.52	0.12	1.64	12.37	Complies
46	5230	6.05	0.12	6.17	12.37	Complies

CH38



CH46



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.74	0.12	1.86	6.37	Complies
62	5310	0.00	0.12	0.12	6.37	Complies

CH54



CH62



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.93	0.12	3.05	6.37	Complies
110	5550	3.15	0.12	3.27	6.37	Complies
134	5670	2.66	0.12	2.78	6.37	Complies
142	5710	2.94	0.12	3.06	6.37	Complies

CH102



CH110



CH134



CH142



Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.40	0.12	6.52	25.37	Complies
159	5795	6.36	0.12	6.48	25.37	Complies

CH151



CH159



Test Mode	IEEE 802.11ac (VHT40)_Total

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5190	4.71	12.37	Pass
5230	9.00	12.37	Pass
5270	4.96	6.37	Pass
5310	2.78	6.37	Pass
5510	5.90	6.37	Pass
5550	6.18	6.37	Pass
5670	5.64	6.37	Pass
5710	6.03	6.37	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	9.00	25.37	Pass
5795	8.83	25.37	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.67	0.18	-2.49	12.37	Complies

CH42



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.73	0.18	-6.55	6.37	Complies

CH58



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.22	0.18	-2.04	6.37	Complies
122	5610	0.55	0.18	0.73	6.37	Complies
138	5690	3.10	0.18	3.28	6.37	Complies

CH106



CH122



CH138



Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.74	0.18	0.92	25.37	Complies

CH155



Test Mode	IEEE 802.11ac (VHT80)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.21	0.18	-2.03	12.37	Complies

CH42



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.58	0.18	-6.40	6.37	Complies

CH58



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.62	0.18	-1.44	6.37	Complies
122	5610	0.98	0.18	1.16	6.37	Complies
138	5690	2.90	0.18	3.08	6.37	Complies

CH106



CH122



CH138



Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.65	0.18	1.83	25.37	Complies

CH155



Test Mode	IEEE 802.11ac (VHT80)_Total

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	0.76	12.37	Pass
5290	-3.46	6.37	Pass
5530	1.28	6.37	Pass
5610	3.96	6.37	Pass
5690	6.19	6.37	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	4.41	25.37	Complies

Test Mode	IEEE 802.11ac (VHT160)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-8.93	0.13	-8.80	6.37	Complies

CH50



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-7.29	0.13	-7.16	6.37	Complies

CH114