



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: BLUETOOTH SPEAKER

Test Model: IQ-6018DJBT

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.036	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.993	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.941	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.288	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.327	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.307	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.297	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.288	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.301	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.69	21	Pass
NVNT	1-DH5	2441	Ant1	-0.47	21	Pass
NVNT	1-DH5	2480	Ant1	-1.83	21	Pass
NVNT	2-DH5	2402	Ant1	-0.1	21	Pass
NVNT	2-DH5	2441	Ant1	0.27	21	Pass
NVNT	2-DH5	2480	Ant1	-0.75	21	Pass
NVNT	3-DH5	2402	Ant1	0.23	21	Pass
NVNT	3-DH5	2441	Ant1	0.69	21	Pass
NVNT	3-DH5	2480	Ant1	-0.36	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.062	2403.026	0.964	0.691	Pass
NVNT	2-DH5	Ant1	2402.014	2403.176	1.162	0.885	Pass
NVNT	3-DH5	Ant1	2401.846	2403.02	1.174	0.867	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	314.28	108	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.897	321.567	111	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	312.876	108	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.87	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.64	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.29	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-51.69	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.97	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.1	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.63	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.06	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-51.09	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-52.33	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.01	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.45	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.22	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.47	-20	Pass
NVNT	1-DH5	2480	Ant1	-51.59	-20	Pass
NVNT	2-DH5	2402	Ant1	-51.48	-20	Pass
NVNT	2-DH5	2441	Ant1	-52.83	-20	Pass
NVNT	2-DH5	2480	Ant1	-50.88	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.42	-20	Pass
NVNT	3-DH5	2441	Ant1	-52.93	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.79	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.23	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.37	2	-	45.89	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.64	2	1.1	39.72	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2318.16	-47.6	2	-	49.66	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2380.464	-57.53	2	1.1	40.83	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-51.39	2	-	45.87	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.69	2	1.1	39.67	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-51.21	2	-	46.05	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.27	2	1.1	40.09	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2492.56	-46.45	2	-	50.81	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.864	-56.98	2	1.1	41.38	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.39	2	-	47.87	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.36	2	1.1	40	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.31	2	-	46.95	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-57.94	2	1.12	40.44	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2388.624	-46.81	2	-	50.45	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2389.776	-57.6	2	1.12	40.78	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.21	2	-	46.05	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.52	2	1.12	39.86	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.58	2	-	47.68	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.96	2	1.12	40.42	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.064	-46.68	2	-	50.58	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.304	-57.04	2	1.12	41.34	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.31	2	-	46.95	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.94	2	1.12	40.44	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.38	2	-	47.88	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.62	2	1.12	39.76	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2388.144	-47.32	2	-	49.94	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2354.736	-57.5	2	1.12	40.88	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.64	2	-	47.62	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.89	2	1.12	40.49	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.29	2	-	47.97	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.65	2	1.12	40.73	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2499.976	-47.09	2	-	50.17	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2494.096	-56.81	2	1.12	41.57	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.93	2	-	47.33	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.51	2	1.12	40.87	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak







Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average














Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

