


ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.623 mW/g, SAR (1g): 0.303 mW/g, SAR (10g): 0.142 mW/g, (Worst-case extrapolation)  
Penetration depth: 6.9 (6.6, 7.6) [mm]; Powerdrift: -0.10 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.650 mW/g, SAR (1g): 0.308 mW/g, SAR (10g): 0.144 mW/g, (Worst-case extrapolation)  
Penetration depth: 6.3 (6.0, 7.1) [mm]; Powerdrift: -0.09 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Section; Position:  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:: , , ()  
Penetration depth: 6.5 (6.2, 7.5) [mm];  
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.613 mW/g, SAR (1g): 0.299 mW/g, SAR (10g): 0.141 mW/g, (Worst-case extrapolation)  
Penetration depth: 6.7 (6.4, 7.5) [mm]; Powerdrift: -0.11 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.177 mW/g, SAR (1g): 0.0898 mW/g, SAR (10g): 0.0468 mW/g, (Worst-case extrapolation)  
Penetration depth: 7.0 (6.7, 7.6) [mm]; Powerdrift: -0.13 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Section; Position:  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:: , , ()  
Penetration depth: 7.2 (6.8, 8.1) [mm];  
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.0726 mW/g, SAR (1g): 0.0362 mW/g, SAR (10g): 0.0185 mW/g, (Worst-case extrapolation)  
Penetration depth: 7.2 (6.8, 8.1) [mm]; Powerdrift: 0.10 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.104 mW/g, SAR (1g): 0.0519 mW/g, SAR (10g): 0.0266 mW/g, (Worst-case extrapolation)  
Penetration depth: 7.0 (6.7, 7.7) [mm]; Powerdrift: -0.18 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 1.04 mW/g, SAR (1g): 0.467 mW/g, SAR (10g): 0.188 mW/g, (Worst-case extrapolation)  
Penetration depth: 6.0 (5.8, 6.7) [mm]; Powerdrift: -0.19 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Section; Position:  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:: , , ()  
Penetration depth: 6.1 (5.8, 7.0) [mm];  
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 1.04 mW/g, SAR (1g): 0.467 mW/g, SAR (10g): 0.188 mW/g, (Worst-case extrapolation)  
Penetration depth: 5.9 (5.7, 6.6) [mm]; Powerdrift: -0.08 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position:  $(90^\circ, 90^\circ)$   
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.993 mW/g, SAR (1g): 0.441 mW/g, SAR (10g): 0.176 mW/g, (Worst-case extrapolation)  
Penetration depth: 5.8 (5.6, 6.5) [mm]; Powerdrift: -0.12 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.137 mW/g, SAR (1g): 0.0660 mW/g, SAR (10g): 0.0312 mW/g, (Worst-case extrapolation)  
Penetration depth: 6.0 (5.8, 6.5) [mm]; Powerdrift: -0.11 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Section; Position:  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:: , , ()  
Penetration depth: 6.2 (5.9, 6.8) [mm];  
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.128 mW/g, SAR (1g): 0.0611 mW/g, SAR (10g): 0.0287 mW/g, (Worst-case extrapolation)  
Penetration depth: 5.9 (5.7, 6.4) [mm]; Powerdrift: -0.11 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0  
Medium: Muscle 2450 MHz:  $s = 2.11 \text{ mho/m}$   $\epsilon_r = 50.3$   $\rho = 1.00 \text{ g/cm}^3$   
SAM-1 Phantom; Flat Section; Position: (90°,90°)  
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);  
SAR:Cube 5x5x7: Peak: 0.122 mW/g, SAR (1g): 0.0570 mW/g, SAR (10g): 0.0260 mW/g, (Worst-case extrapolation)  
Penetration depth: 5.9 (5.7, 6.3) [mm]; Powerdrift: -0.11 dB  
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0  
Liquid Temperature (degree C): 20.0

