


Intertek Testing Services
RF VOLTAGE

EUT: BT3010
Manuf: ~~AboCom~~ *Tecom kaysi*
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:825788/015
120V 60Hz 22'C 60%RH tx at low channel
Date: 22. Apr 02 20:02

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE


EUT: BT3010
 Manuf: ~~AboCom~~ *Tecom kaysi*
 Op Cond: AMN-N
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: SN:825788/015
 120V 60Hz 22°C 60%RH tx at low channel
 Date: 22. Apr 02 20:09

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP

Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE


EUT: BT3010
 Manuf: ~~AbeCom~~ *Tecom kaysi*
 Op Cond: AMN-L
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: SN:825788/015
 120V 60Hz 22°C 60%RH tx at middle channel
 Date: 22. Apr 02 20:26

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP

Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: BT3010
Manuf: ~~Abocom~~ *Tecom Kayri*
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:825788/D15
120V 60Hz 22°C 60%RH tx at middle channel
Date: 22. Apr 02 20:17

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: BT3010
 Manuf: ~~AboCom~~ *Tecom kaysi*
 Op Cond: AMN-L
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: SN:825788/015
 120V 60Hz 22°C 60%RH tx at high channel
 Date: 22. Apr 02 20:32

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
 Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE

EUT: BT3010
Manuf: ~~Abocom~~ *Tecom* *kaysi*
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:825788/015
120V 60Hz 22°C 60%RH tx at high channel
Date: 22. Apr 02 20:38

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s

