




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV



802.11n(HT40)_LCH_5755MHz_MIMO_NTNV




802.11n(HT40)_LCH_5755MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	11511.95	-46.66	-21.20	25.03	Pass	Peak	7	11511.95	-58.78	-41.20	17.15	Pass	AVG
2	21377.05	-45.12	-21.20	23.49	Pass	Peak	8	21377.05	-59.24	-41.20	17.61	Pass	AVG
3	23292.95	-46.08	-27.00	18.65	Pass	Peak	9	23292.95	/	-27.00	/	/	AVG
4	24782.15	-44.84	-27.00	17.41	Pass	Peak	10	24782.15	/	-27.00	/	/	AVG
5	25579.45	-45.97	-27.00	18.54	Pass	Peak	11	25579.45	/	-27.00	/	/	AVG
6	26362.3	-43.78	-27.00	16.35	Pass	Peak	12	26362.3	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5755MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-52.15	-21.20	30.52	Pass	Peak	3	5725.000	-28.71	-21.20	7.08	Pass	Peak
2	5723.225	-23.88	-21.20	2.25	Pass	Peak							


802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV



802.11n(HT40)_HCH_5795MHz_MIMO_NTNV




802.11n(HT40)_HCH_5795MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	11591	-45.35	-21.20	23.72	Pass	Peak	7	11591	-66.47	-41.20	24.84	Pass	AVG
2	21411.05	-46.06	-27.00	18.63	Pass	Peak	8	21411.05	/	-27.00	/	/	AVG
3	23809.75	-45.84	-21.20	24.21	Pass	Peak	9	23809.75	-59.30	-41.20	17.67	Pass	AVG
4	24741.35	-45.08	-27.00	17.65	Pass	Peak	10	24741.35	/	-27.00	/	/	AVG
5	25592.2	-45.21	-27.00	17.78	Pass	Peak	11	25592.2	/	-27.00	/	/	AVG
6	26454.1	-43.56	-27.00	16.13	Pass	Peak	12	26454.1	/	-27.00	/	/	AVG


802.11n(HT40)_HCH_5795MHz_MIMO_NTNV



802.11ac(VHT20)_LCH_5180MHz_MIMO_NTNV




802.11ac(VHT20)_LCH_5180MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5128.000	-43.93	-21.20	22.30	Pass	Peak	3	5128.000	/	-21.20	/	/	AVG
2	5149.000	-33.80	-21.20	12.17	Pass	Peak	4	5149.000	/	-21.20	/	/	AVG

802.11ac(VHT20)_MCH_5200MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21388.95	-40.06	-21.20	18.43	Pass	Peak	7	21388.95	-53.28	-41.20	11.65	Pass	AVG
2	22352.85	-41.60	-21.20	19.97	Pass	Peak	8	22352.85	-54.77	-41.20	13.14	Pass	AVG
3	23804.65	-40.35	-21.20	18.72	Pass	Peak	9	23804.65	-53.42	-41.20	11.79	Pass	AVG
4	24706.5	-39.01	-27.00	11.58	Pass	Peak	10	24706.5	/	-27.00	/	/	AVG
5	25718.85	-38.76	-27.00	11.33	Pass	Peak	11	25718.85	/	-27.00	/	/	AVG
6	26484.7	-36.86	-27.00	9.43	Pass	Peak	12	26484.7	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5240MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15719.45	-39.24	-21.20	17.61	Pass	Peak	7	15719.45	-52.85	-41.20	11.22	Pass	AVG
2	21394.05	-39.52	-21.20	17.89	Pass	Peak	8	21394.05	-53.05	-41.20	11.42	Pass	AVG
3	23304	-40.73	-27.00	13.30	Pass	Peak	9	23304	/	-27.00	/	/	AVG
4	24216.9	-39.37	-27.00	11.94	Pass	Peak	10	24216.9	/	-27.00	/	/	AVG
5	25663.6	-39.30	-27.00	11.87	Pass	Peak	11	25663.6	/	-27.00	/	/	AVG
6	26431.15	-37.58	-27.00	10.15	Pass	Peak	12	26431.15	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5240MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5371.200	-46.79	-21.20	25.16	Pass	Peak	3	5371.200	/	-21.20	/	/	AVG
2	5416.080	-46.58	-21.20	24.95	Pass	Peak	4	5416.080	/	-21.20	/	/	AVG


802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV



802.11ac(VHT20)_LCH_5745MHz_MIMO_NTNV




802.11ac(VHT20)_LCH_5745MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	11493.25	-39.03	-21.20	17.40	Pass	Peak	7	11493.25	-51.48	-41.20	9.85	Pass	AVG
2	21326.05	-40.23	-21.20	18.60	Pass	Peak	8	21326.05	-53.58	-41.20	11.95	Pass	AVG
3	23887.95	-39.80	-21.20	18.16	Pass	Peak	9	23887.95	-53.49	-41.20	11.86	Pass	AVG
4	24721.8	-38.70	-27.00	11.27	Pass	Peak	10	24721.8	/	-27.00	/	/	AVG
5	25631.3	-37.96	-27.00	10.53	Pass	Peak	11	25631.3	/	-27.00	/	/	AVG
6	26483	-38.32	-27.00	10.89	Pass	Peak	12	26483	/	-27.00	/	/	AVG


802.11ac(VHT20)_LCH_5745MHz_MIMO_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant2_NTNV



802.11ac(VHT20)_MCH_5785MHz_MIMO_NTNV




802.11ac(VHT20)_MCH_5785MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	11571.45	-35.80	-21.20	14.17	Pass	Peak	7	11571.45	-49.29	-41.20	7.66	Pass	AVG
2	21383.85	-39.82	-21.20	18.19	Pass	Peak	8	21383.85	-53.11	-41.20	11.48	Pass	AVG
3	23238.55	-40.66	-27.00	13.23	Pass	Peak	9	23238.55	/	-27.00	/	/	AVG
4	24149.75	-38.95	-27.00	11.52	Pass	Peak	10	24149.75	/	-27.00	/	/	AVG
5	25592.2	-38.56	-27.00	11.13	Pass	Peak	11	25592.2	/	-27.00	/	/	AVG
6	26411.6	-37.69	-27.00	10.26	Pass	Peak	12	26411.6	/	-27.00	/	/	AVG


802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV



802.11ac(VHT20)_HCH_5825MHz_MIMO_NTNV




802.11ac(VHT20)_HCH_5825MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	11642.85	-36.08	-21.20	14.45	Pass	Peak	7	11642.85	-49.06	-41.20	7.43	Pass	AVG
2	21419.55	-39.77	-27.00	12.34	Pass	Peak	8	21419.55	/	-27.00	/	/	AVG
3	22785.5	-41.27	-21.20	19.64	Pass	Peak	9	22785.5	-55.06	-41.20	13.43	Pass	AVG
4	23768.95	-39.05	-21.20	17.42	Pass	Peak	10	23768.95	-53.52	-41.20	11.89	Pass	AVG
5	25179.95	-38.82	-27.00	11.39	Pass	Peak	11	25179.95	/	-27.00	/	/	AVG
6	26375.9	-37.73	-27.00	10.29	Pass	Peak	12	26375.9	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5825MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-27.65	-21.20	6.02	Pass	Peak	3	5925.000	-47.54	-21.20	25.91	Pass	Peak
2	5850.360	-25.95	-21.20	4.33	Pass	Peak							

802.11ac(VHT40)_LCH_5190MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20842.4	-41.67	-21.20	20.04	Pass	Peak	7	20842.4	-54.58	-41.20	12.95	Pass	AVG
2	21946.55	-39.95	-27.00	12.52	Pass	Peak	8	21946.55	/	-27.00	/	/	AVG
3	23213.9	-40.28	-27.00	12.85	Pass	Peak	9	23213.9	/	-27.00	/	/	AVG
4	24241.55	-39.36	-27.00	11.93	Pass	Peak	10	24241.55	/	-27.00	/	/	AVG
5	25239.45	-38.47	-27.00	11.04	Pass	Peak	11	25239.45	/	-27.00	/	/	AVG
6	26431.15	-37.92	-27.00	10.49	Pass	Peak	12	26431.15	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5190MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5124.000	-37.24	-21.20	15.61	Pass	Peak	3	5124.000	/	-21.20	/	/	AVG
2	5149.000	-30.32	-21.20	8.69	Pass	Peak	4	5149.000	/	-21.20	/	/	AVG

802.11ac(VHT40)_HCH_5230MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21400.85	-40.70	-27.00	13.27	Pass	Peak	7	21400.85	/	-27.00	/	/	AVG
2	22303.55	-41.72	-21.20	20.09	Pass	Peak	8	22303.55	-54.74	-41.20	13.11	Pass	AVG
3	23222.4	-40.80	-27.00	13.37	Pass	Peak	9	23222.4	/	-27.00	/	/	AVG
4	24175.25	-39.44	-27.00	12.01	Pass	Peak	10	24175.25	/	-27.00	/	/	AVG
5	25405.2	-38.57	-27.00	11.14	Pass	Peak	11	25405.2	/	-27.00	/	/	AVG
6	26352.95	-37.77	-27.00	10.34	Pass	Peak	12	26352.95	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5230MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5365.770	-46.20	-21.20	24.57	Pass	Peak	3	5365.770	/	-21.20	/	/	AVG
2	5402.490	-46.36	-21.20	24.73	Pass	Peak	4	5402.490	/	-21.20	/	/	AVG


802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV



802.11ac(VHT40)_LCH_5755MHz_MIMO_NTNV




802.11ac(VHT40)_LCH_5755MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	11506.85	-47.03	-21.20	25.40	Pass	Peak	7	11506.85	-59.35	-41.20	17.72	Pass	AVG
2	21435.7	-45.87	-27.00	18.44	Pass	Peak	8	21435.7	/	-27.00	/	/	AVG
3	23905.8	-45.72	-21.20	24.09	Pass	Peak	9	23905.8	-59.41	-41.20	17.78	Pass	AVG
4	24709.9	-45.11	-27.00	17.68	Pass	Peak	10	24709.9	/	-27.00	/	/	AVG
5	25519.1	-44.61	-27.00	17.18	Pass	Peak	11	25519.1	/	-27.00	/	/	AVG
6	26440.5	-43.05	-27.00	15.62	Pass	Peak	12	26440.5	/	-27.00	/	/	AVG


802.11ac(VHT40)_LCH_5755MHz_MIMO_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_MIMO_NTNV




802.11ac(VHT40)_HCH_5795MHz_MIMO_NTNV




802.11ac(VHT40)_HCH_5795MHz_MIMO_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15633.6	-46.93	-21.20	25.30	Pass	Peak	7	15633.6	-59.76	-41.20	18.13	Pass	AVG
2	21390.65	-46.61	-21.20	24.98	Pass	Peak	8	21390.65	-59.76	-41.20	18.13	Pass	AVG
3	23786.8	-46.40	-21.20	24.77	Pass	Peak	9	23786.8	-59.95	-41.20	18.32	Pass	AVG
4	24814.45	-45.41	-27.00	17.98	Pass	Peak	10	24814.45	/	-27.00	/	/	AVG
5	25623.65	-45.09	-27.00	17.66	Pass	Peak	11	25623.65	/	-27.00	/	/	AVG
6	26402.25	-44.11	-27.00	16.68	Pass	Peak	12	26402.25	/	-27.00	/	/	AVG

802.11ac(VHT80)_MCH_5210MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5118.500	-30.84	-21.20	9.21	Pass	Peak	3	5118.500	/	-21.20	/	/	AVG
2	5149.000	-26.46	-21.20	4.83	Pass	Peak	4	5149.000	/	-21.20	/	/	AVG


802.11ac(VHT80)_MCH_5210MHz_MIMO_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV



802.11ac(VHT80)_MCH_5775MHz_MIMO_NTNV




802.11ac(VHT80)_MCH_5775MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5633.35	-41.85	-27.00	14.42	Pass	Peak	7	5633.35	/	-27.00	/	/	AVG
2	11554.45	-47.04	-21.20	25.41	Pass	Peak	8	11554.45	-58.61	-41.20	16.98	Pass	AVG
3	23887.1	-49.52	-21.20	27.89	Pass	Peak	9	23887.1	-63.75	-41.20	22.12	Pass	AVG
4	24698.85	-49.29	-27.00	21.86	Pass	Peak	10	24698.85	/	-27.00	/	/	AVG
5	25627.9	-49.34	-27.00	21.91	Pass	Peak	11	25627.9	/	-27.00	/	/	AVG
6	26436.25	-48.06	-27.00	20.63	Pass	Peak	12	26436.25	/	-27.00	/	/	AVG

802.11ac(VHT80)_MCH_5775MHz_MIMO_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-50.77	-21.20	29.14	Pass	Peak	3	5725.000	-28.64	-21.20	7.00	Pass	Peak
2	5723.975	-26.57	-21.20	4.94	Pass	Peak							

802.11ac(VHT80)_MCH_5775MHz_MIMO_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-50.77	-21.20	29.14	Pass	Peak	3	5725.000	-28.64	-21.20	7.00	Pass	Peak
2	5723.975	-26.57	-21.20	4.94	Pass	Peak							

6. Frequency Stability

6.1 Ant1

6.1.1 Test Result

Ant1							
Mode	Tx Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
Carrier Wave	SISO	5180	20	102	5179.979	5150 to 5250	Pass
				120	5179.978	5150 to 5250	Pass
				138	5179.977	5150 to 5250	Pass
			-30	120	5179.977	5150 to 5250	Pass
			-20	120	5179.977	5150 to 5250	Pass
			-10	120	5179.976	5150 to 5250	Pass
			0	120	5179.976	5150 to 5250	Pass
			10	120	5179.976	5150 to 5250	Pass
			30	120	5179.976	5150 to 5250	Pass
			40	120	5179.976	5150 to 5250	Pass
			50	120	5179.975	5150 to 5250	Pass
		5200	20	102	5199.975	5150 to 5250	Pass
				120	5199.975	5150 to 5250	Pass
				138	5199.974	5150 to 5250	Pass
			-30	120	5199.974	5150 to 5250	Pass
			-20	120	5199.974	5150 to 5250	Pass
			-10	120	5199.974	5150 to 5250	Pass
			0	120	5199.974	5150 to 5250	Pass
			10	120	5199.974	5150 to 5250	Pass
			30	120	5199.974	5150 to 5250	Pass
			40	120	5199.974	5150 to 5250	Pass
			50	120	5199.974	5150 to 5250	Pass
		5240	20	102	5239.974	5150 to 5250	Pass
				120	5239.974	5150 to 5250	Pass
				138	5239.973	5150 to 5250	Pass
			-30	120	5239.973	5150 to 5250	Pass
			-20	120	5239.973	5150 to 5250	Pass
			-10	120	5239.973	5150 to 5250	Pass
			0	120	5239.973	5150 to 5250	Pass
			10	120	5239.973	5150 to 5250	Pass
			30	120	5239.973	5150 to 5250	Pass
			40	120	5239.973	5150 to 5250	Pass

			50	120	5239.972	5150 to 5250	Pass
		5745	20	102	5744.973	5725 to 5850	Pass
				120	5744.972	5725 to 5850	Pass
				138	5744.971	5725 to 5850	Pass
				-30	120	5744.971	5725 to 5850
			-20	120	5744.972	5725 to 5850	Pass
			-10	120	5744.971	5725 to 5850	Pass
			0	120	5744.971	5725 to 5850	Pass
			10	120	5744.971	5725 to 5850	Pass
			30	120	5744.972	5725 to 5850	Pass
			40	120	5744.971	5725 to 5850	Pass
			50	120	5744.971	5725 to 5850	Pass
		5785	20	102	5784.971	5725 to 5850	Pass
				120	5784.971	5725 to 5850	Pass
				138	5784.971	5725 to 5850	Pass
				-30	120	5784.971	5725 to 5850
			-20	120	5784.970	5725 to 5850	Pass
			-10	120	5784.970	5725 to 5850	Pass
			0	120	5784.970	5725 to 5850	Pass
			10	120	5784.970	5725 to 5850	Pass
			30	120	5784.970	5725 to 5850	Pass
			40	120	5784.971	5725 to 5850	Pass
			50	120	5784.970	5725 to 5850	Pass
		5825	20	102	5824.970	5725 to 5850	Pass
				120	5824.970	5725 to 5850	Pass
				138	5824.970	5725 to 5850	Pass
				-30	120	5824.969	5725 to 5850
			-20	120	5824.970	5725 to 5850	Pass
			-10	120	5824.970	5725 to 5850	Pass
			0	120	5824.970	5725 to 5850	Pass
			10	120	5824.970	5725 to 5850	Pass
			30	120	5824.970	5725 to 5850	Pass
			40	120	5824.970	5725 to 5850	Pass
			50	120	5824.970	5725 to 5850	Pass
	MIMO	5190	20	102	5189.975	5150 to 5250	Pass
				120	5189.975	5150 to 5250	Pass
				138	5189.974	5150 to 5250	Pass
			-30	120	5189.974	5150 to 5250	Pass
			-20	120	5189.974	5150 to 5250	Pass
			-10	120	5189.974	5150 to 5250	Pass
			0	120	5189.974	5150 to 5250	Pass
			10	120	5189.974	5150 to 5250	Pass

			30	120	5189.974	5150 to 5250	Pass
			40	120	5189.974	5150 to 5250	Pass
			50	120	5189.974	5150 to 5250	Pass
		5230	20	102	5229.974	5150 to 5250	Pass
				120	5229.974	5150 to 5250	Pass
				138	5229.974	5150 to 5250	Pass
			-30	120	5229.974	5150 to 5250	Pass
			-20	120	5229.974	5150 to 5250	Pass
			-10	120	5229.974	5150 to 5250	Pass
			0	120	5229.974	5150 to 5250	Pass
			10	120	5229.973	5150 to 5250	Pass
			30	120	5229.973	5150 to 5250	Pass
			40	120	5229.973	5150 to 5250	Pass
			50	120	5229.973	5150 to 5250	Pass
		5755	20	102	5754.971	5725 to 5850	Pass
				120	5754.971	5725 to 5850	Pass
				138	5754.971	5725 to 5850	Pass
			-30	120	5754.972	5725 to 5850	Pass
			-20	120	5754.971	5725 to 5850	Pass
			-10	120	5754.971	5725 to 5850	Pass
			0	120	5754.971	5725 to 5850	Pass
			10	120	5754.971	5725 to 5850	Pass
			30	120	5754.971	5725 to 5850	Pass
			40	120	5754.971	5725 to 5850	Pass
			50	120	5754.971	5725 to 5850	Pass
		5795	20	102	5794.970	5725 to 5850	Pass
				120	5794.970	5725 to 5850	Pass
				138	5794.970	5725 to 5850	Pass
			-30	120	5794.970	5725 to 5850	Pass
			-20	120	5794.970	5725 to 5850	Pass
			-10	120	5794.970	5725 to 5850	Pass
			0	120	5794.970	5725 to 5850	Pass
			10	120	5794.971	5725 to 5850	Pass
			30	120	5794.970	5725 to 5850	Pass
			40	120	5794.970	5725 to 5850	Pass
			50	120	5794.970	5725 to 5850	Pass
		5210	20	102	5209.974	5150 to 5250	Pass
				120	5209.973	5150 to 5250	Pass
				138	5209.974	5150 to 5250	Pass
			-30	120	5209.973	5150 to 5250	Pass
			-20	120	5209.973	5150 to 5250	Pass
			-10	120	5209.973	5150 to 5250	Pass

			0	120	5209.973	5150 to 5250	Pass
			10	120	5209.973	5150 to 5250	Pass
			30	120	5209.973	5150 to 5250	Pass
			40	120	5209.973	5150 to 5250	Pass
			50	120	5209.973	5150 to 5250	Pass
		5775	20	102	5774.971	5725 to 5850	Pass
				120	5774.971	5725 to 5850	Pass
				138	5774.970	5725 to 5850	Pass
			-30	120	5774.970	5725 to 5850	Pass
			-20	120	5774.970	5725 to 5850	Pass
			-10	120	5774.970	5725 to 5850	Pass
			0	120	5774.970	5725 to 5850	Pass
			10	120	5774.970	5725 to 5850	Pass
			30	120	5774.970	5725 to 5850	Pass
			40	120	5774.971	5725 to 5850	Pass
			50	120	5774.970	5725 to 5850	Pass

7. Form731

7.1 Form731

7.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0154	11.87
5745	5825	0.0182	12.60
5190	5230	0.0160	12.03
5755	5795	0.0188	12.75
5210	5210	0.0165	12.18

(END OF REPORT)